Check-Point

Exam Questions 156-315.80

Check Point Certified Security Expert - R80

NEW QUESTION 1
Which Check Point software blades could be enforced under Threat Prevention profile using Check Point R80.10 SmartConsole application?

A. IPS, Anti-Bot, URL Filtering, Application Control, Threat Emulation.
B. Firewall, IPS, Threat Emulation, Application Control.
C. IPS, Anti-Bot, Anti-Virus, Threat Emulation, Threat Extraction.
D. Firewall, IPS, Anti-Bot, Anti-Virus, Threat Emulation.

Answer: C

NEW QUESTION 2
Which of the SecureXL templates are enabled by default on Security Gateway?

A. Accept
B. Drop
C. NAT
D. None

Answer: D

NEW QUESTION 3
The fwd process on the Security Gateway sends logs to the fwd process on the Management Server via which 2 processes?

A. fwd via cpm
B. fwm via fwd
C. cpm via cpd
D. fwd via cpd

Answer: A

NEW QUESTION 4
What is the recommended configuration when the customer requires SmartLog indexing for 14 days and SmartEvent to keep events for 180 days?

A. Use Multi-Domain Management Server.
B. Choose different setting for log storage and SmartEvent db
C. Install Management and SmartEvent on different machines.
D. it is not possible.

Answer: B

NEW QUESTION 5
What is UserCheck?

A. Messaging tool used to verify a user's credentials.
B. Communication tool used to inform a user about a website or application they are trying to access.
C. Administrator tool used to monitor users on their network.
D. Communication tool used to notify an administrator when a new user is created.

Answer: B

NEW QUESTION 6
Which of the following is NOT a component of Check Point Capsule?

A. Capsule Docs
B. Capsule Cloud
C. Capsule Enterprise
D. Capsule Workspace

Answer: C

NEW QUESTION 7
Using mgmt_cli, what is the correct syntax to import a host object called Server_1 from the CLI?

A. mgmt_cli add-host "Server_1" ip_address "10.15.123.10" --format txt
B. mgmt_cli add host name "Server_1" ip-address "10.15.123.10" --format json
C. mgmt_cli add object-host "Server_1" ip-address "10.15.123.10" --format json
D. mgmt._cli add object "Server-1" ip-address "10.15.123.10" --format json

Answer: B

Explanation:
 Example:
mgmt_cli add host name "New Host 1" ip-address "192.0.2.1" --format json
• "--format json" is optional. By default the output is presented in plain text. References:

NEW QUESTION 8
Using Threat Emulation technologies, what is the best way to block .exe and .bat file types?

A. enable DLP and select.exe and .bat file type
B. enable .exe & .bat protection in IPS Policy
C. create FW rule for particular protocol
D. tecli advanced attributes set prohibited_file_types exe.bat

Answer: A

NEW QUESTION 9
How many interfaces can you configure to use the Multi-Queue feature?

A. 10 interfaces
B. 3 interfaces
C. 4 interfaces
D. 5 interfaces

Answer: D

Explanation:
 Note - References:

NEW QUESTION 10
When using the Mail Transfer Agent, where are the debug logs stored?

A. $FWDIR/bin/emaild.mt
B. elg
C. $FWDIR/log/mtad elg
D. /var/log/mail.mta elg
E. $CPDIR/log/emaild elg

Answer: A

NEW QUESTION 10
To help SmartEvent determine whether events originated internally or externally you must define using the Initial Settings under General Settings in the Policy Tab. How many options are available to calculate the traffic direction?

A. 5 Network; Host; Objects; Services; API
B. 3 Incoming; Outgoing; Network
C. 2 Internal; External
D. 4 Incoming; Outgoing; Internal; Other

Answer: D

NEW QUESTION 12
What is the default size of NAT table fwx_alloc?

A. 20000
B. 35000
C. 25000
D. 10000

Answer: C

NEW QUESTION 15
In a Client to Server scenario, which represents that the packet has already checked against the tables and the Rule Base?

A. Big I
B. Little o
C. Little i
D. Big O

Answer: D

NEW QUESTION 20
Which of these statements describes the Check Point ThreatCloud?

A. Blocks or limits usage of web applications
B. Prevents or controls access to web sites based on category
C. Prevents Cloud vulnerability exploits
D. A worldwide collaborative security network

Answer: D

NEW QUESTION 24
From SecureXL perspective, what are the tree paths of traffic flow:

A. Initial Path; Medium Path; Accelerated Path
B. Layer Path; Blade Path; Rule Path
C. Firewall Path; Accept Path; Drop Path
D. Firewall Path; Accelerated Path; Medium Path

Answer: D

NEW QUESTION 29
After making modifications to the $CVPNDIR/conf/cvpnd.C file, how would you restart the daemon?

A. cvpnd_restart
B. cvpnd_restart
C. cvpnd restart
D. cvpnrestart

Answer: B

NEW QUESTION 33
What is a best practice before starting to troubleshoot using the "fw monitor" tool?

A. Run the command: fw monitor debug on
B. Clear the connections table
C. Disable CoreXL
D. Disable SecureXL

Answer: D

NEW QUESTION 36
John detected high load on sync interface. Which is most recommended solution?

A. For short connections like http service – delay sync for 2 seconds
B. Add a second interface to handle sync traffic
C. For short connections like http service – do not sync
D. For short connections like icmp service – delay sync for 2 seconds

Answer: A

NEW QUESTION 39
To fully enable Dynamic Dispatcher on a Security Gateway:

A. run fw ctl multik set_mode 9 in Expert mode and then Reboot.
B. Using cpconfig, update the Dynamic Dispatcher value to "full" under the CoreXL menu.
C. Edit/proc/interrupts to include multik set_mode 1 at the bottom of the file, save, and reboot.
D. run fw multik set_mode 1 in Expert mode and then reboot.

Answer: A

NEW QUESTION 43
Which command can you use to enable or disable multi-queue per interface?

A. cpmq set
B. Cpmqueue set
C. Cpmq config
D. St cpmq enable

Answer: A

NEW QUESTION 48
What is not a purpose of the deployment of Check Point API?

A. Execute an automated script to perform common tasks
B. Create a customized GUI Client for manipulating the objects database
C. Create products that use and enhance the Check Point solution
D. Integrate Check Point products with 3rd party solution

Answer: B

NEW QUESTION 49
Which of the following describes how Threat Extraction functions?

A. Detect threats and provides a detailed report of discovered threats.
B. Proactively detects threats.

C. Delivers file with original content.
D. Delivers PDF versions of original files with active content removed.

Answer: B

NEW QUESTION 52
In R80 spoofing is defined as a method of:

A. Disguising an illegal IP address behind an authorized IP address through Port Address Translation.
B. Hiding your firewall from unauthorized users.
C. Detecting people using false or wrong authentication logins
D. Making packets appear as if they come from an authorized IP address.

Answer: D

Explanation:
IP spoofing replaces the untrusted source IP address with a fake, trusted one, to hijack connections to your network. Attackers use IP spoofing to send malware and bots to your protected network, to execute DoS attacks, or to gain unauthorized access.

NEW QUESTION 57
NAT rules are prioritized in which order?
1. Automatic Static NAT
2. Automatic Hide NAT
3. Manual/Pre-Automatic NAT
4. Post-Automatic/Manual NAT rules

A. 1, 2, 3, 4
B. 1, 4, 2, 3
C. 3, 1, 2, 4
D. 4, 3, 1, 2

Answer: A

NEW QUESTION 58
Which of the following is NOT a type of Endpoint Identity Agent?

A. Terminal
B. Light
C. Full
D. Custom

Answer: A

NEW QUESTION 60
The Check Point history feature in R80 provides the following:

A. View install changes and install specific version
B. View install changes
C. Policy Installation Date, view install changes and install specific version
D. Policy Installation Date only

Answer: C

NEW QUESTION 61
You need to see which hotfixes are installed on your gateway, which command would you use?

A. cpinfo –h all
B. cpinfo –o hotfix
C. cpinfo –l hotfix
D. cpinfo –y all

Answer: D

NEW QUESTION 65
As an administrator, you may be required to add the company logo to reports. To do this, you would save the logo as a PNG file with the name 'cover-company-logo.png' and then copy that image file to which directory on the SmartEvent server?

A. SFWDIR/smartevent/conf
B. $RTDIR/smartevent/conf
C. $RTDIR/smartview/conf
D. $FWDIR/smartview/conf

Answer: C

NEW QUESTION 70

What is the valid range for VRID value in VRRP configuration?

A. 1 - 254
B. 1 - 255
C. 0 - 254
D. 0 - 255

Answer: B

Explanation:
Virtual Router ID - Enter a unique ID number for this virtual router. The range of valid values is 1 to 255. \

NEW QUESTION 71
If there are two administration logged in at the same time to the SmartConsole, and there are objects locked for editing, what must be done to make them available or other administrators? (Choose the BEST answer.)

A. Publish or discard the session.
B. Revert the session.
C. Save and install the Policy.
D. Delete older versions of database.

Answer: A

NEW QUESTION 76
Which command can you use to verify the number of active concurrent connections?

A. fw conn all
B. fw ctl pstat
C. show all connections
D. show connections

Answer: B

NEW QUESTION 77
You are working with multiple Security Gateways enforcing an extensive number of rules. To simplify security administration, which action would you choose?

A. Eliminate all possible contradictory rules such as the Stealth or Cleanup rules.
B. Create a separate Security Policy package for each remote Security Gateway.
C. Create network objects that restricts all applicable rules to only certain networks.
D. Run separate SmartConsole instances to login and configure each Security Gateway directly.

Answer: B

NEW QUESTION 78
The system administrator of a company is trying to find out why acceleration is not working for the traffic. The traffic is allowed according to the rule base and checked for viruses. But it is not accelerated.
What is the most likely reason that the traffic is not accelerated?

A. There is a virus foun
B. Traffic is still allowed but not accelerated.
C. The connection required a Security server.
D. Acceleration is not enabled.
E. The traffic is originating from the gateway itself.

Answer: D

NEW QUESTION 82
What is the name of the secure application for Mail/Calendar for mobile devices?

A. Capsule Workspace
B. Capsule Mail
C. Capsule VPN
D. Secure Workspace

Answer: A

NEW QUESTION 86
What command would show the API server status?

A. cpm status
B. api restart
C. api status
D. show api status

Answer: C

NEW QUESTION 88
Which of the following commands shows the status of processes?

A. cpwd_admin -l
B. cpwd -l
C. cpwd admin_list
D. cpwd_admin list

Answer: D

NEW QUESTION 91
Which component is NOT required to communicate with the Web Services API?

A. API key
B. session ID token
C. content-type
D. Request payload

Answer: A

NEW QUESTION 92
You need to change the number of firewall Instances used by CoreXL. How can you achieve this goal?

A. edit fwaffinity.conf; reboot required
B. cpconfig; reboot required
C. edit fwaffinity.conf; reboot not required
D. cpconfig; reboot not required

Answer: B

NEW QUESTION 96
Automation and Orchestration differ in that:

A. Automation relates to codifying tasks, whereas orchestration relates to codifying processes.
B. Automation involves the process of coordinating an exchange of information through web service interactions such as XML and JSON, but orchestration does not involve processes.
C. Orchestration is concerned with executing a single task, whereas automation takes a series of tasks and puts them all together into a process workflow.
D. Orchestration relates to codifying tasks, whereas automation relates to codifying processes.

Answer: A

NEW QUESTION 100
Which VPN routing option uses VPN routing for every connection a satellite gateway handles?

A. To satellites through center only
B. To center only
C. To center and to other satellites through center
D. To center, or through the center to other satellites, to Internet and other VPN targets

Answer: D

NEW QUESTION 105
Which statement is true about ClusterXL?

A. Supports Dynamic Routing (Unicast and Multicast)
B. Supports Dynamic Routing (Unicast Only)
C. Supports Dynamic Routing (Multicast Only)
D. Does not support Dynamic Routing

Answer: A

NEW QUESTION 110
The CPD daemon is a Firewall Kernel Process that does NOT do which of the following?

A. Secure Internal Communication (SIC)
B. Restart Daemons if they fail
C. Transfers messages between Firewall processes
D. Pulls application monitoring status

Answer: D

NEW QUESTION 114
Which file gives you a list of all security servers in use, including port number?

A. $FWDIR/conf/conf.conf

B. $FWDIR/conf/servers.conf
C. $FWDIR/conf/fwauthd.conf
D. $FWDIR/conf/serversd.conf

Answer: C

NEW QUESTION 117
During inspection of your Threat Prevention logs you find four different computers having one event each with a Critical Severity. Which of those hosts should you try to remediate first?

A. Host having a Critical event found by Threat Emulation
B. Host having a Critical event found by IPS
C. Host having a Critical event found by Antivirus
D. Host having a Critical event found by Anti-Bot

Answer: D

NEW QUESTION 118
To enable Dynamic Dispatch on Security Gateway without the Firewall Priority Queues, run the following command in Expert mode and reboot:

A. fw ctl Dyn_Dispatch on
B. fw ctl Dyn_Dispatch enable
C. fw ctl multik set_mode 4
D. fw ctl multik set_mode 1

Answer: C

NEW QUESTION 122
Which GUI client is supported in R80?

A. SmartProvisioning
B. SmartView Tracker
C. SmartView Monitor
D. SmartLog

Answer: C

NEW QUESTION 127
When a packet arrives at the gateway, the gateway checks it against the rules in the hop Policy Layer, sequentially from top to bottom, and enforces the first rule that matches a packet. Which of the following statements about the order of rule enforcement is true?

A. If the Action is Accept, the gateway allows the packet to pass through the gateway.
B. If the Action is Drop, the gateway continues to check rules in the next Policy Layer down.
C. If the Action is Accept, the gateway continues to check rules in the next Policy Layer down.
D. If the Action is Drop, the gateway applies the Implicit Clean-up Rule for that Policy Layer.

Answer: C

NEW QUESTION 132
You work as a security administrator for a large company. CSO of your company has attended a security conference where he has learnt how hackers constantly modify their strategies and techniques to evade detection and reach corporate resources. He wants to make sure that his company has the tight protections in place. Check Point has been selected for the security vendor.
Which Check Point product protects BEST against malware and zero-day attacks while ensuring quick delivery of safe content to your users?

A. IPS AND Application Control
B. IPS, anti-virus and anti-bot
C. IPS, anti-virus and e-mail security
D. SandBlast

Answer: D

NEW QUESTION 136
When Identity Awareness is enabled, which identity source(s) is(are) used for Application Control?

A. RADIUS
B. Remote Access and RADIUS
C. AD Query
D. AD Query and Browser-based Authentication

Answer: D

Explanation:
Identity Awareness gets identities from these acquisition sources:

NEW QUESTION 141

SecureXL improves non-encrypted firewall traffic throughput and encrypted VPN traffic throughput.

A. This statement is true because SecureXL does improve all traffic.
B. This statement is false because SecureXL does not improve this traffic but CoreXL does.
C. This statement is true because SecureXL does improve this traffic.
D. This statement is false because encrypted traffic cannot be inspected.

Answer: C

Explanation:
SecureXL improved non-encrypted firewall traffic throughput, and encrypted VPN traffic throughput, by nearly an order-of-magnitude- particularly for small packets flowing in long duration connections.

NEW QUESTION 145
Which file contains the host address to be published, the MAC address that needs to be associated with the IP Address, and the unique IP of the interface that responds to ARP request?

A. /opt/CPshrd-R80/conf/local.arp
B. /var/opt/CPshrd-R80/conf/local.arp
C. $CPDIR/conf/local.arp
D. $FWDIR/conf/local.arp

Answer: D

NEW QUESTION 146
What is the purpose of Priority Delta in VRRP?

A. When a box up, Effective Priority = Priority + Priority Delta
B. When an Interface is up, Effective Priority = Priority + Priority Delta
C. When an Interface fail, Effective Priority = Priority – Priority Delta
D. When a box fail, Effective Priority = Priority – Priority Delta

Answer: C

Explanation:
Each instance of VRRP running on a supported interface may monitor the link state of other interfaces. The monitored interfaces do not have to be running VRRP. If a monitored interface loses its link state, then VRRP will decrement its priority over a VRID by the specified delta value and then will send out a new VRRP HELLO packet. If the new effective priority is less than the priority a backup platform has, then the backup platform will beging to send out its own HELLO packet. Once the master sees this packet with a priority greater than its own, then it releases the VIP. References:

NEW QUESTION 151
You can select the file types that are sent for emulation for all the Threat Prevention profiles. Each profile defines a(n) _____ or _____ action for the file types.

A. Inspect/Bypass
B. Inspect/Prevent
C. Prevent/Bypass
D. Detect/Bypass

Answer: A

NEW QUESTION 153
Which command is used to add users to or from existing roles?

A. Add rba user <User Name> roles <List>
B. Add rba user <User Name>
C. Add user <User Name> roles <List>
D. Add user <User Name>

Answer: A

NEW QUESTION 156
What CLI command compiles and installs a Security Policy on the target's Security Gateways?

A. fwm compile
B. fwm load
C. fwm fetch
D. fwm install

Answer: B

NEW QUESTION 159
What needs to be configured if the NAT property 'Translate destination or client side' is not enabled in Global Properties?

A. A host route to route to the destination IP.
B. Use the file local.arp to add the ARP entries for NAT to work.
C. Nothing, the Gateway takes care of all details necessary.

D. Enabling 'Allow bi-directional NAT' for NAT to work correctly.

Answer: C

NEW QUESTION 163
R80.10 management server can manage gateways with which versions installed?

A. Versions R77 and higher
B. Versions R76 and higher
C. Versions R75.20 and higher
D. Versions R75 and higher

Answer: C

NEW QUESTION 167
What is the least amount of CPU cores required to enable CoreXL?

A. 2
B. 1
C. 4
D. 6

Answer: B

NEW QUESTION 169
Fill in the blank: Identity Awareness AD-Query is using the Microsoft _____ API to learn users from AD.

A. WMI
B. Eventvwr
C. XML
D. Services.msc

Answer: A

NEW QUESTION 174
Fill in the blanks. There are_____ types of software containers: _____.

A. Three; security management, Security Gateway, and endpoint security
B. Three; Security Gateway, endpoint security, and gateway management
C. Two; security management and endpoint security
D. Two; endpoint security and Security Gateway

Answer: A

NEW QUESTION 178
Vanessa is firewall administrator in her company. Her company is using Check Point firewall on a central and several remote locations which are managed centrally by R77.30 Security Management Server. On central location is installed R77.30 Gateway on Open server. Remote locations are using Check Point UTM-1570 series appliances with R75.30 and some of them are using a UTM-1-Edge-X or Edge-W with latest available firmware. She is in process of migrating to R80.
What can cause Vanessa unnecessary problems, if she didn't check all requirements for migration to R80?

A. Missing an installed R77.20 Add-on on Security Management Server
B. Unsupported firmware on UTM-1 Edge-W appliance
C. Unsupported version on UTM-1 570 series appliance
D. Unsupported appliances on remote locations

Answer: A

NEW QUESTION 183
Please choose the path to monitor the compliance status of the Check Point R80.10 based management.

A. Gateways & Servers --> Compliance View
B. Compliance blade not available under R80.10
C. Logs & Monitor --> New Tab --> Open compliance View
D. Security & Policies --> New Tab --> Compliance View

Answer: C

NEW QUESTION 186
How often does Threat Emulation download packages by default?

A. Once a week
B. Once an hour
C. Twice per day
D. Once per day

Answer: D

NEW QUESTION 189
You have successfully backed up Check Point configurations without the OS information. What command would you use to restore this backup?

A. restore_backup
B. import backup
C. cp_merge
D. migrate import

Answer: D

NEW QUESTION 193
Which command shows actual allowed connections in state table?

A. fw tab –t StateTable
B. fw tab –t connections
C. fw tab –t connection
D. fw tab connections

Answer: B

NEW QUESTION 196
What are the three components for Check Point Capsule?

A. Capsule Docs, Capsule Cloud, Capsule Connect
B. Capsule Workspace, Capsule Cloud, Capsule Connect
C. Capsule Workspace, Capsule Docs, Capsule Connect
D. Capsule Workspace, Capsule Docs, Capsule Cloud

Answer: D

NEW QUESTION 199
Which command gives us a perspective of the number of kernel tables?

A. fw tab -t
B. fw tab -s
C. fw tab -n
D. fw tab -k

Answer: B

NEW QUESTION 200
On R80.10 when configuring Third-Party devices to read the logs using the LEA (Log Export API) the default Log Server uses port:

A. 18210
B. 18184
C. 257
D. 18191

Answer: B

NEW QUESTION 205
Which software blade does NOT accompany the Threat Prevention policy?

A. Anti-virus
B. IPS
C. Threat Emulation
D. Application Control and URL Filtering

Answer: D

NEW QUESTION 209
True or False: In a Distributed Environment, a Central License can be installed via CLI on a Security Gateway.

A. True, CLI is the prefer method for Licensing
B. False, Central License are handled via Security Management Server
C. False, Central Licenses are installed via Gaia on Security Gateways
D. True, Central License can be installed with CPLIC command on a Security Gateway

Answer: D

NEW QUESTION 213
Which feature is NOT provided by all Check Point Mobile Access solutions?

A. Support for IPv6
B. Granular access control
C. Strong user authentication
D. Secure connectivity

Answer: A

Explanation:
 Types of Solutions
All of Check Point's Remote Access solutions provide:

NEW QUESTION 215
On R80.10 the IPS Blade is managed by:

A. Threat Protection policy
B. Anti-Bot Blade
C. Threat Prevention policy
D. Layers on Firewall policy

Answer: C

NEW QUESTION 217
What two ordered layers make up the Access Control Policy Layer?

A. URL Filtering and Network
B. Network and Threat Prevention
C. Application Control and URL Filtering
D. Network and Application Control

Answer: D

NEW QUESTION 220
Identify the API that is not supported by Check Point currently.

A. R80 Management API-
B. Identity Awareness Web Services API
C. Open REST API
D. OPSEC SDK

Answer: C

NEW QUESTION 222
What command can you use to have cpinfo display all installed hotfixes?

A. cpinfo -hf
B. cpinfo –y all
C. cpinfo –get hf
D. cpinfo installed_jumbo

Answer: B

NEW QUESTION 227
After the initial installation on Check Point appliance, you notice that the Management-interface and default gateway are incorrect.
Which commands could you use to set the IP to 192.168.80.200/24 and default gateway to 192.168.80.1.

A. set interface Mgmt ipv4-address 192.168.80.200 mask-length 24set static-route default nexthop gateway address 192.168.80.1 onsave config
B. set interface Mgmt ipv4-address 192.168.80.200 255.255.255.0add static-route 0.0.0.0. 0.0.0.0 gw 192.168.80.1 onsave config
C. set interface Mgmt ipv4-address 192.168.80.200 255.255.255.0set static-route 0.0.0.0. 0.0.0.0 gw 192.168.80.1 onsave config
D. set interface Mgmt ipv4-address 192.168.80.200 mask-length 24add static-route default nexthop gateway address 192.168.80.1 onsave config

Answer: A

NEW QUESTION 228
There are 4 ways to use the Management API for creating host object with R80 Management API. Which one is NOT correct?

A. Using Web Services
B. Using Mgmt_cli tool
C. Using CLISH
D. Using SmartConsole GUI console
E. Events are collected with SmartWorkflow from Trouble Ticket systems

Answer: E

NEW QUESTION 231
GAIA greatly increases operational efficiency by offering an advanced and intuitive software update agent, commonly referred to as the:

A. Check Point Update Service Engine
B. Check Point Software Update Agent
C. Check Point Remote Installation Daemon (CPRID)
D. Check Point Software Update Daemon

Answer: A

NEW QUESTION 236
Why would an administrator see the message below?

A. A new Policy Package created on both the Management and Gateway will be deleted and must be backed up first before proceeding.
B. A new Policy Package created on the Management is going to be installed to the existing Gateway.
C. A new Policy Package created on the Gateway is going to be installed on the existing Management.
D. A new Policy Package created on the Gateway and transferred to the Management will be overwritten by the Policy Package currently on the Gateway but can be restored from a periodic backup on the Gateway.

Answer: B

NEW QUESTION 240
Which encryption algorithm is the least secured?

A. AES-128
B. AES-256
C. DES
D. 3DES

Answer: C

NEW QUESTION 245
For best practices, what is the recommended time for automatic unlocking of locked admin accounts?

A. 20 minutes
B. 15 minutes
C. Admin account cannot be unlocked automatically
D. 30 minutes at least

Answer: D

NEW QUESTION 249
Which statement is NOT TRUE about Delta synchronization?

A. Using UDP Multicast or Broadcast on port 8161
B. Using UDP Multicast or Broadcast on port 8116
C. Quicker than Full sync
D. Transfers changes in the Kernel tables between cluster members.

Answer: A

NEW QUESTION 251
When running a query on your logs, to find records for user Toni with machine IP of 10.0.4.210 but exclude her tablet IP of 10.0.4.76, which of the following query syntax would you use?

A. Toni? AND 10.0.4.210 NOT 10.0.4.76
B. To** AND 10.0.4.210 NOT 10.0.4.76
C. Ton* AND 10.0.4.210 NOT 10.0.4.75
D. "Toni" AND 10.0.4.210 NOT 10.0.4.76

Answer: B

NEW QUESTION 252
SmartEvent uses it's event policy to identify events. How can this be customized?

A. By modifying the firewall rulebase
B. By creating event candidates
C. By matching logs against exclusions
D. By matching logs against event rules

Answer: C

NEW QUESTION 253
What is the main difference between Threat Extraction and Threat Emulation?

A. Threat Emulation never delivers a file and takes more than 3 minutes to complete.
B. Threat Extraction always delivers a file and takes less than a second to complete.
C. Threat Emulation never delivers a file that takes less than a second to complete.
D. Threat Extraction never delivers a file and takes more than 3 minutes to complete.

Answer: B

NEW QUESTION 257
Fill in the blank: A new license should be generated and installed in all of the following situations EXCEPT when _____ .

A. The license is attached to the wrong Security Gateway.
B. The existing license expires.
C. The license is upgraded.
D. The IP address of the Security Management or Security Gateway has changed.

Answer: A

NEW QUESTION 261
Which path below is available only when CoreXL is enabled?

A. Slow path
B. Firewall path
C. Medium path
D. Accelerated path

Answer: C

NEW QUESTION 263
The Correlation Unit performs all but the following actions:

A. Marks logs that individually are not events, but may be part of a larger pattern to be identified later.
B. Generates an event based on the Event policy.
C. Assigns a severity level to the event.
D. Takes a new log entry that is part of a group of items that together make up an event, and adds it to an ongoing event.

Answer: C

NEW QUESTION 264
What key is used to save the current CPView page in a filename format cpview_"cpview process ID".cap"number of captures"?

A. S
B. W
C. C
D. Space bar

Answer: C

NEW QUESTION 265

Fill in the blank: _____ information is included in "Full Log" tracking option, but is not included in "Log" tracking option?

A. Destination port
B. Data type
C. File attributes
D. Application

Answer: B

NEW QUESTION 267
SandBlast appliances can be deployed in the following modes:

A. using a SPAN port to receive a copy of the traffic only
B. detect only
C. inline/prevent or detect
D. as a Mail Transfer Agent and as part of the traffic flow only

Answer: C

NEW QUESTION 269
Vanessa is a Firewall administrator. She wants to test a backup of her company's production Firewall cluster Dallas_GW. She has a lab environment that is identical to her production environment. She decided to restore production backup via SmartConsole in lab environment.
Which details she need to fill in System Restore window before she can click OK button and test the backup?

A. Server, SCP, Username, Password, Path, Comment, Member
B. Server, TFTP, Username, Password, Path, Comment, All Members
C. Server, Protocol, Username, Password, Path, Comment, All Members
D. Server, Protocol, username Password, Path, Comment, Member

Answer: C

NEW QUESTION 274
Fill in the blank: The command _____ provides the most complete restoration of a R80 configuration.

A. upgrade_import
B. cpconfig
C. fwm dbimport -p <export file>
D. cpinfo –recover

Answer: A

NEW QUESTION 278
To fully enable Dynamic Dispatcher with Firewall Priority Queues on a Security Gateway, run the following command in Expert mode then reboot:

A. fw ctl multik set_mode 1
B. fw ctl Dynamic_Priority_Queue on
C. fw ctl Dynamic_Priority_Queue enable
D. fw ctl multik set_mode 9

Answer: D

NEW QUESTION 282
Fill in the blank: Permanent VPN tunnels can be set on all tunnels in the community, on all tunnels for specific gateways, or _____.

A. On all satellite gateway to satellite gateway tunnels
B. On specific tunnels for specific gateways
C. On specific tunnels in the community
D. On specific satellite gateway to central gateway tunnels

Answer: C

NEW QUESTION 284
View the rule below. What does the lock-symbol in the left column mean? (Choose the BEST answer.)

A. The current administrator has read-only permissions to Threat Prevention Policy.
B. Another user has locked the rule for editing.
C. Configuration lock is presen
D. Click the lock symbol to gain read-write access.
E. The current administrator is logged in as read-only because someone else is editing the policy.

Answer: B

Explanation:
https://sc1.checkpoint.com/documents/R80/CP_R80_SecMGMT/html_frameset.htm?topic=documents/R80/CP_

NEW QUESTION 287
Ken wants to obtain a configuration lock from other administrator on R80 Security Management Server. He can do this via WebUI or via CLI.
Which command should he use in CLI? (Choose the correct answer.)

A. remove database lock
B. The database feature has one command lock database override.
C. override database lock
D. The database feature has two commands lock database override and unlock databas
E. Both will work.

Answer: D

NEW QUESTION 289
What is the command to see cluster status in cli expert mode?

A. fw ctl stat
B. clusterXL stat
C. clusterXL status
D. cphaprob stat

Answer: D

NEW QUESTION 291
In what way are SSL VPN and IPSec VPN different?

A. SSL VPN is using HTTPS in addition to IKE, whereas IPSec VPN is clientless
B. SSL VPN adds an extra VPN header to the packet, IPSec VPN does not
C. IPSec VPN does not support two factor authentication, SSL VPN does support this
D. IPSec VPN uses an additional virtual adapter; SSL VPN uses the client network adapter only.

Answer: D

NEW QUESTION 296
Fill in the blank: The tool _____ generates a R80 Security Gateway configuration report.

A. infoCP
B. infoview
C. cpinfo
D. fw cpinfo

Answer: C

NEW QUESTION 301
Which of the following links will take you to the SmartView web application?

A. https://<Security Management Server host name>/smartviewweb/
B. https://<Security Management Server IP Address>/smartview/
C. https://<Security Management Server host name>smartviewweb
D. https://<Security Management Server IP Address>/smartview

Answer: B

NEW QUESTION 306
Check Point Management (cpm) is the main management process in that it provides the architecture for a consolidated management console. It empowers the migration from legacy Client-side logic to Server-side logic. The cpm process:

A. Allow GUI Client and management server to communicate via TCP Port 19001
B. Allow GUI Client and management server to communicate via TCP Port 18191
C. Performs database tasks such as creating, deleting, and modifying objects and compiling policy.
D. Performs database tasks such as creating, deleting, and modifying objects and compiling as well as policy code generation.

Answer: C

NEW QUESTION 307
When setting up an externally managed log server, what is one item that will not be configured on the R80 Security Management Server?

A. IP
B. SIC
C. NAT
D. FQDN

Answer: C

NEW QUESTION 311
How long may verification of one file take for Sandblast Threat Emulation?

A. up to 1 minutes
B. within seconds cleaned file will be provided
C. up to 5 minutes
D. up to 3 minutes

Answer: B

NEW QUESTION 313
Which command will allow you to see the interface status?

A. cphaprob interface
B. cphaprob –I interface
C. cphaprob –a if
D. cphaprob stat

Answer: C

NEW QUESTION 314
Hit Count is a feature to track the number of connections that each rule matches, which one is not benefit of Hit Count.

A. Better understand the behavior of the Access Control Policy
B. Improve Firewall performance - You can move a rule that has hot count to a higher position in the Rule Base
C. Automatically rearrange Access Control Policy based on Hit Count Analysis
D. Analyze a Rule Base - You can delete rules that have no matching connections

Answer: C

NEW QUESTION 316
Which of the following type of authentication on Mobile Access can NOT be used as the first authentication method?

A. Dynamic ID
B. RADIUS
C. Username and Password
D. Certificate

Answer: A

NEW QUESTION 321
You find one of your cluster gateways showing "Down" when you run the "cphaprob stat" command. You then run the "clusterXL_admin up" on the down member but unfortunately the member continues to show down. What command do you run to determine the cause?

A. cphaprob –f register
B. cphaprob –d –s report
C. cpstat –f all
D. cphaprob –a list

Answer: D

NEW QUESTION 324
To ensure that VMAC mode is enabled, which CLI command should you run on all cluster members?

A. fw ctl set int fwha vmac global param enabled
B. fw ctl get int vmac global param enabled; result of command should return value 1
C. cphaprob-a if
D. fw ctl get int fwha_vmac_global_param_enabled; result of command should return value 1

Answer: D

NEW QUESTION 327
What cloud-based SandBlast Mobile application is used to register new devices and users?

A. Check Point Protect Application
B. Management Dashboard
C. Behavior Risk Engine
D. Check Point Gateway

Answer: D

NEW QUESTION 331

Under which file is the proxy arp configuration stored?

A. $FWDIR/state/proxy_arp.conf on the management server
B. $FWDIR/conf/local.arp on the management server
C. $FWDIR/state/_tmp/proxy.arp on the security gateway
D. $FWDIR/conf/local.arp on the gateway

Answer: D

NEW QUESTION 334
What is the mechanism behind Threat Extraction?

A. This a new mechanism which extracts malicious files from a document to use it as a counter-attack against its sender.
B. This is a new mechanism which is able to collect malicious files out of any kind of file types to destroy it prior to sending it to the intended recipient.
C. This is a new mechanism to identify the IP address of the sender of malicious codes and put it into the SAM database (Suspicious Activity Monitoring).
D. Any active contents of a document, such as JavaScripts, macros and links will be removed from the document and forwarded to the intended recipient, which makes this solution very fast.

Answer: D

NEW QUESTION 338
What is the most recommended way to install patches and hotfixes?

A. CPUSE Check Point Update Service Engine
B. rpm -Uv
C. Software Update Service
D. UnixinstallScript

Answer: A

NEW QUESTION 343
VPN Link Selection will perform the following when the primary VPN link goes down?

A. The Firewall will drop the packets.
B. The Firewall can update the Link Selection entries to start using a different link for the same tunnel.
C. The Firewall will send out the packet on all interfaces.
D. The Firewall will inform the client that the tunnel is down.

Answer: B

NEW QUESTION 346
SmartEvent has several components that function together to track security threats. What is the function of the Correlation Unit as a component of this architecture?

A. Analyzes each log entry as it arrives at the log server according to the Event Polic
B. When a threat pattern is identified, an event is forwarded to the SmartEvent Server.
C. Correlates all the identified threats with the consolidation policy.
D. Collects syslog data from third party devices and saves them to the database.
E. Connects with the SmartEvent Client when generating threat reports.

Answer: A

NEW QUESTION 347
What is mandatory for ClusterXL to work properly?

A. The number of cores must be the same on every participating cluster node
B. The Magic MAC number must be unique per cluster node
C. The Sync interface must not have an IP address configured
D. If you have "Non-monitored Private" interfaces, the number of those interfaces must be the same on all cluster members

Answer: B

NEW QUESTION 350
Which tool provides a list of trusted files to the administrator so they can specify to the Threat Prevention blade that these files do not need to be scanned or analyzed?

A. ThreatWiki
B. Whitelist Files
C. AppWiki
D. IPS Protections

Answer: B

NEW QUESTION 352
When requiring certificates for mobile devices, make sure the authentication method is set to one of the following, Username and Password, RADIUS or _____.

A. SecureID
B. SecurID
C. Complexity
D. TacAcs

Answer: B

NEW QUESTION 355
Connections to the Check Point R80 Web API use what protocol?

A. HTTPS
B. RPC
C. VPN
D. SIC

Answer: A

NEW QUESTION 356
In what way is Secure Network Distributor (SND) a relevant feature of the Security Gateway?

A. SND is a feature to accelerate multiple SSL VPN connections
B. SND is an alternative to IPSec Main Mode, using only 3 packets
C. SND is used to distribute packets among Firewall instances
D. SND is a feature of fw monitor to capture accelerated packets

Answer: C

NEW QUESTION 361
What is the recommended number of physical network interfaces in a Mobile Access cluster deployment?

A. 4 Interfaces – an interface leading to the organization, a second interface leading to the internet, a third interface for synchronization, a fourth interface leading to the Security Management Server.
B. 3 Interfaces – an interface leading to the organization, a second interface leading to the Internet, a third interface for synchronization.
C. 1 Interface – an interface leading to the organization and the Internet, and configure for synchronization.
D. 2 Interfaces – a data interface leading to the organization and the Internet, a second interface for synchronization.

Answer: B

NEW QUESTION 364
An administrator would like to troubleshoot why templating is not working for some traffic. How can he determine at which rule templating is disabled?

A. He can use the fw accel stat command on the gateway.
B. He can use the fw accel statistics command on the gateway.
C. He can use the fwaccel stat command on the Security Management Server.
D. He can use the fwaccel stat command on the gateway

Answer: D

NEW QUESTION 365
Sticky Decision Function (SDF) is required to prevent which of the following? Assume you set up an Active-Active cluster.

A. Symmetric routing
B. Failovers
C. Asymmetric routing
D. Anti-Spoofing

Answer: C

NEW QUESTION 366
What command verifies that the API server is responding?

A. api stat
B. api status
C. show api_status
D. app_get_status

Answer: B

NEW QUESTION 368
Joey want to configure NTP on R80 Security Management Server. He decided to do this via WebUI. What is the correct address to access the Web UI for Gaia platform via browser?

A. https://<Device_IP_Adress>
B. http://<Device IP_Address>:443
C. https://<Device_IP_Address>:10000

D. https://<Device_IP_Address>:4434

Answer: A

NEW QUESTION 370
In which formats can Threat Emulation forensics reports be viewed in?

A. TXT, XML and CSV
B. PDF and TXT
C. PDF, HTML, and XML
D. PDF and HTML

Answer: C

NEW QUESTION 372
Check Pont Central Deployment Tool (CDT) communicates with the Security Gateway / Cluster Members over Check Point SIC _____ .

A. TCP Port 18190
B. TCP Port 18209
C. TCP Port 19009
D. TCP Port 18191

Answer: D

NEW QUESTION 377
Which features are only supported with R80.10 Gateways but not R77.x?

A. Access Control policy unifies the Firewall, Application Control & URL Filtering, Data Awareness, and Mobile Access Software Blade policies.
B. Limits the upload and download throughput for streaming media in the company to 1 Gbps.
C. The rule base can be built of layers, each containing a set of the security rule
D. Layers are inspected in the order in which they are defined, allowing control over the rule base flow and which security functionalities take precedence.
E. Time object to a rule to make the rule active only during specified times.

Answer: C

NEW QUESTION 381
Which tool is used to enable ClusterXL?

A. SmartUpdate
B. cpconfig
C. SmartConsole
D. sysconfig

Answer: B

NEW QUESTION 386
Which command is used to set the CCP protocol to Multicast?

A. cphaprob set_ccp multicast
B. cphaconf set_ccp multicast
C. cphaconf set_ccp no_broadcast
D. cphaprob set_ccp no_broadcast

Answer: B

NEW QUESTION 389
The Firewall Administrator is required to create 100 new host objects with different IP addresses. What API command can he use in the script to achieve the requirement?

A. add host name <New HostName> ip-address <ip address>
B. add hostname <New HostName> ip-address <ip address>
C. set host name <New HostName> ip-address <ip address>
D. set hostname <New HostName> ip-address <ip address>

Answer: A

NEW QUESTION 392
How is communication between different Check Point components secured in R80? As with all questions, select the BEST answer.

A. By using IPSEC
B. By using SIC
C. By using ICA
D. By using 3DES

Answer: B

NEW QUESTION 397
Which is not a blade option when configuring SmartEvent?

A. Correlation Unit
B. SmartEvent Unit
C. SmartEvent Server
D. Log Server

Answer: B

Explanation:
On the Management tab, enable these Software Blades: References:

NEW QUESTION 400
What information is NOT collected from a Security Gateway in a Cpinfo?

A. Firewall logs
B. Configuration and database files
C. System message logs
D. OS and network statistics

Answer: A

NEW QUESTION 402
What is true about the IPS-Blade?

A. In R80, IPS is managed by the Threat Prevention Policy
B. In R80, in the IPS Layer, the only three possible actions are Basic, Optimized and Strict
C. In R80, IPS Exceptions cannot be attached to "all rules"
D. In R80, the GeoPolicy Exceptions and the Threat Prevention Exceptions are the same

Answer: A

NEW QUESTION 407
What is the valid range for Virtual Router Identifier (VRID) value in a Virtual Routing Redundancy Protocol (VRRP) configuration?

A. 1-254
B. 1-255
C. 0-254
D. 0 – 255

Answer: B

NEW QUESTION 408
What is the default shell of Gaia CLI?

A. Monitor
B. CLI.sh
C. Read-only
D. Bash

Answer: B

NEW QUESTION 413
Which utility allows you to configure the DHCP service on Gaia from the command line?

A. ifconfig
B. dhcp_ofg
C. sysconfig
D. cpconfig

Answer: C

NEW QUESTION 416
Which method below is NOT one of the ways to communicate using the Management API's?

A. Typing API commands using the "mgmt_cli" command
B. Typing API commands from a dialog box inside the SmartConsole GUI application
C. Typing API commands using Gaia's secure shell(clish)19+
D. Sending API commands over an http connection using web-services

Answer: D

NEW QUESTION 420

Which statements below are CORRECT regarding Threat Prevention profiles in SmartDashboard?

A. You can assign only one profile per gateway and a profile can be assigned to one rule Only.
B. You can assign multiple profiles per gateway and a profile can be assigned to one rule only.
C. You can assign multiple profiles per gateway and a profile can be assigned to one or more rules.
D. You can assign only one profile per gateway and a profile can be assigned to one or more rules.

Answer: C

NEW QUESTION 421
You have a Geo-Protection policy blocking Australia and a number of other countries. Your network now requires a Check Point Firewall to be installed in Sydney, Australia.
What must you do to get SIC to work?

A. Remove Geo-Protection, as the IP-to-country database is updated externally, and you have no control of this.
B. Create a rule at the top in the Sydney firewall to allow control traffic from your network
C. Nothing - Check Point control connections function regardless of Geo-Protection policy
D. Create a rule at the top in your Check Point firewall to bypass the Geo-Protection

Answer: C

NEW QUESTION 425
Which command would you use to set the network interfaces' affinity in Manual mode?

A. sim affinity -m
B. sim affinity -l
C. sim affinity -a
D. sim affinity -s

Answer: D

NEW QUESTION 426
Joey wants to upgrade from R75.40 to R80 version of Security management. He will use Advanced Upgrade with Database Migration method to achieve this.
What is one of the requirements for his success?

A. Size of the /var/log folder of the source machine must be at least 25% of the size of the /var/log directory on the target machine
B. Size of the /var/log folder of the target machine must be at least 25% of the size of the /var/log directory on the source machine
C. Size of the $FWDIR/log folder of the target machine must be at least 30% of the size of the$FWDIR/log directory on the source machine
D. Size of the /var/log folder of the target machine must be at least 25GB or more

Answer: B

NEW QUESTION 429
SandBlast agent extends 0 day prevention to what part of the network?

A. Web Browsers and user devices
B. DMZ server
C. Cloud
D. Email servers

Answer: A

NEW QUESTION 433
What is the Implicit Clean-up Rule?

A. A setting is defined in the Global Properties for all policies.
B. A setting that is configured per Policy Layer.
C. Another name for the Clean-up Rule.
D. Automatically created when the Clean-up Rule is defined.

Answer: C

NEW QUESTION 436
Using ClusterXL, what statement is true about the Sticky Decision Function?

A. Can only be changed for Load Sharing implementations
B. All connections are processed and synchronized by the pivot
C. Is configured using cpconfig
D. Is only relevant when using SecureXL

Answer: A

NEW QUESTION 437
Fill in the blank: The R80 utility fw monitor is used to troubleshoot _____ .

A. User data base corruption
B. LDAP conflicts
C. Traffic issues
D. Phase two key negotiations

Answer: C

Explanation:
Check Point's FW Monitor is a powerful built-in tool for capturing network traffic at the packet level. The FW Monitor utility captures network packets at multiple capture points along the FireWall inspection chains. These captured packets can be inspected later using the WireShark.

NEW QUESTION 442
Traffic from source 192.168.1.1 is going to www.google.com. The Application Control Blade on the gateway is inspecting the traffic. Assuming acceleration is enabled which path is handling the traffic?

A. Slow Path
B. Medium Path
C. Fast Path
D. Accelerated Path

Answer: A

NEW QUESTION 447
What is true about VRRP implementations?

A. VRRP membership is enabled in cpconfig
B. VRRP can be used together with ClusterXL, but with degraded performance
C. You cannot have a standalone deployment
D. You cannot have different VRIDs in the same physical network

Answer: C

NEW QUESTION 452
CPM process stores objects, policies, users, administrators, licenses and management data in a database. The database is:

A. MySQL
B. Postgres SQL
C. MarisDB
D. SOLR

Answer: B

NEW QUESTION 457
Which Check Point software blade provides protection from zero-day and undiscovered threats?

A. Firewall
B. Threat Emulation
C. Application Control
D. Threat Extraction

Answer: B

NEW QUESTION 461
When an encrypted packet is decrypted, where does this happen?

A. Security policy
B. Inbound chain
C. Outbound chain
D. Decryption is not supported

Answer: A

NEW QUESTION 466
What are types of Check Point APIs available currently as part of R80.10 code?

A. Security Gateway API Management API, Threat Prevention API and Identity Awareness Web Services API
B. Management API, Threat Prevention API, Identity Awareness Web Services API and OPSEC SDK API
C. OSE API, OPSEC SDK API, Threat Extraction API and Policy Editor API
D. CPMI API, Management API, Threat Prevention API and Identity Awareness Web Services API

Answer: B

NEW QUESTION 471
What has to be taken into consideration when configuring Management HA?

A. The Database revisions will not be synchronized between the management servers
B. SmartConsole must be closed prior to synchronized changes in the objects database
C. If you wanted to use Full Connectivity Upgrade, you must change the Implied Rules to allow FW1_cpredundant to pass before the Firewall Control Connections.
D. For Management Server synchronization, only External Virtual Switches are supporte
E. So, if you wanted to employ Virtual Routers instead, you have to reconsider your design.

Answer: A

NEW QUESTION 475
Which command is used to obtain the configuration lock in Gaia?

A. Lock database override
B. Unlock database override
C. Unlock database lock
D. Lock database user

Answer: A

Explanation:
Obtaining a Configuration Lock

NEW QUESTION 480
How many images are included with Check Point TE appliance in Recommended Mode?

A. 2(OS) images
B. images are chosen by administrator during installation
C. as many as licensed for
D. the most new image

Answer: A

NEW QUESTION 482
Fill in the blank: The R80 SmartConsole, SmartEvent GUI client, and _____ consolidate billions of logs and shows then as prioritized security events.

A. SmartMonitor
B. SmartView Web Application
C. SmartReporter
D. SmartTracker

Answer: B

NEW QUESTION 487
The following command is used to verify the CPUSE version:

A. HostName:0>show installer status build
B. [Expert@HostName:0]#show installer status
C. [Expert@HostName:0]#show installer status build
D. HostName:0>show installer build

Answer: A

NEW QUESTION 488
Customer's R80 management server needs to be upgraded to R80.10. What is the best upgrade method when the management server is not connected to the Internet?

A. Export R80 configuration, clean install R80.10 and import the configuration
B. CPUSE offline upgrade
C. CPUSE online upgrade
D. SmartUpdate upgrade

Answer: C

NEW QUESTION 489
Which one of the following is true about Capsule Connect?

A. It is a full layer 3 VPN client
B. It offers full enterprise mobility management
C. It is supported only on iOS phones and Windows PCs
D. It does not support all VPN authentication methods

Answer: A

NEW QUESTION 493
The log server sends what to the Correlation Unit?

A. Authentication requests
B. CPMI dbsync
C. Logs
D. Event Policy

Answer: D

NEW QUESTION 498
Which view is NOT a valid CPVIEW view?

A. IDA
B. RAD
C. PDP
D. VPN

Answer: C

NEW QUESTION 500
What is a feature that enables VPN connections to successfully maintain a private and secure VPN session without employing Stateful Inspection?

A. Stateful Mode
B. VPN Routing Mode
C. Wire Mode
D. Stateless Mode

Answer: C

Explanation:
Wire Mode is a VPN-1 NGX feature that enables VPN connections to successfully fail over, bypassing Security Gateway enforcement. This improves performance and reduces downtime. Based on a trusted source and destination, Wire Mode uses internal interfaces and VPN Communities to maintain a private and secure VPN session, without employing Stateful Inspection. Since Stateful Inspection no longer takes place, dynamic-routing protocols that do not survive state verification in non-Wire Mode configurations can now be deployed. The VPN connection is no different from any other connections along a dedicated wire, thus the meaning of "Wire Mode".

NEW QUESTION 502
Which command shows detailed information about VPN tunnels?

A. cat $FWDIR/conf/vpn.conf
B. vpn tu tlist
C. vpn tu
D. cpview

Answer: B

NEW QUESTION 505
Which directory below contains log files?

A. /opt/CPSmartlog-R80/log
B. /opt/CPshrd-R80/log
C. /opt/CPsuite-R80/fw1/log
D. /opt/CPsuite-R80/log

Answer: C

NEW QUESTION 509
How can SmartView application accessed?

A. http://<Security Management IP Address>/smartview
B. http://<Security Management IP Address>:4434/smartview/
C. https://<Security Management IP Address>/smartview/
D. https://<Security Management host name>:4434/smartview/

Answer: C

NEW QUESTION 513
In Logging and Monitoring, the tracking options are Log, Detailed Log and Extended Log. Which of the following options can you add to each Log, Detailed Log and Extended Log?

A. Accounting
B. Suppression
C. Accounting/Suppression
D. Accounting/Extended

Answer: C

NEW QUESTION 515
Which SmartConsole tab is used to monitor network and security performance?

A. Manage Setting
B. Security Policies
C. Gateway and Servers
D. Logs and Monitor

Answer: D

NEW QUESTION 519
Which firewall daemon is responsible for the FW CLI commands?

A. fwd
B. fwm
C. cpm
D. cpd

Answer: A

NEW QUESTION 520
......

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questons and Answers in PDF Format

156-315.80 Practice Exam Features:

* 156-315.80 Questions and Answers Updated Frequently

* 156-315.80 Practice Questions Verified by Expert Senior Certified Staff

* 156-315.80 Most Realistic Questions that Guarantee you a Pass on Your FirstTry

* 156-315.80 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
Order The 156-315.80 Practice Test Here