



VEEAM

Exam Questions VMCE2021

Veeam Certified Engineer 2021

About ExamBible

Your Partner of IT Exam

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

Figure A shows the backup files on a Scale-out Backup Repository (SOBR) created by a single Veeam backup job. The SOBR is configured to offload to capacity tier in move mode. If the offload was completed successfully, what will remain on the performance extents for the files uploaded to the capacity tier?




Figure A

- A. VIB files (metadata and data)
- B. VBM files (metadata only)
- C. VIB and VBK files (metadata only)
- D. VBK files (metadata and data)
- E. VIB and VBK files (data blocks only)

Answer: C

NEW QUESTION 2

When configuring a SureBackup job, what are some of the criteria for adding servers to an application group? (Choose two.)

- A. VMs cannot be encrypted
- B. VM backups must reside on the same repository
- C. VMs cannot be added to an application group twice
- D. VMs must be running the same OS version
- E. VMs must have at least one valid restore point

Answer: CE

NEW QUESTION 3

A backup administrator is creating a SureBackup environment up using Hyper-V as the hypervisor. Which virtual labs are available for Hyper-V? (Choose two.)

- A. Advanced multi-host (automatic configuration)
- B. Advanced single-host (automatic configuration)
- C. Basic single-host (automatic configuration)
- D. Advanced multi-host (manual configuration)
- E. Advanced single-host (manual configuration)

Answer: CE

NEW QUESTION 4

Which Vepdm Backup & Replication feature component is able to utilize Microsoft SQL Server transaction log backups for point-in-time restore?

- A. U-AIR Microsoft SQL Recovery wizard
- B. Instant Recovery
- C. Full VM Restore
- D. Veeam Explorer for Microsoft SQL

Answer: D

NEW QUESTION 5

If the Backup Administrator has to perform a backup over a high-latency, low bandwidth network link, how can the disruptions to the backup process be avoided?

- A. By making a direct backup using WAN accelerator.
- B. By adding additional WAN accelerators to the target site.
- C. By making a backup locally and utilizing WAN accelerators for a backup copy Job.
- D. By adjusting the compression and deduplication settings for this Job.

Answer: C

NEW QUESTION 6

Which of the following is an additional database restore option in the Veeam Explorer for Microsoft SQL?

- A. RECOVERY
- B. NORECOVERY
- C. SIMPLE
- D. ACTIVE

Answer: A

NEW QUESTION 7

A backup administrator is deploying a Veeam ONE environment. They have chosen to use separate servers from their Veeam Backup & Replication environment. What benefit will they receive if they install the Veeam ONE Agent onto their backup server?

- A. Track whether VMs and agents are properly protected and following the 3-2-1 rule
- B. Collect Veeam Backup & Replication logs and execute remediation actions
- C. Collect virtual environment configuration from Veeam Backup & Replication
- D. Analyze Veeam Backup & Replication log data and retrieve signature updates

Answer: C

NEW QUESTION 8

Offloading backup files to the capacity tier of a scale out repository can be done automatically by leveraging what type of job?

- A. Archive Job
- B. Offload Job
- C. Backup Copy Job
- D. Backup Job

Answer: D

NEW QUESTION 9

Veeam Backup & Replication supports which of the following NetApp Data ONTAP modes?

- A. Only NatApp EDGE in 7-Mode
- B. Clustered Data ONTAP only
- C. Both 7-mode and Clustered Data ONTAP
- D. 7-mode only

Answer: C

NEW QUESTION 10

What are the three Veeam Backup & Replication technologies required to verify recoverability of the backup? (Choose three.)

- A. Virtual lab
- B. Application group
- C. Backup proxy
- D. SureBackup job
- E. Gateway Server
- F. Replication job

Answer: ABD

NEW QUESTION 10

Which of the following statements are true when comparing a synthetic full backup to an active full backup on an NTFS-based backup repository? Choose two options.

- A. If the backup repository performance is weak, creating synthetic full backups is the best choice.
- B. Synthetic full backups consume more network bandwidth.
- C. Synthetic full backups impose less load on the production environment.
- D. In terms of content and retention, the synthetic full backup file is identical to an active full backup file.
- E. Synthetic full backups are always best when launched on a dedupe appliance.
- F. The synthetic full backup file has a .vsb extension, whereas the active full backup has a .vbk extension.

Answer: CD

NEW QUESTION 13

What is the purpose of scheduling a virtual Synthesized full backup for tape jobs?

- A. To be able to restore files and folders from tape
- B. To be able to create the synthetic full .vbk backup directly on tape
- C. To help save additional disk space on tape
- D. To avoid copying a full .vbk file to tape from the source reverse incremental backup Job

Answer: D

NEW QUESTION 18

A Veeam backup administrator, protecting all VMs in a VMware environment with backups and replicas, has been requested to run a multi-server application in an On-Demand Sandbox. The sandbox needs to stay powered on, uninterrupted, for 30 days while daily backups and replicas continue to run. How can this be done?

- A. Create an application group and leverage regular replica restore points as the source for the application group
- B. Create a (secondary) replication job for the required VMs that are not scheduled to run; create a SureBackup job and use these replicas as the source
- C. Create a (secondary) replication job for the required VMs that are not scheduled to run; make an application group and use these replicas as the source
- D. Create an application group and leverage regular backup restore points as the source for the application group

Answer: B

NEW QUESTION 23

A customer has a physical proxy configured for Direct Storage Access without failover to network mode. The backup fails. What could be the issue?

- A. The disks being processed are IDE and/or SATA
- B. The datastores are properly zoned and exposed to the proxy server but in read-only mode
- C. The storage is not added into the storage infrastructure, inside the backup and replication console
- D. Write access has not been enabled on the SAN
- E. One or more of the VM disk(s) are on Wols

Answer: E

NEW QUESTION 26

What is Veeam vPower NFS Service used for?

- A. It is used to send data to the original location or to a new location specified by the user when restoring it.
- B. It allows Veeam Backup & Replication to present VM files in a native format to an ESXi host, from a compressed and deduplicated backup file.
- C. It is used to mount a compressed and deduplicated backup file directly to the backup server and perform file and item level restore.
- D. It continuously checks the configuration settings of jobs and starts them in accordance with their schedules.

Answer: C

NEW QUESTION 28

Which Veeam Backup & Replication job type offers the shortest recovery time objective (RTO)?

- A. Backup copy
- B. Backup to tape
- C. Replication
- D. File to tape

Answer: C

NEW QUESTION 30

Which Veeam Backup & Replication functionality allows a VM to be powered on directly from a backup file?

- A. Planned failover
- B. Instant VM Recovery
- C. Item-Level Recovery using Veeam Explorer
- D. Full VM Recovery

Answer: B

NEW QUESTION 34

A company has replicated their critical application VMs to a second data center in another region. Their key application includes two database VMs and three application VMs. For proper operation, the database VMs need to start before the application VMs. What needs to be configured in Veeam to prepare for a disaster recovery situation?

- A. Use a failover plan
- B. Use a planned failover
- C. Use Instant VM Recovery
- D. Use on-click failover

Answer: A

NEW QUESTION 39

When you back up regular or standalone VMs in vCloud Director, which of the following is captured and stored in Veeam's Backup & Replication backup file? (Choose three.)

- A. vApp metadata
- B. VM disk content
- C. Raw device mapping
- D. In-guest iSCSI disk
- E. VM metadata

F. Linked clone VM's prior to vCenter 6.5

Answer: ABE

NEW QUESTION 40

If your mount server is running Windows Server 2019 and you are performing a secure restore, which statement below is true?

- A. NTFS is the only format supported.
- B. RefS will be skipped.
- C. RefS will be processed and scanned.
- D. Storage Spaces disks will be processed and scanned.

Answer: A

NEW QUESTION 44

Which of the following Veeam Backup & Replication jobs can use integration with secondary arrays as a data source?

- A. Backup
- B. VM copy
- C. Replication
- D. Tape backup

Answer: A

NEW QUESTION 48

Which of the following statements regarding bottleneck statistics is true?

- A. The percentages displayed will always add up to 100% in total.
- B. The bottleneck statistics are only displayed when you have a problem in your backup infrastructure.
- C. Bottleneck statistics can show the following states: Source/Proxy/Network/Source WAN Accelerator/Target WAN Accelerator/Target/None
- D. Bottleneck statistics can show the following states: Source/Proxy/Network/Source WAN Accelerator/Target WAN Accelerator/Target

Answer: A

NEW QUESTION 51

A company wants to leverage Veeam DataLabs to automate the creation of a test environment. As testing one large, multi-VM application could require more than a single host, a dedicated VMware ESXi cluster has been identified. The sandbox is to be refreshed weekly or on demand. Select the benefits of using replication jobs in this environment. (Choose two.)

- A. There are additional tests available in DataLabs when replicas are the source
- B. Replication jobs do not stop the sandbox, unlike backup jobs
- C. The VMs are running directly on a high performance datastore, uncompressed
- D. There is a bigger number of VMs supported for multi-VM application tests when replicas are used
- E. Replicas can take advantage of advanced multi-host virtual labs

Answer: CE

Explanation:

https://helpcenter.veeam.com/docs/backup/vsphere/surereplica_advanced_multihost.html?ver=100

NEW QUESTION 54

To suppress Veeam ONE alarms under specific conditions or when a specific event occurs, which of these options can be selected? (Choose three.)

- A. High CPU usage
- B. Veeam backup activity
- C. Snapshot creation
- D. Storage snapshot deletion
- E. Storage snapshot creation
- F. Snapshot deletion

Answer: BCF

NEW QUESTION 56

Which of the following scenarios properly applies the 3-2-1 rule to backup jobs?

- A. Use a backup job to back up to a Scale-out Backup Repository configured with capacity tier using AWS S3 and enable move mode
- B. Use a backup job to back up to a local repository; perform a backup copy job to a repository in another location
- C. Use backup jobs to back up directly to tape; ship the tapes off site
- D. Use a backup job to back up to a local repository; perform a backup copy job to the same repository

Answer: D

NEW QUESTION 57

Which of the following can help reduce the amount of traffic that is sent over the network during the second run of a replication job?

- A. Replica seeding
- B. Re-IP rules
- C. Replica mapping
- D. WAN acceleration for replicas

Answer: A

Explanation:

[https://helpcenter.veeam.com/docs/backup/vsphere/replica_seeding.html#:~:text=Replica%20seeding%20and%](https://helpcenter.veeam.com/docs/backup/vsphere/replica_seeding.html#:~:text=Replica%20seeding%20and%20)

NEW QUESTION 60

Which of the following statements are true regarding backup copy jobs in Veeam Backup & Replication? (Choose two.)

- A. The backup copy job creates a forever forward incremental backup chain
- B. The backup copy job creates a single file with multiple restore points included within for archival purposes
- C. During the backup copy job process, a VM snapshot is created for consistency
- D. Retention settings maintain the desired number of restore points as well as offer optional GFS for archival purposes
- E. Backup copy jobs copy entire VBK, VIB, or VRB files from the source backup repository to the target backup repository

Answer: AD

NEW QUESTION 65

The backup administrator configured replication for a VM from Data Center 1 to Data Center 2, which runs every day at 1 a.m. A power surge takes out Data Center 1 at 7 a.m. and the administrator fails over the replica at 8 a.m. When the power comes back on, the administrator performs the “failback” action at 2 p.m. and checks the state of the original VM. They recognize that not all data is available. What is missing?

- A. Data from 1 a. to 7 a.m.
- B. Data from 1 a. to 2 p.m.
- C. Data from 8 a. to 2 p.m.
- D. Data from 7 a. to 8 a.m.
- E. Data from 1 a. to 8 a.m.
- F. Data from 8 a. to 7 a.m.
- G. Data from 2 p.m. to 8 a.m.
- H. Data from 7 a. to 2 p.m.

Answer: A

Explanation:

<https://helpcenter.veeam.com/docs/backup/vsphere/failback.html?ver=100>

NEW QUESTION 66

Which of the following statements are true when deploying VMware backup proxy server? Choose three options.

- A. A managed Microsoft Windows server can be used as a backup proxy.
- B. The maximum number of concurrent tasks can be configured.
- C. The vPower NFS root folder location can be configured.
- D. A managed Linux server can be used as a backup proxy.
- E. Connected datastores can be configured.

Answer: ABC

NEW QUESTION 69

Which of the following need to be performed in order to switch from the original VM to a VM Replica and then to use this replica as the original VM?

- A. Change the replication Job to reverse the replication
- B. Failback + commit failback
- C. Undo failover
- D. Permanent failover

Answer: D

NEW QUESTION 70

An Availability engineer has configured Veeam Backup & Replication to replicate a mission critical VM to a DR site on an hourly basis and with 24 restore points. The production site has suffered a storage failure and needs to bring up the mission critical machine as soon as possible. Which step should the Availability engineer do next?

- A. Create a failover plan
- B. Failover to the replica VM
- C. Failback of the replica VM
- D. Planned failover to the replica VM

Answer: B

NEW QUESTION 73

Why is it recommended to install Veeam ONE before Veeam Backup & Replication?

- A. Veeam ONE is a prerequisite for Veeam Backup & Replication Installation.
- B. Veeam ONE can assess the Infrastructure for potential Issues prior to performing a backup.
- C. Veeam ONE verify that the server where Veeam Backup & Replication will be Installed meets all system requirements.
- D. It Is recommended to add all of the servers involved in the backup process to Veeam ONE first, and then import the configuration to Veeam Backup & Replication

Answer: B

NEW QUESTION 74

.....

Relate Links

100% Pass Your VMCE2021 Exam with ExamBible Prep Materials

<https://www.exambible.com/VMCE2021-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>