



Microsoft

Exam Questions PL-400

Microsoft Power Platform Developer

About ExamBible

[Your Partner of IT Exam](#)

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

- (Exam Topic 2)

You need to improve warehouse counting efficiency. What should you create?

- A. a flow that updates the warehouse counts as the worker performs the count
- B. a model-driven app that allows the user to key in inventory counts
- C. A Power BI dashboard that shows the inventory counting variances
- D. a canvas app that scans barcodes to allow a warehouse worker to select inventory counts

Answer: D

Explanation:

Scenario: Warehouse counting is performed manually by using a counting journal. All warehouse boxes and items are barcoded.

NEW QUESTION 2

- (Exam Topic 2)

You need to identify the execution mode that is being used for the ISV solution reported by User5. Which type of execution mode is in use?

- A. asynchronous
- B. atomicity
- C. transfer
- D. synchronous

Answer: D

Explanation:

User5 receives the error message: 'Endpoint unavailable' during a test of the technician dispatch ISV solution. When you choose to use a synchronous execution mode any failure will be reported back to the user of the application with an Endpoint unavailable error dialog informing the user that the webhook service endpoint may be configured incorrectly or is not available.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/use-webhooks>

NEW QUESTION 3

- (Exam Topic 4)

A company uses Dynamics 365 Sales.

Sales commission must be calculated when an order is placed. You create an Azure Function to perform the calculation. The Azure Function has an HTTP trigger.

You need to configure the Plug-in Registration tool to send data to the Azure Function when an order is placed. You open the Plug-in Registration tool and connect to Dynamics 365 Sales.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Answer Area

Select **Register New Web Hook**.

Select **Register New Service Endpoint**.

Set authentication to **HttpHeader**.

Register a New Step for Create of SalesOrder.

Enter a connection string.

Enter the endpoint URL.



- A. Mastered
- B. Not Mastered

Answer: A


Explanation:

Step 1: Select Register New Web Hook.


Configure Dynamics 365 Sales to Call Your Webhook in Azure Functions

* 1. Open the Plug-in Registration Tool and connect to your organization.

* 2. Select Register->Register New Web Hook



Step 2: Enter the endpoint URL



Step 3: Register a New Step for Create of SalesOrder.

Register a new webhook, and then tie that webhook to an event in Dynamics 365 Sales. Select your newly registered webhook, right-click it, and then choose "Register New Step."

Note that the webhook here is set to execute whenever a change to an account record is detected within Dynamics 365 Sales.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/tutorial-write-plugin-in>

NEW QUESTION 4

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A Common Data Service (CDS) environment has two custom entities named Building code and Work item. Building code has a code date custom field and Work item has an elapsed time custom field. Construction workers use a consolidated custom form with data from both entities to fill in their daily work items.

A JavaScript library is used with these custom entities and fields to apply complex logic.

You need to ensure that the JavaScript library continues to function as originally designed if other developers expand the environment.

Solution:

- In the Building code form, add the JavaScript library in the events tab and the Code date field to the non-event dependencies.
- In the Work item form, add the JavaScript library in the Events tab and the Elapsed time field to the non-event dependencies.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead, in the JavaScript library, add Building code with Code date and Work item with Elapsed time in the dependencies tab.

Reference:

<https://docs.microsoft.com/en-us/dynamics365/customerengagement/on-premises/developer/web-resource-depe>

NEW QUESTION 5

- (Exam Topic 4)

A company implements Dynamics 365 Sales.

An email notification must be sent automatically to the sales manager when a business process completes. You need to ensure that emails are sent.

What should you create on the process completed trigger?

- A. a workflow
- B. an action step
- C. a data step
- D. a Power Automate flow step

Answer: A

Explanation:

When you include a workflow that you want to trigger on Stage Exit of a stage in your business process flow, and that stage is the last stage in the flow, the designer gives the impression that the workflow will be triggered when that stage is completed. Reference:
<https://docs.microsoft.com/en-us/dynamics365/customerengagement/on-premises/customize/businessprocess-flow>

NEW QUESTION 6

- (Exam Topic 4)

You are creating a business process flow for an organization's Request for Quote process. You need to ensure that the business process flow meets the company's requirements.

Which components should you use? To answer, drag the appropriate components to the correct requirements. Each component may be used once, more than once, or not at all. You may need to drag the split bar between panes to scroll to view content. Select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Components	Requirement	Component
Step	The process starts with the receipt of the request for quote.	
Stage	Ensure that credit checks are performed for new users only.	
Custom control		
Branching condition	Merge all process paths into the main flow.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Step

Each step represents a field where data can be entered.

Stages tell you where you are in the process, while steps are action items that lead to a desired outcome. Box 2: Branching condition

You can enhance a business process flow with branching. If you have the create permissions on business

process flows, you'll be able create business process flow with multiple branches by using the If-Else logic. Box 3: Stage

Each stage contains a group of steps. Reference:

<https://docs.microsoft.com/en-us/power-automate/business-process-flows-overview> <https://docs.microsoft.com/en-us/power-automate/enhance-business-process-flows-branching>

NEW QUESTION 7

- (Exam Topic 4)

You are building a custom application in Azure to process resumes for the HR department. The app must monitor submissions of resumes.

You need to parse the resumes and save contact and skills information into the Common Data Service. Which mechanism should you use?

- A. Power Automate
- B. Common Data Service plug-in
- C. Web API
- D. Custom workflow activity

Answer: A

Explanation:

Improve operational efficiency with a unified view of business data by creating flows that use Dataverse (Common Data Service has been renamed to Microsoft Dataverse as of November 2020).

For example, you can use Dataverse within Power Automate in these key ways:

Create a flow to import data, export data, or take action (such as sending a notification) when data changes. Instead of creating an approval loop through email, create a flow that stores approval state in an entity, and

then build a custom app in which users can approve or reject items.

Reference:

<https://docs.microsoft.com/en-us/power-automate/common-data-model-intro>

NEW QUESTION 8

- (Exam Topic 4)

A bank uses a Common Data Service solution to manage clients.

Bank representatives perform client credit checks while the client is present. Credit checks may take up to five minutes to complete.

Bank policy dictates that the bank representative's app must stay blocked until credit checks are complete. You need to display a model-driven app while credit checks run to ask the bank representative and client to wait for the credit check to complete.

Which function should you use?

- A. Xrm.Navigation.openWebResource("prefix.myPoliteMessage.html")
- B. Xrm.Navigation.openAlertDialog(myPoliteMessage)
- C. Xrm.Utility.openWebResource("prefix_myPoliteMessage.html")
- D. Xrm.Utility.showProgressIndicator(myPoliteMessage)

Answer: D

Explanation:

showProgressIndicator displays a progress dialog with the specified message.

Any subsequent call to this method will update the displayed message in the existing progress dialog with the message specified in the latest method call.

The progress dialog blocks the UI until it is closed using the closeProgressIndicator method. So, you must use this method with caution.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/model-driven-apps/clientapi/reference/xrm-utility/showp>

NEW QUESTION 9

- (Exam Topic 4)

You are researching integrations with several external systems. Each integration has different requirements.

You need to determine which data sources to use to meet each requirement.

What should you use? To answer, drag the appropriate data sources to the correct requirements. Each data source may be used once, more than one, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Answer Area

Objects	Requirement	Object
<div>Virtual entity</div>	Support records that use an integer as a primary key.	<div></div>
<div>Custom connector</div>	Ensure that data can be read and updated.	<div></div>
	Ensure that data is available to all Common Data Service clients.	<div></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

answer is Virtual Entity

You cannot change the Entity primaryid field to some other field. CRM using GUID as the Primary key for each record.

If you definitely want to make some other field as Primary key, you could consider using Alternate Keys. Source:

<https://docs.microsoft.com/en-us/dynamics365/customerengagement/on-premises/developer/define-alternate-key>

The caveat being that Alternate Keys can be created for Virtual Entity

B. Answer is: Custom Connector All virtual entities are read-only. Source:

<https://docs.microsoft.com/en-us/dynamics365/customerengagement/on-premises/customize/create-edit-virtual-e>

C. Answer is: Virtual Entity

Rows based on virtual tables are available in all clients including custom clients developed using the Dataverse web services.

Source: <https://docs.microsoft.com/en-us/powerapps/maker/data-platform/create-edit-virtual-entities>

NEW QUESTION 10

- (Exam Topic 4)

A company manages capital equipment for an electric utility company. The company has a SQL Server database that contains maintenance records for the equipment.

Technicians who service the equipment use the Dynamics 365 Field Service mobile app on tablet devices to view scheduled assignments. Technicians use a canvas app to display the maintenance history for each piece of equipment and update the history.

Managers use a Power BI dashboard that displays Dynamics 365 Field Service and real-time maintenance data.

Due to increasing demand, managers must be able to work in the field as technicians. You need to design a solution that allows the managers to work from one single screen. What should you do?

- A. Add the maintenance history app to the Field Service Mobile app.
- B. Add the manager Power BI dashboard to the Field Service mobile app.
- C. Create a new maintenance canvas app from within the Power BI management dashboard.
- D. Add the maintenance history app to the Power BI dashboard.

Answer: D

Explanation:

Power BI enables data insights and better decision-making, while Power Apps enables everyone to build and use apps that connect to business data. Using the Power Apps visual, you can pass context-aware data to a canvas app, which updates in real time as you make changes to your report. Now, your app users can derive business insights and take actions from right within their Power BI reports and dashboards.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/powerapps-custom-visual>

NEW QUESTION 10

- (Exam Topic 4)

A company is preparing to go live with their Dynamics 365Sales solution, but first they need to migrate data from a legacy system. The company is migrating accounts in batches of 1,000.

When the data is saved to Dynamics 365 Sales, the IDs for the new accounts must be output to a log file. You have the following code:

```
1. ExecuteMultipleRequest request = new ExecuteMultipleRequest()
2. {
3.     Settings = new ExecuteMultipleSettings()
4.     {
5.         ContinueOnError = true,
6.         ReturnResponses = false
7.     },
8.     Requests = new OrganizationRequestCollection()
9. };
10. GetAccountData(request.Requests);
11. ExecuteMultipleResponse responseWithResults = (ExecuteMultipleResponse)
    crmSvc.Execute(request);
12. foreach (var responseItem in responseWithResults.Responses)
13. {
14.     . . .
15. }
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

Statement	Yes	No
The developer is able to get access to the newly-created accounts IDs.	<input type="radio"/>	<input type="radio"/>
If an error occurs, the developer can get access to the request that caused the fault.	<input type="radio"/>	<input type="radio"/>
If there are errors in the requests, the request will raise an exception at the first error and stop processing.	<input type="radio"/>	<input type="radio"/>
If there are ten errors in the 1,000 CreateRequest requests, ten responses will be returned from the platform.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: No

Box 2: Yes

ContinueOnError: When true, continue processing the next request in the collection even if a fault has been returned from processing the current request in the collection. When false, do not continue processing the next request.

ReturnResponses: When true, return responses from each message request processed. When false, do not return responses.

When false, the Responses collection will not be empty if errors are returned. If errors are returned, there will be one response item in the collection for each processed request that returned a fault and Fault will be set to the actual fault that occurred.

Box 3: No

Box 4: Yes

For example, in a request collection that contains six requests where the third and fifth request return faults, the following table indicates what the Responses collection would contain.

ContinueOnError=true, ReturnResponses=false: 2 response items: 2 have Fault set to a value. Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/org-service/execute-multiple-reque>

NEW QUESTION 14

- (Exam Topic 4)

You are creating a flow using the Common Data Service (CDS) connector. You need to select the appropriate triggers.

Which triggers should you use? To answer, drag the appropriate triggers to the correct scenarios. Each trigger may be used once, more than once, or not at all.

You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Triggers

Record creation

Record selection

Record deletion

Record update

Answer Area

Scenario	Trigger
Choose accounts that are in the USA and send those account contacts an email.	Trigger
Contacts that have not been modified in 60 days should no longer be in the system.	Trigger
An area code has been mistyped in all records.	Trigger

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Triggers

Record creation

Record selection

Record deletion

Record update

Answer Area

Scenario	Trigger
Choose accounts that are in the USA and send those account contacts an email.	Record selection
Contacts that have not been modified in 60 days should no longer be in the system.	Record deletion
An area code has been mistyped in all records.	Record update

NEW QUESTION 16

- (Exam Topic 4)

A company delivers packages to businesses and consumers. A custom entity named Package captures the package details.

You need to add the following sets of fields to the entity and leverage the built-in operations of the platform:

- > A set of fields to represent the package length, width, depth, and weight. The maximum value for any dimension is 100 centimeters.
- > A set of fields for time-sensitive attributes to calculate the efficiency of a delivery based on when the delivery is entered in the system and the existing custom fields: Pickup time and Delivery time.

Which constructs should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement	Construct
Calculate the efficiency of the delivery.	<div><div>DIFFINMINUTES(Created On, Modified On)</div><div>DIFFINMINUTES(Created On, Delivery Time)</div><div>DIFFINHOURS(Created On, Modified On)</div><div>DIFFINHOURS(Created On, Delivery Time)</div></div>
Select the data type that has additional transformations applied before the data is displayed.	<div><div>Autonumber</div><div>Phone number</div><div>Customer</div><div>Currency</div><div>Duration</div></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: DIFFINMINUTES(Created on, Delivery Time)

DIFFINMINUTES (date and time, date and time) returns the difference in minutes between two Date and Time columns.

Box 2: Duration Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/define-calculated-fields>

NEW QUESTION 18

- (Exam Topic 4)

A client requires that the system send an email from a button on their customer contact form. You need to call the action from JavaScript.

Which two functions achieve this result? Each correct presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Xrm.WebApi.online.createRecord()
- B. Xrm.WebApi.online.updateRecord()
- C. Xrm.WebApi.online.execute()
- D. Xrm.WebApi.online.executeMultiple()

Answer: C

Explanation:

You can execute action using Xrm.WebApi.online.execute in Dynamics 365 CRM V9.0. Reference:

<https://carldesouza.com/calling-a-dynamics-365-action-from-javascript-using-xrm-webapi-online-execute/>

NEW QUESTION 19

- (Exam Topic 4)

Five high schools test a custom app from AppSource. They provide feedback that the Course credit entity should include additional fields that cover information shared by the schools.

You do not have access to each high school organization.

Each high school administrator must be able to apply the updates to the Course credit entity. You need to deliver a custom program that creates the additional fields.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Answer Area

Retrieve the Course credit entity metadata by using RetrieveEntityRequest with LogicalName.
Retrieve the Course credit entity metadata by using RetrieveEntityRequest with MetadataId.
Define the AttributeMetadata for each new field.
Call the CreateAttributeRequest constructor for each new field.
Call the RetrieveAttributeRequest with LogicalName for each new field.
Call the login logic.
Retrieve the Course credit entity metadata by using RetrieveEntityRequest with EntityFilters = Attributes and LogicalName.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Call the login logic.

Step 2: Retrieve the Course credit entity metadata by using RetrieveEntityRequest with EntityFilters = Attributes and LogicalName

The RetrieveEntityRequest.EntityFilters property gets or sets a filter to control how much data for the entity is retrieved.

Step 3: Define the AttributeMetaData for each new field.

Step 4: Call the RetrieveAttributeRequest with LogicalName for each new field.

The RetrieveAttributeRequest contains the data that is needed to retrieve attribute metadata. Reference:


<https://docs.microsoft.com/en-us/dotnet/api/microsoft.xrm.sdk.messages.retrieveentityrequest.entityfilters?view>

NEW QUESTION 21

- (Exam Topic 4)

A university manages grant applications using a model-driven app.

Users report that the message on the Grant Application screen is outdated. The screen shows the following:



Use the drop-down menus to select the answer choice that answers each question based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

Which Power Platform capability does the app use to display the message?

▼

Business rule

Logic app

Flow

Plug-in

What should the app maker do to prevent the message from displaying?

▼

Update the field calculation.

Update the rollup field.

Update the automated flow.

Update the business rule.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://www.loganconsulting.com/blog/how-use-power-automate-trigger-workflows-microsoft-dynamics-crm/>

NEW QUESTION 24

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

An organization has an Azure SQL Database instance that must be synchronized daily with data from Dynamics 365 Sales. A large amount of data might need to be synchronized on some days.

You need to reduce the time required to synchronize data. Solution:

Enable change tracking for entities that will be synchronized.

Use the Data Export Service to sync data between the database and Dynamics 365 Sales. Does the solution meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Large organizations that synchronize their data with external data sources can now enable entities for change tracking. You can export or retrieve a selected set of data, and then keep the external data warehouse in sync.

The Data Export Service is an add-on service made available on Microsoft AppSource that adds the ability to replicate data from Common Data Service database to an Azure SQL Database store in a customer-owned Azure subscription.

The Data Export Service intelligently synchronizes the entire data initially and thereafter synchronizes on a continuous basis as changes occur (delta changes) in the system.

You can use the Data Export Service with model-driven apps in Dynamics 365, such as Dynamics 365 Sales and Dynamics 365 Customer Service.

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/enable-change-tracking-control-data-synchronization> <https://docs.microsoft.com/en-us/power-platform/admin/replicate-data-microsoft-azure-sql-database>

NEW QUESTION 28

- (Exam Topic 4)

An organization has a Dynamics 365 Sales environment. You need to create a Power Apps component.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Answer Area


Run the following `npm run build` command.

Run the `pac pcf init --namespace SampleNamespace --name ControlName --template field` command

Run the `pac solution init --publisher-name developer --publisher-prefix dev` command.

Run the `npm install` command.

Create a project folder.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Run `pac pcf init --namespace ..`

This is the first command which creates basic folder structure of PCF control project. Run the following command to create the control. The format of the control is:
`pac pcf init --namespace <specify your namespace here> --name <put component name here> --template <component type>`

Step 2: Run the `npm install` command Install Dependencies

Once 'init' sets up the basic folder, as a next step install all the PCF control dependencies using 'npm install' command.

Example:

```
C:\source\PCF\HelloWorld>npm install
npm WARN deprecated opn@6.0.0: The package has been renamed to 'open'
npm WARN pcf-project@1.0.0 No repository field.
npm WARN pcf-project@1.0.0 No license field.
npm WARN optional SKIPPING OPTIONAL DEPENDENCY: fsevents@1.2.9 (node_modules\fsevents):
npm WARN notsup SKIPPING OPTIONAL DEPENDENCY: Unsupported platform for fsevents@1.2.9: wanted {"os":"darwin","arch":"any"} (current: {"os":"win32","arch":"x64"})

added 653 packages from 497 contributors and audited 10328 packages in 19.295s
found 0 vulnerabilities
```

Now at this point, there is nothing we have actually created. However, the solution created contains sample PCF control code.

Step 3: Run the following `npm run build` command Build PCF Component.

Once you implement the PCF component, build the code for any syntax errors. Syntax:

`npm run build`

```
> pcf-scripts build

[17:54:6] [build] Initializing...
[17:54:6] [build] Validating manifest...
[17:54:6] [build] Validating control...
[17:54:6] [build] Generating manifest types...
[17:54:6] [build] Compiling and bundling control...
[Webpack stats]:
Hash: 7836f673449072fa8d61
Version: webpack 4.28.4
Time: 1153ms
Built at: 10/02/2019 5:54:08 PM
    Asset      Size  Chunks             Chunk Names
bundle.js  6.34 KiB       0  [emitted]  main
Entrypoint main = bundle.js
[./HelloWorld/index.ts] 2.34 KiB {main} [built]
[17:54:8] [build] Generating build outputs...
[17:54:8] [build] Succeeded
```


Reference:

<https://rajeevpenyala.com/2020/03/21/power-apps-component-framework-pcf-demystify/> <https://carldesouza.com/creating-a-custom-component-using-the-powerapps-component-framework/>

NEW QUESTION 31

- (Exam Topic 4)

You are developing a model-driven app for the purchasing department of an organization. You provision a new test environment and a security role. You select users to test the apps and assign the users to a security group named TestSG.

If the tests succeed, a manager will perform additional testing in the production environment and then publish the app for the organization's purchasing department.

You need to ensure that the test and production environments are configured correctly. What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Scenario	Security artifact
Ensure that only test users can access the test environment.	<div>▼</div> <div> Set the test environment security group to TestSG. Assign the test users the app security role. Set the test environment security group to TestSG and assign test users the app security role. </div>
Ensure that only the manager can access the app in production.	<div>▼</div> <div> Set the production environment security group to TestSG. Assign the manager the app security role. Add the manager to the TestSG security group and grant the manager the app security role. </div>
Ensure that test users can access the app in production.	<div>▼</div> <div> Set the production environment security group to TestSG. Assign the test users the app security role. Set the production environment security group to TestSG and assign test users the app security role. </div>
Ensure that purchasing department users can access the test environment.	<div>▼</div> <div> Remove the security group TestSG associated with the test environment. Assign all users the app security role. Add all users in the department to the TestSG security group. </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Set the test environment security group to TestSG and assign test users the app security role.

PowerApps apps use role-based security for sharing. The fundamental concept in role-based security is that a security role contains privileges that define a set of actions that can be performed within the app. All app users must be assigned to one or more predefined or custom roles.

Box 2: Assign the manager the app security role.

Box 3: Set the production environment security group to TestSG Box 4: Add all users in the department to the TestSG security group. Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/share-model-driven-app>

NEW QUESTION 34

- (Exam Topic 4)

You have the following code:

```
Xrm.WebApi.createRecord("account", data).then(
    function success(result) {
        console.log("Success");
    },
    function (error) {
        console.log(error.message);
    }
);
```

You have a contact record that uses the GUID 2CFB1599-DEAD-425F-AB4A-76E6CAB51B09.

You need to assign the contact record as the primary contact for an account when you create the account. Which two code segments can you use? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A.

```
var data =
{
    "name": "Contoso account",
    "primarycontactid@odata.context": "/contacts(2CFB1599-DEAD-425F-AB4A-76E6CAB51B09)"
};
```
- B.

```
var data =
{
    "name": "Contoso account",
    "primarycontactid":
    {
        "logicalname": "contact",
        "id": "2CFB1599-DEAD-425F-AB4A-76E6CAB51B09"
    };
};
```
- C.

```
var data =
{
    "name": "Contoso account",
    "primarycontactid@odata.bind": "/contacts(2CFB1599-DEAD-425F-AB4A-76E6CAB51B09)"
};
```
- D.

```
var data =
{
    "name": "Contoso account",
    "primarycontactid": "/contacts(2CFB1599-DEAD-425F-AB4A-76E6CAB51B09)"
};
```

- A. Option A
 B. Option B
 C. Option C
 D. Option D

Answer: BC

NEW QUESTION 39

- (Exam Topic 4)

A company must copy customer account data changes from a Common Data Service (CDS) instance into an external system.

Azure Storage Queues are used to pass the changes from CDS to the external system. You have the following code. (Line numbers are included for reference only.)

```
01 string token = null;
02 token = ProcessAccountChanges(_service, token, changeQueue, deleteQueue);
03 ...
04 token = ProcessAccountChanges(_service, token, changeQueue, deleteQueue);
05 ...
06 private static string ProcessAccountChanges(IOrganizationService orgservice,
string token, Cloud Queue changeQueue, CloudQueue deleteQueue)
07 {
08     var request = new RetrieveEntityChangeRequest();
09     request.EntityName = "account";
10     request.Columns = new ColumnSet("name", "accountnumber", "creditlimit",
"ownerid");
11     request.DataVersion = token;
12     RetrieveEntityChangeResponse response = (RetrieveEntityChangeResponse)
orgservice.Execute(request);
13     token = response.EntityChanges.DataToken;
14     foreach (var change in response.EntityChanges.Changes)
15     {
16         if (change.Type == ChangeType.NewOrUpdated)
17         {
18             var changedItem = (NewOrUpdatedItem) change;
19             Entity newOrChangedEntity = (Entity) changedItem.NewOrUpdatedEntity;
20             CloudQueueMessage changemessage = new CloudQueueMessage
(newOrChangedEntity.Id.ToString());
21             changeQueue.AddMessage(changemessage);
22         }
23         else if (change.Type == ChangeType.RemoveOrDeleted)
24         {
25             var deleteditem = (RemoveOrDeletedItem) change;
26             EntityReference deletedEntityReference = deleteditem.RemovedItem;
27             CloudQueueMessage deletemessage = new CloudQueueMessage
(deletedEntityReference.Id.ToString());
28             deleteQueue.AddMesaage(deletemessage);
29         }
30     }
31     return token;
32 }
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statement	Yes	No
The first call to ProcessAccountChanges at line 2 adds changes made to account records to the storage queues.	<input type="radio"/>	<input type="radio"/>
The second call to ProcessAccountChanges at line 4 adds changes made to account records to the storage queues.	<input type="radio"/>	<input type="radio"/>
The messages in changeQueue specify whether the accounts are new or updated.	<input type="radio"/>	<input type="radio"/>
A message is added to deleteQueue if an account is created and subsequently deleted at line 3.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes
Box 2: Yes
Box 3: No
Either new/updated or removed/deleted. Box 4: Yes

NEW QUESTION 40

- (Exam Topic 4)

A company uses five different shipping companies to deliver products to customers. Each shipping company has a separate service that quotes delivery fees for destination addresses.

You need to design a custom connector that retrieves the shipping fees from all the shipping companies by using their APIs.

Which three elements should you define for the custom connector? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Authentication model
- B. Address parameter
- C. OpenAPI definition
- D. Fee parameter
- E. Fee reference

Answer: ABC

Explanation:

C: You can create a custom connector using a OpenAPI definition file or a URL to OpenAPI definition. B: On the Security page you get to choose how to authenticate to the API.

← Connector Name Trefle

1. General > 2. Security > 3. Definition > 4. Test

✓ Create connector ✕ Cancel

Security

Choose the authentication type and fill in the required fields to set the security for your custom connector.
[Learn more](#)

Authentication type

Choose what authentication is implemented by your API *

API Key

✎ Edit

API Key

Users will be required to provide the API Key when creating a connection

Parameter label *

API Key

Parameter name *

API-nyckel

Parameter location *

Header

✎ Edit

← General

Definition →

A: If you were to create a Custom Connector from scratch, then you whould have to study the API you have chosen and type in the URL manually here.

Request

+ Import from sample

Verb *

The verb describes the operations available on a single path.

GET

URL *

This is the request URL.

https://trefle.io/api/plants/{id}

Path

Path is used together with Path Templating, where the parameter value is actually part of the operation's URL.

* id

...

Query

Query parameters are appended to the URL. For example, in /items?id=####, the query parameter is id.

* token

...

Headers

These are custom headers that are part of the request.

Body


The body is the payload that's appended to the HTTP request. There can only be one body parameter.

Reference:
<https://carinaclaesson.com/2019/09/06/setting-up-a-custom-connector-from-an-openapi-file-and-utilizing-it-in-p>




NEW QUESTION 44
- (Exam Topic 4)
Fabrikam, Inc, has two divisions as shown in the Business Unit exhibit. (Click the Business Unit tab.)

Business Units				
View: Active Business Unit				
New X Run Workflow... Start Dialog More Actions				
<input type="checkbox"/>	Name ↑	Main Phone	Website	Parent Business
Fabrikam				
Fabrikam Property Management				Fabrikam
Fabrikam Residences				Fabrikam
1 – 4 of 4 (0 selected) All A B C D E F G H I J K L M N O P Q R S T U V W X Y Z Page 1				

- > Fabrikam Residences rents units short term to clients.
 - > Fabrikam Property Management deals with the maintenance of the units and manages the contractors who perform the maintenance.
 - > Clients and contractors are both stored in the Contact entity.
- The manager of the Property Management business unit is a member of a Fabrikam business unit, which has the root security role as shown in the Security Role exhibit. (Click the Security Role tab.)


Power Apps

File


 Save and Close
 
 Actions ▾

Security Role: Common Data Service User

Details

Core Records

Service

Business Management

Customization

Missing Entities

Role Name*

When role is assigned to a team

Team member gets all team privileges by default.
 Team members can inherit team privileges directly based on access level. [Learn More](#)

Member's privilege inheritance
 ▾


Power Apps


File


 Save and Close
 
 Actions ▾

Security Role Common Data Service User

Details	Core Records	Business Management	Customization	Missing Entities	Business Process Flows	Custom Entities		
Entity	Create	Read	Write	Delete	Append	Append To	Assign	Share
Account								
ACViewManager								
Action Card								
Action Card User Settings								
Activity								
Advanced Similarity Rule								
Announcement								
Application File								
Azure Service Connection								
Connection								
Connection Role								
Contact								
Customer Relationship								
Data Import								
Data Map								
Data Performance Dashboard								
Document Location								
Document Suggestions								
Duplicate Detection Rule								
Email Signature								
Email Template								
Feedback								

The manager cannot see the contact record shown in the Contact exhibit. (Click the Contact tab.)



You need to ensure that the manager can view contact records owned by someone in the Residences business unit. For each of the following statements, select Yes if the statement achieves the goal. Otherwise, select No.

Statement	Yes	No
Modify the security inheritance.	<input type="radio"/>	<input type="radio"/>
Move the manager to the root Fabrikam business unit.	<input type="radio"/>	<input type="radio"/>
Expand the Read permission of the security role to be Business Unit level.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered


Answer: A

Explanation:

Box 1: Yes

Change it to Direct User/Basic access level and Team privileges. This creates a security role with team member's privilege inheritance.

Note: For roles assigned to teams with Basic-level access user privilege, the role's inheritance configuration also comes into play. If the team has the Member's privilege inheritance set to Team privileges only, then the user will only be able make use of that privilege for records owned by the team."



Box 2: No

The manager of the Property Management business unit is already a member of a Fabrikam business unit, which has the root security role
Box 3: Yes Reference:
<https://docs.microsoft.com/en-us/power-platform/admin/security-roles-privileges>

NEW QUESTION 46

- (Exam Topic 4)

A company has a model-driven app that captures applications from prospective students.

You are asked to create a new re-usable custom component using the Power Apps component framework (PCF).

The custom component must allow entry of a date of birth and validate that the applicant is not a minor. You create the class AuditDatePicker in the TypeScript file Index.ts and the style sheet DatePicker.css.

You need to define the component to be available only for relevant fields and its properties when used in a form.

How should you complete the manifest? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

```
<?xml version= "1.0" encoding= "utf-8"?>
<manifest>
  <control namespace= "delegate" constructor=
    version= "1.0.0" display-name-key= "Date Picker" description-key= "Date of Birth
    Date Picker that validates if a minor" control-type= "standard">
    <property name= "value" display-name-key= "Value" description-key= "Value" of-
    type=
    usage=
    required= "true" />
    <resources>
      <code path= "Index.ts" order= "1"/>
      <css path= "css/DatePicker.css" order= "1" />
    </resources>
    </control>
  </manifest>
```

Dropdown 1 (constructor): Index.ts, DatePicker.css, AuditDatePicker

Dropdown 2 (type): Enum, DateandTime.DateandTime, DateandTime.DateOnly

Dropdown 3 (usage): bound, input

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: AuditDatePicker

Constructor: Constructor of the code component. Box 2:DateandTime.DateOnly

Box 3: bound

usage: Has two properties, bound and input. Bound properties are bound only to the value of the field. Input properties are either bound to a field or allow a static value.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/component-framework/manifest-schema-reference/manif> <https://docs.microsoft.com/en-us/powerapps/developer/component-framework/implementing-controls-using-typ>

NEW QUESTION 47

.....

Relate Links

100% Pass Your PL-400 Exam with ExamBible Prep Materials

<https://www.exambible.com/PL-400-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>