Microsoft

Exam Questions AZ-700

Designing and Implementing Microsoft Azure Networking Solutions

NEW QUESTION 1
- (Exam Topic 1)
You need to restrict traffic from VMScaleSet1 to VMScaleSet2. The solution must meet the virtual networking requirements.
What is the minimum number of custom NSG rules and NSG assignments required? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

A. Mastered
B. Not Mastered

Answer: A

Explanation:
Graphical user interface, text, application Description automatically generated
Box 2: One NSG
The minimum requirement is one NSG. You could attach the NSG to VMScaleSet1 and restrict outbound traffic, or you could attach the NSG to VMScaleSet2 and restrict inbound traffic. Either way you would need two custom NSG rules.
Box 1: Two custom rules
With the NSG attached to VMScaleSet2, you would need to create a custom rule blocking all traffic from VMScaleSet1. Then you would need to create another custom rule with a higher priority than the first rule that allows traffic on port 443.
The default rules in the NSG will allow all other traffic to VMScaleSet2.

NEW QUESTION 2
- (Exam Topic 1)
You need to configure the default route in Vnet2 and Vnet3. The solution must meet the virtual networking requirements.
What should you use to configure the default route?

A. a user-defined route assigned to GatewaySubnet in Vnet2 and Vnet3
B. a user-defined route assigned to GatewaySubnet in Vnet1
C. BGP route exchange
D. route filters

Answer: A

Explanation:
VNet 1 will get the default from BGP and propagate it to VNET 2 and 3

NEW QUESTION 3
- (Exam Topic 1)
You need to provide connectivity to storage1. The solution must meet the PaaS networking requirements and the business requirements.
What should you include in the solution?

A. a service endpoint
B. Azure Front Door
C. a private endpoint
D. Azure Traffic Manager

Answer: A

NEW QUESTION 4

- (Exam Topic 1)
You need to connect Vnet2 and Vnet3. The solution must meet the virtual networking requirements and the business requirements.
Which two actions should you include in the solution? Each correct answer presents part of the solution.

A. On the peerings from Vnet2 and Vnet3, select Use remote gateways.
B. On the peering from Vnet1, select Allow forwarded traffic.
C. On the peering from Vnet1, select Use remote gateways.
D. On the peering from Vnet1, select Allow gateway transit.
E. On the peerings from Vnet2 and Vnet3, select Allow gateway transit.

Answer: BD

NEW QUESTION 5
- (Exam Topic 2)
You are implementing the Virtual network requirements for Vnet6.
What is the minimum number of subnets and service endpoints you should create? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

A. Mastered
B. Not Mastered

Answer: A

Explanation:
2, 4

NEW QUESTION 6
- (Exam Topic 2)
You are implementing the virtual network requirements for VM Analyze.
What should you include in a custom route that is linked to Subnet2? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

A. Mastered
B. Not Mastered

Answer: A

Explanation:
Graphical user interface, text, application Description automatically generated
Reference:
https://docs.microsoft.com/en-us/azure/virtual-network/virtual-networks-udr-overview

NEW QUESTION 7
- (Exam Topic 2)
What should you implement to meet the virtual network requirements for the virtual machines that connect to Vnet4 and Vnet5?

A. a private endpoint
B. a virtual network peering
C. a private link service
D. a routing table
E. a service endpoint

Answer: B

Explanation:

There is no virtual network peering between VM4's VNet (VNet3) and VM5's VNet (VNet4). To enable the VMs to communicate over the Microsoft backbone network a VNet peering is required between VNet3 and VNet4.

NEW QUESTION 8
- (Exam Topic 2)
Which virtual machines can VM1 and VM4 ping successfully? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

A. Mastered
B. Not Mastered

Answer: A

Explanation:
Text Description automatically generated
Box 1: VM2, VM3 and VM4.
VM1 is in VNet1/Subnet1. VNet1 is peered with VNet2 and VNet3.
There are no NSGs blocking outbound ICMP from VNet1. There are no NSGs blocking inbound ICMP to VNet1/Subnet2, VNet2 or VNet3. Therefore, VM1 can ping VM2 in VNet1/Subnet2, VM3 in VNet2 and VM4 in VNet3.
Box 2:
VM4 is in VNet3. VNet3 is peered with VNet1 and VNet2. There are no NSGs blocking outbound ICMP from VNet3. There are no NSGs blocking inbound ICMP to VNet1/Subnet1, VNet1/Subnet2 or VNet2 from VNet3 (NSG10 blocks inbound ICMP from VNet4 but not from VNet3). Therefore, VM4 can ping VM1 in VNet1/Subnet1, VM2 in VNet1/Subnet2 and VM3 in VNet2.

NEW QUESTION 9
- (Exam Topic 3)
You have an Azure Web Application Firewall (WAF) policy in prevention mode that is associated to an Azure Front Door instance.
You need to configure the policy to meet the following requirements:
 Log all connections from Australia.
 Deny all connections from New Zealand.
 Deny all further connections from a network of 131.107.100.0/24 if there are more than 100 connections during one minute.
What is the minimum number of objects you should create?

A. three custom rules that each has one condition
B. one custom rule that has three conditions
C. one custom rule that has one condition
D. one rule that has two conditions and another rule that has one condition

Answer: A

Explanation:
Reference:
https://docs.microsoft.com/en-us/azure/web-application-firewall/afds/afds-overview

NEW QUESTION 10
- (Exam Topic 3)
You have an Azure Front Door instance named FD1 that is protected by using Azure Web Application Firewall (WAF).
FD1 uses a frontend host named app1.contoso.com to provide access to Azure web apps hosted in the East US Azure region and the West US Azure region.
You need to configure FD1 to block requests to app1.contoso.com from all countries other than the United States.
What should you include in the WAF policy?

A. a frontend host association

B. a managed rule set
C. a custom rule that uses a rate limit rule
D. a custom rule that uses a match rule

Answer: C

NEW QUESTION 10
- (Exam Topic 3)
You are planning an Azure solution that will contain the following types of resources in a single Azure region:

 Virtual machine
 Azure App Service
 Virtual Network gateway
 Azure SQL Managed Instance
App Service and SQL Managed Instance will be delegated to create resources in virtual networks.
You need to identify how many virtual networks and subnets are required for the solution. The solution must minimize costs to transfer data between virtual networks.
What should you identify? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

A. Mastered
B. Not Mastered

Answer: A

Explanation:
Diagram, table Description automatically generated
Reference:
https://docs.microsoft.com/en-us/azure/virtual-network/virtual-network-for-azure-services#services-that-can-be

NEW QUESTION 13
- (Exam Topic 3)
Your company has a single on-premises datacenter in New York. The East US Azure region has a peering location in New York.
The company only has Azure resources in the East US region.
You need to implement ExpressRoute to support up to 1 Gbps. You must use only ExpressRoute Unlimited data plans. The solution must minimize costs.
Which type of ExpressRoute circuits should you create?

A. ExpressRoute Local
B. ExpressRoute Direct
C. ExpressRoute Premium
D. ExpressRoute Standard

Answer: A

Explanation:
Reference:
https://azure.microsoft.com/en-us/pricing/details/expressroute/

NEW QUESTION 14

- (Exam Topic 3)
You have the Azure environment shown in the exhibit.

You have virtual network peering between Vnet1 and Vnet2. You have virtual network peering between Vnet4 and Vnet5. The virtual network peering is configured as shown in the following table.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

A. Mastered
B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 16
- (Exam Topic 3)
You have Azure App Service apps in the West US Azure region as shown in the following table.

You need to ensure that all the apps can access the resources in a virtual network named Vnet1 without forwarding traffic through the internet-How many integration subnets should you create?

A. 1
B. 3
C. 4
D. 6

Answer: D

NEW QUESTION 19
- (Exam Topic 3)
You have the Azure load balancer shown in the Load Balancer exhibit.

LB2 has the backend pools shown in the Backend Pools exhibit.

You need to ensure that LB2 distributes traffic to all the members of VMSS1.
What should you do?

A. Add a network interface to VMSS1.
B. Configure a health probe.
C. Add a public IP address to each member of VMSS1.
D. Add a load balancing rule.

Answer: D

NEW QUESTION 23
- (Exam Topic 3)
You have an Azure virtual network and an on-premises datacenter.
You need to implement a Site-to-Site VPN connection between the datacenter and the virtual network. Which two resources should you create? Each correct answer presents part of the solution. NOTE: Each
correct selection is worth one point.

A. a virtual network gateway
B. Azure Firewall
C. a local network gateway
D. Azure Web Application Firewall (WAF)
E. an on-premises data gateway
F. an Azure application gateway
G. a user-defined route

Answer: CG

NEW QUESTION 26
- (Exam Topic 3)
You have an Azure subscription that contains the virtual networks shown in the following table.

You plan to deploy an Azure firewall named AF1 to RG1 in the West US Azure region. To which virtual networks can you deploy AF1?

A. Vnet1 only
B. Vnet1 and Vnet2 only
C. Vnet1, Vnet2, and Vnet4 only
D. Vnet1 and Vnet4 only
E. Vnet1, Vnet2. Vnet3, and Vnet4

Answer: C

NEW QUESTION 29
- (Exam Topic 3)

You have the hybrid network shown in the Network Diagram exhibit.

You have a peering connection between Vnet1 and Vnet2 as shown in the Peering-Vnet1-Vnet2 exhibit.

You have a peering connection between Vnet1 and Vnet3 as shown in the Peering -Vnet1-Vnet3 exhibit.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

A. Mastered
B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 34
- (Exam Topic 3)
You have the Azure Traffic Manager profiles shown in the following table.

You plan to add the endpoints shown in the following table.

Which endpoints can you add to Profile2?

A. Endpoint1 and Endpoint4 only
B. Endpoint1, Endpoint2, Endpoint3, and Endpoint4
C. Endpoint1 only
D. Endpoint2 and Endpoint3 only
E. Endpoint3 only

Answer: A

NEW QUESTION 37
- (Exam Topic 3)
Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
You have an Azure subscription that contains the following resources:
* A virtual network named Vnet1
* A subnet named Subnet1 in Vnet1
* A virtual machine named VM1 that connects to Subnet1
* Three storage accounts named storage1, storage2. and storage3
You need to ensure that VM1 can access storage1. VM1 must be prevented from accessing any other storage accounts.
Solution: You create a network security group (NSG). You configure a service tag for MicrosoftStorage and link the tag to Subnet1.
Does this meet the goal?

A. Yes
B. No

Answer: A

NEW QUESTION 40
- (Exam Topic 3)
You have the network security groups (NSGs) shown in the following table.

In NSG1, you create inbound rules as shown in the following table.

You have the Azure virtual machines shown in the following table.

NSG2 has only the default rules configured.
For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

A. Mastered
B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 45
- (Exam Topic 3)
Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
You have an Azure subscription that contains the following resources:
* A virtual network named Vnet1
* A subnet named Subnet1 in Vnet1
* A virtual machine named VM1 that connects to Subnet1
* Three storage accounts named storage1, storage2, and storage3
You need to ensure that VM1 can access storage1. VM1 must be prevented from accessing any other storage accounts.
Solution: You configure the firewall on storage1 to only accept connections from Vnet1. Does this meet the goal?

A. Yes
B. No

Answer: B

NEW QUESTION 47
- (Exam Topic 3)
You have an Azure virtual network named Vnet1 that connects to an on-premises network. You have an Azure Storage account named storageaccount1 that contains blob storage.
You need to configure a private endpoint for the blob storage. The solution must meet the following requirements:

 Ensure that all on-premises users can access storageaccount1 through the private endpoint.
 Prevent access to storageaccount1 from being interrupted.
Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

A. Mastered
B. Not Mastered

Answer: A

Explanation:
* 168.63.129.16 is the IP address of Azure DNS which hosts Azure Private DNS zones. It is only accessible from within a VNet which is why we need to forward on-prem DNS requests to the VM running DNS in the VNet. The VM will then forward the request to Azure DNS for the IP of the storage account private endpoint.
Reference:
https://docs.microsoft.com/en-us/azure/storage/common/storage-private-endpoints

NEW QUESTION 51
- (Exam Topic 3)
You have an Azure private DNS zone named contoso.com that is linked to the virtual networks shown in the following table.

The links have auto registration enabled.
You create the virtual machines shown in the following table.

You manually add the following entry to the contoso.com zone:
 Name: VM1
 IP address: 10.1.10.9
For each of the following statements, select Yes of the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

A. Mastered
B. Not Mastered

Answer: A

Explanation:
Graphical user interface, text, application Description automatically generated
Box 1: No
The manual DNS record will overwrite the auto-registered DNS record so VM1 will resolve to 10.1.10.9. Box 2: No
The DNS record for VM1 is now a manually created record rather than an auto-registered record. Only auto-registered DNS records are deleted when a VM is deleted.
Box 3: No
This answer depends on how the IP address is changed. To change the IP address of a VM manually, you would need to select 'Static' as the IP address assignment. In this case, the DNS record will not be updated because only DHCP assigned IP addresses are auto-registered.
Reference:
https://docs.microsoft.com/en-us/azure/dns/dns-faq-private

NEW QUESTION 53
- (Exam Topic 3)
You have a website that uses an FQDN of www.contoso.com. The DNS record tor www.contoso.com resolves to an on-premises web server.
You plan to migrate the website to an Azure web app named Web1. The website on Web1 will be published by using an Azure Front Door instance named ContosoFD1.
You build the website on Web1.
You plan to configure ContosoFD1 to publish the website for testing.
When you attempt to configure a custom domain for www.contoso.com on ContosoFD1, you receive the error message shown in the exhibit.

You need to test the website and ContosoFD1 without affecting user access to the on-premises web server. Which record should you create in the contoso.com DNS domain?

A. a CNAME record that maps www.contoso.com to ContosoFD1.azurefd.net
B. a CNAME record that maps www.contoso.com to Web1.contoso.com
C. a CNAME record that maps afdverify.www.contoso.com to ContosoFD1.azurefd.net
D. a CNAME record that maps afdverify.www.contoso.com to afdverify.ContosoFD1.azurefd.net

Answer: A

NEW QUESTION 55
- (Exam Topic 3)
You have an Azure subscription that contains the following resources:
 A virtual network named Vnet1
 Two subnets named subnet1 and AzureFirewallSubnet
 A public Azure Firewall named FW1
 A route table named RT1 that is associated to Subnet1
 A rule routing of 0.0.0.0/0 to FW1 in RT1
After deploying 10 servers that run Windows Server to Subnet1, you discover that none of the virtual machines were activated.
You need to ensure that the virtual machines can be activated. What should you do?

A. On FW1, create an outbound service tag rule for AzureCloud.
B. On FW1, create an outbound network rule that allows traffic to the Azure Key Management Service (KMS).
C. Deploy a NAT gateway.
D. To Subnetl, associate a network security group (NSG) that allows outbound access to port 1688.

Answer: B

Explanation:
Reference:
https://ryanmangansitblog.com/2020/05/11/firewall-considerations-windows-virtual-desktop-wvd/

NEW QUESTION 58
- (Exam Topic 3)
Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
You have two Azure virtual networks named Vnet1 and Vnet2.
You have a Windows 10 device named Client1 that connects to Vnet1 by using a Point-to-Site (P2S) IKEv2 VPN.
You implement virtual network peering between Vnet1 and Vnet2. Vnet1 allows gateway transit. Vnet2 can use the remote gateway.
You discover that Client1 cannot communicate with Vnet2. You need to ensure that Client1 can communicate with Vnet2. Solution: You enable BGP on the gateway of Vnet1.
Does this meet the goal?

A. Yes
B. No

Answer: B

Explanation:
The VPN client must be downloaded again if any changes are made to VNet peering or the network topology. Reference:
https://docs.microsoft.com/en-us/azure/vpn-gateway/vpn-gateway-about-point-to-site-routing

NEW QUESTION 61
- (Exam Topic 3)
You are configuring two network virtual appliances (NVAs) in an Azure virtual network. The NVAs will be used to inspect all the traffic within the virtual network.
You need to provide high availability for the NVAs. The solution must minimize administrative effort. What should you include in the solution?

A. Azure Standard Load Balancer
B. Azure Traffic Manager
C. Azure Application Gateway
D. Azure Front Door

Answer: A

Explanation:
Reference:
https://docs.microsoft.com/en-us/azure/architecture/reference-architectures/dmz/nva-ha?tabs=cli

NEW QUESTION 65
- (Exam Topic 3)
You have two Azure App Service instances that host the web apps shown the following table.

You deploy an Azure application gateway that has one public frontend IP address and two backend pools. You need to publish all the web apps to the application gateway. Requests must be routed based on the HTTP
host headers.
What is the minimum number of listeners and routing rules you should configure? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

A. Mastered
B. Not Mastered

Answer: A

Explanation:
1, 2

NEW QUESTION 67
- (Exam Topic 3)
You have an Azure virtual network named Vnet1 that contains two subnets named Subnet1 and Subnet2. You have the NAT gateway shown in the NATgateway1 exhibit.

You have the virtual machine shown in the VM1 exhibit.

Subnet1 is configured as shown in the Subnet1 exhibit.

For each of the following statements, select Yes of the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

A. Mastered
B. Not Mastered

Answer: A

Explanation:
Graphical user interface, text, application Description automatically generated
Box 1: No
VM1 is in Zone2 whereas the NAT Gateway is in Zone1. The VM would need to be in the same zone as the NAT Gateway to be able to use it. Therefore, VM1 cannot use the NAT gateway.
Box 2: Yes
NATgateway1 is configured in the settings for Subnet2. Box 3: No
The NAT gateway does not have a single public IP address, it has an IP prefix which means more than one IP address. The VMs the use the NAT Gateway can use different public IP addresses contained within the IP prefix.
Reference:
https://docs.microsoft.com/en-us/azure/virtual-network/nat-gateway/nat-gateway-resource

NEW QUESTION 70
- (Exam Topic 3)
Your company has 10 instances of a web service. Each instance is hosted in a different Azure region and is accessible through a public endpoint.
The development department at the company is creating an application named App1. Every 10 minutes. App1 will use a list of end points and connect to the first available endpoint.
You plan to use Azure Traffic Manager to maintain the list of endpoints.
You need to configure a Traffic Manager profile that will minimize the impact of DNS caching. What should you configure? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

A. Mastered
B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 75
- (Exam Topic 3)
You plan to configure BGP for a Site-to-Site VPN connection between a datacenter and Azure. Which two Azure resources should you configure? Each correct answer presents a part of the solution.
(Choose two.)
NOTE: Each correct selection is worth one point.

A. a virtual network gateway
B. Azure Application Gateway
C. Azure Firewall
D. a local network gateway
E. Azure Front Door

Answer: AD

Explanation:
Reference:
https://docs.microsoft.com/en-us/azure/vpn-gateway/bgp-howto

NEW QUESTION 80
- (Exam Topic 3)
Your company has an Azure virtual network named Vnet1 that uses an IP address space of 192.168.0.0/20. Vnet1 contains a subnet named Subnet1 that uses an IP address space of 192.168.0.0/24.
You create an IPv6 address range to Vnet1 by using a CIDR suffix of /48.
You need to enable the virtual machines on Subnet1 to communicate with each other by using IPv6 addresses assigned by the company. The solution must minimize the number of additional IPv4 addresses.
What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

A. Mastered
B. Not Mastered

Answer: A

Explanation:
:
Add IPv6 configuration to NIC. "Configure all of the VM NICs with an IPv6 address using Add-AzNetworkInterfaceIpConfig"
Source: https://docs.microsoft.com/en-us/azure/load-balancer/ipv6-add-to-existing-vnet-powershell

NEW QUESTION 85
- (Exam Topic 3)
Your company has offices in New York and Amsterdam. The company has an Azure subscription. Both offices connect to Azure by using a Site-to-Site VPN connection.
The office in Amsterdam uses resources in the North Europe Azure region. The office in New York uses resources in the East US Azure region.
You need to implement ExpressRoute circuits to connect each office to the nearest Azure region. Once the ExpressRoute circuits are connected, the on-premises computers in the Amsterdam office must be able to connect to the on-premises servers in the New York office by using the ExpressRoute circuits.
Which ExpressRoute option should you use?

A. ExpressRoute Local
B. ExpressRoute FastPath
C. ExpressRoute Direct
D. ExpressRoute Global Reach

Answer: A

NEW QUESTION 87
- (Exam Topic 3)
You have an Azure virtual network named Vnet1 that hosts an Azure firewall named FW1 and 150 virtual machines. Vnet1 is linked to a private DNS zone named contoso.com. All the virtual machines have their name registered in the contoso.com zone.
Vnet1 connects to an on-premises datacenter by using ExpressRoute.
You need to ensure that on-premises DNS servers can resolve the names in the contoso.com zone. Which two actions should you perform? Each correct answer presents part of the solution.
NOTE: Each correct selection is worth one point.

A. On the on-premises DNS servers, configure forwarders that point to the frontend IP address of FW1.
B. On the on-premises DNS servers, configure forwarders that point to the Azure provided DNS service at 168.63.129.16.
C. Modify the DNS server settings of Vnet1.
D. For FW1, enable DNS proxy.
E. For FW1, configure a custom DNS server.

Answer: AC

NEW QUESTION 92
- (Exam Topic 3)
Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
You have an Azure application gateway that has Azure Web Application Firewall (WAF) enabled. You configure the application gateway to direct traffic to the URL of the application gateway.
You attempt to access the URL and receive an HTTP 403 error. You view the diagnostics log and discover the following error.

You need to ensure that the URL is accessible through the application gateway.
Solution: You create a WAF policy exclusion request headers that contain 137.135.10.24. Does this meet the goat?

A. Yes
B. No

Answer: B

NEW QUESTION 93
- (Exam Topic 3)
You have an application named App1 that listens for incoming requests on a preconfigured group of 50 TCP ports and UDP ports.
You install App1 on 10 Azure virtual machines.
You need to implement load balancing for App1 across all the virtual machines. The solution must minimize the number of load balancing rules.
What should you include in the solution?

A. Azure Standard Load Balancer that has Floating IP enabled
B. Azure Application Gateway V2 that has multiple listeners
C. Azure Application Gateway v2 that has multiple site hosting enabled
D. Azure Standard Load Balancer that has high availability (HA) ports enabled

Answer: A

NEW QUESTION 98
- (Exam Topic 3)
You have an Azure subscription that contains two virtual networks named Vnet1 and Vnet2.
You register a public DNS zone named fabrikam.com. The zone is configured as shown in the Public DNS Zone exhibit.

You have a private DNS zone named fabrikam.com. The zone is configured as shown in the Private DNS Zone exhibit.

You have a virtual network link configured as shown in the Virtual Network Link exhibit.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

A. Mastered
B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 99
- (Exam Topic 3)
You have an Azure subscription that contains the route tables and routes shown in the following table.

The subscription contains the subnets shown in the following table.

The subscription contains the virtual machines shown in the following table.

There is a Site-to-Site VPN connection to each local network gateway.
For each of the following statements, select Yes of the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

A. Mastered
B. Not Mastered

Answer: A

Explanation:
A screenshot of a computer Description automatically generated with medium confidence
Reference:
https://docs.microsoft.com/en-us/azure/virtual-network/virtual-networks-udr-overview

NEW QUESTION 103
- (Exam Topic 3)
You have an Azure firewall shown in the following exhibit.

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

A. Mastered
B. Not Mastered

Answer: A

Explanation:
Graphical user interface, text, application, email Description automatically generated
Box 1:

If forced tunneling was enabled, the Firewall Subnet would be named AzureFirewallManagementSubnet. Forced tunneling can only be enabled during the creation of the firewall. It cannot be enabled after the firewall has been deployed.
Box 2:
The "Visit Azure Firewall Manager to configure and manage this firewall" link in the exhibit shows that the firewall is managed by Azure Firewall Manager.

NEW QUESTION 106
- (Exam Topic 3)
You have an Azure Front Door instance named FrontDoor1.
You deploy two instances of an Azure web app to different Azure regions.
You plan to provide access to the web app through FrontDoor1 by using the name app1.contoso.com. You need to ensure that FrontDoor1 is the entry point for requests that use app1.contoso.com.
Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

A. Mastered
B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 110
- (Exam Topic 3)
Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
You have an Azure application gateway that has Azure Web Application Firewall (WAF) enabled. You configure the application gateway to direct traffic to the URL of the application gateway.
You attempt to access the URL and receive an HTTP 403 error. You view the diagnostics log and discover the following error.

You need to ensure that the URL is accessible through the application gateway. Solution: You add a rewrite rule for the host header.
Does this meet the goal?

A. Yes
B. No

Answer: B

Explanation:
https://docs.microsoft.com/en-us/azure/application-gateway/rewrite-http-headers-url#limitations

NEW QUESTION 112
- (Exam Topic 3)
You have five virtual machines that run Windows Server. Each virtual machine hosts a different web app. You plan to use an Azure application gateway to provide access to each web app by using a hostname of
www.contoso.corn and a different URL path for each web app, for example: https://www.contoso.com/app1.
You need to control the flow of traffic based on the URL path. What should you configure?

A. rules

B. rewrites
C. HTTP settings
D. listeners

Answer: A

Explanation:
Reference:
https://docs.microsoft.com/en-us/azure/application-gateway/url-route-overview

NEW QUESTION 117
......

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questons and Answers in PDF Format

AZ-700 Practice Exam Features:

* AZ-700 Questions and Answers Updated Frequently

* AZ-700 Practice Questions Verified by Expert Senior Certified Staff

* AZ-700 Most Realistic Questions that Guarantee you a Pass on Your FirstTry

* AZ-700 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
Order The AZ-700 Practice Test Here