IBM

Exam Questions 1Y0-204

Citrix Virtual Apps and Desktops 7 Administration

NEW QUESTION 1
A Citrix Administrator receives complaints from some users that authentication for the Citrix Gateway site fails.
Which tool can the administrator use to find data regarding time of failure and a list of users facing this issue?

A. Gateway Insight
B. Security Insight
C. Web Insight
D. HDX Insight

Answer: A

NEW QUESTION 2
Scenario: A Citrix Administrator has given permissions to team memebers to access their own admin partition, so they can add resources for different departments and manage them without making changes to the default Citrix ADC partition and configuration.
One team member was trying to use the command-line interface to troubleshoot an authentication issue and cloud NOT use aaad.debug. However, the team member has full permissions on the admin partition.
What can be the cause of this issue?

A. The team member does NOT have permission to use the CLI.
B. The team member does NOT have Shell access by design.
C. The team member needs to troubleshoot the issue from the GUI.
D. The team member is NOT using the CLI correctly.

Answer: B

NEW QUESTION 3
Scenario: A Citrix Administrator previously configured a Citrix Virtual Desktops Site to use evaluation licenses. The administrator then installed valid advanced licenses on the Citrix License Server and confirmed that licenses show correctly in the licensing console. However, a user reports an issue about logging on to the published desktop. The user receives an error message stating that the evaluation license is about to expire.
What should the administrator do to fix this issue?

A. Restart the License service.
B. Verify the host name entry in the license file.
C. Remove the evaluation license.
D. Change the product edition in Citrix Studio.

Answer: D

NEW QUESTION 4
Which tool should a Citrix Administrator use to monitor the overall daily performance of a Citrix Virtual Apps and Desktops Site?

A. Citrix Studio
B. HDX Monitor
C. Citrix Director
D. CDF Traces

Answer: C

NEW QUESTION 5
Scenario: A Citrix Administrator has made changes to the Citrix ADC, deleting parts of the configuration, and then saved the new configurations. The changes caused an outage which needs to be resolved as quickly as possible. There is no Citrix ADC backup.
What does the administrator need to do to recover the configuration quickly?

A. Restore from revision history.
B. Restart the Citrix ADC.
C. Run HA file synchronization.
D. Run Save v/s Running configuration.

Answer: A

NEW QUESTION 6
Which three Citrix Virtual Desktops Site components are managed by Citrix, when using Citrix Cloud as the hosting platform? (Choose three.)

A. Applications and Desktops
B. Hypervisor
C. License Server
D. Site Database
E. Delivery Controller

Answer: CDE

NEW QUESTION 7
Which three statements are correct regarding Citrix printing? (Choose three.)

A. Citrix printing does NOT assign each printer a unique namespace within a given session.

B. The Citrix Print Manager Service monitors session events, such as logon and logoffs or session termination.
C. Citrix printing sets the default security descriptor for auto-created printers to ensure client printer security.
D. Citrix printing allows administrators, but NOT users, to print to any other users' active session client printers.
E. The Citrix Print Manager Service handles requests by impersonating the actual session user.

Answer: BCE

NEW QUESTION 8
Scenario: A Citrix Administrator has executed the following command:

```
set cs vserver Vserver-CS-1 –caseSensitive ON
add cs action CS_Act_1 –targetLBVserver MYVPN_http
add cs policy CS_Pol_1 –rule "http.REQ.HOTSNAME.CONTAINS(\"server.citrix.lab\")" –action CS_Act_1
bind cs vserver CS_vserver1 –policyName CS_Pol_1 –priority 100
```

What will be the outcome of this configuration?

A. The users trying to access HTTP://SERVER.CITRIX.LAB will NOT be connected to the Vserver MYVPN_http.
B. The users trying to access HTTP://SERVER.CITRIX.LAB will be connected to the Vserver MYVPN_http.
C. The users trying to access http://server.citrix.lab will be connected to CS Vserver Vserver-CS-1.
D. The users trying to access HTTP://SERVER.CITRIX.LAB will be connected to CS Vserver Vserver-CS-1.

Answer: B

NEW QUESTION 9
Which two options would provide an end-to-end encryption of data, while allowing the Citrix ADC to optimize the responses? (Choose two.)

A. SSL Bridge protocol for the services
B. SSL Bridge protocol for the virtual server
C. HTTP protocol for the services
D. HTTP protocol for the virtual server
E. SSL protocol for the services
F. SSL protocol for the virtual server

Answer: CF

NEW QUESTION 10
A Citrix Administrator complains that between the two rewrite policies bound to the vserver, only one policy, whichever has lower priority, works. The other policy is never used.
Click the 'Exhibit' button to view the screenshot of the relevant policy binding.

What is the cause of the issue?

A. The Invoke label is NOT configured.
B. GotoExpression value for Policy RP_remove_srv_header is configured as 'END'.
C. The Policy expression of the no_chunk_pol is 'true' and 'NOT HTTP.REQ.IS_VALID'.
D. The Priority of the no_chunk_pol is a higher numeric value than 100.

Answer: C

NEW QUESTION 10

After creating a new machine catalog using the Machine Creation Services (MCS) wizard in Citrix Studio, a Citrix Administrator determines that Windows activation fails for all new machines in that catalog.
Which two conditions can cause this to happen? (Choose two.)

A. The base image rearm count has been exceeded.
B. The Microsoft License Server is unreachable.
C. The version of Windows installed uses Multiple Activation Key (MAK) licensing.
D. The version of Windows installed is Windows Server 2012 R2.

Answer: BC

NEW QUESTION 12
Scenario: A Citrix Administrator wants to add machines to a Delivery Group. The administrator has two machine catalogs containing unallocated machines. On the screen to choose machines from machine catalogs, the administrator can see that only one machine catalog is available.
A possible cause of this issue is that the machines in the unavailable machine catalog are . (Choose the correct option to complete the sentence.)

A. different OS types
B. provisioned with another provisioning method
C. unregistered
D. turned off

Answer: A

NEW QUESTION 14
A Citrix Administrator needs to match the host name 'www.example.com' in all HTTP requests. Which expression, when used, meets this requirement?

A. HTTP.REQ.HOSTNAME.EQ("www.example.com")
B. HTTP.REQ.HOSTNAME("example.com")
C. HTTP.RES.HOSTNAME.CONTAINS("www.example.com")
D. HTTP.RES.HOSTNAME.EQ("www.example.com")

Answer: A

NEW QUESTION 17
A user complains to a Citrix Administrator that application load time is long when they log on at the beginning of the work day.
Which feature can the administrator enable to reduce the perceived start time of the user's application?

A. Application Limits
B. Application Keyword
C. Application Lingering
D. Application Prelaunch

Answer: D

NEW QUESTION 22
What are three daily steps a Citrix Administrator should take to monitor a Citrix Virtual Apps and Desktops infrastructure? (Choose three.)

A. Review Citrix policies.
B. Perform a capacity assessment.
C. Test environment access.
D. Check virtual machine power states.
E. Review available Citrix software upgrades.
F. Check for warnings or alerts with Citrix Director.

Answer: CDF

NEW QUESTION 27
Which tool can a Citrix Administrator utilize to verify that a policy is bound and showing the number of hits?

A. nstcpdump.sh
B. nstrace.sh
C. nsconmsg
D. nscollect

Answer: C

NEW QUESTION 32
Scenario: A Citrix Administrator is performing a disaster recovery test and decided to fail over the Citrix ADC high availability (HA) pair appliances. The administrator noticed that the failover is NOT working as expected in item text, and the Secondary Citrix ADC is NOT taking over as Primary. The administrator suspects that networking issues may be causing the failure.
What could be the cause of this issue with the Citrix ADCs?

A. HA hertbeats are only seen on some enabled interfaces of the Secondary Node.
B. HA monitoring is enabled on an interface of the Secondary Node that shows as ENABLED, DOWN.
C. The Independent network configuration (INC) mode is enabled on the Primary Node.
D. HA monitoring is enabled on a disabled inteface of the Primary Node.

Answer: D

NEW QUESTION 35
Which step can a Citrix Administrator take in order to use the default compression policies?

A. Bind the default compression policies to the virtual server.
B. Enable compression on the associated bound services.
C. Disable the Citrix ADC Compression feature at a global level.
D. Select the compression algorithm (gzip/deflate/identity).

Answer: A

NEW QUESTION 38
Scenario: A Citrix Administrator has executed the following command:
set httpcallout httpcallout1 –cacheForSecs 120
What will be the effect of this command?

A. The cache duration of the HTTP request is set to 120 seconds.
B. The cache duration of the HTTP callout request is set to 120 seconds.
C. The cache duration of the HTTP response is set to 120 seconds.
D. The cache duration of the HTTP callout response is set to 120 seconds.

Answer: D

NEW QUESTION 39
Which component can optionally be hosted in Citrix Cloud or in a customer-controlled resource location, when using the Citrix Virtual Apps and Desktops service?

A. Citrix License Server
B. Citrix Gateway
C. Site database
D. Virtual Delivery Agent (VDA) machines

Answer: B

NEW QUESTION 41
Scenario: A Citrix Administrator has deployed machines using Machine Creation Services (MCS). A user logs on to a desktop from a random/non-persistent pool of Windows 10 desktops. During the session, the user installs Microsoft Office 2016.
To which disk is the Microsoft Office installation data written during the session?

A. Differencing
B. Identity
C. Temporary
D. Personal

Answer: A

NEW QUESTION 45
Scenario: A Citrix Administrator maintains a Citrix Virtual Apps and Desktops Site with a large number of Windows users running various locally attached client printers. No network printers are being used. The administrator has enabled the HDX printer mapping policy to 'Auto-create all client printers', which has resulted in a large number of drivers being loaded onto the Virtual Delivery Agent (VDA) machines. New standards are requiring the administrator to limit these Windows drivers on the VDA machines.
Which printing feature can the administrator enable to meet the new standards?

A. The Auto-create PDF universal printer policy
B. The Auto-create local (non-network) client printers only policy
C. The Citrix Universal Print Server
D. The Citrix Universal Printer Driver

Answer: C

NEW QUESTION 48
Which command should a Citrix Administrator use to configure a Content Switching virtual server for implementing the Citrix Secure Web Gateway in the transparent proxy mode?

A. add cs vserver swgVS PROXY * 21 –Authn401 on –authnVsName transparent-auth-vs
B. add cs vserver swgVS PROXY** -Authn401 on –authnVsName explicit-auth-vs
C. add cs vserver swgVS PROXY 192.168.10.1 –Authn401 on –authnVsName transparent-auth-vs
D. add cs vserver swgVS PROXY 192.168.10.1 80 –Authn401 on –authnVsName transparent-auth-vs

Answer: C

NEW QUESTION 50
Which PowerShell command can be used to display all the Citrix services installed on the Delivery Controller?

A. Get-Service -DisplayName *site*

B. Get-Service -DisplayName *citrix*
C. Get-Service -DisplayName *controller*
D. Get-Service -DisplayName *broker*

Answer: B

NEW QUESTION 55
Which utility can a Citrix Administrator use to resolve the Domain Name System (DNS) request being looked up frequently?

A. nslookup
B. dig +trace
C. curl –K –d
D. ping

Answer: B

Explanation:
https://www.citrix.com/blogs/2019/05/31/dig-into-gslb-dns-problems-with-citrix-adc-no-shovel-required/

NEW QUESTION 60
When users log on to Citrix Receiver, they are NOT able to see their line-of-business application by default and are frequently calling the help desk to locate the application.
Which phrase can a Citrix Administrator add to the application properties, so that line-of-business application is added to Favorites and users cannot remove the application from Favorites?

A. "KEYWORDS: Prefer"
B. "KEYWORDS: Mandatory"
C. "KEYWORDS: Auto"
D. "KEYWORDS: Featured"

Answer: B

NEW QUESTION 62
Scenario: A Citrix Administrator is required to maximize the usage of the Citrix Virtual Apps and Desktops Site by enabling users to access the Site from external devices and reducing the cost and the effort required to maintain the infrastructure. The desktops for the users are provisioned using Citrix Provisioning.
Which set of resources will enable the administrator to achieve the objective?

A. Citrix Virtual Apps and Desktops service, Citrix Gateway service, on-premises resources
B. Citrix Virtual Apps and Desktops service, Citrix Gateway, public cloud
C. Citrix Virtual Apps and Desktops service, Citrix Gateway, on-premises resources
D. Citrix Virtual Apps and Desktops service, Citrix Gateway service, public cloud

Answer: A

NEW QUESTION 67
Which mode on the Citrix ADC can a Citrix Administrator utilize to avoid asymmetrical packet flows and multiple route/ARP lookups?

A. Use Subnet IP (USNIP)
B. MAC-based forwarding (MBF)
C. Layer 2
D. Layer 3

Answer: B

NEW QUESTION 69
Scenario: A Citrix ADC receives packets that are destined for a MAC address owned by the Citrix ADC. The destination IP address of the packets does NOT belong to the Citrix ADC. Layer 3 Mode is enabled by default on the Citrix ADC.
What will the Citrix ADC do with the packets in this scenario?

A. Drop the packets
B. Bridge the packets.
C. Route the packets.
D. Process the packets.

Answer: C

NEW QUESTION 73
A user calls the help desk and states that launching a pooled random desktop takes as long as five minutes. Which Citrix Director report can a Citrix Administrator review to find out what might be causing the delay?

A. Resource Utilization
B. Connection Failures
C. Logon Performance
D. Load Evaluators

Answer: C

NEW QUESTION 74
Scenario: A Citrix Administrator has been advised that additional Windows users will need to access the
on-premises Citrix Virtual Apps and Desktop Site. The Site utilizes Citrix Profile Management for all users. The new users have been using Windows Roaming
Profiles and will need their existing profile information when they use the Citrix Site. The administrator enables the Profile Management policy setting for 'Enable
Migration of Existing Profiles'.
At which stage will the new users' Roaming Profiles be migrated to the existing Profile Management store?

A. When the new policy is updated automatically in Active Directory after 90 minutes
B. When the new users initiate their first domain authentication
C. When the Virtual Delivery Agent (VDA) machines configured with the new policy are restarted
D. When the new users initiate their first logon to a Virtual Delivery Agent (VDA) machine

Answer: A

NEW QUESTION 77
A Citrix Administrator configured the Responder policy to redirect the request for root page to the home page.
However, after executing the command, the webpage access entered a loop, as shown in the second screenshot.
Click on the 'Exhibit' buttons to view the screenshots.

```
>

>

> add responder action rs_redirect_home_act redirect "\ http://server1.training.lab/home.php
\"" -responseStatusCode 302

 Done

> add responder policy rs_redirect_home_pol HTTP.REQ.IS_VALID res_redirect_home_act

Done

> bind lb vserver lb_vsrv_www -policyName rs_redirect_home_pol -priority 100 -
gotoPriorityExpression END -type REQUEST

 Done

>

>
```

How will the administrator rectify this issue?

A. Change Responder action expression to "/"
B. Change Responder Policy expression to http.REQ.URL.Contains("/")
C. Change Responder Action expression to http.REQ.URL
D. Change Responder Policy expression to http.REQ.URL.EQ("/")

Answer: D

NEW QUESTION 80
What is the effect of the "set cs vserver vserver-CS-1 –redirectURL http://www.newdomain.com/mysite/" command?

A. All the requests without url path /mysite/ will be redirected to http://www.newdomain.com/mysite/.
B. All the requests to vserver-CS-1 will be redirected to http://www.newdomain.com/mysite/.
C. If the vserver-CS-1 encounters high connection rate, then users will be redirected tohttp://www.newdomain.com/mysite/.
D. If the status of vserver-CS-1 is DOWN, then users will be redirected to http://www.newdomain.com/mysite/.

Answer: D

NEW QUESTION 84
Scenario: A Citrix Administrator has deployed a Citrix Cloud-managed Citrix Virtual Apps and Desktops Site with one on-premises resource location and two Cloud Connectors. An on-premises StoreFront server group is used to access published resources. During user acceptance testing, due to adverse weather conditions, network connectivity between the on-premises location and Citrix Cloud was broken for several hours.
Which statement describes what will occur in this scenario?

A. One of the Citrix Cloud Connectors at the resource location is elected to be the primary broker and uses its Local Host Cache to broker new sessions and manage existing HDX connections.
B. Users will NOT be able to access published resources, and existing sessions will be disconnected until network connectivity to Citrix Cloud is restored.
C. The Citrix Cloud Connectors at the resource location will continue to manage existing sessions, but no new sessions can be initiated until network connectivity to Citrix Cloud is restored.
D. Each Citrix Cloud Connector at the resource location will continue to broker new connections, for certain FlexCast models, using Connection Leasing and existing HDX connections will NOT beimpacted.

Answer: A

NEW QUESTION 87
Scenario: A Citrix Administrator received reports from users regarding published applications freezing and crashing randomly within their Virtual Delivery Agent (VDA) machine sessions. The administrator would like to review the history of applications that have crashed recently.
Which step can the administrator take to gather the necessary information from within Citrix Director?

A. Review Failed Server OS Machines under Dashboard.
B. Configure Application Faults under Trends.
C. Configure Application Errors under Trends.

D. Review Citrix Alerts under Alerts.

Answer: B

NEW QUESTION 92
Which step does a Citrix Administrator need to take to enable Citrix XML Service trust for user access within a Citrix Virtual Apps and Desktops infrastructure?

A. Enable XML Service trust using the StoreFront console.
B. Run the Set-BrokerSite -TrustRequestsSentToTheXMLServicePort $true PowerShell command from within a Virtual Delivery Agent (VDA) machine.
C. Run the Set-BrokerSite -TrustRequestsSentToTheXMLServicePort $true PowerShell command from within a Controller.
D. Configure the appropriate XML Service trust settings using HDX policy within Citrix Studio.

Answer: C

NEW QUESTION 93
How can a Citrix Administrator configure a rewrite policy to change the version of HTTP from HTTP 1.1 to HTTP 1.0 in every request?

A
```
add rewrite action RW_ACT replace http.req.version "\"HTTP/1.0\""
add rewrite policy RW_POL true RW_ACT
```

B
```
add rewrite action RW_ACT replace http.res.version "\"HTTP/1.0\""
add rewrite policy RW_POL true RW_ACT
```

C
```
add rewrite action RW_ACT replace http.res.version "\"HTTP/1.1\""
add rewrite policy RW_POL true RW_ACT
```

D
```
add rewrite action RW_ACT replace http.req.version "\"HTTP/1.1\""
add rewrite policy RW_POL true RW_ACT
```

A. Option A
B. Option B
C. Option C
D. Option D

Answer: D

NEW QUESTION 96
Which three database high availability features are supported for on-premises deployments of Citrix Virtual Apps and Desktops? (Choose three.)

A. Always On Availability Groups
B. Automatic Storage Management
C. Mirroring
D. Clustered Instances
E. Flashback

Answer: ACD

NEW QUESTION 99
Scenario: A Citrix Administrator is configuring a Citrix ADC high availability (HA) pair with an existing Primary Citrix ADC with all resources configured. The administrator added the Secondary Citrix ADC in high availability and found that the configuration on the existing primary was removed. It is now the Secondary Citrix ADC in the HA pair.
Which two configurations could the administrator have made to prevent this from happening? (Choose two.)

A. Enable HA monitoring on all the interfaces of the SECONDARY device.
B. Set the Secondary Citrix ADC to STAY SECONDARY in the Configure HA Node settings.
C. Set the Primary Citrix ADC to STAY PRIMARY in the Configure HA Node settings.
D. Enable HA monitoring on all the interfaces of the PRIMARY device.

Answer: CD

NEW QUESTION 101
Scenario: A Citrix Administrator needs to deploy 300 virtual Windows 10 desktops in an environment. The deployment should have a low impact on the existing network infrastructure. The environment also requires user-installed applications and persistency.
Which Citrix technology can the administrator use to provision the desktops?

A. Citrix Provisioning
B. Existing Machines
C. Machine Creation Services
D. Manual Provisioning

Answer: C

NEW QUESTION 103
What is the first thing a Citrix Administrator should create when creating a Server Certificate for Citrix ADC to secure traffic?

A. A Private Key
B. A Certificate key-pair
C. A Certificate Signing Request
D. A Certificate Revocation list

Answer: C

NEW QUESTION 107
Scenario: A Citrix Administrator has enabled an HDX Session printers policy within a Citrix Virtual Apps and Desktops Site. The administrator added a printer to a print server and assigned the printer to all users through a session printer policy. In addition, several local client printers are auto-created within HDX sessions. No other printing policies are configured.
How will print jobs be routed when users send print jobs to a printer managed by the print server?

A. Directly to the network print server and then to the specified printer.
B. Over the HDX virtual channel to the specified printer attached to the print server.
C. Directly from the session Virtual Delivery Agent (VDA) machine to the printer.
D. Over the HDX virtual channel, through the endpoint, and then to the print server.

Answer: A

NEW QUESTION 109
Which three policy settings can a Citrix Administrator configure to improve HDX session performance for high-latency, low bandwidth user connections? (Choose three.)

A. Maximum number of sessions
B. View window contents while dragging
C. CPU usage
D. Target frame rate and color depth
E. Limit video quality
F. Application launch wait timeout

Answer: BDE

NEW QUESTION 112
What must a Citrix Administrator do to encrypt XML traffic between StoreFront and the Delivery Controllers?

A. Install a private server certificate on each StoreFront server and then add a new Internet Information Services (IIS) binding for HTTPS.
B. Install a private server certificate on each Delivery Controller and bind the certificates to port 443.
C. Install a private certificate on each Delivery Controller and StoreFront serve
D. Restart each server to force XML communication to be encrypted.
E. Install a private server certificate on each StoreFront serve
F. Open the StoreFront console and use the https:// prefix with the base URL.

Answer: A

NEW QUESTION 115
Scenario: A Citrix Administrator has received complaints from published application users. They report that it takes a long time to relaunch an application after they close it by mistake.
The administrator needs a solution that will reduce application launch times in these situations. Which feature should the administrator enable?

A. Session Sharing
B. Session Reliability
C. Application Lingering
D. Application Prelaunch

Answer: D

NEW QUESTION 118
Which three methods can a Citrix Administrator choose from when creating a Featured App Group for a set of applications? (Choose three.)

A. Application names
B. Installed locally

C. Keyword
D. Application category
E. Delivery Group

Answer: ACD

Explanation:
You can create product featured app groups for your end users that are related to or fit in a specific category. For example, you can create a Sales Department featured app group containing applications that are used by that department. You can define featured apps in the StoreFront administration console by using application names or by using keywords or application categories that were defined in the Studio console.

NEW QUESTION 119
Scenario: A Citrix Administrator has configured a Citrix ADC active-passive high availability (HA) pair. When the HA pair fails over, customers are unable to access the hosted websites. After some troubleshooting, the administrator found that the upstream router was NOT updating its ARP table.
What can the administrator configure to resolve this issue?

A. Virtual MAC
B. Independent Network Configuration (INC) mode
C. Route Monitor
D. HA monitor

Answer: A

NEW QUESTION 122
Scenario: A Citrix Administrator configured the rewrite policies below:

```
bind lb vserver VPN_http-policyName POL_1-priority 120 –gotoPriorityExpression END –type REQUEST
bind lb vserver VPN_http-policyName POL_2-priority 90 –gotoPriorityExpression NEXT –type REQUEST
bind lb vserver VPN_http-policyName POL_3-priority 100 –gotoPriorityExpression NEXT –type REQUEST
bind lb vserver VPN_http-policyName POL_4-priority 110 –gotoPriorityExpression END –type REQUEST
```

In which order will the policies be evaluated?

A. POL_2, POL_3
B. POL_2
C. POL_2, POL_3, POL_4, POL_1
D. POL_2, POL_3, POL_4

Answer: C

NEW QUESTION 123
Which method, according to Citrix leading practices, can a Citrix Administrator use to successfully make a configuration change for a StoreFront server group?

A. Make the change on one StoreFront server in the group, then restart all servers in the group to synchronize the change.
B. Make the same change manually on all StoreFront servers in the group, then run a Site health check.
C. Make the same change on all StoreFront servers in the group using remote PowerShell commands.
D. Make the change on one StoreFront server in the group, then use the Propagate Changes feature.

Answer: D

NEW QUESTION 126
Which Citrix ADC hardware or software platform offers a Multi-Tenant solution?

A. VPX
B. MPX
C. CPX
D. SDX

Answer: D

NEW QUESTION 130
Scenario: A Citrix Administrator needs to create local user accounts for other administrators with limited privileges. The other administrators will need only:
➤ Read-only access
➤ The ability to enable and disable services and servers
Which built-in Command Policy permission level can the administrator use?

A. Network
B. Read-Only
C. Operator
D. Sysadmin

Answer: C

NEW QUESTION 133

A Citrix Administrator needs to confirm that all the client certificates presented to the authentication vServer are valid until year 2020.
Which expression can the administrator use to meet this requirement?

A. CLIENT.SSL.CLIENT_CERT.VALID_NOT_AFTER.EQ(GMT2020)
B. CLIENT.SSL.CLIENT_CERT.DAYS_TO_EXPIRE.EQ(2020)
C. CLIENT.SSL.ORIGIN_SERVER_CERT.VALID_NOT_AFTER.EQ(GMT2020)
D. CLIENT.SSL.CLIENT_CERT.VALID_NOT_BEFORE.EQ(GMT2020)

Answer: A

NEW QUESTION 135
How can a Citrix Administrator guarantee the availability of resource locations in a Citrix Cloud deployment?

A. Deploy at least two Cloud Connectors for each resource location and load-balance them using Citrix ADC.
B. Deploy at least two Cloud Connectors for each resource location.
C. Convert one Cloud Connector to a template and deploy it when another Cloud Connector goes down.
D. Deploy one Cloud Connector in each resource location.

Answer: B

NEW QUESTION 136
Scenario: A Citrix ADC is configured with Interface 1/1 and bound to VLAN 40. A Citrix Administrator has executed the following command: bind vlan 20 –ifnum 1/1
What is the result of executing the command on the Citrix ADC?

A. Interface 1/1 is bound to VLAN 20, and native VLAN is 1.
B. Interface 1/1 is bound to VLAN 20, and native VLAN is 40.
C. Interface 1/1 is bound to VLAN 20, and native VLAN is NOT changed.
D. Interface 1/1 is bound to VLAN 20, and native VLAN is 20.

Answer: B

NEW QUESTION 141
Scenario: A Citrix Administrator has a Citrix ADC SDX with four VPX instances configured. The SDX has a 10GB bandwidth license that has been configured with dedicated bandwidth of 2GB for each instance. However, the administrator found that three instances do NOT ever reach the bandwidth limit, while one instance reaches the limit and needs 1GB more bandwidth to accommodate increased traffic requests.
What can the administrator change on the instance that requires more bandwidth, to meet traffic requirements?

A. Configure burst capacity on the instance adding 1 GB of bandwidth with burst priority 0.
B. Purchase an SDX license to increase the bandwidth on the instances.
C. Configure burst capacity of 1GB with priority 10.
D. Configure LA channel to increase the bandwidth.

Answer: C

NEW QUESTION 145
Scenario: A Citrix Administrator needs to ensure that a user request is redirected to the next available data center in order to ensure the best user experience based upon location.
Below are the Global Server Load Balancing (GSLB) vserver settings:

```
sh gslb vserver gslb.outscale.cloud
gslb.outscale.cloud-SSL      State: UP
DNS Record Type: A
Last state changed was at Tue May 16 23:47:54 2017
Time since last state change: 16 days, 16:13:23.390
Configured Method: RTT
BackupMethod: LEASTCONNECTION
No. of Bound Services: 2(Total)      1(Active)
Persistence: NONE
Disable Primary Vserver on Down: DISABLED
Site Persistence: ConnectionProxy
```

To which setting should the administrator change the configured method?

A. StaticProximity
B. RoundRobin
C. LeastConnection
D. LeastBandwidth

Answer: C

NEW QUESTION 149
Which scenario will cause automatic high availability (HA) synchronization to fail?

A. Manually forced synchronization
B. A configuration change to the primary Citrix ADC
C. Different build versions

D. A force failover

Answer: C

NEW QUESTION 153
Scenario: A Citrix Administrator configured the HTTP_Callout feature on the Citrix ADC using the command-line interface. After configuring the commands, the device is facing the HTTP callout recursion
issue.
Click on the 'Exhibit' button to view the screenshot of the command-line interface.

```
>
> add policy httpCallout myCallout
  Done
> set policy httpCallout myCallout - IPAddress 10.102.3.95 -port 80 -returnType TEXT -
hostExpr "\"10.102.3.95\" " -urlStemExpr "\"/cgi-bin/check_clnt_from_database.pl
lout Request") -parameters cip (CLIENT.IP.SRC) -resultExpr "HTTP.RES.BODY(100)"
  Done
> add responder policy Poll "SYS.HTTP_CALLOUT(myCallout).CONTAINS(\"IP Matched\")" RESET
  Done
> bind responder global Poll 100 END -type OVERRIDE
```

How will the administrator rectify the issue?

A. Change the expression of the Responder policy to "HTTP.REQ.HEADER(\"Request\").EQ(\"Callout Request\").NOT &&
SYS.HTTP_CALLOUT(myCallout).CONTAINS(\"IP Matched\")"
B. Change the expression of the Responder policy to "HTTP.REQ.HEADER(\"Request\").EQ(\"Callout Request\").NOT &&
SYS.HTTP_CALLOUT(myCallout).CONTAINS(\"IP Matched\")".NOT
C. In the HTTP Callout policy, change the –parameters to "cip(CLIENT.IP.SRC)&&HTTP.REQ.HEADER(\"Request\").EQ(\"Callout Request\")"
D. In the HTTP Callout policy, change the –parameters to "cip(CLIENT.IP.DST)&&HTTP.REQ.HEADER(\"Request\").EQ(\"Callout Request\")"

Answer: B

NEW QUESTION 154
......

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questons and Answers in PDF Format

1Y0-204 Practice Exam Features:

* 1Y0-204 Questions and Answers Updated Frequently

* 1Y0-204 Practice Questions Verified by Expert Senior Certified Staff

* 1Y0-204 Most Realistic Questions that Guarantee you a Pass on Your FirstTry

* 1Y0-204 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
Order The 1Y0-204 Practice Test Here