



Microsoft

Exam Questions AZ-801

Configuring Windows Server Hybrid Advanced Services

About ExamBible

[Your Partner of IT Exam](#)

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

DRAG DROP

You are planning the implementation of Cluster2 to support the on-premises migration plan.

You need to ensure that the disks on Cluster2 meet the security requirements.

In which order should you perform the actions? To answer, move all actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

| Actions | Answer Area |
|---|-------------|
| Add a disk resource to the cluster. | |
| Enable BitLocker on the volume. | |
| Update the BitLockerProtectorInfo property of the volume. | |
| Create a Cluster Shared Volume (CSV). | |
| Put the disk in maintenance mode. | |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference: <https://docs.microsoft.com/en-us/windows-server/failover-clustering/bitlocker-on-csv-in-ws-2022>

NEW QUESTION 2

HOTSPOT

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

| Statements | Yes | No |
|---|-----------------------|-----------------------|
| User1 can sign in to Server4 by using Remote Desktop. | <input type="radio"/> | <input type="radio"/> |
| User2 can sign in to Server4 by using Remote Desktop. | <input type="radio"/> | <input type="radio"/> |
| User3 can sign in to Server4 by using Remote Desktop. | <input type="radio"/> | <input type="radio"/> |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

| Statements | Yes | No |
|---|----------------------------------|----------------------------------|
| User1 can sign in to Server4 by using Remote Desktop. | <input type="radio"/> | <input checked="" type="radio"/> |
| User2 can sign in to Server4 by using Remote Desktop. | <input checked="" type="radio"/> | <input type="radio"/> |
| User3 can sign in to Server4 by using Remote Desktop. | <input type="radio"/> | <input checked="" type="radio"/> |

NEW QUESTION 3

HOTSPOT

With which servers can Server1 and Server3 communicate? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Server1 can communicate with:

Server2 only
Server3 only
Server2 and Server3 only
Server2, Server3, and Server4
None of the servers

Server3 can communicate with:

Server2 only
Server1 and Server2 only
Server1 and Server4 only
Server1, Server2, and Server4
None of the servers

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Server1 can communicate with:

Server2 only
Server3 only
Server2 and Server3 only
Server2, Server3, and Server4
None of the servers

Server3 can communicate with:

Server2 only
Server1 and Server2 only
Server1 and Server4 only
Server1, Server2, and Server4
None of the servers

NEW QUESTION 4

HOTSPOT

You are planning the www.fabrikam.com website migration to support the Azure migration plan.
How should you configure WebApp1? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

To enable WebApp1 to handle requests for the website:

Add a custom domain name.
Create a deployment slot.
Create a private endpoint.

To point client connections to WebApp1:

Add HTTP redirect rules on WEB1 and WEB2.
Implement Azure Front Door.
Implement Azure Traffic Manager.
Modify a DNS record.

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: Add a custom domain name

To migrate www.fabrikam.com website to an Azure App Service web app, you need to add Fabrikam.com as a custom domain in Azure. This will

make the domain name available to use in the web app.

Box 2: Modify a DNS record

You need to change the DNS record for www.fabrikam.com to point to the Azure web app. HTTP redirect rules won't work because WEB1 and WEB2 will be decommissioned.

Reference: <https://docs.microsoft.com/en-us/azure/app-service/app-service-web-tutorial-custom-domain?tabs=a%2Cazurecli>

NEW QUESTION 5

You are planning the data share migration to support the on-premises migration plan.

What should you use to perform the migration?

- A. Storage Migration Service
- B. Microsoft File Server Migration Toolkit
- C. File Server Resource Manager (FSRM)
- D. Windows Server Migration Tools

Answer: A

Explanation:

Reference: <https://docs.microsoft.com/en-us/windows-server/storage/storage-migration-service/migrate-data>

NEW QUESTION 6

HOTSPOT

You are planning the migration of APP3 and APP4 to support the Azure migration plan.

What should you do on Cluster1 and in Azure before you perform the migration? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

On Cluster1:

- ☐ Configure Azure Network Adapter.
- ☐ Create a Point-to-Site (P2S) VPN connection to Vnet1.
- ☐ Import the Azure Migrate appliance.
- ☐ Install the Azure File Sync agent.
- ☐ Install the Windows Server Migration Tools.

In Azure:

- ☐ Create a premium block blobs Azure Storage account.
- ☐ Create a private endpoint.
- ☐ Create a VPN gateway.
- ☐ Create an Azure Migrate project.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/migrate/tutorial-discover-hyper-v>

NEW QUESTION 7

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a server named Server1 that runs Windows Server.

You need to ensure that only specific applications can modify the data in protected folders on Server1.

Solution: From Virus & threat protection, you configure Controlled folder access.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference: <https://docs.microsoft.com/en-us/microsoft-365/security/defender-endpoint/customize-controlledfolders?view=o365-worldwide>

NEW QUESTION 8

DRAG DROP

You have an on-premises Active Directory Domain Services (AD DS) domain that syncs with an Azure Active Directory (Azure AD) tenant.

The AD DS domain contains a domain controller named DC1. DC1 does NOT have internet access.

You need to configure password security for on-premises users. The solution must meet the following requirements:

Prevent the users from using known weak passwords.

Prevent the users from using the company name in passwords.

What should you do? To answer, drag the appropriate configurations to the correct targets. Each configuration may be used once, more than once, or not at all.

You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Configurations

Configure Azure AD Identity Protection.

Configure Azure AD Password Protection.

Install the Azure AD Pass-through Authentication Agent.

Install the Azure AD Password Protection DC agent.

Install the Azure AD Password Protection proxy service.

Answer Area

On DC1:

On a member server:

In Azure:

Configure Password Protection for On-premises Users

Configure Password Protection for On-premises Users

Configure Password Protection for On-premises Users

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Reference: <https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-password-ban-bad-on-premisesdeploy>

NEW QUESTION 9

HOTSPOT

Your network contains an Active Directory Domain Services (AD DS) domain named contoso.com. The domain contains the organizational units (OUs) shown in the following table.

| Name | Contents |
|-------------------------|--|
| Domain Controllers | All the domain controllers in the domain |
| Domain Servers | All the servers that run Windows Server in the domain |
| Domain Client Computers | All the client computers that run Windows 10 in the domain |
| Domain Users | All the users in the domain |

In the domain, you create the Group Policy Objects (GPOs) shown in the following table.

| Name | IPsec setting |
|------|--|
| GPO1 | Require authentication by using Kerberos V5 for inbound connections |
| GPO2 | Request authentication by using Kerberos V5 for inbound connections |
| GPO3 | Require authentication by using X.509 certificates for inbound connections |
| GPO4 | Request authentication by using X.509 certificates for inbound connections |

You need to implement IPsec authentication to ensure that only authenticated computer accounts can connect to the members in the domain.

The solution must minimize administrative effort.

Which GPOs should you apply to the Domain Controllers OU and the Domain Servers OU? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Domain Controllers:

GPO1

GPO2

GPO3

GPO4

Domain Servers:

GPO1

GPO2

GPO3

GPO4

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Reference: <https://docs.microsoft.com/en-us/windows/security/threat-protection/windows-firewall/configure-authenticationmethods>

NEW QUESTION 10

Your network contains an Active Directory Domain Services (AD DS) domain. The domain contains two servers named Server1 and Server2 that run Windows Server.

You need to ensure that you can use the Computer Management console to manage Server2. The solution must use the principle of least privilege.

Which two Windows Defender Firewall with Advanced Security rules should you enable on Server2? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. the COM+ Network Access (DCOM-In) rule
- B. all the rules in the Remote Event Log Management group
- C. the Windows Management Instrumentation (WMI-In) rule
- D. the COM+ Remote Administration (DCOM-In) rule
- E. the Windows Management Instrumentation (DCOM-In) rule

Answer: AB

Explanation:

Reference: <https://docs.microsoft.com/en-us/windows-server/administration/server-manager/configure-remote-managementin-servermanager>

NEW QUESTION 10

You have a server that runs Windows Server. The server is configured to encrypt all incoming traffic by using a connection security rule.

You need to ensure that Server1 can respond to the unencrypted tracert commands initiated from computers on the same network.

What should you do from Windows Defender Firewall with Advanced Security?

- A. From the IPsec Settings, configure IPsec defaults.
- B. Create a new custom outbound rule that allows ICMPv4 protocol connections for all profiles.
- C. Change the Firewall state of the Private profile to Off.
- D. From the IPsec Settings, configure IPsec exemptions.

Answer: D

NEW QUESTION 11

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.


After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a failover cluster named Cluster1 that hosts an application named App1.

The General tab in App1 Properties is shown in the General exhibit. (Click the General tab.)



The Failover tab in App1 Properties is shown in the Failover exhibit. (Click the Failover tab.)



App1 Properties

General Failover

Failover

Specify the number of times the Cluster service will attempt to restart or fail over the clustered role in the specified period.

If the clustered role fails more than the maximum in the specified period, it will be left in the failed state.

Maximum failures in the specified period: 3

Period (hours): 6

Failback

Specify whether the clustered role will automatically fail back to the most preferred owner (which is set on the General tab).

☐ Prevent failback

☒ Allow failback

☒ Immediately

☐ Failback between 0 and 0 hours

OK Cancel Apply

Server1 shuts down unexpectedly.

You need to ensure that when you start Server1, App1 continues to run on Server2.

Solution: You increase Maximum failures in the specified period for the App1 cluster role.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

The Maximum failures setting is used to determine when the cluster determines that a node is offline. It does not affect whether a cluster will fail back when a node comes online.

NEW QUESTION 14

You have a failover cluster named Cluster1 that has the following configurations:

Number of nodes: 6

Quorum: Dynamic quorum

Witness: File share, Dynamic witness

What is the maximum number of nodes that can fail simultaneously while maintaining quorum?

- A. 1
- B. 2
- C. 3
- D. 4
- E. 5

Answer: C

Explanation:

Note this question is asking about nodes failing 'simultaneously', not nodes failing one after the other.

With six nodes and one witness, there are seven votes. To maintain quorum there needs to be four votes available (four votes is the majority of seven). This means that a minimum of three nodes plus the witness need to remain online for the cluster to function. Therefore, the maximum number of simultaneous failures is three.

Reference: <https://docs.microsoft.com/en-us/windows-server/storage/storage-spaces/understand-quorum>

NEW QUESTION 15

You have two servers named Server1 and Server2 that run Windows Server. Both servers have the Hyper-V server role installed.

Server1 hosts three virtual machines named VM1, VM2, and VM3. The virtual machines replicate to Server2.

Server1 experiences a hardware failure.

You need to bring VM1, VM2, and VM3 back online as soon as possible.

From the Hyper-V Manager console on Server2, what should you run for each virtual machine?

- A. Start
- B. Move
- C. Unplanned Failover
- D. Planned Failover

Answer: C

Explanation:

Reference: <https://docs.microsoft.com/en-us/windows-server/virtualization/hyper-v/manage/set-up-hyper-v-replica>

NEW QUESTION 19

HOTSPOT

You have a Hyper-V failover cluster named Cluster1 that uses a cloud witness. Cluster1 hosts a virtual machine named VM1 that runs Windows Server.

You need to fail over VM1 automatically to a different node when a service named Service1 on VM1 fails.

What should you do on Cluster1 and VM1? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

| | |
|-----------|--|
| Cluster1: | <div>▼</div> <div>Modify the settings of the VM1 cluster role. Configure monitoring of the VM1 cluster role. Change the startup priority of the VM1 cluster role.</div> |
| VM1: | <div>▼</div> <div>Configure the Startup Type of Service1. Configure the Recovery settings of Service1. Configure the Startup and Recovery settings. Install and configure the Azure Monitor agent.</div> |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

| | |
|-----------|---|
| Cluster1: | <div>▼</div> <div>Modify the settings of the VM1 cluster role. Configure monitoring of the VM1 cluster role. Change the startup priority of the VM1 cluster role.</div> |
| VM1: | <div>▼</div> <div>Configure the Startup Type of Service1. Configure the Recovery settings of Service1. Configure the Startup and Recovery settings. Install and configure the Azure Monitor agent.</div> |

NEW QUESTION 20

DRAG DROP

You have two physical servers named AppSrv1 and AppSrv2 and an unconfigured server named Server1. All the servers run Windows Server.

Only Server1 can access the internet.

You plan to use Azure Site Recovery to replicate AppSrv1 and AppSrv2 to Azure.

You need to deploy the required components to AppSrv1, AppSrv2, and Server1.

Which components should you deploy? To answer, drag the appropriate components to the correct servers. Each component may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

| | |
|--|--------------------------------------|
| Components | Answer Area |
| The Azure Connected Machine agent | |
| An Azure Site Recovery configuration server | To AppSrv1 and AppSrv2: <div>▼</div> |
| The Azure Site Recovery Mobility Service | To Server1: <div>▼</div> |
| The Microsoft Azure Recovery Services (MARS) agent | |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference: <https://docs.microsoft.com/en-us/azure/site-recovery/physical-azure-architecture>
<https://docs.microsoft.com/enus/azure/siterecovery/physical-azure-set-up-source>

NEW QUESTION 21

DRAG DROP

You have two Azure virtual machines named VM1 and VM2. VM1 is backed up to an Azure Recovery Services vault daily and retains backups for 30 days. You need to restore an individual file named C:\Data\Important.docx from VM1 to VM2. The solution must minimize administrative effort.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

| Actions | Answer Area |
|--|-------------|
| Unmount the disks. | |
| Download the file recovery script for VM1. | |
| Copy the file by using Azure Storage Explorer. | |
| Copy the file by using File Explorer. | |
| Restore the file by using Windows Server Backup. | |
| Run the file recovery script on VM2. | |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference: <https://docs.microsoft.com/en-us/azure/backup/backup-azure-restore-files-from-vm>

NEW QUESTION 26

DRAG DROP

You have an Azure subscription that contains an Azure Recovery Services vault.

You have an on-premises physical server that runs Windows Server.

You need to back up the server daily to Azure.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

| Actions | Answer Area |
|--|-------------|
| On Server1, install and register the Azure Connected Machine agent. | |
| Schedule a backup. | |
| On Server1, install and register the Azure Site Recovery Mobility service agent. | |
| Download the Vault Credentials file. | |
| Install and register the Microsoft Azure Recovery Services (MARS) agent. | |
| Create a recovery plan. | |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference: <https://docs.microsoft.com/en-us/azure/backup/tutorial-backup-windows-server-to-azure>

NEW QUESTION 31

DRAG DROP

You have a server that runs Windows Server.

You plan to back up the server to an Azure Recovery Services vault once per week starting on the next Saturday.

You need to schedule the weekly backup and perform the initial backup as soon as possible.

In which order should you perform the actions? To answer, move all actions from the list of actions to the answer are and arrange them in the correct order.

Select and Place:

| Actions | Answer Area |
|---|-------------|
| Run the Register Server Wizard. | |
| From Microsoft Azure Backup, run the Schedule Backup Wizard. | |
| From Microsoft Azure Backup, run the Back Up Now Wizard. | |
| Download the Microsoft Azure Recovery Services (MARS) agent and the Vault Credentials file. | |
| Run the Microsoft Azure Recovery Services Agent Setup Wizard. | |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference: <https://docs.microsoft.com/en-us/azure/backup/install-mars-agent#download-the-mars-agent>
<https://docs.microsoft.com/en-us/azure/backup/backup-windows-with-mars-agent>

NEW QUESTION 32

You have a server named Server1 that runs Windows Server and has the Hyper-V server role installed. You have a Hyper-V failover cluster named Cluster1. All servers are members of the same domain.

You need to ensure that you use Hyper-V Replica with Kerberos authentication on the default port to replicate virtual machines from Cluster1 to Server1.

What should you do on Server1?

- A. Add primary servers to the Hyper-V Replica Broker configuration.
- B. From Hyper-V Settings, select Enable incoming and outgoing live migrations.
- C. From Windows Defender Firewall with Advanced Security, enable the Hyper-V Replica HTTPS Listener (TCP-In) rule.
- D. From Windows Defender Firewall with Advanced Security, enable the Hyper-V Replica HTTP Listener (TCP-In) rule.

Answer: D

Explanation:

Reference:
<https://docs.microsoft.com/en-us/windows-server/virtualization/hyper-v/manage/set-up-hyper-v-replica>

NEW QUESTION 36

You need to meet technical requirements for Share1.

What should you use?

- A. Storage Migration Service
- B. File Server Resource Manager (FSRM)
- C. Server Manager
- D. Storage Replica

Answer: A

Explanation:

Reference: <https://docs.microsoft.com/en-us/windows-server/storage/storage-migration-service/overview>

NEW QUESTION 39

You have two file servers named Server1 and Server2 that run Windows Server. Server1 contains a shared folder named Data. Data contains 10TB of data.

You plan to decommission Server1.

You need to migrate the files from Data to a new shared folder on Server2. The solution must meet the following requirements:

Ensure that share, file, and folder permissions are copied.

After the initial copy occurs, ensure that changes in \\Server1\Data can be synced to the destination without initiating a full copy. Minimize administrative effort.

What should you use?

- A. xcopy
- B. Storage Replica
- C. Storage Migration Service
- D. azcopy

Answer: C

Explanation:

Reference: <https://docs.microsoft.com/en-us/windows-server/storage/storage-migration-service/overview#why-use-storagemigration-service>

NEW QUESTION 43

HOTSPOT

You have a server that runs Windows Server and has the Web Server (IIS) server role installed. Server1 hosts a single website that has the following configurations:

Is accessible by using a URL of <https://www.contoso.com:8443> and has an SSL certificate that was issued by a third-party certification authority (CA) in the Microsoft Trusted Root Program Uses anonymous authentication Was developed by using PHP You plan to use APP Service Migration Assistant to migrate the website to Azure App Service.

You need to migrate the website. The solution must minimize the number of changes made to the existing website.

What should you do manually to ensure that the website migration is successful? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

| | |
|-------------|--|
| On Server1: | <div><div>▼</div><div>Change the authentication method.</div><div>Change the listening port of the website.</div><div>Redevelop the website code by using ASP.NET.</div></div> |
| In Azure: | <div><div>▼</div><div>Create an App Service plan.</div><div>Copy the source files of the website.</div><div>Configure a certificate and a custom domain name.</div></div> |

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/learn/modules/migrate-app-service-migration-assistant/3-understand-assessment>

<https://docs.microsoft.com/en-us/learn/modules/migrate-app-service-migration-assistant/5-understand-migration>

NEW QUESTION 45

DRAG DROP

Your network contains an Active Directory Domain Services (AD DS) domain. The domain contains a print server named Server1. All printers are deployed to users by using a Group Policy Object (GPO) named GPO1.

You deploy a new server named Server2.

You need to decommission Server1. The solution must meet the following requirements:

Migrate the shared printers to Server2 by using the Printer Migration Wizard.

Ensure that the users use the printers on Server2. Minimize downtime for the users.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

| Actions | Answer Area |
|--|-------------|
| Decommission Server1. | |
| Import the printers on Server2. | |
| Deploy Windows Server Hybrid Cloud Print. | |
| Export the printers on Server1. | |
| Update the service principal name (SPN) of each printer. | |
| Modify GPO1. | |

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Reference: <https://docs.microsoft.com/en-us/archive/blogs/canitpro/step-by-step-migrating-print-servers-from-windowsserver-2008-towindowsserver-2012>

NEW QUESTION 46

You have two servers that run Windows Server as shown in the following table.

| Name | Location | Domain/workgroup |
|---------|-----------------------|------------------|
| Server1 | On-premises | Domain |
| Server2 | Azure virtual machine | Workgroup |

You need to copy the contents of volume E from Server1 to Server2. The solution must meet the following requirements:

Ensure that files in-use are copied. Minimize administrative effort.

What should you use?

- A. Storage Migration Service
B. Azure File Sync
C. Azure Backup
D. Storage Replica

Answer: A

NEW QUESTION 50

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains a single-domain Active Directory Domain Services (AD DS) forest named contoso.com. The functional level of the forest is Windows Server 2012 R2. All domain controllers run Windows Server 2012 R2.

Sysvol replicates by using the File Replication Service (FRS).

You plan to replace the existing domain controllers with new domain controllers that will run Windows Server 2022.

You need to ensure that you can add the first domain controller that runs Windows Server 2022.

Solution: You upgrade the PDC emulator.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 53

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains a single-domain Active Directory Domain Services (AD DS) forest named contoso.com. The functional level of the forest is Windows Server 2012 R2. All domain controllers run Windows Server 2012 R2.

Sysvol replicates by using the File Replication Service (FRS).

You plan to replace the existing domain controllers with new domain controllers that will run Windows Server 2022.

You need to ensure that you can add the first domain controller that runs Windows Server 2022.

Solution: You run the Active Directory Migration Tool (ADMT).

Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 58

You have an on-premises network and an Azure virtual network.

You establish a Site-to-Site VPN connection from the on-premises network to the Azure virtual network, but the connection frequently disconnects.

You need to debug the IPsec tunnel from Azure.

Which Azure VPN Gateway diagnostic log should you review?

- A. GatewayDiagnosticLog
- B. RouteDiagnosticLog
- C. IKEDiagnosticLog
- D. TunnelDiagnosticLog

Answer: D

Explanation:

Reference: <https://docs.microsoft.com/en-us/azure/vpn-gateway/troubleshoot-vpn-with-azure-diagnostics>

NEW QUESTION 61

You plan to deploy the Azure Monitor agent to 100 on-premises servers that run Windows Server.

Which parameters should you provide when you install the agent?

- A. the client ID and the secret of an Azure service principal
- B. the name and the access key of an Azure Storage account
- C. a connection string for an Azure SQL database
- D. the ID and the key of an Azure Log Analytics workspace

Answer: D

Explanation:

Reference: <https://docs.microsoft.com/en-us/windows-server/storage/storage-spaces/configure-azure-monitor>

NEW QUESTION 66

.....

Relate Links

100% Pass Your AZ-801 Exam with ExamBible Prep Materials

<https://www.exambible.com/AZ-801-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>