

Exam Questions AZ-305

Designing Microsoft Azure Infrastructure Solutions

<https://www.2passeasy.com/dumps/AZ-305/>



NEW QUESTION 1

- (Exam Topic 5)

You need to deploy resources to host a stateless web app in an Azure subscription. The solution must meet the following requirements:

- Provide access to the full .NET framework.
- Provide redundancy if an Azure region fails.
- Grant administrators access to the operating system to install custom application dependencies. Solution: You deploy a Azure virtual machine scale set that uses autoscaling.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead, you should deploy two Azure virtual machines to two Azure regions, and you create a Traffic Manager profile.

NEW QUESTION 2

- (Exam Topic 5)

You have five .NET Core applications that run on 10 Azure virtual machines in the same subscription.

You need to recommend a solution to ensure that the applications can authenticate by using the same Azure Active Directory (Azure AD) identity. The solution must meet the following requirements:

- > Ensure that the applications can authenticate only when running on the 10 virtual machines.
- > Minimize administrative effort.

What should you include in the recommendation? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

To provision the Azure AD identity:

	▼
Create a system-assigned Managed Service Identity	
Create a user-assigned Managed Service Identity	
Register each application in Azure AD	

To authenticate request a token by using:

	▼
An Azure AD v1.0 endpoint	
An Azure AD v2.0 endpoint	
An Azure Instance Metadata Service Identity	
OAuth2 endpoint	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

NEW QUESTION 3

- (Exam Topic 5)

You have an Azure virtual machine named VM1 that runs Windows Server 2019 and contains 500 GB of data files.

You are designing a solution that will use Azure Data Factory to transform the data files, and then load the files to Azure Data Lake Storage

What should you deploy on VM1 to support the design?

- A. the self-hosted integration runtime
- B. the Azure Pipelines agent
- C. the On-premises data gateway
- D. the Azure File Sync agent

Answer: A

NEW QUESTION 4

- (Exam Topic 5)

Your company has offices in the United States, Europe, Asia, and Australia.

You have an on-premises app named App1 that uses Azure Table storage. Each office hosts a local instance of App1.

You need to upgrade the storage for App1. The solution must meet the following requirements:

- > Enable simultaneous write operations in multiple Azure regions.
- > Ensure that write latency is less than 10 ms.
- > Support indexing on all columns.
- > Minimize development effort. Which data platform should you use?

- A. Azure SQL Database
- B. Azure SQL Managed Instance
- C. Azure Cosmos DB

D. Table storage that uses geo-zone-redundant storage (GZRS) replication

Answer: D

Explanation:

Azure Cosmos DB Table API has

- > Single-digit millisecond latency for reads and writes, backed with <10-ms latency reads and <15-ms latency writes at the 99th percentile, at any scale, anywhere in the world.
- > Automatic and complete indexing on all properties, no index management.
- > Turnkey global distribution from one to 30+ regions. Support for automatic and manual failovers at any time, anywhere in the world.

Reference:

<https://docs.microsoft.com/en-us/azure/cosmos-db/table-support>

NEW QUESTION 5

- (Exam Topic 5)

You architect a solution that calculates 3D geometry from height-map data. You have the following requirements:

Perform calculations in Azure.

Each node must communicate data to every other node.

Maximize the number of nodes to calculate multiple scenes as fast as possible.

Require the least amount of effort to implement. You need to recommend a solution.

Which two actions should you recommend? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Create a render farm that uses Azure Batch.
- B. Enable parallel file systems on Azure.
- C. Enable parallel task execution on compute nodes.
- D. Create a render farm that uses virtual machine (VM) scale sets.
- E. Create a render farm that uses virtual machines (VMs).

Answer: AC

NEW QUESTION 6

- (Exam Topic 5)

You have an Azure Load Balancer named LB1 that balances requests to five Azure virtual machines. You need to develop a monitoring solution for LB1. The solution must generate an alert when any of the following conditions are met:

- > A virtual machine is unavailable.
- > Connection attempts exceed 50,000 per minute.

Which signal should you include in the solution for each condition? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

An unavailable virtual machine:

<input type="checkbox"/>	▼
<input type="checkbox"/>	Byte Count
<input type="checkbox"/>	Data Path Availability
<input type="checkbox"/>	Health Probe Status
<input type="checkbox"/>	Packet Count
<input type="checkbox"/>	SYN Count

More than 50,000 connection attempts per minute:

<input type="checkbox"/>	▼
<input type="checkbox"/>	Byte Count
<input type="checkbox"/>	Data Path Availability
<input type="checkbox"/>	Health Probe Status
<input type="checkbox"/>	Packet Count
<input type="checkbox"/>	SYN Count

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: Data path availability

Standard Load Balancer continuously exercises the data path from within a region to the load balancer front end, all the way to the SDN stack that supports your VM. As long as healthy instances remain, the measurement follows the same path as your application's load-balanced traffic. The data path that your customers use is also validated. The measurement is invisible to your application and does not interfere with other operations.

Note: Load balancer distributes inbound flows that arrive at the load balancer's front end to backend pool instances. These flows are according to configured load-balancing rules and health probes. The backend pool instances can be Azure Virtual Machines or instances in a virtual machine scale set.

Box 2: SYN count

SYN (synchronize) count: Standard Load Balancer does not terminate Transmission Control Protocol (TCP) connections or interact with TCP or UDP packet flows. Flows and their handshakes are always between the source and the VM instance. To better troubleshoot your TCP protocol scenarios, you can make use of SYN packets counters to understand how many TCP connection attempts are made. The metric reports the number of TCP SYN packets that were received.

Reference:

<https://docs.microsoft.com/en-us/azure/load-balancer/load-balancer-standard-diagnostics>

NEW QUESTION 7

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You plan to deploy multiple instances of an Azure web app across several Azure regions.

You need to design an access solution for the app. The solution must meet the following replication requirements:

- > Support rate limiting.
- > Balance requests between all instances.
- > Ensure that users can access the app in the event of a regional outage. Solution: You use Azure Application Gateway to provide access to the app. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 8

- (Exam Topic 5)

Your on-premises network contains a file server named Server1 that stores 500 GB of data. You need to use Azure Data Factory to copy the data from Server1 to Azure Storage.

You add a new data factory.

What should you do next? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

From Server1:

- Install an Azure File Sync agent
- Install a self-hosted integration runtime
- Install the File Server Resource Manager role service

From the data factory:

- Create a pipeline
- Create an import/export job
- Provision an Azure-SQL Server Integration Services (SSIS) integration runtime

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Box 1: Install a self-hosted integration runtime

The Integration Runtime is a customer-managed data integration infrastructure used by Azure Data Factory to provide data integration capabilities across different network environments.

Box 2: Create a pipeline

With ADF, existing data processing services can be composed into data pipelines that are highly available and managed in the cloud. These data pipelines can be scheduled to ingest, prepare, transform, analyze, and publish data, and ADF manages and orchestrates the complex data and processing dependencies

References:

<https://docs.microsoft.com/en-us/azure/machine-learning/team-data-science-process/move-sql-azure-adf> <https://docs.microsoft.com/pl-pl/azure/data-factory/tutorial-hybrid-copy-data-tool>

syu31svc 3 months, 4 weeks ago

<https://docs.microsoft.com/en-us/azure/data-factory/create-self-hosted-integration-runtime?tabs=data-factory> "A self-hosted integration runtime can run copy activities between a cloud data store and a data store in a private network"

<https://docs.microsoft.com/en-us/azure/data-factory/introduction>

"With Data Factory, you can use the Copy Activity in a data pipeline to move data from both on-premises and cloud source data stores to a centralization data store in the cloud for further analysis"

NEW QUESTION 9

- (Exam Topic 5)

Your on-premises network contains a server named Server1 that runs an ASP.NET application named App1. You have a hybrid deployment of Azure Active Directory (Azure AD).

You need to recommend a solution to ensure that users sign in by using their Azure AD account and Azure Multi-Factor Authentication (MFA) when they connect to App1 from the internet.

Which three Azure services should you recommend be deployed and configured in sequence? To answer, move the appropriate services from the list of services to the answer area and arrange them in the correct order.

Services

Answer Area

- an internal Azure Load Balancer
- an Azure AD conditional access policy
- Azure AD Application Proxy
- an Azure AD managed identity
- a public Azure Load Balancer
- an Azure AD enterprise application
- an App Service plan



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

AD Application Proxy
 AD Enterprise Application AD Conditional access policy
<https://thesleepyadmins.com/2019/02/>

NEW QUESTION 10

- (Exam Topic 5)

You have the resources shown in the following table.

Name	Type	Resource group
VM1	Azure virtual machine	RG1
VM2	On-premises virtual machine	<i>Not applicable</i>

You create a new resource group in Azure named RG2. You need to move the virtual machines to RG2. What should you use to move each virtual machine? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.


- VM1:
- Azure Arc
 - Azure Lighthouse**
 - Azure Migrate
 - Azure Resource Mover
 - The Data Migration Assistant (DMA)

- VM2:
- Azure Arc
 - Azure Lighthouse
 - Azure Migrate**
 - Azure Resource Mover
 - The Data Migration Assistant (DMA)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 10

- (Exam Topic 5)

You plan to archive 10 TB of on-premises data files to Azure.

You need to recommend a data archival solution. The solution must minimize the cost of storing the data files. Which Azure Storage account type should you include in the recommendation?

- A. Standard StorageV2 (general purpose v2)
- B. Standard Storage (general purpose v1)
- C. Premium StorageV2 (general purpose v2)
- D. Premium Storage (general purpose v1)

Answer: A

Explanation:

Standard StorageV2 supports the Archive access tier, which would be the cheapest solution. Reference: <https://docs.microsoft.com/en-us/azure/storage/common/storage-introduction>

NEW QUESTION 12

- (Exam Topic 5)

You have an Azure subscription. The subscription has a blob container that contains multiple blobs. Ten users in the finance department of your company plan to access the blobs during the month of April. You need to recommend a solution to enable access to the blobs during the month of April only. Which security solution should you include in the recommendation?

- A. shared access signatures (SAS)
- B. access keys
- C. conditional access policies
- D. certificates

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/storage/common/storage-sas-overview>

This allows for limited-time fine grained access control to resources. So you can generate URL, specify duration (for month of April) and disseminate URL to 10 team members. On May 1, the SAS token is automatically invalidated, denying team members continued access.

NEW QUESTION 16

- (Exam Topic 5)

You have an Azure subscription that is linked to an Azure Active Directory Premium Plan 2 tenant The tenant has multi-factor authentication (MFA) enabled for all users.

You have the named locations shown in the following table.

Name	IP address range	Trusted
NY	192.168.2.0/27	Yes
DC	192.168.1.0/27	No
LA	192.168.3.0/27	No

You have the users shown in the following table.

Name	Device operating system	User-risk level	Matching compliance policies
User1	Windows 10	High	None
User2	Windows 10	Medium	None
User3	macOS	Low	None

You plan to deploy the Conditional Access policies shown in the following table.

Name	Assignment	Conditions: Locations	Conditions: User risk	Conditions: Sign-in risk	Access Control: Grant
CA1	All users	Trusted locations	High, Medium	None	Block access
CA2	All users	NY	None	High, Medium	Block access
CA3	All users	LA	None	None	Grant access: Require device to marked as compliant

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

Statements	Yes	No
To ensure that the conditions in CA1 can be evaluated, you must enforce an Azure Active Directory (Azure AD) Identity Protection user risk policy .	<input type="radio"/>	<input type="radio"/>
To ensure that the conditions in CA2 can be evaluated, you must enforce an Azure Active Directory (Azure AD) Identity Protection sign-in risk policy.	<input type="radio"/>	<input type="radio"/>
To ensure that the conditions in CA3 can be evaluated, you must deploy Microsoft Endpoint Manager.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

A screenshot of a computer Description automatically generated with medium confidence

NEW QUESTION 17

- (Exam Topic 5)

You are developing a sales application that will contain several Azure cloud services and handle different components of a transaction. Different cloud services will process customer orders, billing, payment inventory, and shipping.

You need to recommend a solution to enable the cloud services to asynchronously communicate transaction information by using XML messages.

What should you include in the recommendation?

- A. Azure Data Lake
- B. Azure Notification Hubs
- C. Azure Queue Storage
- D. Azure Service Fabric

Answer: D

NEW QUESTION 19

- (Exam Topic 5)

Your company has 300 virtual machines hosted in a VMware environment. The virtual machines vary in size and have various utilization levels.

You plan to move all the virtual machines to Azure.

You need to recommend how many and what size Azure virtual machines will be required to move the current workloads to Azure. The solution must minimize administrative effort.

What should you use to make the recommendation?

- A. Azure Cost Management
- B. Azure Pricing calculator
- C. Azure Migrate
- D. Azure Advisor

Answer: C

Explanation:

<https://docs.microsoft.com/en-us/azure/migrate/migrate-appliance#collected-data---vmware>

"Metadata discovered by the Azure Migrate appliance helps you to figure out whether servers are ready for migration to Azure, right-size servers, plans costs, and analyze application dependencies".

<https://docs.microsoft.com/en-us/learn/modules/design-your-migration-to-azure/2-plan-your-azure-migration>

NEW QUESTION 21

- (Exam Topic 5)

A company needs a datastore created in Azure for an application. Below are the key requirements for the data store.

Ability to store JSON based items

Ability to use SQL like queries on the datastore Ability to provide low latency access to data items

Which of the following would you consider as the data store?

- A. Azure BLOB storage
- B. Azure CosmosDB
- C. Azure HDInsight
- D. Azure Redis

Answer: B

NEW QUESTION 26

- (Exam Topic 5)

You plan to deploy an Azure App Service web app that will have multiple instances across multiple Azure regions. You need to recommend a load balancing service for the planned deployment. The solution must meet the following requirements:

- > Maintain access to the app in the event of a regional outage.
- > Support Azure Web Application Firewall (WAF).
- > Support cookie-based affinity.
- > Support URL routing.

What should you include in the recommendation?

- A. Azure Front Door
- B. Azure Load Balancer
- C. Azure Traffic Manager
- D. Azure Application Gateway

Answer: B

Explanation:

Azure Traffic Manager performs the global load balancing of web traffic across Azure regions, which have a regional load balancer based on Azure Application Gateway. This combination gets you the benefits of Traffic Manager many routing rules and Application Gateway's capabilities such as WAF, TLS termination, path-based routing, cookie-based session affinity among others.

Reference:

<https://docs.microsoft.com/en-us/azure/application-gateway/features>

NEW QUESTION 29

- (Exam Topic 5)

You have the Azure resources shown in the following table.

Name	Type	Description
VNET1	Virtual network	Connected to an on-premises network by using ExpressRoute
VM1	Virtual machine	Configured as a DNS server
SQLDB1	Azure SQL Database	Single instance
PE1	Private endpoint	Provides connectivity to SQLDB1
contoso.com	Private DNS zone	Linked to VNET1 and contains an A record for PE1
contoso.com	Public DNS zone	Contains a CNAME record for SQLDB1

You need to design a solution that provides on-premises network connectivity to SQLDB1 through PE1. How should you configure name resolution? To answer, select the appropriate options in the answer area.

Azure configuration:

Configure VM1 to forward contoso.com to the public DNS zone.
 Configure VM1 to forward contoso.com to the Azure-provided DNS at 168.63.129.16.
 In VNet1, configure a custom DNS server set to the Azure-provided DNS at 168.63.129.16.

On-premises DNS configuration:

Forward contoso.com to VM1.
 Forward contoso.com to the public DNS zone.
 Forward contoso.com to the Azure-provided DNS at 168.63.129.16.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Azure configuration:

Configure VM1 to forward contoso.com to the public DNS zone.
 Configure VM1 to forward contoso.com to the Azure-provided DNS at 168.63.129.16.
 In VNet1, configure a custom DNS server set to the Azure-provided DNS at 168.63.129.16.

On-premises DNS configuration:

Forward contoso.com to VM1.
 Forward contoso.com to the public DNS zone.
 Forward contoso.com to the Azure-provided DNS at 168.63.129.16.

NEW QUESTION 31

- (Exam Topic 5)

You need to design an Azure policy that will implement the following functionality:

- For new resources, assign tags and values that match the tags and values of the resource group to which the resources are deployed.
- For existing resources, identify whether the tags and values match the tags and values of the resource group that contains the resources.
- For any non-compliant resources, trigger auto-generated remediation tasks to create missing tags and values. The solution must use the principle of least privilege.

What should you include in the design? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Azure Policy effect to use:

Append
 EnforceOPAConstraint
 EnforceRegoPolicy
 Modify

Azure Active Directory (Azure AD) object and RBAC role to use for the remediation tasks:

A managed identity with the Contributor role
 A managed identity with the User Access Administrator role
 A service principal with the Contributor role
 A service principal with the User Access Administrator role

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, chat or text message Description automatically generated

Box 1: Modify

Modify is used to add, update, or remove properties or tags on a resource during creation or update. A common example is updating tags on resources such as costCenter. Existing non-compliant resources can be remediated with a remediation task. A single Modify rule can have any number of operations.

Box 2: A managed identity with the Contributor role

> Managed identity

How remediation security works: When Azure Policy runs the template in the deployIfNotExists policy definition, it does so using a managed identity. Azure Policy creates a managed identity for each assignment, but must have details about what roles to grant the managed identity.

> Contributor role

The Contributor role grants the required access to apply tags to any entity. Reference:

<https://docs.microsoft.com/en-us/azure/governance/policy/concepts/effects> <https://docs.microsoft.com/en-us/azure/governance/policy/how-to/remediate-resources>
<https://docs.microsoft.com/en-us/azure/azure-resource-manager/management/tag-resources> <https://docs.microsoft.com/en-us/azure/governance/policy/concepts/effects#modify>

NEW QUESTION 32

- (Exam Topic 5)

You need to design a solution that will execute custom C# code in response to an event routed to Azure Event Grid. The solution must meet the following requirements:

> The executed code must be able to access the private IP address of a Microsoft SQL Server instance that runs on an Azure virtual machine.

Costs must be minimized.

What should you include in the solution?

- A. Azure Logic Apps in the integrated service environment
- B. Azure Functions in the Dedicated plan and the Basic Azure App Service plan
- C. Azure Logic Apps in the Consumption plan
- D. Azure Functions in the Consumption plan

Answer: D

Explanation:

When you create a function app in Azure, you must choose a hosting plan for your app. There are three basic hosting plans available for Azure Functions: Consumption plan, Premium plan, and Dedicated (App Service) plan.

For the Consumption plan, you don't have to pay for idle VMs or reserve capacity in advance. Connect to private endpoints with Azure Functions

As enterprises continue to adopt serverless (and Platform-as-a-Service, or PaaS) solutions, they often need a way to integrate with existing resources on a virtual network. These existing resources could be databases, file storage, message queues or event streams, or REST APIs.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-functions/functions-scale> <https://techcommunity.microsoft.com/t5/azure-functions/connect-to-private-endpoints-with-azure-functions/ba-p>

NEW QUESTION 33

- (Exam Topic 5)

You have 100 Microsoft SQL Server integration Services (SSIS) packages that are configured to use 10 on-premises SQL Server databases as their destinations. You plan to migrate the 10 on-premises databases to Azure SQL Database

You need to recommend a solution to host the SSIS packages in Azure. The solution must ensure that the packages can target the SQL Database instances as their destinations. What should you include in the recommendation?

- A. SQL Server Migration Assistant (SSMA)
- B. Azure Data Catalog
- C. Data Migration Assistant
- D. Azure Data Factory

Answer: D

Explanation:

<https://docs.microsoft.com/bs-cyrl-ba/azure/sql-database/sql-database-managed-instance-migrate>

Quote from that page "Azure SQL Database and SQL Server databases in an Azure Virtual Machine. DMS is the recommended method of migration for your enterprise workloads.

If you use SQL Server Integration Services (SSIS) on your SQL Server on premises, DMS does not yet support migrating SSIS catalog (SSISDB) that stores SSIS packages, but you can provision Azure-SSIS Integration Runtime (IR) in Azure Data Factory (ADF) that will create a new SSISDB in a managed instance and then you can redeploy your packages to it, see Create Azure-SSIS IR in ADF.

To learn more about this scenario and configuration steps for DMS, see Migrate your on-premises database to managed instance using DMS."

<https://docs.microsoft.com/en-us/azure/data-factory/how-to-migrate-ssis-job-ssms>

NEW QUESTION 35

- (Exam Topic 5)

You plan to deploy Azure Databricks to support a machine learning application. Data engineers will mount an Azure Data Lake Storage account to the Databricks file system. Permissions to folders are granted directly to the data engineers.

You need to recommend a design for the planned Databrick deployment. The solution must meet the following requirements:

- > Ensure that the data engineers can only access folders to which they have permissions.
- > Minimize development effort.
- > Minimize costs.

What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Databricks SKU:

	▼
Premium	
Standard	

Cluster configuration:

	▼
Credential passthrough	
Managed identities	
MLflow	
A runtime that contains Photon	
Secret scope	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Standard

Choose Standard to minimize costs.

Box 2: Credential passthrough

Athenticate automatically to Azure Data Lake Storage Gen1 (ADLS Gen1) and Azure Data Lake Storage Gen2 (ADLS Gen2) from Azure Databricks clusters using the same Azure Active Directory (Azure AD) identity that you use to log into Azure Databricks. When you enable Azure Data Lake Storage credential passthrough for your cluster, commands that you run on that cluster can read and write data in Azure Data Lake Storage without requiring you to configure service principal credentials for access to storage.

Reference:

<https://docs.microsoft.com/en-us/azure/databricks/security/credential-passthrough/adls-passthrough>

NEW QUESTION 39

- (Exam Topic 5)

You have an Azure subscription named Subscription1 that is linked to a hybrid Azure Active Directory (Azure AD) tenant.

You have an on-premises datacenter that does NOT have a VPN connection to Subscription1. The datacenter contains a computer named Server1 that has Microsoft SQL Server 2016 installed. Server1 is prevented from accessing the internet.

An Azure logic app named LogicApp1 requires write access to a database on Server1.

You need to recommend a solution to provide LogicApp1 with the ability to access Server1.

What should you recommend deploying on-premises and in Azure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

On-premises:

	▼
A Web Application Proxy for Windows Server	
An Azure AD Application Proxy connector	
An On-premises data gateway	
Hybrid Connection Manager	

Azure:

	▼
A connection gateway resource	
An Azure Application Gateway	
An Azure Event Grid domain	
An enterprise application	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, chat or text message Description automatically generated

Box 1: An on-premises data gateway

For logic apps in global, multi-tenant Azure that connect to on-premises SQL Server, you need to have the on-premises data gateway installed on a local computer and a data gateway resource that's already created in Azure.

Box 2: A connection gateway resource Reference:

<https://docs.microsoft.com/en-us/azure/connectors/connectors-create-api-sqlazure>

NEW QUESTION 43

- (Exam Topic 5)

A company has an existing web application that runs on virtual machines (VMs) in Azure.

You need to ensure that the application is protected from SQL injection attempts and uses a layer-7 load balancer. The solution must minimize disruption to the code for the existing web application.

What should you recommend? To answer, drag the appropriate values to the correct items. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Values	Answer Area						
<div style="border: 1px solid #ccc; padding: 2px; margin-bottom: 5px; display: inline-block;">Web Application Firewall (WAF)</div> <div style="border: 1px solid #ccc; padding: 2px; margin-bottom: 5px; display: inline-block;">Azure Application Gateway</div> <div style="border: 1px solid #ccc; padding: 2px; margin-bottom: 5px; display: inline-block;">Azure Load Balancer</div> <div style="border: 1px solid #ccc; padding: 2px; margin-bottom: 5px; display: inline-block;">Azure Traffic Manager</div> <div style="border: 1px solid #ccc; padding: 2px; margin-bottom: 5px; display: inline-block;">SSL offloading</div> <div style="border: 1px solid #ccc; padding: 2px; margin-bottom: 5px; display: inline-block;">URL-based content routing</div>	<table border="0" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; width: 20%;">Item</th> <th style="text-align: left;">Value</th> </tr> </thead> <tbody> <tr> <td style="padding: 5px;">Azure service</td> <td style="border: 1px solid #ccc; height: 20px;"></td> </tr> <tr> <td style="padding: 5px;">Feature</td> <td style="border: 1px solid #ccc; height: 20px;"></td> </tr> </tbody> </table>	Item	Value	Azure service		Feature	
Item	Value						
Azure service							
Feature							

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: Azure Application Gateway

Azure Application Gateway provides an application delivery controller (ADC) as a service. It offers various layer 7 load-balancing capabilities for your applications.

Box 2: Web Application Firewall (WAF)

Application Gateway web application firewall (WAF) protects web applications from common vulnerabilities and exploits.

This is done through rules that are defined based on the OWASP core rule sets 3.0 or 2.2.9.

There are rules that detects SQL injection attacks. References:

<https://docs.microsoft.com/en-us/azure/application-gateway/application-gateway-faq> <https://docs.microsoft.com/en-us/azure/application-gateway/waf-overview>

NEW QUESTION 48

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has deployed several virtual machines (VMs) on-premises and to Azure. Azure ExpressRoute has been deployed and configured for on-premises to Azure connectivity.

Several VMs are exhibiting network connectivity issues.

You need to analyze the network traffic to determine whether packets are being allowed or denied to the VMs. Solution: Use Azure Network Watcher to run IP flow verify to analyze the network traffic

Does the solution meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

The Network Watcher Network performance monitor is a cloud-based hybrid network monitoring solution that helps you monitor network performance between various points in your network infrastructure. It also helps you monitor network connectivity to service and application endpoints and monitor the performance of Azure ExpressRoute.

Note:

IP flow verify checks if a packet is allowed or denied to or from a virtual machine. The information consists of direction, protocol, local IP, remote IP, local port, and remote port. If the packet is denied by a security group, the name of the rule that denied the packet is returned. While any source or destination IP can be chosen, IP flow verify helps administrators quickly diagnose connectivity issues from or to the internet and from or to the on-premises environment.

IP flow verify looks at the rules for all Network Security Groups (NSGs) applied to the network interface, such as a subnet or virtual machine NIC. Traffic flow is then verified based on the configured settings to or from that network interface. IP flow verify is useful in confirming if a rule in a Network Security Group is blocking ingress or egress traffic to or from a virtual machine.

Reference:

<https://docs.microsoft.com/en-us/azure/network-watcher/network-watcher-monitoring-overview> <https://docs.microsoft.com/en-us/azure/network-watcher/network-watcher-ip-flow-verify-overview>

NEW QUESTION 52

- (Exam Topic 5)

You have 100 servers that run Windows Server 2012 R2 and host Microsoft SQL Server 2012 R2 instances. The instances host databases that have the following characteristics:

- The largest database is currently 3 TB. None of the databases will ever exceed 4 TB.
- Stored procedures are implemented by using CLR.

You plan to move all the data from SQL Server to Azure.

You need to recommend an Azure service to host the databases. The solution must meet the following requirements:

- Whenever possible, minimize management overhead for the migrated databases.
- Minimize the number of database changes required to facilitate the migration.
- Ensure that users can authenticate by using their Active Directory credentials.

What should you include in the recommendation?

- A. Azure SQL Database single databases
- B. Azure SQL Database Managed Instance
- C. Azure SQL Database elastic pools
- D. SQL Server 2016 on Azure virtual machines

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/azure/sql-database/sql-database-managed-instance>

SQL Managed Instance allows existing SQL Server customers to lift and shift their on-premises applications to the cloud with minimal application and database changes. At the same time, SQL Managed Instance preserves all PaaS capabilities (automatic patching and version updates, automated backups, high availability) that drastically reduce management overhead and TCO.

<https://docs.microsoft.com/en-us/azure/azure-sql/managed-instance/transact-sql-tsql-differences-sql-server#clr> <https://docs.microsoft.com/en-gb/azure/azure-sql/database/transact-sql-tsql-differences-sql-server#transact-sql-s>

NEW QUESTION 57

- (Exam Topic 5)

You have an app named App1 that uses two on-premises Microsoft SQL Server databases named DB1 and DB2.

You plan to migrate DB1 and DB2 to Azure.

You need to recommend an Azure solution to host DB1 and DB2. The solution must meet the following requirements:

- Support server-side transactions across DB1 and DB2.
- Minimize administrative effort to update the solution. What should you recommend?

- A. two SQL Server databases on an Azure virtual machine
- B. two Azure SQL databases on different Azure SQL Database servers
- C. two Azure SQL databases in an elastic pool
- D. two Azure SQL databases on the same Azure SQL Database managed instance

Answer: A

Explanation:

When both the database management system and client are under the same ownership (e.g. when SQL Server is deployed to a virtual machine), transactions are available and the lock duration can be controlled. Reference: <https://docs.particular.net/nservicebus/azure/understanding-transactionality-in-azure>

NEW QUESTION 59

- (Exam Topic 5)

You are designing a message application that will run on an on-premises Ubuntu virtual machine. The application will use Azure Storage queues. You need to recommend a processing solution for the application to interact with the storage queues. The solution must meet the following requirements:

- > Create and delete queues daily.
- > Be scheduled by using a CRON job.
- > Upload messages every five minutes.

What should developers use to interact with the queues?

- A. Azure CLI
- B. AzCopy
- C. Azure Data Factory
- D. .NET Core

Answer: D

Explanation:

Reference:
<https://docs.microsoft.com/en-us/azure/storage/queues/storage-tutorial-queues>

NEW QUESTION 62

- (Exam Topic 5)

You have an Azure Active Directory (Azure AD) tenant. You plan to use Azure Monitor to monitor user sign-ins and generate alerts based on specific user sign-in events. You need to recommend a solution to trigger the alerts based on the events. What should you include in the recommendation? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Send Azure AD logs to:

An Azure event hub

An Azure Log Analytics workspace

An Azure Storage account

Signal type to use for triggering the alerts:

Activity log

Log

Metric

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated
 Box 1: An Azure Log Analytics workspace
 To be able to create an alert we send the Azure AD logs to An Azure Log Analytics workspace.
 Note: You can forward your AAD logs and events to either an Azure Storage Account, an Azure Event Hub, Log Analytics, or a combination of all of these.
 Box 2: Log
 Ensure Resource Type is an analytics source like Log Analytics or Application Insights and signal type as Log.
 Reference:
<https://4sysops.com/archives/how-to-create-an-azure-ad-admin-login-alert/> <https://docs.microsoft.com/en-us/azure/azure-monitor/platform/alerts-log>

NEW QUESTION 63

- (Exam Topic 5)

Your company, named Contoso, Ltd., implements several Azure logic apps that have HTTP triggers. The logic apps provide access to an on-premises web service. Contoso establishes a partnership with another company named Fabrikam. IncL Fabrikam does not have an existing Azure Active Directory (Azure AD) tenant and uses third-party OAuth 2.0 identity management to authenticate its users. I Developers at Fabrikam plan to use a subset of the logic apps to build applications that will integrate with the on-premises web service of Contoso. You need to design a solution to provide the Fabrikam developers with access to the logic apps. The solution must meet the following requirements:

- Requests to the logic apps from the developers must be limited to lower rates than the requests from the users at Contoso.
- The developers must be able to rely on their existing OAuth 2.0 provider to gain access to the logic apps.
- The solution must NOT require changes to the logic apps.
- The solution must NOT use Azure AD guest accounts. What should you include in the solution?

- A. Azure AD business-to-business (B2B)

- B. Azure AD Application Proxy
- C. Azure Front Door
- D. Azure API Management

Answer: D

Explanation:

API Management helps organizations publish APIs to external, partner, and internal developers to unlock the potential of their data and services.

You can secure API Management using the OAuth 2.0 client credentials flow. Reference:

<https://docs.microsoft.com/en-us/azure/api-management/api-management-key-concepts> <https://docs.microsoft.com/en-us/azure/api-management/api-management-features> <https://docs.microsoft.com/en-us/azure/api-management/api-management-howto-protect-backend-with-aad#ena>

NEW QUESTION 64

- (Exam Topic 5)

You manage a database environment for a Microsoft Volume Licensing customer named Contoso, Ltd. Contoso uses License Mobility through Software Assurance.

You need to deploy 50 databases. The solution must meet the following requirements:

- > Support automatic scaling.
- > Minimize Microsoft SQL Server licensing costs.

What should you include in the solution? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Purchase model:

DTU
vCore
Azure reserved virtual machine instances

Deployment option:

An Azure SQL managed instance
An Azure SQL Database elastic pool
A SQL Server Always On availability group

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Text, table Description automatically generated

Box 1: vCore

Virtual core (vCore)-based purchasing model (recommended). This purchasing model provides a choice between a provisioned compute tier and a serverless compute tier. With the provisioned compute tier, you choose the exact amount of compute resources that are always provisioned for your workload. With the serverless compute tier, you specify the autoscaling of the compute resources over a configurable compute range

Box 2: An Azure SQL Database Elastic pool

Azure SQL Database provides the following deployment options for a database:

- > Single database represents a fully managed, isolated database.
- > Elastic pool is a collection of single databases with a shared set of resources, such as CPU or memory.

Single databases can be moved into and out of an elastic pool.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-sql/database/purchasing-models>

NEW QUESTION 66

- (Exam Topic 5)

You plan to deploy an Azure web app named App1 that will use Azure Active Directory (Azure AD) authentication.

App1 will be accessed from the internet by the users at your company. All the users have computers that run Windows 10 and are joined to Azure AD.

You need to recommend a solution to ensure that the users can connect to App1 without being prompted for authentication and can access App1 only from company-owned computers.

What should you recommend for each requirement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

The users can connect to App1 without being prompted for authentication:

An Azure AD app registration
An Azure AD managed identity
Azure AD Application Proxy

The users can access App1 only from company-owned computers:

A conditional access policy
An Azure AD administrative unit
Azure Application Gateway
Azure Blueprints
Azure Policy

- A. Mastered

B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, chat or text message Description automatically generated

Box 1: An Azure AD app registration


Azure active directory (AD) provides cloud based directory and identity management services. You can use azure AD to manage users of your application and authenticate access to your applications using azure active directory.

You register your application with Azure active directory tenant. Box 2: A conditional access policy

Conditional Access policies at their simplest are if-then statements, if a user wants to access a resource, then they must complete an action.

By using Conditional Access policies, you can apply the right access controls when needed to keep your organization secure and stay out of your user's way when not needed.

Timeline Description automatically generated



Reference:

<https://codingcanvas.com/using-azure-active-directory-authentication-in-your-web-application/> <https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/overview> <https://docs.microsoft.com/en-us/powerapps/developer/data-platform/walkthrough-register-app-azure-active-dire> "After consenting to use their Dataverse account with the ISV's application, end users can connect to Dataverse environment from external application. The consent form is not displayed again to other users after the first user who has already consented to use the ISV's app. Apps registered in Azure Active Directory are multi-tenant, which implies that other Dataverse users from other tenant can connect to their environment using the ISV's app."

NEW QUESTION 70

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Storage account that contains two 1-GB data files named File1 and File2. The data files are set to use the archive access tier.

You need to ensure that File1 is accessible immediately when a retrieval request is initiated. Solution: For File1, you set Access tier to Cool.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

The data in the cool tier is "considered / intended to be stored for 30 days". But this is not a must. You can store data indefinitely in the cool tier. The mentioned reference (see below) even gives an example of large scientific or otherwise large data which is stored for long duration in the cool tier.

<https://docs.microsoft.com/en-us/azure/storage/blobs/storage-blob-storage-tiers?tabs=azure-portal>

NEW QUESTION 74

- (Exam Topic 5)

You plan to develop a new app that will store business critical data. The app must meet the following requirements:

- > Prevent new data from being modified for one year.
- > Minimize read latency.
- > Maximize data resiliency.

You need to recommend a storage solution for the app.

What should you recommend? To answer, select the appropriate options in the answer area.

Azure Storage account kind:

	▼
StorageV2	
BlobStorage	
BlockBlobStorage	

Replication:

	▼
Zone-redundant storage (ZRS)	
Locally-redundant storage (LRS)	
Read-access geo-redundant storage (RA-GRS)	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/storage/common/storage-account-overview> <https://docs.microsoft.com/en-us/azure/storage/common/storage-redundancy?toc=/azure/storage/blobs/toc.json>

NEW QUESTION 75

- (Exam Topic 5)

You have an app that generates 50,000 events daily.

You plan to Stream the events to an Azure event hub and use Event Hubs Capture to implement cold path processing Of the events Output Of Event Hubs Capture will be

consumed by a reporting system.

You need to identify which type of Azure storage must be provisioned to support Event Hubs Capture, and which inbound data format the reporting system must support.

What should you identify? To answer. select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Storage type:

	▼
Azure Data Lake Storage Gen2	
Premium block blobs	
Premium file shares	

Data format:

	▼
Apache Parquet	
Avro	
JSON	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Storage type:

	▼
Azure Data Lake Storage Gen2	
Premium block blobs	
Premium file shares	

Data format:

	▼
Apache Parquet	
Avro	
JSON	

NEW QUESTION 79

- (Exam Topic 5)

You have an on-premises file server that stores 2 TB of data files.

You plan to move the data files to Azure Blob storage in the Central Europe region.

You need to recommend a storage account type to store the data files and a replication solution for the storage account. The solution must meet the following requirements:

- > Be available if a single Azure datacenter fails.
- > Support storage tiers.
- > Minimize cost.

What should you recommend? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Account type:

	▼
Blob storage	
Storage (general purpose v1)	
StorageV2 (general purpose v2)	

Replication solution:

	▼
Geo-redundant storage (GRS)	
Zone-redundant storage (ZRS)	
Locally-redundant storage (LRS)	
Read-access geo-redundant storage (RA-GRS)	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, chat or text message Description automatically generated

Account Type: StorageV2

Replication solution: Zone-redundant storage (ZRS)

NEW QUESTION 81

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company plans to deploy various Azure App Service instances that will use Azure SQL databases. The App Service instances will be deployed at the same time as the Azure SQL databases.

The company has a regulatory requirement to deploy the App Service instances only to specific Azure regions. The resources for the App Service instances must reside in the same region.

You need to recommend a solution to meet the regulatory requirement.

Solution: You recommend using an Azure policy initiative to enforce the location. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Azure Resource Policy Definitions can be used which can be applied to a specific Resource Group with the App Service instances.

Reference:

<https://docs.microsoft.com/en-us/azure/governance/policy/overview>

NEW QUESTION 85

- (Exam Topic 5)

You plan to migrate on-premises Microsoft SQL Server databases to Azure.

You need to recommend a deployment and resiliency solution that meets the following requirements:

- > Supports user-initiated backups
- > Supports multiple automatically replicated instances across Azure regions
- > Minimizes administrative effort to implement and maintain business continuity

What should you recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Deployment solution:

	▼
Azure SQL Managed Instance	
SQL Server on Azure Virtual Machines	
An Azure SQL Database single database	

Resiliency solution:

	▼
Auto-failover group	
Active geo-replication	
Zone-redundant deployment	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, chat or text message Description automatically generated

Box 1: An Azure SQL Database single database.

SQL Server Managed instance versus SQL Server Virtual Machines Active geo-replication is not supported by Azure SQL Managed Instance. Box 2: Active geo-replication

Active geo-replication is a feature that lets you to create a continuously synchronized readable secondary database for a primary database. The readable secondary database may be in the same Azure region as the primary, or, more commonly, in a different region. This kind of readable secondary databases are also known as geo-secondaries, or geo-replicas.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-sql/database/active-geo-replication-overview>

NEW QUESTION 89

- (Exam Topic 5)

You are designing an Azure solution.

The network traffic for the solution must be securely distributed by providing the following features:

- > HTTPS protocol
- > Round robin routing
- > SSL offloading

You need to recommend a load balancing option. What should you recommend?

- A. Azure Load Balancer
- B. Azure Traffic Manager
- C. Azure Internal Load Balancer (ILB)
- D. Azure Application Gateway

Answer: D

Explanation:

If you are looking for Transport Layer Security (TLS) protocol termination ("SSL offload") or per-HTTP/HTTPS request, application-layer processing, review Application Gateway.

Application Gateway is a layer 7 load balancer, which means it works only with web traffic (HTTP, HTTPS, WebSocket, and HTTP/2). It supports capabilities such as SSL termination, cookie-based session affinity, and round robin for load-balancing traffic. Load Balancer load-balances traffic at layer 4 (TCP or UDP).

References:

<https://docs.microsoft.com/en-us/azure/application-gateway/application-gateway-faq>

NEW QUESTION 93

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has deployed several virtual machines (VMs) on-premises and to Azure. Azure ExpressRoute has been deployed and configured for on-premises to Azure connectivity.

Several VMs are exhibiting network connectivity issues.

You need to analyze the network traffic to determine whether packets are being allowed or denied to the VMs. Solution: Use the Azure Advisor to analyze the network traffic.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use Azure Network Watcher to run IP flow verify to analyze the network traffic.

Note: Advisor is a personalized cloud consultant that helps you follow best practices to optimize your Azure deployments. It analyzes your resource configuration and usage telemetry and then recommends solutions that can help you improve the cost effectiveness, performance, high availability, and security of your Azure resources.

With Advisor, you can:

Get proactive, actionable, and personalized best practices recommendations.

Improve the performance, security, and high availability of your resources, as you identify opportunities to reduce your overall Azure spend.

Get recommendations with proposed actions inline. Reference:

<https://docs.microsoft.com/en-us/azure/advisor/advisor-overview>

NEW QUESTION 98

- (Exam Topic 5)

You have an on-premises network that uses an IP address space of 172.16.0.0/16. You plan to deploy 25 virtual machines to a new Azure subscription. You identify the following technical requirements:

- All Azure virtual machines must be placed on the same subnet named Subnet1.
- All the Azure virtual machines must be able to communicate with all on-premises servers.
- The servers must be able to communicate between the on-premises network and Azure by using a site-to-site VPN.

You need to recommend a subnet design that meets the technical requirements.

What should you include in the recommendation? To answer, drag the appropriate network addresses to the correct subnets. Each network address may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content

NOTE: Each correct selection is worth one point.

Network Addresses

- 172.16.0.0/16
- 172.16.1.0/27
- 192.168.0.0/24
- 192.168.1.0/27

Answer Area

Subnet1:

Gateway subnet:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Network Addresses

- 172.16.0.0/16
- 172.16.1.0/27
- 192.168.0.0/24
- 192.168.1.0/27

Answer Area

Subnet1:

Gateway subnet:

NEW QUESTION 100

- (Exam Topic 5)

You have SQL Server on an Azure virtual machine. The databases are written to nightly as part of a batch process. You need to recommend a disaster recovery solution for the data. The solution must meet the following requirements:

- > Provide the ability to recover in the event of a regional outage.
- > Support a recovery time objective (RTO) of 15 minutes.
- > Support a recovery point objective (RPO) of 24 hours.
- > Support automated recovery.
- > Minimize costs.

What should you include in the recommendation?

- A. Azure virtual machine availability sets
- B. Azure Disk Backup
- C. an Always On availability group
- D. Azure Site Recovery

Answer: D

Explanation:

Replication with Azure Site Recover:

- > RTO is typically less than 15 minutes.
- > RPO: One hour for application consistency and five minutes for crash consistency. Reference: <https://docs.microsoft.com/en-us/azure/site-recovery/site-recovery-sql>

NEW QUESTION 104

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has deployed several virtual machines (VMs) on-premises and to Azure. Azure ExpressRoute has been deployed and configured for on-premises to Azure connectivity.

Several VMs are exhibiting network connectivity issues.

You need to analyze the network traffic to determine whether packets are being allowed or denied to the VMs. Solution: Use the Azure Traffic Analytics solution in Azure Log Analytics to analyze the network traffic. Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use Azure Network Watcher to run IP flow verify to analyze the network traffic. Reference:

<https://docs.microsoft.com/en-us/azure/network-watcher/network-watcher-monitoring-overview> <https://docs.microsoft.com/en-us/azure/network-watcher/network-watcher-ip-flow-verify-overview>

NEW QUESTION 106

- (Exam Topic 5)

You need to design a highly available Azure SQL database that meets the following requirements:

- > Failover between replicas of the database must occur without any data loss.
- > The database must remain available in the event of a zone outage.
- > Costs must be minimized

Which deployment option should you use?

- A. Azure SQL Database Standard
- B. Azure SQL Database Serverless
- C. Azure SQL Managed Instance General Purpose
- D. Azure SQL Database Premium

Answer: C

NEW QUESTION 109

- (Exam Topic 5)

You are designing a large Azure environment that will contain many subscriptions. You plan to use Azure Policy as part of a governance solution. To which three scopes can you assign Azure Policy definitions? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. management groups
- B. subscriptions
- C. Azure Active Directory (Azure AD) tenants
- D. resource groups
- E. Azure Active Directory (Azure AD) administrative units
- F. compute resources

Answer: ABD

Explanation:

Azure Policy evaluates resources in Azure by comparing the properties of those resources to business rules. Once your business rules have been formed, the policy definition or initiative is assigned to any scope of resources that Azure supports, such as management groups, subscriptions, resource groups, or individual resources.

Reference:

<https://docs.microsoft.com/en-us/azure/governance/policy/overview>

NEW QUESTION 111

- (Exam Topic 5)

You are planning an Azure Storage solution for sensitive data. The data will be accessed daily. The data set is less than 10 GB.

You need to recommend a storage solution that meets the following requirements:

- All the data written to storage must be retained for five years.
- Once the data is written, the data can only be read. Modifications and deletion must be prevented.
- After five years, the data can be deleted, but never modified.
- Data access charges must be minimized

What should you recommend? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Storage account type:

General purpose v2 with Archive access tier for blobs
General purpose v2 with Cool access tier for blobs
General purpose v2 with Hot access tier for blobs

Configuration to prevent modifications and deletions:

Container access level
Container access policy
Storage account resource lock

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: General purpose v2 with Archive access tier for blobs

Archive - Optimized for storing data that is rarely accessed and stored for at least 180 days with flexible latency requirements, on the order of hours.

Cool - Optimized for storing data that is infrequently accessed and stored for at least 30 days. Hot - Optimized for storing data that is accessed frequently.

Box 2: Storage account resource lock

As an administrator, you can lock a subscription, resource group, or resource to prevent other users in your organization from accidentally deleting or modifying critical resources. The lock overrides any permissions the user might have.

Note: You can set the lock level to CanNotDelete or ReadOnly. In the portal, the locks are called Delete and Read-only respectively.

➤ CanNotDelete means authorized users can still read and modify a resource, but they can't delete the resource.

➤ ReadOnly means authorized users can read a resource, but they can't delete or update the resource.

Applying this lock is similar to restricting all authorized users to the permissions granted by the Reader role.

Reference:

<https://docs.microsoft.com/en-us/azure/storage/blobs/storage-blob-storage-tiers>

NEW QUESTION 112

- (Exam Topic 5)

You are developing a sales application that will contain several Azure cloud services and will handle different components of a transaction. Different cloud services will process customer orders, billing, payment, inventory, and shipping.

You need to recommend a solution to enable the cloud services to asynchronously communicate transaction information by using REST messages.

What should you include in the recommendation?

- A. Azure Service Bus
- B. Azure Blob storage
- C. Azure Notification Hubs
- D. Azure Application Gateway

Answer: A

Explanation:

Service Bus is a transactional message broker and ensures transactional integrity for all internal operations against its message stores. All transfers of messages inside of Service Bus, such as moving messages to a dead-letter queue or automatic forwarding of messages between entities, are transactional.

Reference:

<https://docs.microsoft.com/en-us/azure/service-bus-messaging/service-bus-transactions>

"Service Bus offers a reliable and secure platform for asynchronous transfer of data and state." ... "Service Bus supports standard AMQP 1.0 and HTTP/REST protocols."

<https://docs.microsoft.com/en-us/azure/service-bus-messaging/service-bus-messaging-overview>

NEW QUESTION 116

- (Exam Topic 5)

You are designing a solution that will include containerized applications running in an Azure Kubernetes Service (AKS) cluster.

You need to recommend a load balancing solution for HTTPS traffic. The solution must meet the following requirements:

➤ Automatically configure load balancing rules as the applications are deployed to the cluster.

➤ Support Azure Web Application Firewall (WAF).

➤ Support cookie-based affinity.

➤ Support URL routing.

What should you include in the recommendation?

- A. an NGINX ingress controller
- B. Application Gateway Ingress Controller (AGIC)
- C. an HTTP application routing ingress controller
- D. the Kubernetes load balancer service

Answer: B

Explanation:

Much like the most popular Kubernetes Ingress Controllers, the Application Gateway Ingress Controller provides several features, leveraging Azure's native Application Gateway L7 load balancer. To name a few:

➤ URL routing

➤ Cookie-based affinity

➤ Secure Sockets Layer (SSL) termination

➤ End-to-end SSL

➤ Support for public, private, and hybrid web sites

➤ Integrated support of Azure web application firewall

Application Gateway redirection support isn't limited to HTTP to HTTPS redirection alone. This is a generic redirection mechanism, so you can redirect from and to any port you define using rules. It also supports redirection to an external site as well.

Reference:

<https://docs.microsoft.com/en-us/azure/application-gateway/features>

NEW QUESTION 118

- (Exam Topic 5)

You are designing a SQL database solution. The solution will include 20 databases that will be 20 GB each and have varying usage patterns. You need to recommend a database platform to host the databases. The solution must meet the following requirements:

• The compute resources allocated to the databases must scale dynamically.

• The solution must meet an SLA of 99.99% uptime.

• The solution must have reserved capacity.

• Compute charges must be minimized.

What should you include in the recommendation?

- A. 20 databases on a Microsoft SQL server that runs on an Azure virtual machine
- B. 20 instances of Azure SQL Database serverless
- C. 20 databases on a Microsoft SQL server that runs on an Azure virtual machine in an availability set
- D. an elastic pool that contains 20 Azure SQL databases

Answer: D

Explanation:

Azure SQL Database elastic pools are a simple, cost-effective solution for managing and scaling multiple databases that have varying and unpredictable usage demands. The databases in an elastic pool are on a single server and share a set number of resources at a set price. Elastic pools in Azure SQL Database enable SaaS developers to optimize the price performance for a group of databases within a prescribed budget while delivering performance elasticity for each database. Guaranteed 99.995 percent uptime for SQL Database Reference:
<https://docs.microsoft.com/en-us/azure/azure-sql/database/elastic-pool-overview> <https://azure.microsoft.com/en-us/pricing/details/sql-database/elastic/>
<https://www.azure.cn/en-us/support/sla/virtual-machines/>
<https://techcommunity.microsoft.com/t5/azure-sql/optimize-price-performance-with-compute-auto-scaling-in-az>

NEW QUESTION 120

- (Exam Topic 5)

You are designing an application that will aggregate content for users.

You need to recommend a database solution for the application. The solution must meet the following requirements:

- > Support SQL commands.
- > Support multi-master writes.
- > Guarantee low latency read operations. What should you include in the recommendation?

- A. Azure Cosmos DB SQL API
- B. Azure SQL Database that uses active geo-replication
- C. Azure SQL Database Hyperscale
- D. Azure Database for PostgreSQL

Answer: A

Explanation:

With Cosmos DB's novel multi-region (multi-master) writes replication protocol, every region supports both writes and reads. The multi-region writes capability also enables:
 Unlimited elastic write and read scalability.
 * 99.999% read and write availability all around the world.
 Guaranteed reads and writes served in less than 10 milliseconds at the 99th percentile. Reference:
<https://docs.microsoft.com/en-us/azure/cosmos-db/distribute-data-globally>

NEW QUESTION 125

- (Exam Topic 5)

You configure OAuth2 authorization in API Management as shown in the following exhibit.

Add OAuth2 service ✕
API Management service

Display name *

Id * ⓘ

Description

Client registration page URL *

Authorization grant types

- Authorization code
- Implicit
- Resource owner password
- Client credentials

Authorization endpoint URL *

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Answer Area

The selected authorization grant type is for [answer choice].

Background services
Headless device authentication
Web applications

To enable custom data in the grant flow, select [answer choice].

Client credentials
Resource owner password
Support state parameter

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Box 1: Web applications

The Authorization Code Grant Type is used by both web apps and native apps to get an access token after a user authorizes an app.

Note: The Authorization Code grant type is used by confidential and public clients to exchange an authorization code for an access token.

After the user returns to the client via the redirect URL, the application will get the authorization code from the URL and use it to request an access token.

Reference:

<https://developer.okta.com/blog/2018/04/10/oauth-authorization-code-grant-type> <https://connect2id.com/products/server/docs/guides/client-registration>

NEW QUESTION 127

- (Exam Topic 5)

You plan to migrate App1 to Azure. The solution must meet the authentication and authorization requirements. Which of the endpoint should App1 use to obtain an access token?

- A. Microsoft identify platform
- B. Azure AD
- C. Azure instance Service (IMDS)
- D. Azure Service management

Answer: A

NEW QUESTION 129

- (Exam Topic 5)

Your company has an on-premises Hyper-V cluster that contains 20 virtual machines. Some of the virtual machines are based on Windows and some in Linux.

You have to migrate the virtual machines onto Azure.

You have to recommend a solution that would be used to replicate the disks of the virtual machines to Azure.

The solution needs to ensure that the virtual machines remain available when the migration of the disks is in progress.

You decide to create an Azure storage account and then run AzCopy Would this fulfill the requirement?

- A. Yes
- B. No

Answer: B

NEW QUESTION 131

- (Exam Topic 5)

Your company has an Azure Web App that runs via the Premium App Service Plan. A development team will be using the Azure Web App. You have to configure the Azure Web app so that it can fulfil the below requirements.

Provide the ability to switch the web app from the current version to a newer version

Provide developers with the ability to test newer versions of the application before the switch to the newer version occurs

Ensure that the application version can be rolled back Minimize downtime

Which of the following can be used for this requirement?

- A. Create a new App Service Plan
- B. Make use of deployment slots
- C. Map a custom domain
- D. Backup the Azure Web App

Answer: B

NEW QUESTION 135

- (Exam Topic 5)

You need to recommend a solution to deploy containers that run an application. The application has two tiers. Each tier is implemented as a separate Docker Linux-based image. The solution must meet the following requirements:

- > The front-end tier must be accessible by using a public IP address on port 80.
- > The backend tier must be accessible by using port 8080 from the front-end tier only.
- > Both containers must be able to access the same Azure file share.

- > If a container fails, the application must restart automatically.
- > Costs must be minimized.

What should you recommend using to host the application?

- A. Azure Kubernetes Service (AKS)
- B. Azure Service Fabric
- C. Azure Container instances
- D. Azure Container registries

Answer: C

Explanation:

Azure Container Instances enables a layered approach to orchestration, providing all of the scheduling and management capabilities required to run a single container, while allowing orchestrator platforms to manage multi-container tasks on top of it. Because the underlying infrastructure for container instances is managed by Azure, an orchestrator platform does not need to concern itself with finding an appropriate host machine on which to run a single container. Azure Container Instances can schedule both Windows and Linux containers with the same API. Orchestration of container instances exclusively because they start quickly and bill by the second, an environment based exclusively on Azure Container Instances offers the fastest way to get started and to deal with highly variable workloads.

Reference:

<https://docs.microsoft.com/en-us/azure/container-instances/container-instances-overview> <https://docs.microsoft.com/en-us/azure/container-instances/container-instances-orchestrator-relationship>

NEW QUESTION 137

- (Exam Topic 5)

You plan to deploy an application named App1 that will run on five Azure virtual machines. Additional virtual machines will be deployed later to run App1. You need to recommend a solution to meet the following requirements for the virtual machines that will run App1:

- > Ensure that the virtual machines can authenticate to Azure Active Directory (Azure AD) to gain access to an Azure key vault, Azure Logic Apps instances, and an Azure SQL database.
- > Avoid assigning new roles and permissions for Azure services when you deploy additional virtual machines.
- > Avoid storing secrets and certificates on the virtual machines.

Which type of identity should you include in the recommendation?

- A. a service principal that is configured to use a certificate
- B. a system-assigned managed identity
- C. a service principal that is configured to use a client secret
- D. a user-assigned managed identity

Answer: D

Explanation:

Managed identities for Azure resources is a feature of Azure Active Directory. User-assigned managed identity can be shared. The same user-assigned managed identity can be associated with more than one Azure resource.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/managed-identities-azure-resources/overview>

NEW QUESTION 141

- (Exam Topic 5)

You have a resource group named RG1 that contains the objects shown in the following table.

Name	Type	Location
ASP-RG1	App Service plan	East US
KV1	Azure Key Vault	East US
KV2	Azure Key Vault	West Europe
App1	Azure Logic Apps	West US

You need to configure permissions so that App1 can copy all the secrets from KV1 to KV2. App1 currently has the Get permission for the secrets in KV1. Which additional permissions should you assign to App1? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Permission to assign so that App1 can copy the secrets from KV1:

- Add
- Backup
- Create
- List
- Unwrap Key

Permission to assign so that App1 can copy the secrets to KV2:

- Create
- Import
- List
- Wrap Key

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: List

Get: Gets the specified Azure key vault.

List: The List operation gets information about the vaults associated with the subscription. Box 2: Create

Create Or Update: Create or update a key vault in the specified subscription. Reference:

<https://docs.microsoft.com/en-us/rest/api/keyvault/>

NEW QUESTION 145

- (Exam Topic 5)

You need to design a highly available Azure SQL database that meets the following requirements:

- * Failover between replicas of the database must occur without any data loss.
- * The database must remain available in the event of a zone outage.
- * Costs must be minimized.

Which deployment option should you use?

- A. Azure SQL Database Business Critical
- B. Azure SQL Database Managed Instance Business Critical
- C. Azure SQL Database Hyperscale
- D. Azure SQL Database Standard

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/azure-sql/database/service-tier-business-critical>

NEW QUESTION 150

- (Exam Topic 3)

You need to recommend a solution that meets the data requirements for App1.

What should you recommend deploying to each availability zone that contains an instance of App1?

- A. an Azure Cosmos DB that uses multi-region writes
- B. an Azure Storage account that uses geo-zone-redundant storage (GZRS)
- C. an Azure Data Lake store that uses geo-zone-redundant storage (GZRS)
- D. an Azure SQL database that uses active geo-replication

Answer: A

NEW QUESTION 154

- (Exam Topic 4)

A company has an on-premises file server cbflserver that runs Windows Server 2019. Windows Admin Center manages this server. The company owns an Azure subscription. You need to provide an Azure solution to prevent data loss if the file server fails.

Solution: You decide to register Windows Admin Center in Azure and then configure Azure Backup. Would this meet the requirement?

- A. Yes
- B. No

Answer: A

NEW QUESTION 156

- (Exam Topic 3)

You are evaluating whether to use Azure Traffic Manager and Azure Application Gateway to meet the connection requirements for App1. What is the minimum numbers of instances required for each service? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Azure Traffic Manager:

1
2
3
6

Azure Application Gateway:

1
2
3
6

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Azure Traffic Manager:

1
2
3
6

Azure Application Gateway:

1
2
3
6

NEW QUESTION 161

- (Exam Topic 3)

You need to recommend a solution to ensure that App1 can access the third-party credentials and access strings. The solution must meet the security requirements.

What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Authenticate App1 by using:

<input type="checkbox"/> A certificate
<input type="checkbox"/> A service principal
<input type="checkbox"/> A system-assigned managed identity
<input type="checkbox"/> A user-assigned managed identity

Authorize App1 to retrieve Key Vault secrets by using:

<input type="checkbox"/> An access policy
<input type="checkbox"/> A connected service
<input type="checkbox"/> A private link
<input type="checkbox"/> A role assignment

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, table Description automatically generated

Scenario: Security Requirement

All secrets used by Azure services must be stored in Azure Key Vault.

Services that require credentials must have the credentials tied to the service instance. The credentials must NOT be shared between services.

Box 1: A service principal

A service principal is a type of security principal that identifies an application or service, which is to say, a piece of code rather than a user or group. A service

principal's object ID is known as its client ID and acts like its username. The service principal's client secret acts like its password.

Note: Authentication with Key Vault works in conjunction with Azure Active Directory (Azure AD), which is responsible for authenticating the identity of any given security principal.

A security principal is an object that represents a user, group, service, or application that's requesting access to Azure resources. Azure assigns a unique object ID to every security principal.

Box 2: A role assignment

You can provide access to Key Vault keys, certificates, and secrets with an Azure role-based access control. Reference:

<https://docs.microsoft.com/en-us/azure/key-vault/general/authentication>

NEW QUESTION 164

- (Exam Topic 1)

You need to configure an Azure policy to ensure that the Azure SQL databases have TDE enabled. The solution must meet the security and compliance requirements.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Create an Azure policy definition that uses the deployIfNotExists effect.	
Create a user-assigned managed identity.	
Invoke a remediation task.	⬅️ ⬆️
Create an Azure policy assignment.	
Create an Azure policy definition that uses the Modify effect.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

A picture containing text Description automatically generated

Scenario: All Azure SQL databases in the production environment must have Transparent Data Encryption (TDE) enabled.

Step 1: Create an Azure policy definition that uses the deployIfNotExists identity.

The first step is to define the roles that deployIfNotExists and modify needs in the policy definition to successfully deploy the content of your included template.

Step 2: Create an Azure policy assignment

When creating an assignment using the portal, Azure Policy both generates the managed identity and grants it the roles defined in roleDefinitionIds.

Step 3: Invoke a remediation task

Resources that are non-compliant to a deployIfNotExists or modify policy can be put into a compliant state through Remediation. Remediation is accomplished by instructing Azure Policy to run the deployIfNotExists effect or the modify operations of the assigned policy on your existing resources and subscriptions, whether that assignment is to a management group, a subscription, a resource group, or an individual resource.

During evaluation, the policy assignment with deployIfNotExists or modify effects determines if there are non-compliant resources or subscriptions. When non-compliant resources or subscriptions are found, the details are provided on the Remediation page.

Reference:

<https://docs.microsoft.com/en-us/azure/governance/policy/how-to/remediate-resources>

NEW QUESTION 165

- (Exam Topic 2)

To meet the authentication requirements of Fabrikam, what should you include in the solution? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Minimum number of Azure AD tenants:

	▼
0	
1	
2	
3	
4	

Minimum number of custom domains to add:

	▼
0	
1	
2	
3	
4	

Minimum number of conditional access policies to create:

	▼
0	
1	
2	
3	
4	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

1
1

NEW QUESTION 167

- (Exam Topic 1)

You need to implement the Azure RBAC role assignments for the Network Contributor role. The solution must meet the authentication and authorization requirements.

What is the minimum number of assignments that you must use?

- A. 1
- B. 2
- C. 5
- D. 10
- E. 15

Answer: A

Explanation:

Scenario: The Network Contributor built-in RBAC role must be used to grant permissions to the network administrators for all the virtual networks in all the Azure subscriptions.

RBAC roles must be applied at the highest level possible.

NEW QUESTION 172

- (Exam Topic 1)

You migrate App1 to Azure. You need to ensure that the data storage for App1 meets the security and compliance requirement

What should you do?

- A. Create an access policy for the blob
- B. Modify the access level of the blob service.
- C. Implement Azure resource locks.
- D. Create Azure RBAC assignments.

Answer: A

Explanation:

Scenario: Once App1 is migrated to Azure, you must ensure that new data can be written to the app, and the modification of new and existing data is prevented for a period of three years.

As an administrator, you can lock a subscription, resource group, or resource to prevent other users in your organization from accidentally deleting or modifying critical resources. The lock overrides any permissions the user might have.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-resource-manager/management/lock-resources>

NEW QUESTION 173

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual AZ-305 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the AZ-305 Product From:

<https://www.2passeasy.com/dumps/AZ-305/>

Money Back Guarantee

AZ-305 Practice Exam Features:

- * AZ-305 Questions and Answers Updated Frequently
- * AZ-305 Practice Questions Verified by Expert Senior Certified Staff
- * AZ-305 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * AZ-305 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year