

Microsoft

Exam Questions AI-102

Designing and Implementing an Azure AI Solution



NEW QUESTION 1


- (Exam Topic 1)

You are developing the smart e-commerce project.

You need to design the skillset to include the contents of PDFs in searches.

How should you complete the skillset design diagram? To answer, drag the appropriate services to the correct stages. Each service may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Azure Blob storage

At the start of the pipeline, you have unstructured text or non-text content (such as images, scanned documents, or JPEG files). Data must exist in an Azure data storage service that can be accessed by an indexer.

Box 2: Computer Vision API

Scenario: Provide users with the ability to search insight gained from the images, manuals, and videos associated with the products.

The Computer Vision Read API is Azure's latest OCR technology (learn what's new) that extracts printed text (in several languages), handwritten text (English only), digits, and currency symbols from images and multi-page PDF documents.

Box 3: Translator API

Scenario: Product descriptions, transcripts, and all text must be available in English, Spanish, and Portuguese. Box 4: Azure Files

Scenario: Store all raw insight data that was generated, so the data can be processed later. Reference:

<https://docs.microsoft.com/en-us/azure/search/cognitive-search-concept-intro> <https://docs.microsoft.com/en-us/azure/cognitive-services/computer-vision/overview-ocr>

NEW QUESTION 2

- (Exam Topic 1)

You are developing the smart e-commerce project.

You need to implement autocompletion as part of the Cognitive Search solution.

Which three actions should you perform? Each correct answer presents part of the solution. (Choose three.) NOTE: Each correct selection is worth one point.

- A. Make API queries to the autocomplete endpoint and include suggesterName in the body.
- B. Add a suggester that has the three product name fields as source fields.
- C. Make API queries to the search endpoint and include the product name fields in the searchFields query parameter.
- D. Add a suggester for each of the three product name fields.
- E. Set the searchAnalyzer property for the three product name variants.
- F. Set the analyzer property for the three product name variants.

Answer: ABF

Explanation:

Scenario: Support autocompletion and autosuggestion based on all product name variants.

A: Call a suggester-enabled query, in the form of a Suggestion request or Autocomplete request, using an API. API usage is illustrated in the following call to the Autocomplete REST API.

POST /indexes/myxboxgames/docs/autocomplete?search&api-version=2020-06-30

```
{
  "search": "minecraf", "suggesterName": "sg"
}
```

B: In Azure Cognitive Search, typeahead or "search-as-you-type" is enabled through a suggester. A suggester provides a list of fields that undergo additional tokenization, generating prefix sequences to support matches on partial terms. For example, a suggester that includes a City field with a value for "Seattle" will have prefix combinations of "sea", "seat", "seatt", and "seattl" to support typeahead.

F: Use the default standard Lucene analyzer ("analyzer": null) or a language analyzer (for example, "analyzer": "en.Microsoft") on the field.

Reference:

<https://docs.microsoft.com/en-us/azure/search/index-add-suggesters>

NEW QUESTION 3

- (Exam Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You create a web app named app1 that runs on an Azure virtual machine named vm1. Vm1 is on an Azure virtual network named vnet1.

You plan to create a new Azure Cognitive Search service named service1.

You need to ensure that app1 can connect directly to service1 without routing traffic over the public internet. Solution: You deploy service1 and a public endpoint, and you configure a network security group (NSG) for vnet1.

Does this meet the goal?

A. Yes

B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/private-link/private-link-overview>

NEW QUESTION 4

- (Exam Topic 2)

You are developing a solution to generate a word cloud based on the reviews of a company's products. Which Text Analytics REST API endpoint should you use?

A. IkeyPhrases

B. sentiment

C. languages

D. entities/recognition/general

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/text-analytics/overview>

NEW QUESTION 5

- (Exam Topic 2)

You need to implement a table projection to generate a physical expression of an Azure Cognitive Search index.

Which three properties should you specify in the skillset definition JSON configuration table node? Each correct answer presents part of the solution. (Choose three.)

NOTE: Each correct selection is worth one point.

A. tableName

B. generatedKeyName

C. dataSource

D. dataSourceConnection

E. source

Answer: ABE

Explanation:

Defining a table projection.

Each table requires three properties:

tableName: The name of the table in Azure Storage.

generatedKeyName: The column name for the key that uniquely identifies this row.

source: The node from the enrichment tree you are sourcing your enrichments from. This node is usually the output of a shaper, but could be the output of any of the skills.

Reference:

<https://docs.microsoft.com/en-us/azure/search/knowledge-store-projection-overview>

NEW QUESTION 6

- (Exam Topic 2)

You build a custom Form Recognizer model.

You receive sample files to use for training the model as shown in the following table.

Name	Type	Size
File1	PDF	20 MB
File2	MP4	100 MB
File3	JPG	20 MB
File4	PDF	100 MB
File5	GIF	1 MB
File6	JPG	40 MB

Which three files can you use to train the model? Each correct answer presents a complete solution. (Choose three.)

NOTE: Each correct selection is worth one point.

- A. File1
- B. File2
- C. File3
- D. File4
- E. File5
- F. File6

Answer: ACF

Explanation:

Input requirements
Form Recognizer works on input documents that meet these requirements:
Format must be JPG, PNG, PDF (text or scanned), or TIFF. Text-embedded PDFs are best because there's no possibility of error in character extraction and location.
File size must be less than 50 MB. Reference:
<https://docs.microsoft.com/en-us/azure/cognitive-services/form-recognizer/overview>

NEW QUESTION 7

- (Exam Topic 2)
Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
You create a web app named app1 that runs on an Azure virtual machine named vm1. Vm1 is on an Azure virtual network named vnet1.
You plan to create a new Azure Cognitive Search service named service1.
You need to ensure that app1 can connect directly to service1 without routing traffic over the public internet. Solution: You deploy service1 and a public endpoint to a new virtual network, and you configure Azure Private Link.
Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:
<https://docs.microsoft.com/en-us/azure/private-link/private-link-overview>

NEW QUESTION 8

- (Exam Topic 2)
You are developing an application to recognize employees' faces by using the Face Recognition API. Images of the faces will be accessible from a URI endpoint. The application has the following code.

```
static async void AddFace(string subscription_key, string personGroupId, string personId, string imageURI)
{
    var client = new HttpClient();
    client.DefaultRequestHeaders.Add("Ocp-Apim-Subscription-Key", subscription_key);
    var endpointURI = $"https://westus.api.cognitive.microsoft.com/face/v1.0/persongroups/{personGroupId}/persons/{personId}/persistedFaces";
    HttpResponseMessage response;
    var body = "{ \"url\": \"\" + imageURI + \"\"}";
    var content = new StringContent(body, Encoding.UTF8, "application/json");
    var response = await client.PutAsync(endpointURI, content);
}
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Statements	Yes	No
The code will add a face image to a person object in a person group.	<input type="radio"/>	<input type="radio"/>
The code will work for a group of 10,000 people.	<input type="radio"/>	<input type="radio"/>
AddFace can be called multiple times to add multiple face images to a person object.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/face/face-api-how-to-topics/use-persondirectory>

NEW QUESTION 9

- (Exam Topic 2)

You are developing a call to the Face API. The call must find similar faces from an existing list named employeefaces. The employeefaces list contains 60,000 images.

How should you complete the body of the HTTP request? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Values	Answer Area
"faceListId"	{
"LargeFaceListId"	"faceId": "18c51a87-3a69-47a8-aedc-a54745f708a1",
"matchFace"	<input type="text"/> : "employeefaces",
"matchPerson"	"maxNumOfCandidatesReturned": 1,
	"mode": <input type="text"/>
	}

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Box 1: LargeFaceListID

LargeFaceList: Add a face to a specified large face list, up to 1,000,000 faces.

Note: Given query face's faceId, to search the similar-looking faces from a faceId array, a face list or a large face list. A "faceListId" is created by FaceList - Create containing persistedFaceIds that will not expire. And a "largeFaceListId" is created by LargeFaceList - Create containing persistedFaceIds that will also not expire.

Reference:

<https://docs.microsoft.com/en-us/rest/api/faceapi/face/findsimilar>

NEW QUESTION 10

- (Exam Topic 2)

You are building a retail chatbot that will use a QnA Maker service.

You upload an internal support document to train the model. The document contains the following question: "What is your warranty period?"

Users report that the chatbot returns the default QnA Maker answer when they ask the following question: "How long is the warranty coverage?"

The chatbot returns the correct answer when the users ask the following question: "What is your warranty period?"

Both questions should return the same answer.

You need to increase the accuracy of the chatbot responses.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order. (Choose three.)

Actions	Answer Area
Add a new question and answer (QnA) pair.	
Retrain the model.	
Add additional questions to the document.	
Republish the model.	
Add alternative phrasing to the question and answer (QnA) pair.	

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Step 1: Add alternative phrasing to the question and answer (QnA) pair.

Add alternate questions to an existing QnA pair to improve the likelihood of a match to a user query. Step 2: Retrain the model.

Periodically select Save and train after making edits to avoid losing changes. Step 3: Republish the model

Note: A knowledge base consists of question and answer (QnA) pairs. Each pair has one answer and a pair contains all the information associated with that answer.

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/qnamaker/how-to/edit-knowledge-base>

NEW QUESTION 10

- (Exam Topic 2)

You need to create a new resource that will be used to perform sentiment analysis and optical character recognition (OCR). The solution must meet the following requirements:

- Use a single key and endpoint to access multiple services.
- Consolidate billing for future services that you might use.
- Support the use of Computer Vision in the future.

How should you complete the HTTP request to create the new resource? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

	▼	<code>https://management.azure.com/subscriptions/xxxxxxx-xxxx-</code>
<div>PATCH</div> <div>POST</div> <div>PUT</div>		

`xxxx-xxxx-`
`xxxxxxxxxxxx/resourceGroups/RG1/providers/Microsoft.CognitiveServices/`
`accounts/CS1?api-version=2017-04-18`
{
 "location": "West US",
 "kind": "

▼

CognitiveServices

ComputerVision

TextAnalytics

 ",
 "sku": {
 "name": "S0"
 },
 "properties": {},
 "identity": {
 "type": "SystemAssigned"
 }
}

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: PUT

Sample Request: PUT

<https://management.azure.com/subscriptions/00000000-0000-0000-0000-000000000000/resourceGroups/test-rg>

Reference:

<https://docs.microsoft.com/en-us/rest/api/deviceupdate/resourcemanager/accounts/create> <https://www.analyticsvidhya.com/blog/2020/12/microsoft-azure-cognitive-services-api-for-ai-development/>

NEW QUESTION 12

- (Exam Topic 2)

You have a Video Indexer service that is used to provide a search interface over company videos on your company's website.

You need to be able to search for videos based on who is present in the video. What should you do?

- A. Create a person model and associate the model to the videos.
B. Create person objects and provide face images for each object.
C. Invite the entire staff of the company to Video Indexer.
D. Edit the faces in the videos.
E. Upload names to a language model.

Answer: A

Explanation:

Video Indexer supports multiple Person models per account. Once a model is created, you can use it by providing the model ID of a specific Person model when uploading/indexing or reindexing a video. Training a new face for a video updates the specific custom model that the video was associated with.

Note: Video Indexer supports face detection and celebrity recognition for video content. The celebrity recognition feature covers about one million faces based on commonly requested data source such as IMDB, Wikipedia, and top LinkedIn influencers. Faces that aren't recognized by the celebrity recognition feature are detected but left unnamed. Once you label a face with a name, the face and name get added to your account's Person model. Video Indexer will then recognize this face in your future videos and past videos.

Reference:

<https://docs.microsoft.com/en-us/azure/media-services/video-indexer/customize-person-model-with-api>

NEW QUESTION 17

- (Exam Topic 2)

You are designing a conversation flow to be used in a chatbot.

You need to test the conversation flow by using the Microsoft Bot Framework Emulator.

How should you complete the .chat file? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

```
user=User1
bot=watchbot
user: I want a new watch.
bot: [ Attachment ][Delay=3000]
bot: I can help you with that! Let me see what I can find.
bot: Here's what I found.
bot: [ AttachmentLayout= adaptivecard ]
[ Attachment=https://contoso.blob.core.windows.net/watch01.jpg]
[ Attachment=https://contoso.blob.core.windows.net/watch02.jpg]
user: I like the first one.
bot: Sure, pulling up more information.
bot: [ Attachment=cards\watchProfileCard.json ]
user: That's nice! Thank you.
bot: Sure, you are most welcome!
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/bot-service/bot-builder-howto-add-media-attachments?view=azure-bot-s>

NEW QUESTION 18

- (Exam Topic 2)

You plan to provision a QnA Maker service in a new resource group named RG1. In RG1, you create an App Service plan named AP1.

Which two Azure resources are automatically created in RG1 when you provision the QnA Maker service? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Language Understanding
- B. Azure SQL Database
- C. Azure Storage
- D. Azure Cognitive Search
- E. Azure App Service

Answer: DE

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/qnamaker/how-to/set-up-qnamaker-service-azure?tabs>

NEW QUESTION 20

- (Exam Topic 2)

You plan to use a Language Understanding application named app1 that is deployed to a container. App1 was developed by using a Language Understanding authoring resource named lu1.

App1 has the versions shown in the following table.

Version	Trained date	Published date
V1.2	None	None
V1.1	2020-10-01	None
V1.0	2020-09-01	2020-09-15

You need to create a container that uses the latest deployable version of app1.
 Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order. (Choose three.)

Actions

Run a container that has version set as an environment variable.

Export the model by using the Export as JSON option.

Select v1.1 of app1.

Run a container and mount the model file.

Select v1.0 of app1.

Export the model by using the Export for containers (GZIP) option.

Select v1.2 of app1.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
 Step 1: Export the model using the Export for containers (GZIP) option. Export versioned app's package from LUIS portal
 The versioned app's package is available from the Versions list page.

- > Sign on to the LUIS portal.
- > Select the app in the list.
- > Select Manage in the app's navigation bar.
- > Select Versions in the left navigation bar.
- > Select the checkbox to the left of the version name in the list.
- > Select the Export item from the contextual toolbar above the list.
- > Select Export for container (GZIP).
- > The package is downloaded from the browser.



Step 2: Select v1.1 of app1.
 A trained or published app packaged as a mounted input to the container with its associated App ID. Step 3: Run a contain and mount the model file.
 Run the container, with the required input mount and billing settings. Reference:
<https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-container-howto>

NEW QUESTION 21
 - (Exam Topic 2)
 You deploy a web app that is used as a management portal for indexing in Azure Cognitive Search. The app is configured to use the primary admin key. During a security review, you discover unauthorized changes to the search index. You suspect that the primary access key is compromised. You need to prevent unauthorized access to the index management endpoint. The solution must minimize downtime. What should you do next?

- A. Regenerate the primary admin key, change the app to use the secondary admin key, and then regenerate the secondary admin key.
- B. Change the app to use a query key, and then regenerate the primary admin key and the secondary admin key.

- C. Regenerate the secondary admin key, change the app to use the secondary admin key, and then regenerate the primary key.
- D. Add a new query key, change the app to use the new query key, and then delete all the unused query keys.

Answer: A

Explanation:

Regenerate admin keys.
Two admin keys are created for each service so that you can rotate a primary key, using the secondary key for business continuity.
* 1. In the Settings >Keys page, copy the secondary key.
* 2. For all applications, update the API key settings to use the secondary key.
* 3.Regenerate the primary key.
* 4. Update all applications to use the new primary key.

Note: Two admin api-keys, referred to as primary and secondary keys in the portal, are automatically generated when the service is created and can be individually regenerated on demand. Having two keys allows you to roll over one key while using the second key for continued access to the service.

Reference:
<https://docs.microsoft.com/en-us/azure/search/search-security-api-keys#regenerate-admin-keys>

NEW QUESTION 26

- (Exam Topic 2)
You have 100 chatbots that each has its own Language Understanding model. Frequently, you must add the same phrases to each model. You need to programmatically update the Language Understanding models to include the new phrases. How should you complete the code? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
NOTE: Each correct selection is worth one point.

Values	Answer Area
AddPhraseListAsync	var phraselistId = await client.Features. <input type="text"/>
Phraselist	(appId, versionId, new <input type="text"/>
PhraselistCreateObject	{
Phrases	EnabledForAllModels = false,
SavePhraselistAsync	IsExchangeable = true,
UploadPhraseListAsync	Name = "PL1",
	Phrases = "item1,item2,item3,item4,item5"
	});

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: AddPhraseListAsync
Example: Add phraselist feature
var phraselistId = await client.Features.AddPhraseListAsync(appId, versionId, new PhraselistCreateObject
{
EnabledForAllModels = false, IsExchangeable = true,
Name = "QuantityPhraselist", Phrases = "few,more,extra"
});
Box 2: PhraselistCreateObject Reference:
<https://docs.microsoft.com/en-us/azure/cognitive-services/luis/client-libraries-rest-api>

NEW QUESTION 28

- (Exam Topic 2)
You are developing a service that records lectures given in English (United Kingdom). You have a method named AppendToTranscriptFile that takes translated text and a language identifier. You need to develop code that will provide transcripts of the lectures to attendees in their respective language. The supported languages are English, French, Spanish, and German. How should you complete the code? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Answer Area

```
static async Task TranslateSpeechAsync()
{
    var config = SpeechTranslationConfig.FromSubscription("69cad5cc-0ab3-4704-bdff-afbf4aa07d85", "uksouth");

    var lang = new List<string>
    {
        "en-GB",
        "fr", "de", "es",
        "French", "Spanish", "German"
    };

    config.SpeechRecognitionLanguage = "en-GB";
    lang.ForEach(config.AddTargetLanguage);

    using var audioConfig = AudioConfig.FromDefaultMicrophoneInput();
    using var recognizer = new TranslationRecognizer(config, audioConfig);

    var result = await recognizer.RecognizeOnceAsync();
    if (result.Reason == ResultReason.TranslatedSpeech)
```

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: {"fr", "de", "es"}

A common task of speech translation is to specify target translation languages, at least one is required but multiples are supported. The following code snippet sets both French and German as translation language targets.

```
static async Task TranslateSpeechAsync()
{
    var translationConfig =
    SpeechTranslationConfig.FromSubscription(SPEECH SUBSCRIPTION KEY, SPEECH SERVICE REGION);
    translationConfig.SpeechRecognitionLanguage = "it-IT";
    // Translate to languages. See, https://aka.ms/speech/sttt-languages translationConfig.AddTargetLanguage("fr"); translationConfig.AddTargetLanguage("de");
}
```

Box 2: TranslationRecognizer

After you've created a SpeechTranslationConfig, the next step is to initialize a TranslationRecognizer. Example code:

```
static async Task TranslateSpeechAsync()
{
    var translationConfig =
    SpeechTranslationConfig.FromSubscription(SPEECH SUBSCRIPTION KEY, SPEECH SERVICE REGION);
    var fromLanguage = "en-US";
    var toLanguages = new List<string> { "it", "fr", "de" }; translationConfig.SpeechRecognitionLanguage = fromLanguage;
    toLanguages.ForEach(translationConfig.AddTargetLanguage);
    using var recognizer = new TranslationRecognizer(translationConfig);
}
```

NEW QUESTION 30

- (Exam Topic 2)

You develop an application that uses the Face API. You need to add multiple images to a person group.

How should you complete the code? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

```
Parallel.For(0, PersonCount, async i =>
{
    Guid personId = persons[i].PersonId;
    string personImageDir = $"/path/to/person/{i}/images";
    foreach (string imagePath in Directory.GetFiles(personImageDir, "*.jpg"))
    {
        using ( 

|        |   |
|--------|---|
|        | ▼ |
| File   |   |
| Stream |   |
| Uri    |   |
| Url    |   |

 t = File.OpenRead(imagePath))

        {
            await faceClient.PersonGroupPerson. 

|                        |   |
|------------------------|---|
|                        | ▼ |
| AddFaceFromStreamAsync |   |
| AddFaceFromUrlAsync    |   |
| CreateAsync            |   |
| GetAsync               |   |



(personGroupId, personId, t);
        }
    }
});
```

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: Stream

The File.OpenRead(String) method opens an existing file for reading. Example: Open the stream and read it back.

using (FileStream fs = File.OpenRead(path)) Box 2: CreateAsync

Create the persons for the PersonGroup. Persons are created concurrently. Example:

await faceClient.PersonGroupPerson.CreateAsync(personGroupId, personName);

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/face/face-api-how-to-topics/how-to-add-faces>

NEW QUESTION 33

- (Exam Topic 2)

You are developing a new sales system that will process the video and text from a public-facing website. You plan to notify users that their data has been processed by the sales system.

Which responsible AI principle does this help meet?

- A. transparency
B. fairness
C. inclusiveness
D. reliability and safety

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/cloud-adoption-framework/strategy/responsible-ai>

NEW QUESTION 35

- (Exam Topic 2)

You have the following data sources:

- Finance: On-premises Microsoft SQL Server database
- Sales: Azure Cosmos DB using the Core (SQL) API
- Logs: Azure Table storage
- HR: Azure SQL database

You need to ensure that you can search all the data by using the Azure Cognitive Search REST API. What should you do?

- A. Configure multiple read replicas for the data in Sales.
B. Mirror Finance to an Azure SQL database.
C. Migrate the data in Sales to the MongoDB API.
D. Ingest the data in Logs into Azure Sentinel.

Answer: B

Explanation:

On-premises Microsoft SQL Server database cannot be used as an index data source.

Note: Indexer in Azure Cognitive Search: : Automate aspects of an indexing operation by configuring a data source and an indexer that you can schedule or run on demand. This feature is supported for a limited number of data source types on Azure.

Indexers crawl data stores on Azure.

- > Azure Blob Storage
- > Azure Data Lake Storage Gen2 (in preview)
- > Azure Table Storage
- > Azure Cosmos DB
- > Azure SQL Database
- > SQL Managed Instance
- > SQL Server on Azure Virtual Machines Reference:

<https://docs.microsoft.com/en-us/azure/search/search-indexer-overview#supported-data-sources>

NEW QUESTION 36

- (Exam Topic 2)

You are developing an internet-based training solution for remote learners.

Your company identifies that during the training, some learners leave their desk for long periods or become distracted.

You need to use a video and audio feed from each learner's computer to detect whether the learner is present and paying attention. The solution must minimize development effort and identify each learner.

Which Azure Cognitive Services service should you use for each requirement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

From a learner's video feed, verify whether the learner is present:

Face
Speech
Text Analytics

From a learner's facial expression in the video feed, verify whether the learner is paying attention:

Face
Speech
Text Analytics

From a learner's audio feed, detect whether the learner is talking:

Face
Speech
Text Analytics

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/what-are-cognitive-services>

NEW QUESTION 37

- (Exam Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You develop an application to identify species of flowers by training a Custom Vision model. You receive images of new flower species.

You need to add the new images to the classifier.

Solution: You add the new images and labels to the existing model. You retrain the model, and then publish the model.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

The model needs to be extended and retrained.

NEW QUESTION 40

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

AI-102 Practice Exam Features:

- * AI-102 Questions and Answers Updated Frequently
- * AI-102 Practice Questions Verified by Expert Senior Certified Staff
- * AI-102 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * AI-102 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The AI-102 Practice Test Here](#)