Cisco

Exam Questions 350-701

Implementing and Operating Cisco Security Core Technologies

NEW QUESTION 1
Which policy represents a shared set of features or parameters that define the aspects of a managed device that are likely to be similar to other managed devices in a deployment?

A. group policy
B. access control policy
C. device management policy
D. platform service policy

Answer: D

Explanation:
Reference: https://www.cisco.com/c/en/us/td/docs/security/firepower/622/configuration/guide/fpmc-config-guide-v622/platform_settings_policies_for_managed_devices.pdf

NEW QUESTION 2
An administrator wants to ensure that all endpoints are compliant before users are allowed access on the corporate network. The endpoints must have the corporate antivirus application installed and be running the latest build of Windows 10. What must the administrator implement to ensure that all devices are compliant before they are allowed on the network?

A. Cisco Identity Services Engine and AnyConnect Posture module
B. Cisco Stealthwatch and Cisco Identity Services Engine integration
C. Cisco ASA firewall with Dynamic Access Policies configured
D. Cisco Identity Services Engine with PxGrid services enabled

Answer: A

Explanation:
Reference: https://www.cisco.com/c/en/us/td/docs/security/vpn_client/anyconnect/anyconnect46/administration/guide/b_AnyConnect_Administrator_Guide_4-6/configure-posture.html

NEW QUESTION 3
What two mechanisms are used to redirect users to a web portal to authenticate to ISE for guest services? (Choose two.)

A. TACACS+
B. central web auth
C. single sign-on
D. multiple factor auth
E. local web auth

Answer: BE

Explanation:
Reference: https://www.cisco.com/c/en/us/td/docs/security/ise/2-2/admin_guide/b_ise_admin_guide_22/b_ise_admin_guide_22_chapter_01110.html

NEW QUESTION 4
Which solution protects hybrid cloud deployment workloads with application visibility and segmentation?

A. Nexus
B. Stealthwatch
C. Firepower
D. Tetration

Answer: D

Explanation:
Reference: https://www.cisco.com/c/en/us/solutions/security/secure-data-center-solution/index.html#~products

NEW QUESTION 5
Which technology is used to improve web traffic performance by proxy caching?

A. WSA
B. Firepower
C. FireSIGHT
D. ASA

Answer: A

NEW QUESTION 6
Which statement about the configuration of Cisco ASA NetFlow v9 Secure Event Logging is true?

A. To view bandwidth usage for NetFlow records, the QoS feature must be enabled.
B. A sysopt command can be used to enable NSEL on a specific interface.
C. NSEL can be used without a collector configured.
D. A flow-export event type must be defined under a policy.

Answer: D

NEW QUESTION 7
Which two activities can be done using Cisco DNA Center? (Choose two.)

A. DHCP
B. design
C. accounting
D. DNS
E. provision

Answer: BE

Explanation:
Reference: https://www.cisco.com/c/en/us/td/docs/cloud-systems-management/network-automation-and-management/dna-center/1-2-1/user_guide/b_dnac_ug_1_2_1/b_dnac_ug_1_2_chapter_00.pdf

NEW QUESTION 8
When wired 802.1X authentication is implemented, which two components are required? (Choose two.)

A. authentication server: Cisco Identity Service Engine
B. supplicant: Cisco AnyConnect ISE Posture module
C. authenticator: Cisco Catalyst switch
D. authenticator: Cisco Identity Services Engine
E. authentication server: Cisco Prime Infrastructure

Answer: AC

Explanation:
Reference: https://www.lookingpoint.com/blog/ise-series-802.1x

NEW QUESTION 9
Which VPN technology can support a multivendor environment and secure traffic between sites?

A. SSL VPN
B. GET VPN
C. FlexVPN
D. DMVPN

Answer: C

Explanation:
Reference: https://www.cisco.com/c/en/us/products/collateral/routers/asr-1000-series-aggregation-services-routers/data_sheet_c78-704277.html

NEW QUESTION 10
Which feature is supported when deploying Cisco ASAv within AWS public cloud?

A. multiple context mode
B. user deployment of Layer 3 networks
C. IPv6
D. clustering

Answer: B

Explanation:
Reference: https://www.cisco.com/c/en/us/td/docs/security/asa/asa96/asav/quick-start-book/asav-96-qsg/asav-aws.html

NEW QUESTION 10
An engineer used a posture check on a Microsoft Windows endpoint and discovered that the MS17-010 patch was not installed, which left the endpoint vulnerable to WannaCry ransomware. Which two solutions mitigate the risk of this ransomware infection? (Choose two.)

A. Configure a posture policy in Cisco Identity Services Engine to install the MS17-010 patch before allowing access on the network.
B. Set up a profiling policy in Cisco Identity Service Engine to check and endpoint patch level before allowing access on the network.
C. Configure a posture policy in Cisco Identity Services Engine to check that an endpoint patch level is met before allowing access on the network.
D. Configure endpoint firewall policies to stop the exploit traffic from being allowed to run and replicate throughout the network.
E. Set up a well-defined endpoint patching strategy to ensure that endpoints have critical vulnerabilities patched in a timely fashion.

Answer: AC

NEW QUESTION 15
Why would a user choose an on-premises ESA versus the CES solution?

A. Sensitive data must remain onsite.
B. Demand is unpredictable.
C. The server team wants to outsource this service.
D. ESA is deployed inline.

Answer: A

NEW QUESTION 18
Which two features of Cisco DNA Center are used in a Software Defined Network solution? (Choose two.)

A. accounting
B. assurance
C. automation
D. authentication
E. encryption

Answer: BC

Explanation:
Reference: https://www.cisco.com/c/en/us/products/cloud-systems-management/dna-center/index.html

NEW QUESTION 21
Which cloud service model offers an environment for cloud consumers to develop and deploy applications without needing to manage or maintain the underlying cloud infrastructure?

A. PaaS
B. XaaS
C. IaaS
D. SaaS

Answer: A

NEW QUESTION 24
Which functions of an SDN architecture require southbound APIs to enable communication?

A. SDN controller and the network elements
B. management console and the SDN controller
C. management console and the cloud
D. SDN controller and the cloud

Answer: A

NEW QUESTION 27
Which two request of REST API are valid on the Cisco ASA Platform? (Choose two.)

A. put
B. options
C. get
D. push
E. connect

Answer: AC

Explanation:
Reference: https://www.cisco.com/c/en/us/td/docs/security/asa/api/qsg-asa-api.html

NEW QUESTION 32
What can be integrated with Cisco Threat Intelligence Director to provide information about security threats, which allows the SOC to proactively automate responses to those threats?

A. Cisco Umbrella
B. External Threat Feeds
C. Cisco Threat Grid
D. Cisco Stealthwatch

Answer: C

NEW QUESTION 34
What provides visibility and awareness into what is currently occurring on the network?

A. CMX
B. WMI
C. Prime Infrastructure
D. Telemetry

Answer: C

NEW QUESTION 35
Which feature is configured for managed devices in the device platform settings of the Firepower Management Center?

A. quality of service
B. time synchronization
C. network address translations
D. intrusion policy

Answer: B

NEW QUESTION 38
Refer to the exhibit.

```
Gateway of last resort is 1.1.1.1 to network 0.0.0.0

S*      0.0.0.0 0.0.0.0 [1/0] via 1.1.1.1, outside
C          1.1.1.0 255.255.255.0 is directly connect, outside
S          172.16.0.0 255.255.0.0 [1/0] via 192.168.100.1, inside
C          192.168.100.0 255.255.255.0 is directly connected, inside
C          172.16.10.0 255.255.255.0 is directly connected, dmz
S            10.10.10.0 255.255.255.0 [1/0] via 172.16.10.1, dmz


access-list redirect-acl permit ip 192.168.100.0 255.255.255.0 any
access-list redirect-acl permit ip 172.16.0.0 255.255.0.0 any

class-map redirect-class
  match access-list redirect-acl

policy-map inside-policy
  class redirect-class
  sfr fail-open

service-policy inside-policy global
```

What is a result of the configuration?

A. Traffic from the DMZ network is redirected.
B. Traffic from the inside network is redirected.
C. All TCP traffic is redirected.
D. Traffic from the inside and DMZ networks is redirected.

Answer: D

NEW QUESTION 39
Which two services must remain as on-premises equipment when a hybrid email solution is deployed? (Choose two.)

A. DDoS
B. antispam
C. antivirus
D. encryption
E. DLP

Answer: DE

Explanation:
Reference: https://www.cisco.com/c/dam/en/us/td/docs/security/ces/overview_guide/Cisco_Cloud_Hybrid_Email_Security_Overview_Guide.pdf

NEW QUESTION 40
Which feature within Cisco Umbrella allows for the ability to inspect secure HTTP traffic?

A. File Analysis
B. SafeSearch
C. SSL Decryption
D. Destination Lists

Answer: C

NEW QUESTION 42
......

About Exambible

Your Partner of IT Exam

Found in 1998

Exambible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, Exambible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

  All examinations will be up to date.

* 24/7 Quality Support

  We will provide service round the clock.

* 100% Pass Rate

  Our guarantee that you will pass the exam.

* Unique Gurantee

  If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1
Which policy represents a shared set of features or parameters that define the aspects of a managed device that are likely to be similar to other managed devices in a deployment?

A. group policy
B. access control policy
C. device management policy
D. platform service policy

Answer: D

Explanation:
Reference: https://www.cisco.com/c/en/us/td/docs/security/firepower/622/configuration/guide/fpmc-config-guide-v622/platform_settings_policies_for_managed_devices.pdf

NEW QUESTION 2
An administrator wants to ensure that all endpoints are compliant before users are allowed access on the corporate network. The endpoints must have the corporate antivirus application installed and be running the latest build of Windows 10. What must the administrator implement to ensure that all devices are compliant before they are allowed on the network?

A. Cisco Identity Services Engine and AnyConnect Posture module
B. Cisco Stealthwatch and Cisco Identity Services Engine integration
C. Cisco ASA firewall with Dynamic Access Policies configured
D. Cisco Identity Services Engine with PxGrid services enabled

Answer: A

Explanation:
Reference: https://www.cisco.com/c/en/us/td/docs/security/vpn_client/anyconnect/anyconnect46/administration/guide/b_AnyConnect_Administrator_Guide_4-6/configure-posture.html

NEW QUESTION 3
What two mechanisms are used to redirect users to a web portal to authenticate to ISE for guest services? (Choose two.)

A. TACACS+
B. central web auth
C. single sign-on
D. multiple factor auth
E. local web auth

Answer: BE

Explanation:
Reference: https://www.cisco.com/c/en/us/td/docs/security/ise/2-2/admin_guide/b_ise_admin_guide_22/b_ise_admin_guide_22_chapter_01110.html

NEW QUESTION 4
Which solution protects hybrid cloud deployment workloads with application visibility and segmentation?

A. Nexus
B. Stealthwatch
C. Firepower
D. Tetration

Answer: D

Explanation:
Reference: https://www.cisco.com/c/en/us/solutions/security/secure-data-center-solution/index.html#~products

NEW QUESTION 5
Which technology is used to improve web traffic performance by proxy caching?

A. WSA
B. Firepower
C. FireSIGHT
D. ASA

Answer: A

NEW QUESTION 6
Which statement about the configuration of Cisco ASA NetFlow v9 Secure Event Logging is true?

A. To view bandwidth usage for NetFlow records, the QoS feature must be enabled.
B. A sysopt command can be used to enable NSEL on a specific interface.
C. NSEL can be used without a collector configured.
D. A flow-export event type must be defined under a policy.

Answer: D

NEW QUESTION 7
Which two activities can be done using Cisco DNA Center? (Choose two.)

A. DHCP
B. design
C. accounting
D. DNS
E. provision

Answer: BE

Explanation:
Reference: https://www.cisco.com/c/en/us/td/docs/cloud-systems-management/network-automation-and-management/dna-center/1-2-1/user_guide/b_dnac_ug_1_2_1/b_dnac_ug_1_2_chapter_00.pdf

NEW QUESTION 8
When wired 802.1X authentication is implemented, which two components are required? (Choose two.)

A. authentication server: Cisco Identity Service Engine
B. supplicant: Cisco AnyConnect ISE Posture module
C. authenticator: Cisco Catalyst switch
D. authenticator: Cisco Identity Services Engine
E. authentication server: Cisco Prime Infrastructure

Answer: AC

Explanation:
Reference: https://www.lookingpoint.com/blog/ise-series-802.1x

NEW QUESTION 9
Which VPN technology can support a multivendor environment and secure traffic between sites?

A. SSL VPN
B. GET VPN
C. FlexVPN
D. DMVPN

Answer: C

Explanation:
Reference: https://www.cisco.com/c/en/us/products/collateral/routers/asr-1000-series-aggregation-services-routers/data_sheet_c78-704277.html

NEW QUESTION 10
Which feature is supported when deploying Cisco ASAv within AWS public cloud?

A. multiple context mode
B. user deployment of Layer 3 networks
C. IPv6
D. clustering

Answer: B

Explanation:
Reference: https://www.cisco.com/c/en/us/td/docs/security/asa/asa96/asav/quick-start-book/asav-96-qsg/asav-aws.html

NEW QUESTION 10
An engineer used a posture check on a Microsoft Windows endpoint and discovered that the MS17-010 patch was not installed, which left the endpoint vulnerable to WannaCry ransomware. Which two solutions mitigate the risk of this ransomware infection? (Choose two.)

A. Configure a posture policy in Cisco Identity Services Engine to install the MS17-010 patch before allowing access on the network.
B. Set up a profiling policy in Cisco Identity Service Engine to check and endpoint patch level before allowing access on the network.
C. Configure a posture policy in Cisco Identity Services Engine to check that an endpoint patch level is met before allowing access on the network.
D. Configure endpoint firewall policies to stop the exploit traffic from being allowed to run and replicate throughout the network.
E. Set up a well-defined endpoint patching strategy to ensure that endpoints have critical vulnerabilities patched in a timely fashion.

Answer: AC

NEW QUESTION 15
Why would a user choose an on-premises ESA versus the CES solution?

A. Sensitive data must remain onsite.
B. Demand is unpredictable.
C. The server team wants to outsource this service.
D. ESA is deployed inline.

Answer: A

NEW QUESTION 18
Which two features of Cisco DNA Center are used in a Software Defined Network solution? (Choose two.)

A. accounting
B. assurance
C. automation
D. authentication
E. encryption

Answer: BC

Explanation:
Reference: https://www.cisco.com/c/en/us/products/cloud-systems-management/dna-center/index.html

NEW QUESTION 21
Which cloud service model offers an environment for cloud consumers to develop and deploy applications without needing to manage or maintain the underlying cloud infrastructure?

A. PaaS
B. XaaS
C. IaaS
D. SaaS

Answer: A

NEW QUESTION 24
Which functions of an SDN architecture require southbound APIs to enable communication?

A. SDN controller and the network elements
B. management console and the SDN controller
C. management console and the cloud
D. SDN controller and the cloud

Answer: A

NEW QUESTION 27
Which two request of REST API are valid on the Cisco ASA Platform? (Choose two.)

A. put
B. options
C. get
D. push
E. connect

Answer: AC

Explanation:
Reference: https://www.cisco.com/c/en/us/td/docs/security/asa/api/qsg-asa-api.html

NEW QUESTION 32
What can be integrated with Cisco Threat Intelligence Director to provide information about security threats, which allows the SOC to proactively automate responses to those threats?

A. Cisco Umbrella
B. External Threat Feeds
C. Cisco Threat Grid
D. Cisco Stealthwatch

Answer: C

NEW QUESTION 34
What provides visibility and awareness into what is currently occurring on the network?

A. CMX
B. WMI
C. Prime Infrastructure
D. Telemetry

Answer: C

NEW QUESTION 35
Which feature is configured for managed devices in the device platform settings of the Firepower Management Center?

A. quality of service
B. time synchronization
C. network address translations
D. intrusion policy

Answer: B

NEW QUESTION 38
Refer to the exhibit.

```
Gateway of last resort is 1.1.1.1 to network 0.0.0.0

S*      0.0.0.0 0.0.0.0 [1/0] via 1.1.1.1, outside
C          1.1.1.0 255.255.255.0 is directly connect, outside
S          172.16.0.0 255.255.0.0 [1/0] via 192.168.100.1, inside
C          192.168.100.0 255.255.255.0 is directly connected, inside
C          172.16.10.0 255.255.255.0 is directly connected, dmz
S           10.10.10.0 255.255.255.0 [1/0] via 172.16.10.1, dmz


access-list redirect-acl permit ip 192.168.100.0 255.255.255.0 any
access-list redirect-acl permit ip 172.16.0.0 255.255.0.0 any

class-map redirect-class
 match access-list redirect-acl

policy-map inside-policy
 class redirect-class
 sfr fail-open

service-policy inside-policy global
```

What is a result of the configuration?

A. Traffic from the DMZ network is redirected.
B. Traffic from the inside network is redirected.
C. All TCP traffic is redirected.
D. Traffic from the inside and DMZ networks is redirected.

Answer: D

NEW QUESTION 39
Which two services must remain as on-premises equipment when a hybrid email solution is deployed? (Choose two.)

A. DDoS
B. antispam
C. antivirus
D. encryption
E. DLP

Answer: DE

Explanation:
Reference: https://www.cisco.com/c/dam/en/us/td/docs/security/ces/overview_guide/Cisco_Cloud_Hybrid_Email_Security_Overview_Guide.pdf

NEW QUESTION 40
Which feature within Cisco Umbrella allows for the ability to inspect secure HTTP traffic?

A. File Analysis
B. SafeSearch
C. SSL Decryption
D. Destination Lists

Answer: C

NEW QUESTION 42
......

Relate Links

100% Pass Your 350-701 Exam with Exambible Prep Materials

https://www.exambible.com/350-701-exam/

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - https://www.exambible.com/