



IBM

Exam Questions 1Y0-204

Citrix Virtual Apps and Desktops 7 Administration

NEW QUESTION 1

A Citrix Administrator receives complaints from some users that authentication for the Citrix Gateway site fails. Which tool can the administrator use to find data regarding time of failure and a list of users facing this issue?

- A. Gateway Insight
- B. Security Insight
- C. Web Insight
- D. HDX Insight

Answer: A

NEW QUESTION 2

Scenario: A Citrix Administrator has given permissions to team members to access their own admin partition, so they can add resources for different departments and manage them without making changes to the default Citrix ADC partition and configuration.

One team member was trying to use the command-line interface to troubleshoot an authentication issue and could NOT use aaad.debug. However, the team member has full permissions on the admin partition.

What can be the cause of this issue?

- A. The team member does NOT have permission to use the CLI.
- B. The team member does NOT have Shell access by design.
- C. The team member needs to troubleshoot the issue from the GUI.
- D. The team member is NOT using the CLI correctly.

Answer: B

NEW QUESTION 3

Scenario: Users report that they are receiving new sessions instead of reconnecting to their disconnected sessions. A Citrix Administrator investigates the issues and finds the sessions are in a disconnected state when the users leave work.

What should the administrator configure to allow the users to reconnect to their disconnected sessions while roaming?

- A. Session Pre-launch
- B. Workspace Control
- C. Session Linging
- D. Session Timeout

Answer: B

NEW QUESTION 4

Which tool should a Citrix Administrator use to monitor the overall daily performance of a Citrix Virtual Apps and Desktops Site?

- A. Citrix Studio
- B. HDX Monitor
- C. Citrix Director
- D. CDF Traces

Answer: C

NEW QUESTION 5

Scenario: A Citrix Administrator of a large, multi-domain company needs to configure specific Group Policy Object (GPO) settings for Citrix Workspace app (Receiver) on managed endpoints that are in various locations. The administrator needs to have the ability to save the GPO template file to the Active Directory central store, so that Group Policy Administrators located in other domains can utilize it.

Which step should the administrator take to accomplish this task?

- A. Use the available Receiver ADMX and ADML template to configure the required settings locally.
- B. Use the available Receiver ADML template to configure the required settings at the domain level.
- C. Use the available Receiver ADML template to configure the required settings locally.
- D. Use the available Receiver ADMX and ADML template to configure the required settings at the domain level.

Answer: D

NEW QUESTION 6

Which three Citrix Virtual Desktops Site components are managed by Citrix, when using Citrix Cloud as the hosting platform? (Choose three.)

- A. Applications and Desktops
- B. Hypervisor
- C. License Server
- D. Site Database
- E. Delivery Controller

Answer: CDE

NEW QUESTION 7

Which three statements are correct regarding Citrix printing? (Choose three.)

- A. Citrix printing does NOT assign each printer a unique namespace within a given session.

- B. The Citrix Print Manager Service monitors session events, such as logon and logoffs or session termination.
- C. Citrix printing sets the default security descriptor for auto-created printers to ensure client printer security.
- D. Citrix printing allows administrators, but NOT users, to print to any other users' active session client printers.
- E. The Citrix Print Manager Service handles requests by impersonating the actual session user.

Answer: BCE

NEW QUESTION 8

After creating a new machine catalog using the Machine Creation Services (MCS) wizard in Citrix Studio, a Citrix Administrator determines that Windows activation fails for all new machines in that catalog.

Which two conditions can cause this to happen? (Choose two.)

- A. The base image rearm count has been exceeded.
- B. The Microsoft License Server is unreachable.
- C. The version of Windows installed uses Multiple Activation Key (MAK) licensing.
- D. The version of Windows installed is Windows Server 2012 R2.

Answer: BC

NEW QUESTION 9

A Citrix Administrator needs to match the host name 'www.example.com' in all HTTP requests. Which expression, when used, meets this requirement?

- A. HTTP.REQ.HOSTNAME.EQ("www.example.com")
- B. HTTP.REQ.HOSTNAME("example.com")
- C. HTTP.RES.HOSTNAME.CONTAINS("www.example.com")
- D. HTTP.RES.HOSTNAME.EQ("www.example.com")

Answer: A

NEW QUESTION 10

A user complains to a Citrix Administrator that application load time is long when they log on at the beginning of the work day.

Which feature can the administrator enable to reduce the perceived start time of the user's application?

- A. Application Limits
- B. Application Keyword
- C. Application Lingering
- D. Application Prelaunch

Answer: D

NEW QUESTION 10

What are three daily steps a Citrix Administrator should take to monitor a Citrix Virtual Apps and Desktops infrastructure? (Choose three.)

- A. Review Citrix policies.
- B. Perform a capacity assessment.
- C. Test environment access.
- D. Check virtual machine power states.
- E. Review available Citrix software upgrades.
- F. Check for warnings or alerts with Citrix Director.

Answer: CDF

NEW QUESTION 14

Scenario: A Citrix Administrator suspects an attack on a load balancing virtual server. The administrator needs to restrict access to the load balancing virtual server (192.168.100.25) for 10 minutes.

Which Access Control List (ACL) will help to accomplish this requirement?

- A. add simpleacl rule1 DENY –srcIP 192.168.100.25-TTL 600
- B. add ns acl rule1 DENY –destIP 192.168.100.25 –TTL 600
- C. add simpleacl rule1 DENY –srcIP 192.168.100.25 –TTL 600000
- D. add ns acl rule1 DENY –destIP 192.168.100.25 –TTL 600000

Answer: B

NEW QUESTION 18

Which component can optionally be hosted in Citrix Cloud or in a customer-controlled resource location, when using the Citrix Virtual Apps and Desktops service?

- A. Citrix License Server
- B. Citrix Gateway
- C. Site database
- D. Virtual Delivery Agent (VDA) machines

Answer: B

NEW QUESTION 21

Scenario: A Citrix Administrator has deployed machines using Machine Creation Services (MCS). A user logs on to a desktop from a random/non-persistent pool of Windows 10 desktops. During the session, the user installs Microsoft Office 2016. To which disk is the Microsoft Office installation data written during the session?

- A. Differencing
- B. Identity
- C. Temporary
- D. Personal

Answer: A

NEW QUESTION 26

Scenario: A Citrix Administrator configured Citrix ADC with multiple admin partitions, with different resources running one each. The administrator receives an SNMP alert stating 'a Load Balanced Virtual Server is down'. When the administrator checks the Citrix ADC, the resource on the partition that was usually managed is NOT there.

Now, the administrator has to check each partition to find the load balanced virtual server that is down.

What can the administrator do to add the partition information to the SNMP traps to avoid this from happening in the future?

- A. Configure additional SNMP trap listeners.
- B. Change SNMP trap options.
- C. Add the partition information to the SNMP traps.
- D. Configure the SNMP Manager to send the partition information.

Answer: C

NEW QUESTION 29

Which feature can a Citrix Administrator use to create a consistent set of front-end SSL parameters across multiple SSL virtual servers?

- A. SSL Profile
- B. SSL Bridge
- C. SSL Offload
- D. SSL Policy

Answer: A

NEW QUESTION 32

Which two actions must be true for a client to connect to an SSL offload virtual server without any SSL errors? (Choose two.)

- A. The Root Certificate is installed on the client's device.
- B. The Server Certificate is from a private certificate authority (CA).
- C. The Server Certificate is bound to the load-balancing virtual server.
- D. The Root Certificate is installed on the Citrix ADC.

Answer: AC

NEW QUESTION 35

Which Citrix ADC Access Control List (ACL) command can a Citrix Administrator use to bridge traffic originating from 192.168.10.200?

- A. add ns simpleacl6
- B. add ns acl6
- C. add ns acl
- D. add ns simpleacl

Answer: C

NEW QUESTION 36

Which mode on the Citrix ADC can a Citrix Administrator utilize to avoid asymmetrical packet flows and multiple route/ARP lookups?

- A. Use Subnet IP (USNIP)
- B. MAC-based forwarding (MBF)
- C. Layer 2
- D. Layer 3

Answer: B

NEW QUESTION 39

Scenario: A Citrix Administrator is in the process of migrating the existing 7.15 LTSR Virtual Delivery Agent (VDA) machines used on premises to Citrix Cloud. The administrator has created a new manual machine catalog and Delivery Group in Citrix Cloud and pointed to the existing Device Collection in Citrix Provisioning. The administrator also restarted the VDA machines.

What could prevent the VDA machines from registering in Citrix Cloud?

- A. The VDA master image was NOT updated to communicate with the Cloud Connectors.
- B. One of the two Cloud Connectors is down and unresponsive.
- C. The Citrix policies have NOT been migrated to Citrix Cloud.
- D. The VDA on the master image has NOT been updated to a later version.

Answer: A

NEW QUESTION 40

A user calls the help desk and states that launching a pooled random desktop takes as long as five minutes. Which Citrix Director report can a Citrix Administrator review to find out what might be causing the delay?

- A. Resource Utilization
- B. Connection Failures
- C. Logon Performance
- D. Load Evaluators

Answer: C

NEW QUESTION 45

A Citrix Administrator needs to block access to multiple URLs for security reasons. Which configuration should the administrator use to accomplish this requirement?

A

```
add policy patset BAD_URL
bind policy patset BAD_URL badurl1.mylab.lab -index 11 -charset ASCII
bind policy patset BAD_URL badurl2.mylab.lab -index 10 -charset ASCII
add responder policy BAD_URL_DNS "DNS.REQ.QUESTION.DOMAIN.CONTAINS(\"BAD_URL\")" RESET
bind responder global BAD_URL_DNS 100 END -type DNS_REQ_OVERRIDE
```

B

```
add policy patset BAD_URL
bind policy patset BAD_URL badurl1.mylab.lab -index 11 -charset ASCII
bind policy patset BAD_URL badurl2.mylab.lab -index 10 -charset ASCII
add responder policy BAD_URL_DNS "DNS.REQ.QUESTION.DOMAIN.CONTAINS(\"BAD_URL\")" DROP
bind responder global BAD_URL_DNS 100 END -type DNS_REQ_OVERRIDE
```

C

```
bind policy patset BAD_URL badurl1.mylab.lab -index 11 -charset ASCII
bind policy patset BAD_URL badurl2.mylab.lab -index 10 -charset ASCII
add responder policy BAD_URL_DNS "DNS.REQ.QUESTION.DOMAIN.CONTAINS(\"BAD_URL\")" RESET
bind responder global BAD_URL_DNS 100 END -type DNS_REQ
```

D

```
add policy patset BAD_URL
bind policy patset BAD_URL badurl1.mylab.lab -index 11 -charset ASCII
bind policy patset BAD_URL badurl2.mylab.lab -index 10 -charset ASCII
add responder policy BAD_URL_DNS "DNS.REQ.QUESTION.DOMAIN.CONTAINS_ANY(\"BAD_URL\")" RESET
bind responder global BAD_URL_DNS 100 END -type DNS_REQ_OVERRIDE
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: B

NEW QUESTION 50

Scenario: A Citrix Administrator has configured the Citrix ADC as a DNS Proxy Server. The administrator executed the commands in the screenshot on the Citrix ADC using the command-line interface.

Click on the 'Exhibit' button to view the screenshot of the command-line interface.

```
>
>add responder action Act_1 respondwidth DNS.NEW_RESPONSE(true, true, NOERROR)
Done
> add responder policy Pol_1 dns.REQ.TRANSPORT.EQ(udp) Act_1
Done
> bind lb vserver DNS -policyName Pol_1 -type request -priority 100
```

What will be the effect of this configuration?

- A. Create a DNS Request with TC bit set and rcode as NOERROR
- B. Create a DNS Response with TC bit set and rcode as NOERROR
- C. Set TC bit and rcode as NOERROR in the DNS Request from Client
- D. Set TC bit and rcode as NOERROR in the DNS Response from DNS server

Answer: B

NEW QUESTION 54

A Citrix Administrator configured the Responder policy to redirect the request for root page to the home page. However, after executing the command, the webpage access entered a loop, as shown in the second screenshot. Click on the 'Exhibit' buttons to view the screenshots.

```
>
>
> add responder action rs_redirect_home_act redirect "\ http://server1.training.lab/home.php
\" -responseStatusCode 302

Done


> add responder policy rs_redirect_home_pol HTTP.REQ.IS_VALID res_redirect_home_act

Done

> bind lb vserver lb_vsrv_www -policyName rs_redirect_home_pol -priority 100 -
gotoPriorityExpression END -type REQUEST

Done

>
>
```



How will the administrator rectify this issue?

- A. Change Responder action expression to "/"
- B. Change Responder Policy expression to http.REQ.URL.Contains("/")

- C. Change Responder Action expression to http.REQ.URL
- D. Change Responder Policy expression to http.REQ.URL.EQ("/")

Answer: D

NEW QUESTION 56

Which Citrix Profile Management feature maintains a backup of the NTUSER.DAT file?

- A. Active Write Back
- B. Profile Caching
- C. Profile Streaming
- D. Profile Protection

Answer: D

NEW QUESTION 59

Scenario: A Citrix Administrator needs to review the current state of specific machine sessions and application instances that are running in a Citrix Virtual Apps and Desktops Site. The administrator also needs to power-manage sessions. The Site is a premium licensed Site. Where should the administrator navigate to within Citrix Director to obtain this information?

- A. Filters
- B. Trends
- C. Dashboard
- D. Alerts

Answer: A

NEW QUESTION 64

Scenario: A Citrix Administrator is in the process of migrating a Citrix Virtual Apps and Desktops on-premises deployment to Citrix Cloud with an on-premises resource location. StoreFront and Citrix ADC machines are located on premises. The administrator notices that application enumeration is working, but application launch is failing with an error for resources managed by the Citrix Cloud Site. What does the administrator need to change in order to get application launch working?

- A. Add the Citrix Cloud Connectors as Secure Ticket Authority (STA) servers on Citrix ADC and StoreFront.
- B. Remove the Citrix polices on the old Citrix Delivery Controllers.
- C. Add the Citrix Cloud Connectors as XML servers to the existing StoreFront servers.
- D. Decommission the old Citrix Delivery Controllers and Databases.

Answer: A

NEW QUESTION 69

Scenario: A Citrix Administrator has deployed a Citrix Cloud-managed Citrix Virtual Apps and Desktops Site with one on-premises resource location and two Cloud Connectors. An on-premises StoreFront server group is used to access published resources. During user acceptance testing, due to adverse weather conditions, network connectivity between the on-premises location and Citrix Cloud was broken for several hours. Which statement describes what will occur in this scenario?

- A. One of the Citrix Cloud Connectors at the resource location is elected to be the primary broker and uses its Local Host Cache to broker new sessions and manage existing HDX connections.
- B. Users will NOT be able to access published resources, and existing sessions will be disconnected until network connectivity to Citrix Cloud is restored.
- C. The Citrix Cloud Connectors at the resource location will continue to manage existing sessions, but no new sessions can be initiated until network connectivity to Citrix Cloud is restored.
- D. Each Citrix Cloud Connector at the resource location will continue to broker new connections, for certain FlexCast models, using Connection Leasing and existing HDX connections will NOT be impacted.

Answer: A

NEW QUESTION 71

Which three database high availability features are supported for on-premises deployments of Citrix Virtual Apps and Desktops? (Choose three.)

- A. Always On Availability Groups
- B. Automatic Storage Management
- C. Mirroring
- D. Clustered Instances
- E. Flashback

Answer: ACD

NEW QUESTION 73

Scenario: A Citrix Administrator is configuring the Workspace Experience to provide users with access to their applications and desktops. The administrator deployed Microsoft Azure Active Directory (AD) already and wants to leverage it to support user access to the Workspace Experience. Which two steps does the administrator need to take to enable users to authenticate using Azure AD to the Workspace Experience? (Choose two.)

- A. Add Cloud Connector information to the Azure AD console.
- B. Enable Azure AD authentication under Workspace Configuration in Citrix Cloud.
- C. Add Azure AD Account under Identity Providers in Citrix Cloud.
- D. Deploy Cloud Connectors to support Azure AD authentication.

Answer: BC

NEW QUESTION 75

Scenario: A Citrix Administrator needs to deploy 300 virtual Windows 10 desktops in an environment. The deployment should have a low impact on the existing network infrastructure. The environment also requires user-installed applications and persistency. Which Citrix technology can the administrator use to provision the desktops?

- A. Citrix Provisioning
- B. Existing Machines
- C. Machine Creation Services
- D. Manual Provisioning

Answer: C

NEW QUESTION 77

What is the first thing a Citrix Administrator should create when creating a Server Certificate for Citrix ADC to secure traffic?

- A. A Private Key
- B. A Certificate key-pair
- C. A Certificate Signing Request
- D. A Certificate Revocation list

Answer: C

NEW QUESTION 81

Scenario: A Citrix Administrator needs to add 10 new web servers to an existing server farm. The new servers are configured to serve the same applications and connections and are twice the capacity of the existing servers. The administrator wants to ensure that they are being fully utilized. Currently in the environment, the default load-balancing method is being used.

To ensure that only the 10 new servers are receiving twice the connections of the old servers without changing the load balancing to the rest of the environment, the administrator needs to add a weight of to the services attached to the servers. (Choose the correct option to complete the sentence.)

- A. 50; new
- B. 2; old
- C. 50; old
- D. 2; new

Answer: D

NEW QUESTION 82

Scenario: A Citrix Administrator is working on a published application. The network connection remains active for 240 seconds but is interrupted and applications become unusable. The session then prompts for authentication. After the administrator successfully authenticates, the session is reconnected. Which policy makes this possible?

- A. Load Management
- B. Auto Client Reconnect
- C. Session Reliability
- D. ICA Keep Alive

Answer: C

NEW QUESTION 87

What two options are limitations of a typical Global Server Load Balancing (GSLB) setup? (Choose two.)

- A. An administrator CANNOT define a backup for a backup Vserver in an active standby GSLB setup for a given GSLB domain
- B. Apply spillover policies on a subset of GSLB services and the user CANNOT have a backup for a subset of GSLB services.
- C. Restrict the selection of a GSLB service from a subset of GSLB services bound to a GSLB virtual server for the given domain.
- D. Any given GSLB Vserver can load-balance only one FQDN.

Answer: BC

NEW QUESTION 92

For which three components can Citrix Director capture utilization statistics? (Choose three.)

- A. CPU
- B. IOPS
- C. Disk space
- D. Network
- E. Memory

Answer: ABE

NEW QUESTION 94

Scenario: A Citrix Administrator needs to deploy Citrix Virtual Apps Project requirements dictate that management and maintenance should be minimized for the administrator, while still maintaining control of the Virtual Delivery Agent (VDA) machines. Which hosting platform should the administrator choose to meet these requirements?

- A. Service provider
- B. On-premises
- C. Public Cloud-hosted
- D. Citrix Cloud

Answer: D

NEW QUESTION 97

Scenario: A Citrix Administrator is concerned about the amount of health checks the Citrix ADC is sending to the backend resources. The administrator would like to find a way to remove health checks from specific bound services.
How can the administrator accomplish this?

- A. Use reverse condition monitoring.
- B. Use the No-Monitor option.
- C. Unbind the current monitor.
- D. Use Service Groups to minimize health checks.

Answer: B

NEW QUESTION 102

How can a Citrix Administrator guarantee the availability of resource locations in a Citrix Cloud deployment?

- A. Deploy at least two Cloud Connectors for each resource location and load-balance them using Citrix ADC.
- B. Deploy at least two Cloud Connectors for each resource location.
- C. Convert one Cloud Connector to a template and deploy it when another Cloud Connector goes down.
- D. Deploy one Cloud Connector in each resource location.

Answer: B

NEW QUESTION 103

Which two features within Citrix Director can a Citrix Administrator use to view historical resource utilization for a machine running the Virtual Delivery Agent (VDA)? (Choose two.)

- A. Alerts
- B. Dashboard
- C. Applications
- D. Search
- E. Trends

Answer: CE

NEW QUESTION 104

Scenario: A Citrix Administrator needs to ensure that a user request is redirected to the next available data center in order to ensure the best user experience based upon location.

Below are the Global Server Load Balancing (GSLB) vserver settings:

```
sh gslb vserver gslb.outscale.cloud
gslb.outscale.cloud-SSL    State: UP
DNS Record Type: A
Last state changed was at Tue May 16 23:47:54 2017
Time since last state change: 16 days, 16:13:23.390
Configured Method: RTT
BackupMethod: LEASTCONNECTION
No. of Bound Services: 2(Total)    1(Active)
Persistence: NONE
Disable Primary Vserver on Down: DISABLED
Site Persistence: ConnectionProxy
```

To which setting should the administrator change the configured method?

- A. StaticProximity
- B. RoundRobin
- C. LeastConnection
- D. LeastBandwidth

Answer: C

NEW QUESTION 105

Which scenario will cause automatic high availability (HA) synchronization to fail?

- A. Manually forced synchronization
- B. A configuration change to the primary Citrix ADC
- C. Different build versions
- D. A force failover

Answer: C

NEW QUESTION 108

Scenario: A Citrix Administrator configured the HTTP_Callout feature on the Citrix ADC using the command-line interface. After configuring the commands, the device is facing the HTTP callout recursion issue.

Click on the 'Exhibit' button to view the screenshot of the command-line interface.

```
>
> add policy httpCallout myCallout
Done
> set policy httpCallout myCallout - IPAddress 10.102.3.95 -port 80 -returnType TEXT -
hostExpr "\"10.102.3.95\" \" -urlStemExpr \"/cgi-bin/check_clnt_from_database.pl
lout Request") -parameters cip (CLIENT.IP.SRC) -resultExpr "HTTP.RES.BODY(100)"
Done
> add responder policy Poll "SYS.HTTP_CALLOUT(myCallout).CONTAINS(\"IP Matched\")" RESET
Done
> bind responder global Poll 100 END -type OVERRIDE
```

How will the administrator rectify the issue?

- A. Change the expression of the Responder policy to "HTTP.REQ.HEADER(\"Request\").EQ(\"Callout Request\").NOT && SYS.HTTP_CALLOUT(myCallout).CONTAINS(\"IP Matched\")"
- B. Change the expression of the Responder policy to "HTTP.REQ.HEADER(\"Request\").EQ(\"Callout Request\").NOT && SYS.HTTP_CALLOUT(myCallout).CONTAINS(\"IP Matched\").NOT"
- C. In the HTTP Callout policy, change the -parameters to "cip(CLIENT.IP.SRC)&&HTTP.REQ.HEADER(\"Request\").EQ(\"Callout Request\")"
- D. In the HTTP Callout policy, change the -parameters to "cip(CLIENT.IP.DST)&&HTTP.REQ.HEADER(\"Request\").EQ(\"Callout Request\")"

Answer: B

NEW QUESTION 112

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

1Y0-204 Practice Exam Features:

- * 1Y0-204 Questions and Answers Updated Frequently
- * 1Y0-204 Practice Questions Verified by Expert Senior Certified Staff
- * 1Y0-204 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 1Y0-204 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 1Y0-204 Practice Test Here](#)