




Cisco

Exam Questions 350-401

Implementing and Operating Cisco Enterprise Network Core Technologies

NEW QUESTION 1

Refer to the exhibit.



Assuming that R is a CE router, which VRF is assigned to Gi0/0 on R1?

- A. VRF VPN_B
- B. Default VRF
- C. Management VRF
- D. VRF VPN_A

Answer: D

NEW QUESTION 2

A client device fails to see the enterprise SSID, but other devices are connected to it. What is the cause of this issue?

- A. The hidden SSID was not manually configured on the client.
- B. The broadcast SSID was not manually configured on the client.
- C. The client has incorrect credentials stored for the configured hidden SSID.
- D. The client has incorrect credentials stored for the configured broadcast SSID.

Answer: A

NEW QUESTION 3

If a VRRP master router fails, which router is selected as the new master router?

- A. router with the highest priority
- B. router with the highest loopback address
- C. router with the lowest loopback address
- D. router with the lowest priority

Answer: A

NEW QUESTION 4

Which protocol does REST API rely on to secure the communication channel?

- A. TCP
- B. HTTPS
- C. SSH
- D. HTTP

Answer: B

NEW QUESTION 5

Which HTTP status code is the correct response for a request with an incorrect password applied to a REST API session?

- A. HTTP Status Code 200
- B. HTTP Status Code 302
- C. HTTP Status Code 401
- D. HTTP Status Code: 504

Answer: C

NEW QUESTION 6


On which protocol or technology is the fabric data plane based in Cisco SD-Access fabric?

- A. LISP
- B. IS-IS
- C. Cisco TrustSec
- D. VXLAN

Answer: D

NEW QUESTION 7

Refer to the exhibit.



Which type of antenna do the radiation patterns present?

- A. Patch
- B. Omnidirectional
- C. Yagi
- D. Dipole

Answer: A

NEW QUESTION 8

Which statement explains why Type 1 hypervisor is considered more efficient than Type 2 hypervisor?

- A. Type 1 hypervisor runs directly on the physical hardware of the host machine without relying on the underlying OS.
- B. Type 1 hypervisor enables other operating systems to run on it.
- C. Type 1 hypervisor relies on the existing OS of the host machine to access CPU, memory, storage, and network resources.
- D. Type 1 hypervisor is the only type of hypervisor that supports hardware acceleration techniques.

Answer: A

NEW QUESTION 9

Which method creates an EEM applet policy that is registered with EEM and runs on demand or manually?

- A. event manager applet ondemand event registeraction 1.0 syslog priority critical msg 'This is a message from ondemand'
- B. event manager applet ondemand event manualaction 1.0 syslog priority critical msg 'This is a message from ondemand'
- C. event manager applet ondemand event noneaction 1.0 syslog priority critical msg 'This is a message from ondemand'
- D. event manager applet ondemandaction 1.0 syslog priority critical msg 'This is a message from ondemand'

Answer: C

NEW QUESTION 10


What the role of a fusion in an SD-Access solution?


- A. provides connectivity to external networks
- B. acts as a DNS server
- C. performs route leaking between user-defined virtual networks and shared services
- D. provides additional forwarding capacity to the fabric

Answer: C

NEW QUESTION 10

Which exhibit displays a valid JSON file?





- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: D

NEW QUESTION 12

Which statement describes the IP and MAC allocation requirements for virtual machines on types 1 hypervisors?

- A. Each virtual machine requires a unique IP and MAC addresses to be able to reach to other nodes.
- B. Each virtual machine requires a unique IP address but shares the MAC address with the physical server
- C. Each virtual machines requires a unique IP address but shares the MAC address with the address of the physical server.
- D. Each virtual machine requires a unique MAC address but shares the IP address with the physical server.

Answer: A

NEW QUESTION 16

Which statement about an RSPAN session configuration is true?

- A. A filter must be configured for RSPAN Regions
- B. Only one session can be configured at a time
- C. A special VLAN type must be used as the RSPAN destination.
- D. Only incoming traffic can be monitored

Answer: C

NEW QUESTION 21

At which Layer does Cisco DNA Center support REST controls?

- A. EEM applets or scripts
- B. Session layer
- C. YAML output from responses to API calls
- D. Northbound APIs

Answer: D

NEW QUESTION 24

Which First Hop Redundancy Protocol maximizes uplink utilization and minimizes the amount of configuration that is necessary?

- A. GLBP
- B. HSRP v2
- C. VRRP
- D. HSRP v1

Answer: A

NEW QUESTION 29

What is the difference between the enable password and the enable secret password when service password encryption is enable on an IOS device?

- A. The enable password is encrypted with a stronger encryption method.
- B. There is no difference and both passwords are encrypted identically.
- C. The enable password cannot be decrypted.
- D. The enable secret password is protected via stronger cryptography mechanisms.

Answer: D

NEW QUESTION 33

Which two methods are used by an AP that is trying to discover a wireless LAN controller? (Choose two.)

- A. Cisco Discovery Protocol neighbour
- B. broadcasting on the local subnet
- C. DNS lookup cisco-DNA-PRIMARY.localdomain
- D. DHCP Option 43
- E. querying other APs

Answer: CD

NEW QUESTION 35


Which description of an SD-Access wireless network infrastructure deployment is true?

- A. The access point is part of the fabric underlay.
- B. The WLC is part of the fabric underlay.
- C. The access point is part the fabric overlay.
- D. The wireless client is part of the fabric overlay.

Answer: C

NEW QUESTION 39

Refer to the exhibit.



Which configuration establishes EBGp neighborhood between these two directly connected neighbors and exchanges the loopback network of the two routers through BGP?

- A)
- ```
R1(config)#router bgp 1
R1(config-router)#neighbor 192.168.10.2 remote-as 2
R1(config-router)#network 10.1.1.0 mask 255.255.255.0

R2(config)#router bgp 2
R2(config-router)#neighbor 192.168.10.1 remote-as 1
R2(config-router)#network 10.2.2.0 mask 255.255.255.0
```
- B)
- ```
R1(config)#router bgp 1
R1(config-router)#neighbor 10.2.2.2 remote-as 2
R1(config-router)#network 10.1.1.0 mask 255.255.255.0

R2(config)#router bgp 2
R2(config-router)#neighbor 10.1.1.1 remote-as 1
R2(config-router)#network 10.2.2.0 mask 255.255.255.0
```
- C)
- ```
R1(config)#router bgp 1
R1(config-router)#neighbor 192.168.10.2 remote-as 2
R1(config-router)#network 10.0.0.0 mask 255.0.0.0

R2(config)#router bgp 2
R2(config-router)#neighbor 192.168.10.1 remote-as 1
R2(config-router)#network 10.0.0.0 mask 255.0.0.0
```
- D)
- ```
R1(config)#router bgp 1
R1(config-router)#neighbor 10.2.2.2 remote-as 2
R1(config-router)#neighbor 10.2.2.2 update-source lo0
R1(config-router)#network 10.1.1.0 mask 255.255.255.0

R2(config)#router bgp 2
R2(config-router)#neighbor 10.1.1.1 remote-as 1
R2(config-router)#neighbor 10.1.1.1 update-source lo0
R2(config-router)#network 10.2.2.0 mask 255.255.255.0
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: A

NEW QUESTION 41

Which JSON syntax is valid?

- ☐ ["switch": "name": "dist1", "interfaces": ["gig1", "gig2", "gig3"]}
- ☐ { "switch": { "name": "dist1", "interfaces": ["gig1", "gig2", "gig3"] }}
- ☒ {"switch": {"name": "dist1", "interfaces": ["gig1", "gig2", "gig3"]}}
- ☐ [{"switch/": [{"name/": "dist1", /"interfaces/": ["gig1", "gig2", "gig3"]}]]

- A. Option A
B. Option B
C. Option C
D. Option D

Answer: B

NEW QUESTION 45

Which statement about TLS is true when using RESTCONF to write configurations on network devices?

- A. It is provided using NGINX acting as a proxy web server.
B. It is no supported on Cisco devices.
C. It required certificates for authentication.
D. It is used for HTTP and HTTPs requests.

Answer: C

NEW QUESTION 49

Which statement about Cisco EAP-FAST is true?

- A. It does not require a RADIUS server certificate.
B. It requires a client certificate.
C. It is an IETF standard.
D. It operates in transparent mode.

Answer: A

NEW QUESTION 53

What are two benefits of virtualizing the server with the use of VMs in data center environment? (Choose two.)

- A. Increased security
B. reduced rack space, power, and cooling requirements
C. reduced IP and MAC address requirements
D. speedy deployment
E. smaller Layer 2 domain

Answer: BD

NEW QUESTION 56

Which requirement for an Ansible-managed node is true?

- A. It must be a Linux server or a Cisco device.
B. It must have an SSH server running.
C. It must support ad hoc commands.
D. It must have an Ansible Tower installed.

Answer: A

NEW QUESTION 58

When reason could cause an OSPF neighborship to be in the EXSTART/EXCHANGE state?

- A. Mismatched OSPF network type
B. Mismatched areas
C. Mismatched MTU size
D. Mismatched OSPF link costs

Answer: C

NEW QUESTION 61

Which LISP device is responsible for publishing EID-to-RLOC mappings for a site?

- A. ETR
- B. MS
- C. ITR
- D. MR

Answer: A

NEW QUESTION 62

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

350-401 Practice Exam Features:

- * 350-401 Questions and Answers Updated Frequently
- * 350-401 Practice Questions Verified by Expert Senior Certified Staff
- * 350-401 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * 350-401 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 350-401 Practice Test Here](#)