



Microsoft

Exam Questions MS-102

Microsoft 365 Administrator Exam

About ExamBible

[Your Partner of IT Exam](#)

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

- (Topic 6)

You have a Microsoft 365 tenant that is signed up for Microsoft Store for Business and contains a user named User1. You need to ensure that User1 can perform the following tasks in Microsoft Store for Business:

- Assign licenses to users.
 - Procure apps from Microsoft Store.
 - Manage private store availability for all items.
- The solution must use the principle of least privilege.

Which Microsoft Store for Business role should you assign to User1?

- A. Basic Purchaser
- B. Device Guard signer
- C. Admin
- D. Purchaser

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-store/microsoft-store-for-business-overview>

NEW QUESTION 2

HOTSPOT - (Topic 6)

HOTSPOT

You have a Microsoft 365 subscription.

You need to review metrics for the following: The daily active users in Microsoft Teams Recent Microsoft service issues

What should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Teams daily active users:

<input type="checkbox"/>	Microsoft Secure Score
<input type="checkbox"/>	Adoption Score
<input type="checkbox"/>	Service health
<input type="checkbox"/>	Usage reports

Recent Microsoft service issues:

<input type="checkbox"/>	Microsoft Secure Score
<input type="checkbox"/>	Adoption Score
<input type="checkbox"/>	Service health
<input type="checkbox"/>	Usage reports

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Usage reports

The daily active users in Microsoft Teams

Microsoft 365 Reports in the admin center - Microsoft Teams usage activity

The brand-new Teams usage report gives you an overview of the usage activity in Teams, including the number of active users, channels and messages so you can quickly see how many users across your organization are using Teams to communicate and collaborate. It also includes other Teams specific activities, such as the number of active guests, meetings, and messages.

Box 2: Service Health

Recent Microsoft service issues

You can view the health of your Microsoft services, including Office on the web, Yammer, Microsoft Dynamics CRM, and mobile device management cloud services, on the Service health page in the Microsoft 365 admin center. If you are experiencing problems with a cloud service, you can check the service health to determine whether this is a known issue with a resolution in progress before you call support or spend time troubleshooting.

NEW QUESTION 3

- (Topic 6)

You have a Microsoft 365 tenant that uses Microsoft Endpoint Manager for device management. You need to add the phone number of the help desk to the Company Portal app. What should you do?

- A. From Customization in the Microsoft Endpoint Manager admin center, modify the support information for the tenant.
- B. From the Microsoft Endpoint Manager admin center, create an app configuration policy.
- C. From the Microsoft 365 admin center, modify Organization information.
- D. From the Microsoft 365 admin center, modify Help desk information.

Answer: A

Explanation:
Reference:
<https://systemcenterdudes.com/intune-company-portal-customization/>

NEW QUESTION 4
HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 tenant
You create a data loss prevention (DLP) policy to prevent users from using Microsoft Teams to share internal documents with external users.
To which two locations should you apply the policy? To answer, select the appropriate locations in the answer area.
NOTE: Each correct selection is worth one point.

Choose locations to apply the policy

We'll apply the policy to data that's stored in the locations you choose.

ⓘ Protecting sensitive info in on-premises repositories (SharePoint sites and file shares) is now in preview. Note that there are prerequisite steps needed to support this new capability. [Learn more about the prerequisites](#)

Status	Location	Included	Excluded
<input type="radio"/> Off	Exchange email	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input type="radio"/> Off	SharePoint sites	<input type="checkbox"/>	<input type="checkbox"/>
<input type="radio"/> Off	OneDrive accounts	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input type="radio"/> Off	Teams chat and channel messages	<input type="checkbox"/>	<input type="checkbox"/>
<input type="radio"/> Off	Devices	<input type="checkbox"/>	<input type="checkbox"/>
<input type="radio"/> Off	Microsoft Cloud App Security	<input type="checkbox"/>	<input type="checkbox"/>
<input type="radio"/> Off	On-premises repositories	<input type="checkbox"/>	<input type="checkbox"/>

- A. Mastered
- B. Not Mastered

Answer: A

Choose locations to apply the policy

We'll apply the policy to data that's stored in the locations you choose.

ⓘ Protecting sensitive info in on-premises repositories (SharePoint sites and file shares) is now in preview. Note that there are prerequisite steps needed to support this new capability. [Learn more about the prerequisites](#)

Status	Location	Included	Excluded
<input type="radio"/> Off	Exchange email	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input type="radio"/> Off	SharePoint sites	<input type="checkbox"/>	<input type="checkbox"/>
<input type="radio"/> Off	OneDrive accounts	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input type="radio"/> Off	Teams chat and channel messages	<input type="checkbox"/>	<input type="checkbox"/>
<input type="radio"/> Off	Devices	<input type="checkbox"/>	<input type="checkbox"/>
<input type="radio"/> Off	Microsoft Cloud App Security	<input type="checkbox"/>	<input type="checkbox"/>
<input type="radio"/> Off	On-premises repositories	<input type="checkbox"/>	<input type="checkbox"/>

NEW QUESTION 5

DRAG DROP - (Topic 6)

You have a Microsoft 365 E5 subscription that contains a Microsoft SharePoint Online site named Site1.

You need to automatically label the documents on Site1 that contain credit card numbers. Which three actions should you perform in sequence? To answer, move the appropriate

actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Create a sensitivity label.	
Create an auto-labeling policy.	
Create a sensitive information type.	
Wait 24 hours, and then turn on the policy.	
Publish the label.	
Create a retention label.	
Wait eight hours, and then turn on the policy.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
Create a sensitivity label.	Create a sensitivity label.
Create an auto-labeling policy.	
Create a sensitive information type.	Publish the label.
Wait 24 hours, and then turn on the policy.	
Publish the label.	Create an auto-labeling policy.
Create a retention label.	
Wait eight hours, and then turn on the policy.	

NEW QUESTION 6

- (Topic 6)

You have a Microsoft 365 E5 subscription that contains a user named User1.

User1 exceeds the default daily limit of allowed email messages and is on the Restricted entities list.

You need to remove User1 from the Restricted entities list. What should you use?

- A. the Exchange admin center
- B. the Microsoft Purview compliance portal
- C. the Microsoft 365 admin center
- D. the Microsoft 365 Defender portal
- E. the Microsoft Entra admin center

Answer: D

Explanation:

Admins can remove user accounts from the Restricted entities page in the Microsoft 365 Defender portal or in Exchange Online PowerShell.

Remove a user from the Restricted entities page in the Microsoft 365 Defender portal In the Microsoft 365 Defender portal at <https://security.microsoft.com>, go to Email & collaboration > Review > Restricted entities. Or, to go directly to the Restricted entities page, use <https://security.microsoft.com/restrictedentities>.

Reference:

<https://learn.microsoft.com/en-us/microsoft-365/security/office-365-security/removing-user-from-restricted-users-portal-after-spam>

NEW QUESTION 7

- (Topic 6)

Your company has offices in five cities. The company has a Microsoft 365 tenant.

Each office is managed by a local administrator. You plan to deploy Microsoft Intune.

You need to recommend a solution to manage resources in Intune that meets the following requirements:

? Local administrators must be able to manage only the resources in their respective office.

? Local administrators must be prevented from managing resources in other offices.

? Administrative effort must be minimized.

What should you include in the recommendation?

- A. device categories
- B. scope tags
- C. configuration profiles

D. conditional access policies

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/mem/intune/fundamentals/scope-tags>

NEW QUESTION 8

- (Topic 6)

You have a Microsoft 365 E5 subscription.

You plan to implement Microsoft 365 compliance policies to meet the following requirements:

? Identify documents that are stored in Microsoft Teams and SharePoint Online that contain Personally Identifiable Information (PII).

? Report on shared documents that contain PII.

What should you create?

A. an alert policy

B. a data loss prevention (DLP) policy

C. a retention policy

D. a Microsoft Cloud App Security policy

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/dlp-learn-about-dlp?view=o365-worldwide>

NEW QUESTION 9

- (Topic 6)

You have a Microsoft 365 E5 tenant that contains the resources shown in the following table.

Name	Type
Mailbox1	Microsoft Exchange Online mailbox
Account1	Microsoft OneDrive account
Site1	Microsoft SharePoint Online site
Channel	Microsoft Teams channel

To which resources can you apply a sensitivity label by using an auto-labeling policy?

A. Mailbox1 and Site1 only

B. Mailbox1, Account1, and Site1 only

C. Account1 and Site1 only

D. Mailbox1, Account1, Site1, and Channel1

E. Account1, Site1, and Channel1 only

Answer: E

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/sensitivity-labels?view=o365-worldwide>

NEW QUESTION 10

- (Topic 6)

Your company has 10,000 users who access all applications from an on-premises data center.

You plan to create a Microsoft 365 subscription and to migrate data to the cloud. You plan to implement directory synchronization.

User accounts and group accounts must sync to Azure AD successfully. You discover that several user accounts fail to sync to Azure AD.

You need to resolve the issue as quickly as possible. What should you do?

A. From Active Directory Administrative Center, search for all the users, and then modify the properties of the user accounts.

B. Run idfix.exe, and then click Edit.

C. From Windows PowerShell, run the start-AdSyncSyncCycle -PolicyType Delta command.

D. Run idfix.exe, and then click Complete.

Answer: B

Explanation:

IdFix is used to perform discovery and remediation of identity objects and their attributes in an on-premises Active Directory environment in preparation for migration to Azure Active Directory. IdFix is intended for the Active Directory administrators responsible for directory synchronization with Azure Active Directory.

Reference:

<https://docs.microsoft.com/en-us/office365/enterprise/prepare-directory-attributes-for-synch-with-idfix>

NEW QUESTION 10

- (Topic 6)

You have a Microsoft 365 tenant.

You plan to enable BitLocker Disk Encryption (BitLocker) automatically for all Windows 10 devices that enroll in Microsoft Intune.

What should you use?

- A. an attack surface reduction (ASR) policy
- B. an app configuration policy
- C. a device compliance policy
- D. a device configuration profile

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/mem/intune/protect/encrypt-devices>

NEW QUESTION 11

- (Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription that contains a user named User1. You need to enable User1 to create Compliance Manager assessments.

Solution: From the Microsoft 365 admin center, you assign User1 the Compliance data admin role.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://github.com/MicrosoftDocs/microsoft-365-docs/blob/public/microsoft-365/security/office-365-security/permissions-in-the-security-and-compliance-center.md>

NEW QUESTION 12

- (Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an Active Directory domain. You deploy an Azure AD tenant.

Another administrator configures the domain to synchronize to Azure AD.

You discover that 10 user accounts in an organizational unit (OU) are NOT synchronized to Azure AD. All the other user accounts synchronized successfully.

You review Azure AD Connect Health and discover that all the user account synchronizations completed successfully.

You need to ensure that the 10 user accounts are synchronized to Azure AD. Solution: From Azure AD Connect, you modify the Azure AD credentials.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

The question states that “all the user account synchronizations completed successfully”. Therefore, the Azure AD credentials are configured correctly in Azure AD Connect. It is likely that the 10 user accounts are being excluded from the synchronization cycle by a filtering rule.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sync-configure-filtering>

NEW QUESTION 16

- (Topic 6)

You have a Microsoft 365 E5 subscription.

You need to compare the current Safe Links configuration to the Microsoft recommended configurations.

What should you use?

- A. Microsoft Purview
- B. Azure AD Identity Protection
- C. Microsoft Secure Score
- D. the configuration analyzer

Answer: C

NEW QUESTION 19

HOTSPOT - (Topic 6)

You have a Microsoft 365 tenant that contains devices enrolled in Microsoft Intune. The devices are configured as shown in the following table.

Name	Platform
Device1	Windows 10
Device2	Android
Device3	iOS

You plan to perform the following device management tasks in Microsoft Endpoint Manager:

? Deploy a VPN connection by using a VPN device configuration profile.

? Configure security settings by using an Endpoint Protection device configuration profile.

You support the management tasks.

What should you identify? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

VPN device configuration profile:

▼

Device1 only

Device1 and Device2 only

Device1 and Device3 only

Device1, Device2 and Device3

Endpoint Protection device configuration profile:

▼

Device1 only

Device1 and Device2 only

Device1 and Device3 only

Device1, Device2 and Device3

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

VPN device configuration profile:

▼

Device1 only

Device1 and Device2 only

Device1 and Device3 only

Device1, Device2 and Device3

Endpoint Protection device configuration profile:

▼

Device1 only

Device1 and Device2 only

Device1 and Device3 only

Device1, Device2 and Device3

NEW QUESTION 20

- (Topic 6)

You have a Microsoft 365 E5 subscription.

You define a retention label that has the following settings:

- Retention period 7 years
- Start the retention period based on: When items were created

You need to prevent the removal of the label once the label is applied to a file. What should you select in the retention label settings?

- A. Retain items even if users delete
- B. Mark items as a record
- C. Mark items as a regulatory record
- D. Retain items forever

Answer: B

NEW QUESTION 22

- (Topic 6)

You have a Microsoft 365 E5 tenant.

You create a retention label named Retention1 as shown in the following exhibit.

Review your settings

Name Edit
Retention1

Description for admins Edit

Description for users Edit

File plan descriptors Edit
Reference Id:1
Business function/department Legal
Category: Compliance
Authority type: Legal

Retention Edit
7 years
Retain only
Based on when it was created

Back

Create this label

Cancel

When users attempt to apply Retention1, the label is unavailable. You need to ensure that Retention1 is available to all the users. What should you do?

- A. Create a new label policy
- B. Modify the Authority type setting for Retention!
- C. Modify the Business function/department setting for Retention 1.
- D. Use a file plan CSV template to import Retention1.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/create-apply-retention-labels?view=o365-worldwide>

NEW QUESTION 23

HOTSPOT - (Topic 6)

HOTSPOT

You have a Microsoft 365 subscription.

A user named user1@contoso.com was recently provisioned.

You need to use PowerShell to assign a Microsoft Office 365 E3 license to User1. Microsoft Bookings must NOT be enabled.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

```
-Scopes User.ReadWrite.All, Organization.Read.All
Connect-AzureAD
Connect-MgGraph
Connect-MSOLService

$E3 = Get-AzureADUser | Where SkuPartNumber -eq 'EnterprisePack'
Get-MgSubscribedSku
Get-MSOLAccountSKU

$disabledPlans = $E3.ServicePlans | Where ServicePlanName -in
("MICROSOFTBOOKINGS") | select -ExcludeProperty ServicePlanID

$licenseOptions= @(
    @(
        SkuId = $E3.SkuId
        DisabledPlans = $disabledPlans
    )
)

Set-AzureADUser -UserId User1@contoso.com -AddLicenses $licenseOptions -RemoveLicenses @()
```

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: Connect-MgGraph

Assign Microsoft 365 licenses to user accounts with PowerShell Use the Microsoft Graph PowerShell SDK

First, connect to your Microsoft 365 tenant.

Assigning and removing licenses for a user requires the User.ReadWrite.All permission scope or one of the other permissions listed in the 'Assign license' Microsoft Graph API reference page.

The Organization.Read.All permission scope is required to read the licenses available in the tenant.

Connect-MgGraph -Scopes User.ReadWrite.All, Organization.Read.All Box 2: Get-MgSubscribedSku

Run the Get-MgSubscribedSku command to view the available licensing plans and the

number of available licenses in each plan in your organization. The number of available licenses in each plan is ActiveUnits - WarningUnits - ConsumedUnits.

Box 3: Set-MgUserLicense Assigning licenses to user accounts

To assign a license to a user, use the following command in PowerShell.

Set-MgUserLicense -UserId \$userUPN -AddLicenses @{Skuld = "<Skuld>"} - RemoveLicenses @()

This example assigns a license from the SPE_E5 (Microsoft 365 E5) licensing plan to the unlicensed user belindan@litwareinc.com:

\$e5Sku = Get-MgSubscribedSku -All | Where SkuPartNumber -eq 'SPE_E5'

Set-MgUserLicense -UserId "belindan@litwareinc.com" -AddLicenses @{Skuld = \$e5Sku.Skuld} -RemoveLicenses @()

NEW QUESTION 25

- (Topic 6)

You have an Azure AD tenant and a Microsoft 365 E5 subscription. The tenant contains the users shown in the following table.

Name	Role
User1	Security Administrator
User2	Security Operator
User3	Security Reader
User4	Compliance Administrator

You plan to implement Microsoft Defender for Endpoint.

You verify that role-based access control (RBAC) is turned on in Microsoft Defender for Endpoint.

You need to identify which user can view security incidents from the Microsoft 365 Defender portal.

Which user should you identify?

- A. User1
B. User2
C. User3
D. User4

Answer: A

NEW QUESTION 26

- (Topic 6)

You have a Microsoft 365 subscription.

You plan to use Adoption Score and need to ensure that it can obtain device and software metrics.

What should you do?

- A. Enable Endpoint analytics.
B. Run the Microsoft 365 network connectivity test on each device.
C. Enable privileged access.
D. Configure Support integration.

Answer: A

NEW QUESTION 31

- (Topic 6)

Your company has multiple offices.

You have a Microsoft 365 E5 tenant that uses Microsoft Intune for device management. Each office has a local administrator.

You need to ensure that the local administrators can manage only the devices in their respective office.

What should you use?

- A. scope tags
B. configuration profiles
C. device categories
D. conditional access policies

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/mem/intune/fundamentals/scope-tags>

NEW QUESTION 32

- (Topic 6)

You have a Microsoft 365 E5 subscription that contains the resources shown in the following table.

Name	Type
Group1	Microsoft 365 group
Group2	Distribution group
Site1	Microsoft SharePoint site

You create a sensitivity label named Label1. To which resource can you apply Label1?

- A. Group1 only
- B. Group2 only
- C. Site1 only
- D. Group1 and Group2 only
- E. Group1, Group2, and Site1

Answer: E

Explanation:

Assign sensitivity labels to Microsoft 365 groups in Azure Active Directory

Azure Active Directory (Azure AD), part of Microsoft Entra, supports applying sensitivity labels published by the Microsoft Purview compliance portal to Microsoft 365 groups.

In addition to using sensitivity labels to protect documents and emails, you can also use sensitivity labels to protect content in the following containers: Microsoft Teams sites, Microsoft 365 groups (formerly Office 365 groups), and SharePoint sites.

When you configure a label policy, you can:

Choose which users and groups see the labels. Labels can be published to any specific user or email-enabled security group, distribution group, or Microsoft 365 group (which can have dynamic membership) in Azure AD.

Reference:

<https://learn.microsoft.com/en-us/microsoft-365/compliance/sensitivity-labels-teams-groups-sites>

<https://learn.microsoft.com/en-us/microsoft-365/compliance/sensitivity-labels?view=o365-worldwide>

NEW QUESTION 33

HOTSPOT - (Topic 6)

Your company has a Microsoft 365 subscription that contains the users shown in the following table.

Name	Role
User1	Global Administrator
User2	Security Administrator, Guest Inviter
User3	None
User4	Password Administrator

External collaboration settings have default configuration.

You need to identify which users can perform the following administrative tasks:

- Modify the password protection policy.
- Create guest user accounts.

Which users should you identify for each task? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Modify the password protection policy:


Create new guest users in Azure AD:


- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Modify the password protection policy: 

Create new guest users in Azure AD: 

NEW QUESTION 35

- (Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription that contains a user named User1. You need to enable User1 to create Compliance Manager assessments.

Solution: From the Microsoft 365 admin center, you assign User1 the Compliance admin role.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://github.com/MicrosoftDocs/microsoft-365-docs/blob/public/microsoft-365/security/office-365-security/permissions-in-the-security-and-compliance-center.md>

NEW QUESTION 39

HOTSPOT - (Topic 6)

HOTSPOT

You have an Azure AD tenant named contoso.com that contains the users shown in the following table.

Name	Member of	Multi-Factor Auth Status
User1	Group1	Disabled
User2	Group1	Enforced

Multi-factor authentication (MFA) is configured to use 131.107.5.0/24 as trusted IPs. The tenant contains the named locations shown in the following table.

Name	IP address range	Trusted location
Location1	131.107.20.0/24	Yes
Location2	131.107.50.0/24	Yes

You create a conditional access policy that has the following configurations:

? Users or workload identities assignments: All users

? Cloud apps or actions assignment: App1

? Conditions: Include all trusted locations

? Grant access: Require multi-factor authentication

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
When User1 connects to App1 from a device that has an IP address of 131.107.50.10, User1 must use MFA.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
When User2 connects to App1 from a device that has an IP address of 131.107.20.15, User2 must use MFA.	<input type="checkbox"/>	<input type="checkbox"/>
When User2 connects to App1 from a device that has an IP address of 131.107.5.5, User2 must use MFA.	<input type="checkbox"/>	<input type="checkbox"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes
* 131.107.50.10 is in a Trusted Location so the conditional access policy applies. The policy requires MFA. However, User1’s MFA status is disabled. The MFA requirement in the conditional access policy will override the user’s MFA status of disabled. Therefore, User1 must use MFA.
Box 2: Yes.
* 131.107.20.15 is in a Trusted Location so the conditional access policy applies. The policy requires MFA so User2 must use MFA.
Box 3: No.
IP not from Trusted Location so Policy does not apply, Subnet 131.107.5.5 is not in the range of 131.107.50.0/24

NEW QUESTION 41

HOTSPOT - (Topic 6)
HOTSPOT

Your network contains an on-premises Active Directory forest named contoso.com. The forest contains the following domains:
? Contoso.com
? East.contoso.com
The forest contains the users shown in the following table.

Name	UPN suffix
User1	Contoso.com
User2	East.contoso.com
User3	Fabrikam.com

The forest syncs to an Azure AD tenant named contoso.com as shown in the exhibit. (Click the Exhibit tab.)

PROVISION FROM ACTIVE DIRECTORY



Azure AD Connect cloud provisioning

This feature allows you to manage provisioning from the cloud.

[Manage provisioning \(Preview\)](#)

Azure AD Connect sync

Sync Status	Enabled
Last Sync	Less than 1 hour ago
Password Hash Sync	Disabled

USER SIGN-IN



Federation	Disabled	0 domains
Seamless single sign-on	Enabled	1 domain
Pass-through authentication	Enabled	2 agents

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
User1 can authenticate to Azure AD by using a username of user1@contoso.com.	<input checked="" type="radio"/>	<input type="radio"/>
User2 can authenticate to Azure AD by using a username of user2@contoso.com.	<input type="radio"/>	<input type="radio"/>
User3 can authenticate to Azure AD by using a username of user3@contoso.com.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes
The UPN of user1 is user1 @contoso.com so he can authenticate to Azure AD by using the username user1 @contoso.com.

Box 2: No

The UPN of user2 is user2@east.contoso.com so he cannot authenticate to Azure AD by using the username user2@contoso.com.

Box 3: No

The UPN of user3 is user3@fabrikam.com so he cannot authenticate to Azure AD by using the username user3@contoso.com.

NEW QUESTION 44

- (Topic 6)

You have a Microsoft 365 subscription that contains the alerts shown in the following table.

Name	Severity	Status	Comment	Category
Alert1	Medium	Active	Comment1	Threat management
Alert2	Low	Resolved	Comment2	Other

Which properties of the alerts can you modify?

- A. Status only
- B. Status and Comment only
- C. Status and Severity only
- D. Status, Severity, and Comment only
- E. Status, Severity, Comment and Category

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/defender-endpoint/update-alert?view=o365-worldwide#limitations>

NEW QUESTION 49

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription that contains the groups shown in the following table.

Name	Type	Role
Group1	Security	Helpdesk Administrator
Group2	Security	None
Group3	Microsoft 365	User Administrator

The subscription contains the users shown in the following table.

Name	Member of
User1	Group1
User2	Group2
User3	Group3

In Azure AD, you configure the External collaboration settings as shown in the following exhibit.

Guest user access

Guest user access restrictions ⓘ

Learn more

☐ Guest users have the same access as members (most inclusive)

☒ Guest users have limited access to properties and memberships of directory objects

☐ Guest user access is restricted to properties and memberships of their own directory objects (most restrictive)

Guest invite settings

Guest invite restrictions ⓘ

Learn more

☐ Anyone in the organization can invite guest users including guests and non-admins (most inclusive)

☐ Member users and users assigned to specific admin roles can invite guest users including guests with member permissions

☒ Only users assigned to specific admin roles can invite guest users

☐ No one in the organization can invite guest users including admins (most restrictive)

Enable guest self-service sign up via user flows ⓘ

Learn more

Yes

No

External user leave settings

Allow external users to remove themselves from your organization (recommended) ⓘ

Learn more

Collaboration restrictions

☒ Allow invitations to be sent to any domain (most inclusive)

☐ Deny invitations to the specified domains

☐ Allow invitations only to the specified domains (most restrictive)

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Answer Area		
Statements	Yes	No
User1 can invite guest users.	<input type="radio"/>	<input type="radio"/>
User2 can invite guest users.	<input type="radio"/>	<input type="radio"/>
User3 can invite guest users.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area		
Statements	Yes	No
User1 can invite guest users.	<input type="radio"/>	<input checked="" type="radio"/>
User2 can invite guest users.	<input type="radio"/>	<input checked="" type="radio"/>
User3 can invite guest users.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 54

- (Topic 6)

You have a Microsoft Azure Active Directory (Azure AD) tenant named Contoso.com. You create a Microsoft Defender for identity instance Contoso. The tenant contains the users shown in the following table.

Name	Member of group	Azure AD role
User1	Defender for Identity Contoso Administrators	None
User2	Defender for Identity Contoso Users	None
User3	None	Security administrator
User4	Defender for Identity Contoso Users	Global administrator

You need to modify the configuration of the Defender for identify sensors.

Solutions: You instruct User1 to modify the Defender for identity sensor configuration. Does this meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 59

- (Topic 6)

Your network contains an Active Directory forest named Contoso. Local. You have a Microsoft 365 subscription.

You plan to implement a directory synchronization solution that will use password hash synchronization.

From the Microsoft 365 admin center, you successfully verify the contoso.com domain name.

You need to prepare the environment for the planned directory synchronization solution. What should you do first?

- A. From Active Directory Domains and Trusts, add contoso.com as a UPN suffix.
- B. From the Microsoft 365 admin center verify the Contos
- C. Local domain name.
- D. From the public DNS zone of contoso.com, add a new mail exchanger (MX) record.
- E. From Active Directory Users and Computers, modify the UPN suffix for all users.

Answer: A

NEW QUESTION 63

- (Topic 6)

Your network contains an on-premises Active Directory domain named contoso.com. The domain contains 1,000 Windows 10 devices.

You perform a proof of concept (PoC) deployment of Microsoft Defender for Endpoint for

10 test devices. During the onboarding process, you configure Microsoft Defender for Endpoint-related data to be stored in the United States.

You plan to onboard all the devices to Microsoft Defender for Endpoint. You need to store the Microsoft Defender for Endpoint data in Europe. What should you do first?

- A. Delete the workspace.
- B. Create a workspace.
- C. Onboard a new device.
- D. Offboard the test devices.

Answer: B

Explanation:

Storage locations

Understand where Defender for Cloud stores data and how you can work with your data:

* Machine information

- Stored in a Log Analytics workspace.

- You can use either the default Defender for Cloud workspace or a custom workspace. Data is stored in accordance with the workspace location.

Reference:

<https://learn.microsoft.com/en-us/azure/defender-for-cloud/plan-defender-for-servers-data- workspace>

NEW QUESTION 64

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription that has auditing turned on. The subscription contains the users shown in the following table.

Name	License
Admin1	Microsoft Office 365 E5
Admin2	None

New audit retention policy

Name *

Policy1

Description

Record Types

AzureActiveDirectory

Activities

Added user

Users:

Show results for all users

Duration *

☐ 90 Days

☒ 6 Months

☐ 1 Year

Priority *

100

You plan to create a new user named User1.

How long will the user creation audit event be available if Admin1 or Admin2 creates User1? To answer, select the appropriate options in the answer area.

Each correct selection is worth one point.

Answer Area

Admin1:

6 months

30 days

90 days

6 months

1 year

Admin2:

90 days

30 days

90 days

6 months

1 year

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Admin1:

6 months

30 days

90 days

6 months

1 year

Admin2:

90 days

30 days

90 days

6 months

1 year

NEW QUESTION 67

- (Topic 6)

You have a Microsoft 365 subscription.

You view the Service health Overview as shown in the following exhibit.

Service health

October 18, 2022 4:20 PM

Overview Issue history Reported issues

View the issues and health status of all services that are available with your current subscriptions. [Learn more about Service Health](#)






 Report an issue  Customize 



Active issues

Issue title	Affected service	Issue type
> Microsoft service health (6)		
Issues in your environment that require action (0)		

Microsoft service health

Shows the current health status of your Microsoft services, and updates when we fix issues.

Service	Status
Exchange Online	 3 advisories
Microsoft 365 suite	 2 advisories
Microsoft Teams	 1 advisory
OneDrive for Business	 1 advisory
SharePoint Online	 2 advisories



You need to ensure that a user named User1 can view the advisories to investigate service health issues. Which role should you assign to User1?

- A. Message Center Reader
- B. Reports Reader
- C. Service Support Administrator
- D. Compliance Administrator

Answer: B

Explanation:

Service Support admin

Assign the Service Support admin role as an additional role to admins or users who need to do the following in addition to their usual admin role:

- Open and manage service requests
- View and share message center posts
- Monitor service health

Incorrect:

* Message center reader

Assign the Message center reader role to users who need to do the following:

- Monitor message center notifications
- Get weekly email digests of message center posts and updates
- Share message center posts
- Have read-only access to Azure AD services, such as users and groups

* Reports reader

Assign the Reports reader role to users who need to do the following:

- View usage data and the activity reports in the Microsoft 365 admin center
- Get access to the Power BI adoption content pack
- Get access to sign-in reports and activity in Azure AD
- View data returned by Microsoft Graph reporting API

Reference:

<https://learn.microsoft.com/en-us/microsoft-365/admin/add-users/about-admin-roles?view=o365-worldwide>

NEW QUESTION 71

- (Topic 6)

You have a Microsoft 365 subscription.

You need to create a data loss prevention (DLP) policy that is configured to use the Set headers action.

To which location can the policy be applied?

- A. OneDrive accounts
B. Exchange email
C. Teams chat and channel messages
D. SharePoint sites

Answer: B

NEW QUESTION 76

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription that contains the users shown in the following table.

Name	Member of	Passwordless capable	Multi-factor authentication (MFA) method registered
User1	Group1	Capable	Microsoft Authenticator app (push notification)
User2	Group2	Capable	Microsoft Authenticator app (push notification)
User3	Group1, Group2	Capable	Mobile phone, Windows Hello for Business

Each user has a device with the Microsoft Authenticator app installed.

From Microsoft Authenticator settings for the subscription, the Enable and Target settings are configured as shown in the exhibit. (Click the Exhibit tab.)

Microsoft Authenticator settings

Number Matching will begin to be enabled for all users of the Microsoft Authenticator app starting 27th of February 2023. [Learn more](#)

The Microsoft Authenticator app is a flagship authentication method, usable in passwordless or simple push notification approval modes. The app is free to download and use on Android/iOS mobile devices. [Learn more](#).

Enable and Target

Configure

Enable

Include

Exclude

Target

All users

Select groups

Add groups

Name	Type	Registration	Authentication mode
Group1	Group	Optional	Passwordless

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
User1 can use number matching during sign-in.	<div></div>	<div></div>
User2 can use number matching during sign-in.	<div></div>	<div></div>
User3 can use number matching during sign-in.	<div></div>	<div></div>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
User1 can use number matching during sign-in.	<div></div>	<div></div>
User2 can use number matching during sign-in.	<div></div>	<div></div>
User3 can use number matching during sign-in.	<div></div>	<div></div>

NEW QUESTION 77

- (Topic 6)

You have a Microsoft 365 tenant that contains two groups named Group1 and Group2.

You need to prevent the members or Group1 from communicating with the members of Group2 by using Microsoft Teams. The solution must comply with regulatory requirements and must not affect other user in the tenant.

What should you use?


- A. information barriers
- B. communication compliance policies
- C. moderated distribution groups
- D. administrator units in Azure Active Directory (Azure AD)

Answer: A

NEW QUESTION 82

HOTSPOT - (Topic 6)

Your network contains an on-premises Active Directory domain that is synced to Azure AD as shown in the following exhibit.



An on-premises Active Directory user account named Allan You is synchronized to Azure AD. You view Allan's account from Microsoft 365 and notice that his username is set to Allan @>ddatum.onmicrosoft.com.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE Each correct selection is worth one point.

Answer Area

Statements	Yes	No
From the Azure portal, you can reset the password of Allan Yoo.	<input type="radio"/>	<input type="radio"/>
From the Azure portal, you can configure the job title of Allan Yoo.	<input type="radio"/>	<input type="radio"/>
From the Azure portal, you can configure the usage location of Allan Yoo.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
From the Azure portal, you can reset the password of Allan Yoo.	<input type="radio"/>	<input checked="" type="radio"/>
From the Azure portal, you can configure the job title of Allan Yoo.	<input type="radio"/>	<input checked="" type="radio"/>
From the Azure portal, you can configure the usage location of Allan Yoo.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 85

- (Topic 6)

You have a Microsoft 365 E5 subscription that contains the users shown in the following table.

Name	Role
User1	Reports Reader
User2	Exchange Administrator
User3	User Experience Success Manager

Which users can review the Adoption Score in the Microsoft 365 admin center?

- A. User1 only
- B. User2 only
- C. User1 and User2 only
- D. User1 and User3 only
- E. User1, User2, and User3

Answer: E

NEW QUESTION 89

- (Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an Active Directory domain. You deploy a Microsoft Entra tenant.

Another administrator configures the domain to synchronize to the Microsoft Entra tenant.

You discover that 10 user accounts in an organizational unit (OU) are NOT synchronized to the Microsoft Entra tenant. All the other user accounts synchronized successfully.

You review Microsoft Entra Connect Health and discover that all the user account synchronizations completed successfully.

You need to ensure that the 10 user accounts are synchronized to the Microsoft Entra tenant.

Solution: From Microsoft Entra Connect, you modify the filtering settings. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 93

HOTSPOT - (Topic 6)

HOTSPOT

You have a new Microsoft 365 E5 tenant. Enable Security defaults is set to Yes.

A user signs in to the tenant for the first time.

Which multi-factor authentication (MFA) method can the user use, and how many days does the user have to register for MFA? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

MFA method:

Call to phone
Email message
Security questions
Text message to phone
Notification to Microsoft Authenticator app

Number of days:

7
14
30
60

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Notification to Microsoft Authenticator app

Do users have 14 days to register for Azure AD Multi-Factor Authentication?

Users have 14 days to register for MFA with the Microsoft Authenticator app from their smart phones, which begins from the first time they sign in after security defaults has been enabled. After 14 days have passed, the user won't be able to sign in until MFA registration is completed.

Box 2: 14

Azure AD Identity Protection will prompt your users to register the next time they sign in interactively and they'll have 14 days to complete registration. During this 14-day period, they can bypass registration if MFA isn't required as a condition, but at the end of the period they'll be required to register before they can complete the sign-in process.

NEW QUESTION 98

- (Topic 6)

You have a Microsoft 365 subscription that uses Microsoft 365 Defender.

You need to compare your company's security configurations to Microsoft best practices and review improvement actions to increase the security posture. What should you use?

- A. Microsoft Secure Score
- B. Cloud discovery
- C. Exposure distribution
- D. Threat tracker
- E. Exposure score

Answer: A

NEW QUESTION 102

- (Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it as a result these questions will not appear in the review screen.

Your network contains an Active Directory forest. You deploy Microsoft 365.

You plan to implement directory synchronization.

You need to recommend a security solution for the synchronized identities. The solution must meet the following requirements:

- Users must be able to authenticate successfully to Microsoft 365 services if Active Directory becomes unavailable.
- User passwords must be 10 characters or more.

Solution: implement password hash synchronization and modify the password settings from the Default Domain Policy in Active Directory. Does this meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 104

HOTSPOT - (Topic 6)

HOTSPOT

You have a Microsoft 365 E5 subscription linked to an Azure Active Directory (Azure AD) tenant. The tenant contains a group named Group1 and the users shown in the following table:

Name	Role
Admin1	Conditional Access administrator
Admin2	Security administrator
Admin3	User administrator

The tenant has a conditional access policy that has the following configurations: Name: Policy1

Assignments:

- Users and groups: Group1
- Cloud apps or actions: All cloud apps

? Access controls:

? Grant, require multi-factor authentication

? Enable policy: Report-only

You set Enabled Security defaults to Yes for the tenant.

For each of the following settings select Yes, if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
Admin1 can set Enable policy for Policy1 to On .	<input type="radio"/>	<input type="radio"/>
Admin2 can set Enable policy for Policy1 to Off .	<input type="radio"/>	<input type="radio"/>
Admin3 can set Users and groups for Policy1 to All users .	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Report-only mode is a new Conditional Access policy state that allows administrators to evaluate the impact of Conditional Access policies before enabling them in their environment. With the release of report-only mode:

? Conditional Access policies can be enabled in report-only mode.

? During sign-in, policies in report-only mode are evaluated but not enforced.

? Results are logged in the Conditional Access and Report-only tabs of the Sign-in log details.

? Customers with an Azure Monitor subscription can monitor the impact of their Conditional Access policies using the Conditional Access insights workbook.

NEW QUESTION 106

DRAG DROP - (Topic 6)

You have a Microsoft 365 subscription.

You need to meet the following requirements:

- Report a Microsoft 365 service issue.
- Request help on how to add a new user to an Azure AD tenant.

What should you use in the Microsoft 365 admin center? To answer, drag the appropriate features to the correct requirements. Each feature may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Features	Answer Area
Message center	To report issues regarding a Microsoft 365 service: <input type="text"/>
New service request	To request help on how to add a new user to the tenant: <input type="text"/>
Product feedback	
Service health	

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Features	Answer Area
Message center	To report issues regarding a Microsoft 365 service: <input type="text" value="New service request"/>
New service request	To request help on how to add a new user to the tenant: <input type="text" value="Message center"/>
Product feedback	
Service health	

NEW QUESTION 109

HOTSPOT - (Topic 6)

You have an Azure subscription and an on-premises Active Directory domain. The domain contains 50 computers that run Windows 10.

You need to centrally monitor System log events from the computers.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

In Azure:	<div><div></div><div><div>Add and configure the Diagnostics settings for the Azure Activity Log.</div><div>Add and configure an Azure Log Analytics workspace.</div><div>Add an Azure Storage account and Azure Cognitive Search</div><div>Add an Azure Storage account and a file share.</div></div></div>
On the computers:	<div><div></div><div><div>Create an event subscription.</div><div>Modify the membership of the Event Log Readers group.</div><div>Enroll in Microsoft Endpoint Manager.</div><div>Install the Microsoft Monitoring Agent.</div></div></div>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

In Azure:

▼
Add and configure the Diagnostics settings for the Azure Activity Log.
Add and configure an Azure Log Analytics workspace.
Add an Azure Storage account and Azure Cognitive Search
Add an Azure Storage account and a file share.

On the computers:

▼
Create an event subscription.
Modify the membership of the Event Log Readers group.
Enroll in Microsoft Endpoint Manager.
Install the Microsoft Monitoring Agent.

NEW QUESTION 111

- (Topic 6)

You have a Microsoft 365 subscription that uses an Azure AD tenant named contoso.com. The tenant contains the users shown in the following table.

Name	Role
User1	Exchange Administrator
User2	User Administrator
User3	Global Administrator
User4	None

You add another user named User5 to the User Administrator role. You need to identify which two management tasks User5 can perform.

Which two tasks should you identify? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Delete User2 and User4 only.
- B. Reset the password of User4 only
- C. Reset the password of any user in Azure AD.
- D. Delete User1, User2, and User4 only.
- E. Reset the password of User2 and User4 only.
- F. Delete any user in Azure AD.

Answer: AE

Explanation:

Users with the User Administrator role can create users and manage all aspects of users with some restrictions (see below).

Only on users who are non-admins or in any of the following limited admin roles:

- Directory Readers
- Guest Inviter
- Helpdesk Administrator
- Message Center Reader
- Reports Reader
- User Administrator Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/users-groups-roles/directory-assign-admin-roles#available-roles>

NEW QUESTION 112

- (Topic 6)

You have a Microsoft 365 subscription.

You configure a data loss prevention (DLP) policy.

You discover that users are incorrectly marking content as false positive and bypassing the DLP policy.

You need to prevent the users from bypassing the DLP policy. What should you configure?

- A. actions
- B. incident reports
- C. exceptions
- D. user overrides

Answer: D

Explanation:

A DLP policy can be configured to allow users to override a policy tip and report a false positive.

You can educate your users about DLP policies and help them remain compliant without blocking their work. For example, if a user tries to share a document containing sensitive information, a DLP policy can both send them an email notification and show them a policy tip in the context of the document library that allows them to override the policy if they have a business justification. The same policy tips also appear in Outlook on the web, Outlook, Excel, PowerPoint, and Word.

If you find that users are incorrectly marking content as false positive and bypassing the DLP policy, you can configure the policy to not allow user overrides.

Reference:

<https://docs.microsoft.com/en-us/office365/securitycompliance/data-loss-prevention-policies>

NEW QUESTION 116

- (Topic 6)

You have a Microsoft 365 tenant.
You plan to manage incidents in the tenant by using the Microsoft 365 security center. Which Microsoft service source will appear on the Incidents page of the Microsoft 365 security center?

A. Microsoft Cloud App Security
B. Azure Sentinel
C. Azure Web Application Firewall
D. Azure Defender

Answer: A

Explanation:
Reference:
<https://docs.microsoft.com/en-us/microsoft-365/security/defender/investigate-alerts?view=o365-worldwide>

NEW QUESTION 117
HOTSPOT - (Topic 6)
HOTSPOT

			progress	actions	summary			
SP800	15444	Incomplete	72%	3 of 450 completed	887 of 887 completed	Group1	Microsoft 365	NIST 800-53
Data Protection Baseline	14370	Incomplete	70%	3 of 489 completed	835 of 835 completed	Group2	Microsoft 365	Data Protection Baseline

The SP800 assessment has the improvement actions shown in the following table.

Answer Area	Statements	Yes	No
	Establish a threat intelligence program will appear as Implemented in the SP800 assessment.	<input type="radio"/>	<input type="radio"/>
	The SP800 assessment score will increase by 54 points.	<input type="radio"/>	<input type="radio"/>
	The Data Protection Baseline score will increase by 9 points.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area	Statements	Yes	No
	Establish a threat intelligence program will appear as Implemented in the SP800 assessment.	<input type="radio"/>	<input checked="" type="radio"/>
	The SP800 assessment score will increase by 54 points.	<input type="radio"/>	<input checked="" type="radio"/>
	The Data Protection Baseline score will increase by 9 points.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 121
HOTSPOT - (Topic 6)
You have a Microsoft 365 tenant that contains the groups shown in the following table.

Name	Type
Group1	Microsoft 365
Group2	Distribution
Group3	Mail-enabled security
Group4	Security

You plan to create a compliance policy named Compliance1.
You need to identify the groups that meet the following requirements:
? Can be added to Compliance1 as recipients of noncompliance notifications
? Can be assigned to Compliance1
To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Can be added to Compliance1 as recipients of noncompliance notifications:

Group1 and Group4 only
Group3 and Group4 only
Group1, Group2 and Group3 only
Group1, Group3, and Group4 only
Group1, Group2, Group3, and Group4

Can be assigned to Compliance1:

Group1 and Group4 only
Group3 and Group4 only
Group1, Group2 and Group3 only
Group1, Group3, and Group4 only
Group1, Group2, Group3, and Group4

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Can be added to Compliance1 as recipients of noncompliance notifications:

Group1 and Group4 only
Group3 and Group4 only
Group1, Group2 and Group3 only
Group1, Group3, and Group4 only
Group1, Group2, Group3, and Group4

Can be assigned to Compliance1:

Group1 and Group4 only
Group3 and Group4 only
Group1, Group2 and Group3 only
Group1, Group3, and Group4 only
Group1, Group2, Group3, and Group4

NEW QUESTION 124

- (Topic 6)

Your network contains an on-premises Active Directory domain named contoso.com.

For all user accounts, the Logon Hours settings are configured to prevent sign-ins outside of business hours.

You plan to sync contoso.com to an Azure AD tenant.

You need to recommend a solution to ensure that the logon hour restrictions apply when synced users sign in to Azure AD.

What should you include in the recommendation?

- A. pass-through authentication
- B. conditional access policies
- C. password synchronization
- D. Azure AD Identity Protection policies

Answer: A

Explanation:

Reference:

<https://nickblog.azurewebsites.net/2016/10/17/azure-ad-pass-through-authentication/>

NEW QUESTION 128

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 tenant that contains the users shown in the following table.

Name	Azure Active Directory (Azure AD) role	Microsoft Store for Business role	Member of
User1	Application administrator	Basic Purchaser	Group1
User2	None	Purchaser	Group2
User3	None	Basic Purchaser	Group3

You perform the following actions:

? Provision the private store in Microsoft Store for Business.

? Add an app named App1 to the private store.

? Set Private store availability for App1 to Specific groups, and then select Group3.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Statements	Yes	No
User1 can install App1 from the private store.	<input type="radio"/>	<input type="radio"/>
User2 can install App1 from the private store.	<input type="radio"/>	<input type="radio"/>
User3 can install App1 from the private store.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
User1 can install App1 from the private store.	<input type="radio"/>	<input checked="" type="radio"/>
User2 can install App1 from the private store.	<input type="radio"/>	<input checked="" type="radio"/>
User3 can install App1 from the private store.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 131

HOTSPOT - (Topic 6)

HOTSPOT

You have a Microsoft 365 subscription.

You deploy the anti-phishing policy shown in the following exhibit.

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Answer Area

To ensure that malicious email impersonating the CEO of a partner company is blocked, you must modify the [answer choice] setting.

Add trusted senders and domains

Enable domains to protect

Enable users to protect

Phishing email threshold

To minimize disrupting users that frequently exchange legitimate email with the CEO of a partner company, you must configure the [answer choice] setting.

Add trusted senders and domains

Enable intelligence for impersonation protection

Enable spoof intelligence

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Enable users to protect

Anti-phishing policies in Defender for Office 365 also have impersonation settings where you can specify individual sender email addresses or sender domains that will receive impersonation protection.

User impersonation protection

User impersonation protection prevents specific internal or external email addresses from being impersonated as message senders. For example, you receive an email message from the Vice President of your company asking you to send her some internal company information. Would you do it? Many people would send the reply without thinking.

You can use protected users to add internal and external sender email addresses to protect from impersonation. This list of senders that are protected from user impersonation

is different from the list of recipients that the policy applies to (all recipients for the default policy; specific recipients as configured in the Users, groups, and domains setting in the Common policy settings section).

When you add internal or external email addresses to the Users to protect list, messages from those senders are subject to impersonation protection checks. The message is checked for impersonation if the message is sent to a recipient that the policy applies to (all recipients for the default policy; Users, groups, and domains recipients in custom policies). If impersonation is detected in the sender's email address, the action for impersonated users is applied to the message.

Box 2: Add trusted senders and domains Trusted senders and domains

Trusted senders and domain are exceptions to the impersonation protection settings. Messages from the specified senders and sender domains are never classified as impersonation-based attacks by the policy. In other words, the action for protected senders, protected domains, or mailbox intelligence protection aren't applied to these trusted senders or sender domains. The maximum limit for these lists is 1024 entries.

NEW QUESTION 134

HOTSPOT - (Topic 6)

Your company uses Microsoft Defender for Endpoint. Microsoft Defender for Endpoint contains the device groups shown in the following table.

Rank	Device group	Member
1	Group1	Name starts with Comp
2	Group2	Name starts with Comp And OS In Windows 10
3	Group3	OS In Windows Server 2016
Last	Ungrouped devices (default)	Not applicable

You onboard computers to Microsoft Defender for Endpoint as shown in the following table.

Name	Operating system
Computer1	Windows 10
Computer2	Windows Server 2016

Of which groups are Computer1 and Computer2 members? To answer, select the appropriate options in The answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Computer1:

Group1 only

Group1 only

Group2 only

Group1 and Group2

Ungrouped devices

Computer2:

Group1 only

Group1 only

Group3 only

Group1 and Group3

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Computer1:

Group1 only

Group1 only

Group2 only

Group1 and Group2

Ungrouped devices

Computer2:

Group1 only

Group1 only

Group3 only

Group1 and Group3

NEW QUESTION 136

- (Topic 6)

You have a Microsoft 365 subscription.

You plan to implement Microsoft Purview Privileged Access Management. Which Microsoft Office 365 workloads support privileged access?

- A. Microsoft Exchange Online only
- B. Microsoft Teams only
- C. Microsoft Exchange Online and SharePoint Online only
- D. Microsoft Teams and SharePoint Online only
- E. Microsoft Teams, Exchange Online, and SharePoint Online

Answer: A

Explanation:

Privileged access management

Having standing access by some users to sensitive information or critical network configuration settings in Microsoft Exchange Online is a potential pathway for

compromised accounts or internal threat activities. Microsoft Purview Privileged Access Management helps protect your organization from breaches and helps to meet compliance best practices by limiting standing access to sensitive data or access to critical configuration settings. Instead of administrators having constant access, just-in-time access rules are implemented for tasks that need elevated permissions. Enabling privileged access management for Exchange Online in Microsoft 365 allows your organization to operate with zero standing privileges and provide a layer of defense against standing administrative access vulnerabilities.

Note: When will privileged access support Office 365 workloads beyond Exchange? Privileged access management will be available in other Office 365 workloads soon.

Reference:

<https://learn.microsoft.com/en-us/microsoft-365/compliance/privileged-access-management-solution-overview>

<https://learn.microsoft.com/en-us/microsoft-365/compliance/privileged-access-management>

NEW QUESTION 140

- (Topic 6)

You have a Microsoft 365 E5 subscription that uses Microsoft Defender for Office 365. You have the policies shown in the following table.

Name	Type
Policy1	Anti-phishing
Policy2	Anti-spam
Policy3	Anti-malware
Policy4	Safe Attachments

All the policies are configured to send malicious email messages to quarantine. Which policies support a customized quarantine retention period?

- A. Policy1 and Policy2 only
- B. Policy2 and Policy4 only
- C. Policy3 and Policy4 only
- D. Policy1 and Policy3 only

Answer: A

NEW QUESTION 141

- (Topic 6)

You have a Microsoft 365 tenant that contains a Windows 10 device. The device is onboarded to Microsoft Defender for Endpoint.

From Microsoft Defender Security Center, you perform a security investigation. You need to run a PowerShell script on the device to collect forensic information. Which action should you select on the device page?

- A. Initiate Live Response Session
- B. Initiate Automated Investigation
- C. Collect investigation package
- D. Go hunt

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/defender-endpoint/live-response?view=o365-worldwide>

NEW QUESTION 146

HOTSPOT - (Topic 6)

HOTSPOT

You have a Microsoft 365 E5 subscription that contains a Microsoft SharePoint Online site named Site1 and the users shown in the following table.

Name	Member of	Device
User1	Group1	Device1
User2	Group1	Device2, Device3

The devices are configured as shown in the following table.

Name	Platform	Azure AD join type
Device1	Windows 11	None
Device2	Windows 10	Joined
Device3	Android	Registered

You have a Conditional Access policy named CAPolicy1 that has the following settings: 1.Assignments

? Users or workload identities: Group1

? Cloud apps or actions: Office 365 SharePoint Online

? Conditions

- Filter for devices: Exclude filtered devices from the policy

- Rule syntax: device.displayName -startsWith "Device" 2.Access controls

? Grant

- Grant: Block access

? Session: 0 controls selected 3.Enable policy: On

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
User1 can access Site1 from Device1.	<input type="radio"/>	<input type="radio"/>
User2 can access Site1 from Device2.	<input type="radio"/>	<input type="radio"/>
User2 can access Site1 from Device3.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: No
User1 is member of Group1 and has Device1.
Device1 is not Azure AD joined.
Note: Requiring a hybrid Azure AD joined device is dependent on your devices already being hybrid Azure AD joined.
Box 2: Yes
User2 is member of Group1 and has devices Device2 and Device3. Device2 is Azure AD joined.
Device2 is excluded from CAPolicy1 (which would block access to Site1).
Box 3: Yes
User2 is member of Group1 and has devices Device2 and Device3.
Device3 is Android and is Azure AD registered.
Device3 is excluded from CAPolicy1 (which would block access to Site1).
Note: On Windows 7, iOS, Android, macOS, and some third-party web browsers, Azure AD identifies the device using a client certificate that is provisioned when the device is registered with Azure AD. When a user first signs in through the browser the user is prompted to select the certificate. The end user must select this certificate before they can continue to use the browser.

NEW QUESTION 149

- (Topic 6)
You have a Microsoft 365 E5 subscription that contains a user named User1. You create a retention label named Retention1 that is published to all locations. You need to ensure that User1 can label email messages by using Retention1 as soon as possible. Which cmdlet should you run in Microsoft Exchange Online PowerShell?

A. Start-MpScan
B. Start-Process
C. Start-ManagedFolderAssistant
D. Start-AppBackgroundTask

Answer: C

NEW QUESTION 153

HOTSPOT - (Topic 6)
You have a Microsoft 365 subscription. Your network uses an IP address space of 51.40.15.0/24. An Exchange Online administrator recently created a role named Role1 from a computer on the network. You need to identify the name of the administrator by using an audit log search. For which activities should you search and by which field should you filter in the audit log search? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Activities to search for:

Exchange mailbox activities
Site administration activities
Show results for all activities
Role administration activities

Field to filter by:

Item
User
Detail
IP address

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Activities to search for:

	▼
Exchange mailbox activities	
Site administration activities	
Show results for all activities	
Role administration activities	

Field to filter by:

	▼
Item	
User	
Detail	
IP address	

NEW QUESTION 155

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription and an Azure AD tenant named contoso.com.

All users have computers that run Windows 11, are joined to contoso.com, and are protected by using BitLocker Drive Encryption (BitLocker).

You plan to create a user named Admin1 that will perform following tasks:

- View BitLocker recovery keys.
- Configure the usage location for the users in contoso.com.

You need to assign roles to Admin1 to meet the requirements. The solution must use the principle of least privilege. Which two roles should you assign? To answer, select the appropriate roles in the answer area.

NOTE: Each correct selection is worth one point

Answer Area

Devices

- ☐ Cloud Device Administrator ⓘ
- ☐ Desktop Analytics Administrator ⓘ
- ☐ Intune Administrator ⓘ
- ☐ Printer Administrator ⓘ
- ☐ Printer Technician ⓘ
- ☐ Windows 365 Administrator ⓘ

Global

- ☐ Global Administrator ⓘ

Identity

- ☐ Application Administrator ⓘ
- ☐ Application Developer ⓘ
- ☐ Authentication Administrator ⓘ
- ☐ Cloud Application Administrator ⓘ
- ☐ Conditional Access Administrator ⓘ
- ☐ Domain Name Administrator ⓘ
- ☐ External Identity Provider Administrator ⓘ
- ☐ Guest Inviter ⓘ
- ☐ Helpdesk Administrator ⓘ
- ☐ Hybrid Identity Administrator ⓘ
- ☐ License Administrator ⓘ
- ☐ Password Administrator ⓘ

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Devices

- ☐ Cloud Device Administrator ⓘ
- ☐ Desktop Analytics Administrator ⓘ
- ☐ Intune Administrator ⓘ
- ☐ Printer Administrator ⓘ
- ☐ Printer Technician ⓘ
- ☐ Windows 365 Administrator ⓘ

Global

- ☐ Global Administrator ⓘ

Identity

- ☐ Application Administrator ⓘ
- ☐ Application Developer ⓘ
- ☐ Authentication Administrator ⓘ
- ☐ Cloud Application Administrator ⓘ
- ☐ Conditional Access Administrator ⓘ
- ☐ Domain Name Administrator ⓘ
- ☐ External Identity Provider Administrator ⓘ
- ☐ Guest Inviter ⓘ
- ☐ Helpdesk Administrator ⓘ
- ☐ Hybrid Identity Administrator ⓘ
- ☐ License Administrator ⓘ
- ☐ Password Administrator ⓘ

NEW QUESTION 156

- (Topic 6)

You have a Microsoft 365 tenant that contains two users named User1 and User2. You create the alert policy shown in the following exhibit.

Policy1

Edit policy

Delete policy

Status

On

Description

Add a description

Severity

Medium

Edit

Category

Information governance

Conditions

Activity is FileModified

Aggregation

Aggregated

Threshold

5 activities

Edit

Window

60 minutes

Scope

All users

Email recipients

User1@M365x082103.onmicrosoft.com

Daily notification limit

25

Edit

User2 runs a script that modifies a file in a Microsoft SharePoint Online library once every four minutes and runs for a period of two hours. How many alerts will User1 receive?

- A. 2
- B. 5
- C. 10
- D. 25

Answer: D

NEW QUESTION 158

- (Topic 6)

You have a Microsoft 365 E5 subscription.

Conditional Access is configured to block high-risk sign-ins for all users.

All users are in France and are registered for multi-factor authentication (MFA). Users in the media department will travel to various countries during the next month.

You need to ensure that if the media department users are blocked from signing in while traveling, the users can remediate the issue without administrator intervention.

What should you configure?

- A. an exclusion group
- B. the MFA registration policy
- C. named locations
- D. self-service password reset (SSPR)

Answer: D

Explanation:

Self-remediation with self-service password reset

If a user has registered for self-service password reset (SSPR), then they can also remediate their own user risk by performing a self-service password reset.

Reference:

<https://learn.microsoft.com/en-us/azure/active-directory/identity-protection/howto-identity-protection-remediate-unblock>

NEW QUESTION 160

- (Topic 6)

You have Windows 10 devices that are managed by using Microsoft Endpoint Manager. You need to configure the security settings in Microsoft Edge.

What should you create in Microsoft Endpoint Manager?

- A. an app configuration policy
- B. an app
- C. a device configuration profile
- D. a device compliance policy

Answer: C


Explanation:

Reference:
<https://docs.microsoft.com/en-us/deployedge/configure-edge-with-intune>

NEW QUESTION 164

HOTSPOT - (Topic 6)

You have a Microsoft 365 ES subscription that has three auto retention policies as show in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic NOTE Each correct selection is worth one point.

Answer Area

If User1 creates a team in Microsoft Teams, the event is [answer choice].

not retained

retained for 90 days

retained for six months

retained for one year

If User2 adds a channel in Microsoft Teams, the event is [answer choice].

not retained

retained for 90 days

retained for six months

retained for one year

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

If User1 creates a team in Microsoft Teams, the event is [answer choice].

not retained

retained for 90 days

retained for six months

retained for one year

If User2 adds a channel in Microsoft Teams, the event is [answer choice].

not retained

retained for 90 days

retained for six months

retained for one year

NEW QUESTION 167

- (Topic 6)

You have a Microsoft 365 E5 subscription.
Users have the devices shown in the following table.

Name	Platform	Owner	Enrolled in Microsoft Endpoint Manager
Device1	Android	User1	Yes
Device2	Android	User1	No
Device3	iOS	User1	No
Device4	Windows 10	User2	Yes
Device5	Windows 10	User2	No
Device6	iOS	User2	Yes

On which devices can you manage apps by using app configuration policies in Microsoft Endpoint Manager?

- A. Device1, Device4, and Device6
- B. Device2, Device3, and Device5
- C. Device1, Device2, Device3, and Device6
- D. Device1, Device2, Device4, and Device5

Answer: C

Explanation:

You can create and use app configuration policies to provide configuration settings for both iOS/iPadOS or Android apps on devices that are and are not enrolled in Microsoft Endpoint Manager.

Reference:

<https://docs.microsoft.com/en-us/mem/intune/apps/app-configuration-policies-overview>

NEW QUESTION 170

- (Topic 6)

You have a Microsoft 365 E5 subscription. The subscription contains users that have the following types of devices:

- Windows 10
- Android
- OS

On which devices can you configure the Endpoint DLP policies?

- A. Windows 10 only
- B. Windows 10 and Android only
- C. Windows 10 and macOS only
- D. Windows 10, Android, and iOS

Answer: D

Explanation:

Endpoint data loss prevention (Endpoint DLP) extends the activity monitoring and protection capabilities of DLP to sensitive items that are physically stored on Windows 10, Windows 11, and macOS (Catalina 10.15 and higher) devices. Once devices are onboarded into the Microsoft Purview solutions, the information about what users are doing with sensitive items is made visible in activity explorer and you can enforce protective actions on those items via DLP policies.

<https://docs.microsoft.com/en-us/microsoft-365/compliance/endpoint-dlp-learn-about?view=o365-worldwide>

NEW QUESTION 171

- (Topic 6)

You have a Microsoft 365 E5 tenant that contains 100 Windows 10 devices.

You plan to deploy a Windows 10 Security Baseline profile that will protect secrets stored in memory.

What should you configure in the profile?

- A. Microsoft Defender Credential Guard
- B. BitLocker Drive Encryption (BitLocker)
- C. Microsoft Defender
- D. Microsoft Defender Exploit Guard

Answer: A

NEW QUESTION 175

HOTSPOT - (Topic 6)

HOTSPOT

You have a Microsoft 365 E5 subscription that contains a Microsoft SharePoint site named Site1 and a data loss prevention (DLP) policy named DLP1. DLP1 contains the rules shown in the following table.

Name	Priority	Action
Rule1	0	Notify users by using email and policy tips. Customize the policy tip as Rule1 tip. Disable user overrides.
Rule2	1	Notify users by using email and policy tips. Customize the policy tip as Rule2 tip. Restrict access to the content. Disable user overrides.
Rule3	2	Notify users by using email and policy tips. Customize the policy tip as Rule3 tip. Restrict access to the content. Enable user overrides.
Rule4	3	Notify users by using email and policy tips. Customize the policy tip as Rule4 tip. Restrict access to the content. Disable user overrides.

Site1 contains the files shown in the following table.

Name	Matched DLP rule
File1.docx	Rule1, Rule2, Rule3
File2.docx	Rule1, Rule3, Rule4

Which policy tips are shown for each file? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Answer Area

File1.docx:

▼

Rule1 tip only

Rule2 tip only

Rule3 tip only

Rule1 tip and Rule2 tip only

Rule1 tip, Rule2 tip, and Rule3 tip

File2.docx:

▼

Rule1 tip only

Rule3 tip only

Rule4 tip only

Rule1 tip and Rule4 tip only

Rule1 tip, Rule3 tip, and Rule4 tip

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: Rule1 tip only

File1 matches Rule1, Rule2, and Rule3. Rule1 has the highest priority.

Note: The Priority parameter specifies a priority value for the policy that determines the order of policy processing. A lower integer value indicates a higher priority, the value 0 is the highest priority, and policies can't have the same priority value.

Box 2: Rule1 tip only

Note: User Override support

The option to override is per rule, and it overrides all of the actions in the rule (except sending a notification, which can't be overridden).

It's possible for content to match several rules in a DLP policy or several different DLP policies, but only the policy tip from the most restrictive, highest-priority rule will be shown (including policies in Test mode). For example, a policy tip from a rule that blocks access to content will be shown over a policy tip from a rule that simply sends a notification. This prevents people from seeing a cascade of policy tips.

If the policy tips in the most restrictive rule allow people to override the rule, then overriding this rule also overrides any other rules that the content matched.

NEW QUESTION 178

- (Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an Active Directory domain. You deploy an Azure AD tenant.

Another administrator configures the domain to synchronize to Azure AD.

You discover that 10 user accounts in an organizational unit (OU) are NOT synchronized to Azure AD. All the other user accounts synchronized successfully.

You review Azure AD Connect Health and discover that all the user account synchronizations completed successfully.

You need to ensure that the 10 user accounts are synchronized to Azure AD. Solution: You run idfix.exe and export the 10 user accounts.

Does this meet the goal?

A. Yes

B. No

Answer: B

Explanation:

The question states that “all the user account synchronizations completed successfully”. If there were problems with the 10 accounts that needed fixing with idfix.exe, there would have been synchronization errors in Azure AD Connect Health.

It is likely that the 10 user accounts are being excluded from the synchronization cycle by a filtering rule.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sync-configure-filtering>

NEW QUESTION 183

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 tenant that contains 100 Windows 10 devices. You plan to attack surface reduction (ASR) rules for the Windows 10 devices.

You configure the ASR rules in audit mode and collect audit data in a Log Analytics workspace.

You need to find the ASR rules that match the activities on the devices.

How should you complete the Kusto query? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

	▼
AlertInfo	
DeviceEvents	
DeviceInfo	

		▼	ActionType startswith 'ASR'
	lookup		
	project		
	render		
	where		

A. Mastered

B. Not Mastered

Answer: A

Explanation:

	▼
AlertInfo	
DeviceEvents	
DeviceInfo	

		▼	ActionType startswith 'ASR'
	lookup		
	project		
	render		
	where		

NEW QUESTION 188

- (Topic 6)

You have a Microsoft 365 E5 subscription that uses Endpoint security.

You need to create a group and assign the Endpoint Security Manager role to the group. Which type of group can you use?

A. Microsoft 365 only

B. security only

C. mail-enabled security and security only

D. mail-enabled security, Microsoft 365, and security only

E. distribution, mail-enabled security, Microsoft 365, and security

Answer: D

NEW QUESTION 192

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription that uses Microsoft Intune and contains the devices shown in the following table.

Name	Platform	Intune
Device1	iOS	Enrolled
Device2	macOS	Not enrolled

You need to onboard Device1 and Device2 to Microsoft Defender for Endpoint.
What should you use to onboard each device? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Answer Area

Device1:

Microsoft Endpoint Manager

A local script

Group Policy

Microsoft Endpoint Manager

An app from the Google Play store

Integration with Microsoft Defender for Cloud

Device2:

A local script

A local script

Group Policy

Microsoft Endpoint Manager

An app from the Google Play store

Integration with Microsoft Defender for Cloud

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Device1:

Microsoft Endpoint Manager

A local script

Group Policy

Microsoft Endpoint Manager

An app from the Google Play store

Integration with Microsoft Defender for Cloud

Device2:

A local script

A local script

Group Policy

Microsoft Endpoint Manager

An app from the Google Play store

Integration with Microsoft Defender for Cloud

NEW QUESTION 194

HOTSPOT - (Topic 6)

Your company has a Microsoft 365 subscription That contains the domains shown in the following exhibit.

Domains

+ Add domain

Buy domain

Refresh

Domain name ↑

Status

Choose columns

☐

contoso221018.onmicrosoft.com (Default)

Healthy

☐

contoso.com

Incomplete setup

☐

east.contoso221018.onmicrosoft.com

No services selected

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE; Each correct selection is worth one point.

Your Partner of IT Exam

visit - <https://www.exambible.com>

Answer Area

An administrator can create usernames that contain the [answer choice].

contoso221018.onmicrosoft.com domain only

contoso221018.onmicrosoft.com domain only

contoso221018.onmicrosoft.com domain and all its subdomains only

contoso221018.onmicrosoft.com and east.contoso221018.onmicrosoft.com domains only

contoso221018.onmicrosoft.com, east.contoso221018.onmicrosoft.com, and contoso.com domains

Exchange Online can receive inbound email messages sent to the [answer choice].

contoso221018.onmicrosoft.com domain only

contoso221018.onmicrosoft.com domain only

contoso221018.onmicrosoft.com domain and all its subdomains only

contoso221018.onmicrosoft.com and east.contoso221018.onmicrosoft.com domains only

contoso221018.onmicrosoft.com, east.contoso221018.onmicrosoft.com, and contoso.com domains

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area

An administrator can create usernames that contain the [answer choice].

contoso221018.onmicrosoft.com domain only

contoso221018.onmicrosoft.com domain only

contoso221018.onmicrosoft.com domain and all its subdomains only

contoso221018.onmicrosoft.com and east.contoso221018.onmicrosoft.com domains only

contoso221018.onmicrosoft.com, east.contoso221018.onmicrosoft.com, and contoso.com domains

Exchange Online can receive inbound email messages sent to the [answer choice].

contoso221018.onmicrosoft.com domain only

contoso221018.onmicrosoft.com domain only

contoso221018.onmicrosoft.com domain and all its subdomains only

contoso221018.onmicrosoft.com and east.contoso221018.onmicrosoft.com domains only

contoso221018.onmicrosoft.com, east.contoso221018.onmicrosoft.com, and contoso.com domains

NEW QUESTION 195

- (Topic 6)

You have a Microsoft 365 E5 tenant that contains 500 Windows 10 devices. The devices are enrolled in Microsoft intune.

You plan to use Endpoint analytics to identify hardware issues.

You need to enable Window health monitoring on the devices to support Endpoint analytics What should you do?

- A. Configure the Endpoint analytics baseline regression threshold.
B. Create a configuration profile.
C. Create a Windows 10 Security Baseline profile
D. Create a compliance policy.

Answer: B

NEW QUESTION 199

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription that contains a Microsoft SharePoint site named Sitel. You need to perform the following tasks:

- Create a sensitive info type named SIT1 based on a regular expression.
- Add a watermark to all new documents that are matched by SIT1.

Which two settings should you use in the Microsoft Purview compliance portal? To answer, select the appropriate settings in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area




- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 200

- (Topic 6)

You have a Microsoft 365 E5 subscription.

Users access Microsoft 365 from both their laptop and a corporate Virtual Desktop Infrastructure (VDI) solution.

From Azure AD Identity Protection, you enable a sign-in risk policy.

Users report that when they use the VDI solution, they are regularly blocked when they attempt to access Microsoft 365.

What should you configure?

- A. the Tenant restrictions settings in Azure AD
- B. a trusted location
- C. a Conditional Access policy exclusion
- D. the Microsoft 365 network connectivity settings

Answer: B

Explanation:

There are two types of risk policies in Azure Active Directory (Azure AD) Conditional Access you can set up to automate the response to risks and allow users to self-remediate when risk is detected:

Sign-in risk policy User risk policy

Configured trusted network locations are used by Identity Protection in some risk detections to reduce false positives.

Reference:

<https://learn.microsoft.com/en-us/azure/active-directory/identity-protection/howto-identity-protection-configure-risk-policies>
<https://learn.microsoft.com/en-us/azure/active-directory/conditional-access/location-condition>

NEW QUESTION 204

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription.

You need to configure Microsoft Defender for Office 365 to meet the following requirements:

- A user's email sending patterns must be used to minimize false positives for spoof protection.
- Documents uploaded to Microsoft Teams, SharePoint Online, and OneDrive must be protected by using Defender for Office 365.

What should you configure for each requirement? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

A user's email sending patterns must be used to minimize false positives for spoof protection:

Domains to protect

Domains to protect
Mailbox intelligence
Users to protect

Documents uploaded to Teams, SharePoint Online, and OneDrive must be protected by using Defender for Office 365:

Global settings for safe attachments

Global settings for safe attachments
The Safe Attachments policy settings
The Safe Links policy settings

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area

A user's email sending patterns must be used to minimize false positives for spoof protection:

Domains to protect

Domains to protect
Mailbox intelligence
Users to protect

Documents uploaded to Teams, SharePoint Online, and OneDrive must be protected by using Defender for Office 365:

Global settings for safe attachments

Global settings for safe attachments
The Safe Attachments policy settings
The Safe Links policy settings

NEW QUESTION 209

- (Topic 6)

You have a Microsoft 365 E5 tenant.

You need to ensure that when a document containing a credit card number is added to the tenant, the document is encrypted.

Which policy should you use?

- A. a retention policy
B. a retention label policy
C. an auto-labeling policy
D. an insider risk policy

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/apply-sensitivity-label-automatically?view=o365-worldwide>

NEW QUESTION 210

- (Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 subscription.

From the Microsoft 365 Defender, you create a role group named US eDiscovery Managers by copying the eDiscovery Manager role group.

You need to ensure that the users in the new role group can only perform content searches of mailbox content for users in the United States.

Solution: From the Microsoft 365 Defender, you modify the roles of the US eDiscovery Managers role group.

Does this meet the goal?

- A. Yes
B. No

Answer: B

NEW QUESTION 211

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 tenant that contains the users shown in the following table.

Name	Member of
User1	Group1
User2	Group2

You purchase the devices shown in the following table.

Name	Platform
Device1	Windows 10
Device2	Android

In Microsoft Endpoint Manager, you create an enrollment status page profile that has the following settings:

? Show app and profile configuration progress: Yes

? Allow users to collect logs about installation errors: Yes

? Only show page to devices provisioned by out-of-box experience (OOBE): No

? Assignments: Group2

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
If User1 enrolls Device1 in Microsoft Endpoint Manager, the enrollment status page will appear.	<input type="radio"/>	<input type="radio"/>
If User2 enrolls Device1 in Microsoft Endpoint Manager, the enrollment status page will appear.	<input type="radio"/>	<input type="radio"/>
If User2 enrolls Device2 in Microsoft Endpoint Manager, the enrollment status page will appear.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
If User1 enrolls Device1 in Microsoft Endpoint Manager, the enrollment status page will appear.	<input type="radio"/>	<input checked="" type="radio"/>
If User2 enrolls Device1 in Microsoft Endpoint Manager, the enrollment status page will appear.	<input checked="" type="radio"/>	<input type="radio"/>
If User2 enrolls Device2 in Microsoft Endpoint Manager, the enrollment status page will appear.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 213

- (Topic 6)

You have a Microsoft 365 E5 tenant. You configure sensitivity labels.

Users report that the Sensitivity button is unavailable in Microsoft Word for the web. The sensitivity button is available in Word for Microsoft 365.

You need to ensure that the users can apply the sensitivity labels when they use Word for the web.

What should you do?

- A. Copy policies from Azure information Protection to the Microsoft 365 Compliance center
- B. Publish the sensitivity labels.
- C. Create an auto-labeling policy
- D. Enable sensitivity labels for files in Microsoft SharePoint Online and OneDrive.

Answer: B

NEW QUESTION 217

- (Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a computer that runs Windows 10.

You need to verify which version of Windows 10 is installed.

Solution: From the Settings app, you select Update & Security to view the update history. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 222

DRAG DROP - (Topic 6)
DRAG DROP

You have a Microsoft 365 E5 tenant.
You need to implement compliance solutions that meet the following requirements:

- Use a file plan to manage retention labels.
- Identify, monitor, and automatically protect sensitive information.
- Capture employee communications for examination by designated reviewers.

Which solution should you use for each requirement? To answer, drag the appropriate solutions to the correct requirements. Each solution may be used once, more than once, or not at all. You may need to drag the split bat between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Solutions

Data loss prevention

Information governance

Insider risk management

Records management

Answer Area

Identify, monitor, and automatically protect sensitive information:

Capture employee communications for examination by designated reviewers:

Use a file plan to manage retention labels:

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Solutions

Data loss prevention

Information governance

Insider risk management

Records management

Answer Area

Identify, monitor, and automatically protect sensitive information: Data loss prevention

Capture employee communications for examination by designated reviewers: Insider risk management

Use a file plan to manage retention labels: Information governance

NEW QUESTION 225

HOTSPOT - (Topic 6)
HOTSPOT

You have a Microsoft 365 E5 subscription.
From Azure AD Identity Protection on August 1, you configure a Multifactor authentication registration policy that has the following settings:
? Assignments: All users
? Controls: Require Azure AD multifactor authentication registration
? Enforce Policy: On
? On August 3, you create two users named User1 and User2.

Users authenticate by using Azure Multi-Factor Authentication (MFA) for the first time on the dates shown in the following table.

User	Date
User1	August 5
User2	August 7

By which dates will User1 and User2 be forced to complete their Azure MFA registration? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

User1:

▼

August 6

August 17

August 19

September 3

September 5

User2:

▼

August 8

August 17

August 19

August 21

September 7

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: August 19
Note: Security defaults will trigger a 14 day grace period for registration after a user's first login and security defaults being enabled. After 14 days users will be required to register for MFA and will not be able to skip.
Conditional Access by itself without Azure Identity Protection does not allow for the 14 day grace period. Identity Protection includes the registration policy that allows registration on its own with no apps assigned to the policy. If a Conditional Access policy requires Multi- Factor Authentication, then the user must be able to pass that MFA request.
Box 2: August 21

NEW QUESTION 228

HOTSPOT - (Topic 6)
You have a Microsoft 365 E5 subscription that contains the users shown in the following table.
The subscription has the following two anti-spam policies:

- Name: AntiSpam1
 - Priority: 0
 - Include these users, groups and domains
 - o Users: User3
 - o Groups: Group1
 - Exclude these users, groups and domains
 - o Groups: Group2
 - Message limits
 - o Set a daily message limit 100
- Name: AntiSpam2
 - Priority: 1
 - Include these users, groups and domains
 - o Users: User1
 - o Groups: Group2
 - Exclude these users, groups and domains
 - o Users: User3
 - Message limits
 - o Set a daily message limit 50

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Answer Area		
Statements	Yes	No
User1 can send a maximum of 150 email messages per day.	<input type="radio"/>	<input type="radio"/>
User2 can send a maximum of 50 email messages per day.	<input type="radio"/>	<input type="radio"/>
User3 can send a maximum of 100 email messages per day.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements

User1 can send a maximum of 150 email messages per day.

Yes

☐

No

☒

User2 can send a maximum of 50 email messages per day.

☒☐

User3 can send a maximum of 100 email messages per day.

☒☐

NEW QUESTION 232

- (Topic 6)

You have a Microsoft 365 subscription.

Your company has a customer ID associated to each customer. The customer IDs contain 10 numbers followed by 10 characters. The following is a sample customer ID: 12-456-7890-abc-de- fghij.

You plan to create a data loss prevention (DLP) policy that will detect messages containing customer IDs.

D18912E1457D5D1DDCBD40AB3BF70D5D

What should you create to ensure that the DLP policy can detect the customer IDs?

- A. a sensitive information type
- B. a sensitivity label
- C. a supervision policy
- D. a retention label

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/custom-sensitive-info-types?view=o365-worldwide>

NEW QUESTION 237

- (Topic 6)

You have a Microsoft 365 E5 subscription.

You plan to implement Microsoft Purview policies to meet the following requirements: Identify documents that are stored in Microsoft Teams and SharePoint that contain

Personally Identifiable Information (PII). Report on shared documents that contain PII. What should you create?

- A. a data loss prevention (DLP) policy
- B. a retention policy
- C. an alert policy
- D. a Microsoft Defender for Cloud Apps policy

Answer: A

Explanation:

Demonstrate data protection

Protection of personal information in Microsoft 365 includes using data loss prevention (DLP) capabilities. With DLP policies, you can automatically protect sensitive information across Microsoft 365.

There are multiple ways you can apply the protection. Educating and raising awareness to where EU resident data is stored in your environment and how your employees are permitted to handle it represents one level of information protection using Office 365 DLP.

In this phase, you create a new DLP policy and demonstrate how it gets applied to the IBANs.docx file you stored in SharePoint Online in Phase 2 and when you attempt to send an email containing IBANs.

? From the Security & Compliance tab of your browser, click Home.

? Click Data loss prevention > Policy.

? Click + Create a policy.

? In Start with a template or create a custom policy, click Custom > Custom policy > Next.

? In Name your policy, provide the following details and then click Next: a. Name: EU Citizen PII Policy b. Description: Protect the personally identifiable information of European citizens

? Etc.

Reference:

<https://learn.microsoft.com/en-us/compliance/regulatory/gdpr-discovery-protection-reporting-in-office365-dev-test-environment>

NEW QUESTION 241

- (Topic 6)

You have a Microsoft 365 E5 subscription.

You need to recommend a solution for monitoring and reporting application access. The solution must meet the following requirements:

- Support KQL for querying data.
 - Retain report data for at least one year.
- What should you include in the recommendation?

- A. a security report in Microsoft 365 Defender
- B. End point analytics
- C. Microsoft 365 usage analytics
- D. Azure Monitor workbooks

Answer: D

NEW QUESTION 246

HOTSPOT - (Topic 6)

Your on-premises network contains an Active Directory domain and a Microsoft Endpoint Configuration Manager site.

You have a Microsoft 365 E5 subscription that uses Microsoft Intune.

You use Azure AD Connect to sync user objects and group objects to Azure Directory (Azure AD). Password hash synchronization is disabled.

You plan to implement co-management.

You need to configure Azure AD Connect and the domain to support co-management. What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

To configure Azure AD Connect:	<div><div>Configure hybrid Azure AD join.</div><div>Enable device writeback.</div><div>Enable password hash synchronization.</div></div>
To configure the domain:	<div><div>Add an alternative UPN suffix.</div><div>Register a service connection point.</div><div>Register a service principal name (SPN).</div></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

To configure Azure AD Connect:	<div><div>Configure hybrid Azure AD join.</div><div>Enable device writeback.</div><div>Enable password hash synchronization.</div></div>
To configure the domain:	<div><div>Add an alternative UPN suffix.</div><div>Register a service connection point.</div><div>Register a service principal name (SPN).</div></div>

NEW QUESTION 251

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription. You need to meet the following requirements:

Automatically encrypt documents stored in Microsoft OneDrive and SharePoint.

Enable co-authoring for Microsoft Office documents encrypted by using a sensitivity label. Which two settings should you use in the Microsoft Purview compliance portal? To answer,

select the appropriate settings in the answer area. NOTE: Each correct selection is worth one point.

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Information protection

Automatically encrypt documents stored in Microsoft OneDrive and SharePoint.

How to integrate Microsoft Purview Information Protection with Defender for Cloud Apps Enable Microsoft Purview Information Protection

All you have to do to integrate Microsoft Purview Information Protection with Defender for Cloud Apps is select a single checkbox. By enabling automatic scan, you enable searching for sensitivity labels from Microsoft Purview Information Protection on your Office 365 files without the need to create a policy. After you enable it, if you have files in your cloud environment that are labeled with sensitivity labels from Microsoft Purview Information Protection, you'll see them in Defender for Cloud Apps.

To enable Defender for Cloud Apps to scan files with content inspection enabled for sensitivity labels:

In the Microsoft 365 Defender portal, select Settings. Then choose Cloud Apps. Then go to Information Protection -> Microsoft Information Protection.

Note: Encryption of data at rest

Encryption at rest includes two components: BitLocker disk-level encryption and per-file encryption of customer content.

BitLocker is deployed for OneDrive for Business and SharePoint Online across the service. Per-file encryption is also in OneDrive for Business and SharePoint Online in Microsoft 365 multi-tenant and new dedicated environments that are built on multi-tenant technology. Box 2: Settings

Enable co-authoring for Microsoft Office documents encrypted by using a sensitivity label.

- * 1. Sign in to the Microsoft Purview compliance portal as a global admin for your tenant.
- * 2. From the navigation pane, select Settings > Co-authoring for files with sensitivity files.
- * 3. On the Co-authoring for files with sensitivity labels page, read the summary description, prerequisites, and what to expect.
- * 4. Then select Turn on co-authoring for files with sensitivity labels, and Apply.
- * 5. Wait 24 hours for this setting to replicate across your environment before you use this new feature for co-authoring.

NEW QUESTION 256

- (Topic 6)

You have a Microsoft 365 subscription. You have a user named User1. You need to ensure that User1 can place a hold on all mailbox content. What permission should you assign to User1?

- A. the Information Protection administrator role from the Azure Active Directory admin center.
- B. the eDiscovery Manager role from the Microsoft 365 compliance center.
- C. the Compliance Management role from the Exchange admin center.
- D. the User management administrator role from the Microsoft 365 admin center.

Answer: B

NEW QUESTION 259

- (Topic 6)

You have a Microsoft 365 E5 tenant that contains a user named User1.

You plan to implement insider risk management.

You need to ensure that User1 can perform the following tasks:

? Review alerts.

? Manage cases.

? Create notice templates.

? Review user emails by using Content explorer.

The solution must use the principle of least privilege. To which role group should you add User1?

- A. Insider Risk Management
- B. Insider Risk Management Analysts
- C. Insider Risk Management Investigators
- D. Insider Risk Management Admin

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/insider-risk-management-configure?view=o365-worldwide>


NEW QUESTION 263

HOTSPOT - (Topic 6)

Your network contains an on-premises Active Directory domain named adatum.com that syncs to Azure AD by using the Azure AD Connect Express Settings.

Password write back is disabled.

You create a user named User1 and enter Pass in the Password field as shown in the following exhibit.



The Azure AD password policy is configured as shown in the following exhibit. Password policy

Set the password policy for all users in your organization. Days before passwords expire 90

Days before a user is notified about 14 expiration

You confirm that User1 is synced to Azure AD.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
User1 can sign in to Azure AD.	<input type="radio"/>	<input type="radio"/>
User1 can change the password immediately by using the My Apps portal.	<input type="radio"/>	<input type="radio"/>
From Azure AD, User1 must change the password every 90 days.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
User1 can sign in to Azure AD.	<input checked="" type="radio"/>	<input type="radio"/>
User1 can change the password immediately by using the My Apps portal.	<input type="radio"/>	<input checked="" type="radio"/>
From Azure AD, User1 must change the password every 90 days.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 265

HOTSPOT - (Topic 6)

You have a Microsoft 365 tenant that has Enable Security defaults set to No in Azure Active Directory (Azure AD). The tenant has two Compliance Manager assessments as shown in the following table.

Name	Score	Status	Assessment progress	Your improvement actions	Microsoft actions	Group	Product	Regulation
SP800	15444	Incomplete	72%	3 of 450 completed	887 of 887 completed	Group1	Microsoft 365	NIST 800-53
Data Protection Baseline	14370	Incomplete	70%	3 of 489 completed	835 of 835 completed	Group2	Microsoft 365	Data Protection Baseline

The SP800 assessment has the improvement actions shown in the following table.

Improvement action	Test status	Impact	Points achieved	Regulations
Establish a threat intelligence program	None	+9 points	0/9	NIST 800-53, Data Protection Baseline
Establish and document a configuration management program	None	+9 points	0/9	NIST 800-53, Data Protection Baseline

You perform the following actions:

? For the Data Protection Baseline assessment, change the Test status of Establish a threat intelligence program to Implemented.

? Enable multi-factor authentication (MFA) for all users.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
Establish a threat intelligence program will appear as Implemented in the SP800 assessment.	<input type="radio"/>	<input type="radio"/>
The SP800 assessment score will increase by 54 points.	<input type="radio"/>	<input type="radio"/>
The Data Protection Baseline score will increase by 9 points.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
Establish a threat intelligence program will appear as Implemented in the SP800 assessment.	<input type="radio"/>	<input checked="" type="radio"/>
The SP800 assessment score will increase by 54 points.	<input type="radio"/>	<input checked="" type="radio"/>
The Data Protection Baseline score will increase by 9 points.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 267

HOTSPOT - (Topic 6)

You have an Azure AD tenant that contains the users shown in the following table.

Name	Role
User1	Global Administrator
User2	Billing Administrator
User3	None

You enable self-service password reset for all users. You set Number of methods required to reset to 1, and you set Methods available to users to Security questions only.

What information must be configured for each user before the user can perform a self- service password reset? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

User1:

User2:

User3:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

User1:

User2:

User3:

NEW QUESTION 272

- (Topic 6)

You have a Microsoft 365 subscription.

You configure a new Azure AD enterprise application named App1. App1 requires that a user be assigned the Reports Reader role. Which type of group should you use to assign the Reports Reader role and to access App1?

- A. a Microsoft 365 group that has assigned membership
- B. a Microsoft 365 group that has dynamic user membership
- C. a security group that has assigned membership
- D. a security group that has dynamic user membership

Answer: C

Explanation:

To grant permissions to assignees to manage users and group access for a specific enterprise app, go to that app in Azure AD and open in the Roles and Administrators list for that app. Select the new custom role and complete the user or group assignment. The assignees can manage users and group access only for the specific app.

Note: You can add the following types of groups:

Assigned groups - Manually add users or devices into a static group.

Dynamic groups (Requires Azure AD Premium) - Automatically add users or devices to user groups or device groups based on an expression you create.

Note:

Security groups

Security groups are used for granting access to Microsoft 365 resources, such as SharePoint. They can make administration easier because you need only administer the group rather than adding users to each resource individually.

Security groups can contain users or devices. Creating a security group for devices can be used with mobile device management services, such as Intune.

Security groups can be configured for dynamic membership in Azure Active Directory, allowing group members or devices to be added or removed automatically based on user attributes such as department, location, or title; or device attributes such as operating system version.

Security groups can be added to a team.

Microsoft 365 Groups can't be members of security groups. Microsoft 365 Groups

Microsoft 365 Groups are used for collaboration between users, both inside and outside your company. With each Microsoft 365 Group, members get a group email and shared workspace for conversations, files, and calendar events, Stream, and a Planner.

Reference:

<https://learn.microsoft.com/en-us/azure/active-directory/roles/custom-enterprise-apps> <https://learn.microsoft.com/en-us/microsoft-365/admin/create-groups/compare-groups?> <https://learn.microsoft.com/en-us/mem/intune/apps/apps-deploy>

NEW QUESTION 275

HOTSPOT - (Topic 6)

HOTSPOT

You have a Microsoft 365 tenant.

You plan to create a retention policy as shown in the following exhibit.

Information governance > Create retention policy

✓ Name

✓ Locations

✓ Retention settings

● Finish

Review and finish

It might take up to one day to apply this policy to the locations you selected.

Policy name
contoso
[Edit](#)

Description
[Edit](#)

Locations to apply the policy
Exchange email (All Recipients)
SharePoint sites (All Sites)
OneDrive accounts (All Accounts)
Microsoft 365 Groups (All Groups)
[Edit](#)

Retention settings
Delete items at end of retention period
Delete items that are older than 7 years based on when they were created
[Edit](#)

⚠ Items that are currently older than 7 years will be deleted after you turn on this policy. This is especially important to note for locations scoped to 'All sources' (for example, 'All Teams chats') because all matching items in those locations across your organization will be permanently deleted.

[Back](#)[Submit](#)[Cancel](#)

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Answer Area

Microsoft SharePoint files that are affected by the policy will be [answer choice].

Once the policy is created, [answer choice].

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Deleted seven years after they were created. From the exhibit:

The retention policy applies to SharePoint sites.

Delete items that are older than 7 years based on when they were created.

Box 2: data will retained for a minimum of seven years

The longest retention period wins. If content is subject to multiple retention settings that retain content for different periods of time, the content will be retained until the end of the longest retention period for the item.

Note: Use a retention policy to assign the same retention settings for content at a site or mailbox level, and use a retention label to assign retention settings at an item level (folder, document, email).

For example, if all documents in a SharePoint site should be retained for 5 years, it's more efficient to do this with a retention policy than apply the same retention label to all documents in that site. However, if some documents in that site should be retained for 5

years and others retained for 10 years, a retention policy wouldn't be able to do this. When you need to specify retention settings at the item level, use retention labels.

NEW QUESTION 279

- (Topic 6)

You have a Microsoft Azure Active Directory (Azure AD) tenant named Contoso.com. You create a Microsoft Defender for identity instance Contoso.

The tenant contains the users shown in the following table.

Name	Member of group	Azure AD role
User1	Defender for Identity Contoso Administrators	None
User2	Defender for Identity Contoso Users	None
User3	None	Security administrator
User4	Defender for Identity Contoso Users	Global administrator

You need to modify the configuration of the Defender for identity sensors.

Solutions: You instruct User3 to modify the Defender for identity sensor configuration. Does this meet the goal?

A. Yes

B. No

Answer: A

NEW QUESTION 283

- (Topic 6)

Your company has a Microsoft 365 E5 subscription.

Users in the research department work with sensitive data.

You need to prevent the research department users from accessing potentially unsafe websites by using hyperlinks embedded in email messages and documents.

Users in other departments must not be restricted.

What should you do?

A. Create a data loss prevention (DLP) policy that has a Content is shared condition.

B. Modify the safe links policy Global settings.

C. Create a data loss prevention (DLP) policy that has a Content contains condition.

D. Create a new safe links policy.

Answer: D

Explanation:

Use the Microsoft 365 Defender portal to create Safe Links policies

In the Microsoft 365 Defender portal at <https://security.microsoft.com>, go to Email & Collaboration > Policies & Rules > Threat policies > Safe Links in the Policies section. Or, to go directly to the Safe Links page, use <https://security.microsoft.com/safelinksv2>.

* 1. On the Safe Links page, select Create to start the new Safe Links policy wizard.

* 2. On the Name your policy page, configure the following settings: Name: Enter a unique, descriptive name for the policy.

Description: Enter an optional description for the policy.

* 3. When you're finished on the Name your policy page, select Next.

* 4. On the Users and domains page, identify the internal recipients that the policy applies to (recipient conditions):

Users: The specified mailboxes, mail users, or mail contacts.

*-> Groups:

Members of the specified distribution groups (including non-mail-enabled security groups within distribution groups) or mail-enabled security groups (dynamic distribution groups aren't supported).

The specified Microsoft 365 Groups.

Domains: All recipients in the specified accepted domains in your organization. Etc.

Reference:

<https://learn.microsoft.com/en-us/microsoft-365/security/office-365-security/safe-links-policies-configure>

NEW QUESTION 287

HOTSPOT - (Topic 6)

You have three devices enrolled in Microsoft Endpoint Manager as shown in the following table.

Name	Platform	BitLocker Drive Encryption (BitLocker)	Member of
Device1	Windows 10	Disabled	Group3
Device2	Windows 10	Disabled	Group2, Group3
Device3	Windows 10	Disabled	Group2

The device compliance policies in Endpoint Manager are configured as shown in the following table.

Name	Platform	Require BitLocker	Assigned
Policy1	Windows 10 and later	Require	Yes
Policy2	Windows 10 and later	Not configured	Yes
Policy3	Windows 10 and later	Require	No

The device compliance policies have the assignments shown in the following table.

Name	Assigned to
Policy1	Group3
Policy2	Group2

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
Device1 is compliant.	<input type="radio"/>	<input type="radio"/>
Device2 is compliant.	<input type="radio"/>	<input type="radio"/>
Device3 is compliant.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
Device1 is compliant.	<input type="radio"/>	<input checked="" type="radio"/>
Device2 is compliant.	<input type="radio"/>	<input checked="" type="radio"/>
Device3 is compliant.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 290

- (Topic 6)

You have a Microsoft 365 E5 tenant.

The Microsoft Secure Score for the tenant is shown in the following exhibit.

Microsoft Secure Score

Overview Improvement actions History Metrics & trends

Actions you can take to improve your Microsoft Secure Score. Score updates may take up to 24 hours.

↓ Export	12 items	🔍 Search	⌵ Filter	{≡ Group by ▾
Applied filters:				
Rank ⓘ	Improvement action	Score impact	Points achieved	
1	Require MFA for administrative roles	+16.95%	0/10	
2	Ensure all users can complete multi-factor authentication for...	+15.25%	0/9	
3	Enable policy to block legacy authentication	+13.56%	0/8	
4	Turn on user risk policy	+11.86%	0/7	
5	Turn on sign-in risk policy	+11.86%	0/7	
6	Do not allow users to grant consent to unmanaged applicatio...	+6.78%	0/4	
7	Enable self-service password reset	+1.69%	0/1	
8	Turn on customer lockbox feature	+1.69%	0/1	
9	Use limited administrative roles	+1.69%	0/1	
10	Designate more than one global admin	+1.69%	0/1	

You plan to enable Security defaults for Azure Active Directory (Azure AD). Which three improvement actions will this affect?

- A. Require MFA for administrative roles.
- B. Ensure all users can complete multi-factor authentication for secure access
- C. Enable policy to block legacy authentication
- D. Enable self-service password reset
- E. Use limited administrative roles

Answer: ABC

Explanation:

Reference:
<https://docs.microsoft.com/en-us/azure/active-directory/fundamentals/concept-fundamentals-security-defaults>

NEW QUESTION 293

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 tenant that connects to Microsoft Defender for Endpoint. You have devices enrolled in Microsoft Intune as shown in the following table.

Name	Platform
Device1	Windows 10
Device2	Windows 8.1
Device3	iOS
Device4	Android

You plan to use risk levels in Microsoft Defender for Endpoint to identify whether a device is compliant. Noncompliant devices must be blocked from accessing corporate resources.

You need to identify which devices can be onboarded to Microsoft Defender for Endpoint, and which Endpoint security policies must be configured.

What should you identify? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Devices that can onboarded to Microsoft Defender for Endpoint:

▼
Device 1 only
Device 1 and Device 2 only
Device 1 and Device 3 only
Device 1 and Device 4 only
Device 1, Device 2, and Device 4 only
Device 1, Device 2, Device 3, and Device 4

Endpoint security policies that must be configured:

▼
A conditional access policy only
A device compliance policy only
A device configuration profile only
A device configuration profile and a conditional access policy only
Device configuration profile, device compliance policy, and conditional access policy

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Text, table Description automatically generated with medium confidence

NEW QUESTION 297

- (Topic 6)

You have a Microsoft 365 E5 subscription that contains the following user:

? Name: User1

? UPN: user1@contoso.com

? Email address: user1@marketing.contoso.com

? MFA enrollment status: Disabled

When User1 attempts to sign in to Outlook on the web by using the user1@marketing.contoso.com email address, the user cannot sign in.

You need to ensure that User1 can sign in to Outlook on the web by using user1@marketing.contoso.com.

What should you do?

- A. Assign an MFA registration policy to User1.
B. Reset the password of User1.
C. Add an alternate email address for User1.
D. Modify the UPN of User1.

Answer: D

Explanation:

Microsoft's recommended best practices are to match UPN to primary SMTP address. This article addresses the small percentage of customers that cannot remediate UPN's to match.

Note: A UPN is an Internet-style login name for a user based on the Internet standard RFC 822. The UPN is shorter than a distinguished name and easier to remember. By convention, this should map to the user's email name. The point of the UPN is to consolidate the email and logon namespaces so that the user only needs to remember a single name.

Configure the Azure AD multifactor authentication registration policy

Azure Active Directory (Azure AD) Identity Protection helps you manage the roll-out of Azure AD multifactor authentication (MFA) registration by configuring a Conditional Access policy to require MFA registration no matter what modern authentication app you're signing in to.

Reference:

<https://docs.microsoft.com/en-us/windows/win32/ad/naming-properties#userprincipalname>

NEW QUESTION 301

HOTSPOT - (Topic 6)

You have 2,500 Windows 10 devices and a Microsoft 365 E5 tenant that contains two users named User1 and User2. The devices are not enrollment in Microsoft Intune.

In Microsoft Endpoint Manager, the Device limit restrictions are configured as shown in the following exhibit.

Device limit restrictions

Define how many devices each user can enroll.

Priority	Name	Device limit	Assigned
Default	All Users	2	Yes

In Azure Active Directory (Azure AD), the Device settings are configured as shown in the following exhibit.

Users may register their devices with Azure AD ⓘ

All

None

Learn more on how this setting works

Require Multi-Factor Auth to join devices ⓘ

Yes

No

Maximum number of devices per user ⓘ

5

From Microsoft Endpoint Manager, you add User2 as a device enrollment manager (DEM).
For each of the following statement, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Statements	Yes	No
User1 can enroll only five devices in Intune.	<input type="radio"/>	<input type="radio"/>
User1 can join only five devices to Azure AD.	<input type="radio"/>	<input type="radio"/>
User2 can enroll all the devices in Intune.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
User1 can enroll only five devices in Intune.	<input type="radio"/>	<input checked="" type="radio"/>
User1 can join only five devices to Azure AD.	<input type="radio"/>	<input checked="" type="radio"/>
User2 can enroll all the devices in Intune.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 305

HOTSPOT - (Topic 6)

You have three devices enrolled in Microsoft Endpoint Manager as shown in the following table.

Name	Platform	BitLocker Drive Encryption (BitLocker)	Member of
Device1	Windows 10	Disabled	Group1, Group2
Device2	Windows 10	Disabled	Group2, Group3
Device3	Windows 10	Disabled	Group3

The device compliance policies in Endpoint Manager are configured as shown in the following table.

Name	Require BitLocker	Mark noncompliant after (days)	Assigned
Policy1	Require	5	No
Policy2	Require	10	Yes
Policy3	Not configured	15	Yes

The device compliance policies have the assignments shown in the following table.

Name	Assigned to
Policy2	Group2
Policy3	Group3

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
Device1 is marked as noncompliant after 10 days.	<input type="radio"/>	<input type="radio"/>
Device2 is marked as noncompliant after 10 days.	<input type="radio"/>	<input type="radio"/>
Device3 is marked as noncompliant after 15 days.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
Device1 is marked as noncompliant after 10 days.	<input checked="" type="radio"/>	<input type="radio"/>
Device2 is marked as noncompliant after 10 days.	<input checked="" type="radio"/>	<input type="radio"/>
Device3 is marked as noncompliant after 15 days.	<input type="radio"/>	<input type="radio"/>

NEW QUESTION 310

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription that contains the users shown in the following table.

Name	Mailbox size
User1	5 MB
User2	15 MB
User3	25 MB
User4	55 MB

You have a Microsoft Office 365 retention label named Retention1 that is published to Exchange email. You have a Microsoft Exchange Online retention policy that is applied to all mailboxes. The retention policy contains a retention tag named Retention2. Which users can assign Retention1 and Retention2 to their emails? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Users who can assign Retention1:

User4 only
User3 and User4 only
User2, User3, and User4 only
User1, User2, User3, and User4

Users who can assign Retention2:

User4 only
User3 and User4 only
User2, User3, and User4 only
User1, User2, User3, and User4

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Users who can assign Retention1:

▼
User4 only
User3 and User4 only
User2, User3, and User4 only
User1, User2, User3, and User4

Users who can assign Retention2:

▼
User4 only
User3 and User4 only
User2, User3, and User4 only
User1, User2, User3, and User4

NEW QUESTION 315

- (Topic 6)

You have a Microsoft 365 subscription.

You have the retention policies shown in the following table.

Name	Location	Retain items for a specific period	Start the retention period based on	At the end of the retention period
Policy1	SharePoint sites	1 years	When items were created	Delete items automatically
Policy2	SharePoint sites	2 years	When items were last modified	Do nothing

Both policies are applied to a Microsoft SharePoint site named Site1 that contains a file named File1.docx. File1.docx was created on January 1, 2022 and last modified on January 31,2022. The file was NOT modified again. When will File1.docx be deleted automatically?

- A. January 1,2023
- B. January 1,2024
- C. January 31, 2023
- D. January 31, 2024
- E. never

Answer: D

Explanation:

Retention wins over deletion. Note:

Explanation for the four different principles:

* 1. Retention wins over deletion. Content won't be permanently deleted when it also has retention settings to retain it. While this principle ensures that content is preserved for compliance reasons, the delete process can still be initiated (user-initiated or system- initiated) and consequently, might remove the content from users' main view. However, permanent deletion is suspended.

* 2. Etc. Reference:

<https://learn.microsoft.com/en-us/microsoft-365/compliance/retention>

NEW QUESTION 320

DRAG DROP - (Topic 6)

DRAG DROP

Your network contains an on-premises Active Directory domain that syncs to Azure Active Directory (Azure AD). The domain contains the servers shown in the following table.

Name	Operating system	Configuration
Server1	Windows Server 2016	File Server Resource Manager (FSRM)
Server2	Windows Server 2016	None

You use Azure Information Protection.

You need to ensure that you can apply Azure Information Protection labels to the file stores on Server1.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- Authorize Server1.
- Install the Microsoft Rights Management connector on Server2.
- Install a certificate on Server2.
- Install a certificate on Server1.
- Register a service principal name for Server1.
- Run GenConnectorConfig.ps1 on Server1.
- Run GenConnectorConfig.ps1 on Server2.

Answer Area

- A. Mastered
B. Not Mastered

Answer: A

Explanation:**Actions**

- Authorize Server1.
- Install the Microsoft Rights Management connector on Server2.
- Install a certificate on Server2.
- Install a certificate on Server1.
- Register a service principal name for Server1.
- Run GenConnectorConfig.ps1 on Server1.
- Run GenConnectorConfig.ps1 on Server2.

Answer Area

- Install the Microsoft Rights Management connector on Server2.
- Authorize Server1.
- Run GenConnectorConfig.ps1 on Server1.

NEW QUESTION 324

- (Topic 6)

You have a Microsoft 365 tenant that contains devices registered for mobile device management. The devices are configured as shown in the following table.

Name	Platform
Device1	MacOS
Device2	Windows 10 Pro for Workstations
Device3	Windows 10 Enterprise
Device4	iOS
Device5	Android

You plan to enable VPN access for the devices.

What is the minimum number of configuration policies required?

- A. 3
B. 5
C. 4
D. 1

Answer: D

NEW QUESTION 329

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 tenant that contains a Microsoft SharePoint Online site named Site1. Site1 contains the files shown in the following table.

Name	Number of IP addresses in the file
File1.docx	1
File2.txt	2
File3.xlsx	5

You create a sensitivity label named Sensitivity1 and an auto-label policy that has the following configurations:

? Name: AutoLabel1

? Label to auto-apply: Sensitivity1

? Rules for SharePoint Online sites: Rule1-SPO

? Choose locations where you want to apply the label: Site1

Edit rule

Rule1-SPO

Rule1 description

We'll apply this policy to content that matches these conditions.

Default

All of these

Sensitive info types

IP Address Accuracy 85 to 100 Instance count 2 to Any

Add

Create group

+ Add condition

Cancel

Statements

Yes

No

Sensitivity1 is applied to File1.docx.

☐

Sensitivity1 is applied to File2.txt.

☐

Sensitivity1 is applied to File3.xlsx.

☐☐

- Explanation:**

Statements

Yes

No

Sensitivity1 is applied to File1.docx.

☐

Sensitivity1 is applied to File2.txt.

☐

Sensitivity1 is applied to File3.xlsx.

☐

You need to configure the Office 365 service status notifications and limit access to the service and feature updates. The solution must meet the technical

requirements.

What should you configure in the Microsoft 365 admin center? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

To configure the notifications:

Briefing email

Briefing email

Help desk information

Organization information

To limit access:

Release preferences

Privileged Access

Release preferences

Office installation options

- A. Mastered
- B. Not Mastered

Answer: A

NEW QUESTION 333

- (Topic 5)

You need to configure just in time access to meet the technical requirements. What should you use?

- A. entitlement management
- B. Azure AD Privileged Identity Management (PIM)
- C. access reviews
- D. Azure AD Identity Protection

Answer: B

NEW QUESTION 337

HOTSPOT - (Topic 4)

HOTSPOT

You create the Microsoft 365 tenant.

You implement Azure AD Connect as shown in the following exhibit.

Azure Active Directory admin center

>>

Home > Azure AD Connect

Azure AD Connect

Azure Active Directory

Troubleshoot

Refresh

SYNC STATUS

Sync Status

Enabled

Last Sync

Less than 1 hour ago

Password Hash Sync

Enabled

USER SIGN-IN

Federation

Disabled

0 domains

Seamless single sign-on

Disabled

0 domains

Pass-through authentication

Disabled

0 agents

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Your Partner of IT Exam

visit - <https://www.exambible.com>

Answer Area

During Project1, sales department users can access [answer choice] applications by using SSO.

both on-premises and cloud-based
only cloud-based
only on-premises

If Active Directory becomes unavailable during Project1, sales department users can access the resources [answer choice].

both on-premises and in the cloud
in the cloud only
on-premises only

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: only on-premises

In the exhibit, seamless single sign-on (SSO) is disabled. Therefore, as SSO is disabled in the cloud, the Sales department users can access only on-premises applications by using SSO.

In the exhibit, directory synchronization is enabled and active. This means that the on- premises Active Directory user accounts are synchronized to Azure Active Directory user accounts. If the on-premises Active Directory becomes unavailable, the users can access resources in the cloud by authenticating to Azure Active Directory. They will not be able to access resources on-premises if the on-premises Active Directory becomes unavailable as they will not be able to authenticate to the on-premises Active Directory.

Box 2: in the cloud only

NEW QUESTION 341

- (Topic 4)

Which role should you assign to User1?

Available Choices (select all choices that are correct)

- A. Hygiene Management
- B. Security Reader
- C. Security Administrator
- D. Records Management

Answer: C

Explanation:

A user named User1 must be able to view all DLP reports from the Microsoft 365 admin center.

Users with the Security Reader role have global read-only access on security-related features, including all information in Microsoft 365 security center, Azure Active Directory, Identity Protection, Privileged Identity Management, as well as the ability to read Azure Active Directory sign-in reports and audit logs, and in Office 365 Security & Compliance Center.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/users-groups-roles/directory-assign-admin-roles>

NEW QUESTION 343

- (Topic 4)

You need to ensure that all the sales department users can authenticate successfully during Project1 and Project2.

Which authentication strategy should you implement for the pilot projects?

- A. pass-through authentication
- B. pass-through authentication and seamless SSO
- C. password hash synchronization and seamless SSO
- D. password hash synchronization

Answer: C

Explanation:

Project1: During Project1, the mailboxes of 100 users in the sales department will be moved to Microsoft 365.

Project2: After the successful completion of Project1, Microsoft Teams & Skype for Business will be enabled in Microsoft 365 for the sales department users.

After the planned migration to Microsoft 365, all users must be signed in to on-premises and cloud-based applications automatically.

Fabrikam does NOT plan to implement identity federation.

After the planned migration to Microsoft 365, all users must continue to authenticate to their mailbox and to SharePoint sites by using their UPN.

You need to enable password hash synchronization to enable the users to continue to authenticate to their mailbox and to SharePoint sites by using their UPN.

You need to enable SSO to enable all users to be signed in to on-premises and cloud-based applications automatically.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/choose-ad-authn>

NEW QUESTION 346

- (Topic 3)

You create the planned DLP policies.

You need to configure notifications to meet the technical requirements. What should you do?

- A. From the Microsoft 365 security center, configure an alert policy.

- B. From the Microsoft Endpoint Manager admin center, configure a custom notification.
- C. From the Microsoft 365 admin center, configure a Briefing email.
- D. From the Microsoft 365 compliance center, configure the Endpoint DLP settings.

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/dlp-configure-view-alerts-policies?view=o365-worldwide>

NEW QUESTION 349

- (Topic 3)

You need to configure Office on the web to meet the technical requirements. What should you do?

- A. Assign the Global reader role to User1.
- B. Enable sensitivity labels for Office files in SharePoint Online and OneDrive.
- C. Configure an auto-labeling policy to apply the sensitivity labels.
- D. Assign the Office apps admin role to User1.

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/sensitivity-labels-sharepoint-onedrive-files?view=o365-worldwide>

NEW QUESTION 352

HOTSPOT - (Topic 2)

You need to meet the technical requirement for log analysis.

What is the minimum number of data sources and log collectors you should create from Microsoft Cloud App Security? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Minimum number of data sources:

▼
1
3
6

Minimum number of log collectors:

▼
1
3
6

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/cloud-app-security/discovery-docker>

NEW QUESTION 357

- (Topic 2)

You need to recommend a solution for the security administrator. The solution must meet the technical requirements. What should you include in the recommendation?

- A. Microsoft Azure Active Directory (Azure AD) Privileged Identity Management
- B. Microsoft Azure Active Directory (Azure AD) Identity Protection
- C. Microsoft Azure Active Directory (Azure AD) conditional access policies
- D. Microsoft Azure Active Directory (Azure AD) authentication methods

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/concept-conditional-access-conditions#sign-in-risk> states clearly that Sign-in risk

NEW QUESTION 359

DRAG DROP - (Topic 2)

You need to meet the requirement for the legal department.

Which three actions should you perform in sequence from the Security & Compliance admin center? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Create a data loss prevention (DLP) policy.	
Create an eDiscovery case.	
Create a label.	
Run a content search.	
Create a label policy.	
Create a hold.	
Assign eDiscovery permissions.	
Publish a label.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References: <https://www.sherweb.com/blog/ediscovery-office-365/>

NEW QUESTION 363

- (Topic 2)

Which report should the New York office auditors view?

- A. DLP policy matches
- B. DLP false positives and overrides
- C. DLP incidents
- D. Top Senders and Recipients

Answer: C

Explanation:

References:

<https://docs.microsoft.com/en-us/office365/securitycompliance/data-loss-prevention-policies>

This report also shows policy matches over time, like the policy matches report. However, the policy matches report shows matches at a rule level; for example, if an email matched three different rules, the policy matches report shows three different line items. By contrast, the incidents report shows matches at an item level; for example, if an email matched three different rules, the incidents report shows a single line item for that piece of content. Because the report counts are aggregated differently, the policy matches report is better for identifying matches with specific rules and fine tuning DLP policies. The incidents report is better for identifying specific pieces of content that are problematic for your DLP policies.

NEW QUESTION 365

- (Topic 2)

You need to protect the U.S. PII data to meet the technical requirements. What should you create?

- A. a data loss prevention (DLP) policy that contains a domain exception
- B. a Security & Compliance retention policy that detects content containing sensitive data
- C. a Security & Compliance alert policy that contains an activity
- D. a data loss prevention (DLP) policy that contains a user override

Answer: A

NEW QUESTION 366

- (Topic 1)

On which server should you install the Azure ATP sensor?

- A. Server 1
- B. Server 2
- C. Server 3
- D. Server 4
- E. Server 5

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/azure-advanced-threat-protection/atp-capacity-planning>

However, if the case study had required that the DCs can't have any s/w installed, then the answer would have been a standalone sensor on Server2. In this scenario, the given answer is correct. BTW, ATP now known as Defender for Identity.

NEW QUESTION 369

- (Topic 1)

You need to ensure that User1 can enroll the devices to meet the technical requirements. What should you do?

- A. From the Azure Active Directory admin center, assign User1 the Cloud device administrator role.
- B. From the Azure Active Directory admin center, configure the Maximum number of devices per user setting.
- C. From the Intune admin center, add User1 as a device enrollment manager.
- D. From the Intune admin center, configure the Enrollment restrictions.

Answer: C

Explanation:

References:

<https://docs.microsoft.com/en-us/sccm/mdm/deploy-use/enroll-devices-with-device-enrollment-manager>

NEW QUESTION 370

- (Topic 1)

You need to ensure that the support technicians can meet the technical requirement for the Montreal office mobile devices.

What is the minimum of dedicated support technicians required?

- A. 1
- B. 4
- C. 7
- D. 31

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/sccm/mdm/deploy-use/enroll-devices-with-device-enrollment-manager>

NEW QUESTION 372

- (Topic 1)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an Active Directory domain named contoso.com that is synced to Microsoft Azure Active Directory (Azure AD).

You manage Windows 10 devices by using Microsoft System Center Configuration Manager (Current Branch).

You configure a pilot for co-management.

You add a new device named Device1 to the domain. You install the Configuration Manager client on Device1.

You need to ensure that you can manage Device1 by using Microsoft Intune and Configuration Manager.

Solution: Define a Configuration Manager device collection as the pilot collection. Add Device1 to the collection.

Does this meet the goal?

- A. Yes
- B. NO

Answer: A

Explanation:

Device1 has the Configuration Manager client installed so you can manage Device1 by using Configuration Manager. To manage Device1 by using Microsoft Intune, the device has to be enrolled in Microsoft Intune. In the Co-management Pilot configuration, you configure a Configuration Manager Device Collection that determines which devices are auto-enrolled in Microsoft Intune. You need to add Device1 to the Device Collection so that it auto-enrolls in Microsoft Intune. You will then be able to manage Device1 using Microsoft Intune. Reference: <https://docs.microsoft.com/en-us/configmgr/comanage/how-to-enable>

NEW QUESTION 375

.....

Relate Links

100% Pass Your MS-102 Exam with Examible Prep Materials

<https://www.exambible.com/MS-102-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>