

Microsoft

Exam Questions AI-900

Microsoft Azure AI Fundamentals (beta)



NEW QUESTION 1

- (Topic 5)

You use drones to identify where weeds grow between rows of crops to send an Instruction for the removal of the weeds. This is an example of which type of computer vision?

- A. scene segmentation
- B. optical character recognition (OCR)
- C. object detection

Answer: C

Explanation:

Object detection is similar to tagging, but the API returns the bounding box coordinates for each tag applied. For example, if an image contains a dog, cat and person, the Detect operation will list those objects together with their coordinates in the image.

Reference:

<https://docs.microsoft.com/en-us/ai-builder/object-detection-overview> <https://docs.microsoft.com/en-us/azure/cognitive-services/computer-vision/overview-ocr>

<https://docs.microsoft.com/en-us/azure/azure-video-analyzer/video-analyzer-for-media-docs/video-indexer-overview>

NEW QUESTION 2

- (Topic 5)

You have a frequently asked questions (FAQ) PDF file.

You need to create a conversational support system based on the FAQ.

Which service should you use?

- A. QnA Maker
- B. Text Analytics
- C. Computer Vision
- D. Language Understanding (LUIS)

Answer: A

Explanation:

QnA Maker is a cloud-based API service that lets you create a conversational question- and-answer layer over your existing data. Use it to build a knowledge base by extracting questions and answers from your semi-structured content, including FAQs, manuals, and documents.

Reference:

<https://azure.microsoft.com/en-us/services/cognitive-services/qna-maker/>

NEW QUESTION 3

- (Topic 5)

You plan to build a conversational AI solution that can be surfaced in Microsoft Teams. Microsoft Cortana, and Amazon Alexa. Which service should you use?

- A. Azure Bot Service
- B. Azure Cognitive Search
- C. Language service
- D. Speech

Answer: A

NEW QUESTION 4

- (Topic 5)

You need to reduce the load on telephone operators by implementing a chatbot to answer simple questions with predefined answers.

Which two AI service should you use to achieve the goal? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Text Analytics
- B. QnA Maker
- C. Azure Bot Service
- D. Translator Text

Answer: BC

Explanation:

Bots are a popular way to provide support through multiple communication channels. You can use the QnA Maker service and Azure Bot Service to create a bot that answers user questions. Reference:

<https://docs.microsoft.com/en-us/learn/modules/build-faq-chatbot-qna-maker-azure-bot-service/>

NEW QUESTION 5

HOTSPOT - (Topic 5)

Select the .

Answer Area



A. Mastered

B. Not Mastered

Answer: A

Explanation:

Answer Area

You can use the

Custom Vision

Computer Vision

Custom Vision

Form Recognizer

Azure Video Analyzer for Media

 service to train an object detection model by using your own images.

NEW QUESTION 6

HOTSPOT - (Topic 5)

You have an Azure Machine Learning model that predicts product quality. The model has a training dataset that contains 50,000 records. A sample of the data is shown in the following table.

| Date | Time | Mass (kg) | Temperature (C) | Quality Test |
|------------|----------|-----------|-----------------|--------------|
| 26/02/2021 | 15:31:07 | 2.108 | 62.5 | Pass |
| 26/02/2021 | 15:31:39 | 2.099 | 62.4 | Pass |
| 26/02/2021 | 02:32:21 | 2.098 | 66.4 | Fail |

For each of the following Statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

| Statements | Yes | No |
|-----------------------------|-----------------------|-----------------------|
| Mass (kg) is a feature. | <input type="radio"/> | <input type="radio"/> |
| Quality Test is a label. | <input type="radio"/> | <input type="radio"/> |
| Temperature (C) is a label. | <input type="radio"/> | <input type="radio"/> |

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Answer Area

| Statements | Yes | No |
|-----------------------------|----------------------------------|----------------------------------|
| Mass (kg) is a feature. | <input checked="" type="radio"/> | <input type="radio"/> |
| Quality Test is a label. | <input checked="" type="radio"/> | <input type="radio"/> |
| Temperature (C) is a label. | <input type="radio"/> | <input checked="" type="radio"/> |

NEW QUESTION 7

HOTSPOT - (Topic 5)

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

| Statements | Yes | No |
|-----------------------------------------------------------------------------------------------------------------------|-----------------------|-----------------------|
| A bot that responds to queries by internal users is an example of a conversational AI workload. | <input type="radio"/> | <input type="radio"/> |
| An application that displays images relating to an entered search term is an example of a conversational AI workload. | <input type="radio"/> | <input type="radio"/> |
| A web form used to submit a request to reset a password is an example of a conversational AI workload. | <input type="radio"/> | <input type="radio"/> |

A. Mastered

B. Not Mastered

Answer: A

Explanation:

| Statements | Yes | No |
|-----------------------------------------------------------------------------------------------------------------------|----------------------------------|----------------------------------|
| A bot that responds to queries by internal users is an example of a conversational AI workload. | <input checked="" type="radio"/> | <input type="radio"/> |
| An application that displays images relating to an entered search term is an example of a conversational AI workload. | <input type="radio"/> | <input checked="" type="radio"/> |
| A web form used to submit a request to reset a password is an example of a conversational AI workload. | <input checked="" type="radio"/> | <input type="radio"/> |

NEW QUESTION 8
HOTSPOT - (Topic 5)
For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

| Statements | Yes | No |
|--------------------------------------------------------------------------------------------------------|-----------------------|-----------------------|
| A restaurant can use a chatbot to empower customers to make reservations by using a website or an app. | <input type="radio"/> | <input type="radio"/> |
| A restaurant can use a chatbot to answer inquiries about business hours from a webpage. | <input type="radio"/> | <input type="radio"/> |
| A restaurant can use a chatbot to automate responses to customer reviews on an external website. | <input type="radio"/> | <input type="radio"/> |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

| Statements | Yes | No |
|--------------------------------------------------------------------------------------------------------|----------------------------------|-----------------------|
| A restaurant can use a chatbot to empower customers to make reservations by using a website or an app. | <input checked="" type="radio"/> | <input type="radio"/> |
| A restaurant can use a chatbot to answer inquiries about business hours from a webpage. | <input checked="" type="radio"/> | <input type="radio"/> |
| A restaurant can use a chatbot to automate responses to customer reviews on an external website. | <input checked="" type="radio"/> | <input type="radio"/> |

NEW QUESTION 9
HOTSPOT - (Topic 5)
Select the answer that correctly completes the sentence
Answer Area

Ensuring an AI system does not provide a prediction when important fields contain unusual or missing values is

a privacy and security

an inclusiveness

a privacy and security

a reliability and safety

a transparency

 principle for responsible AI.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Ensuring an AI system does not provide a prediction when important fields contain unusual or missing values is a privacy and security principle for responsible AI.

a privacy and security

an inclusiveness

a privacy and security

a reliability and safety

a transparency

NEW QUESTION 10

- (Topic 5)
You need to create a customer support solution to help customers access information. The solution must support email, phone, and live chat channels. Which type of AI solution should you use?

- A. natural language processing (NLP)
- B. computer vision
- C. machine learning
- D. chatbot

Answer: D

NEW QUESTION 10

HOTSPOT - (Topic 5)
Select the answer that correctly completes the sentence.

Answer Area

When building a regression model, labels must have a data type of

numeric.

boolean.

datetime.

numeric.

text.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

When building a regression model, labels must have a data type of

numeric.

boolean.

datetime.

numeric.

text.

NEW QUESTION 12

HOTSPOT - (Topic 5)
Select the answer that correctly completes the sentence.

Answer Area

Predicting how many hours of overtime a delivery person will work based on the number of orders received is an example of

classification.

clustering.

regression.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Predicting how many hours of overtime a delivery person will work based on the number of orders received is an example of

classification.

clustering.

regression.

NEW QUESTION 15

HOTSPOT - (Topic 5)

Select the answer that correctly completes the sentence.

Answer Area

When evaluating the performance of a model, the

confusion matrix

AUC metric

confusion matrix

ROC curve

threshold

displays the predicted and actual positives and negatives by using a grid of 0 and 1 values.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

When evaluating the performance of a model, the

confusion matrix

AUC metric

confusion matrix

ROC curve

threshold

displays the predicted and actual positives and negatives by using a grid of 0 and 1 values.

NEW QUESTION 16

- (Topic 5)

Which Computer Vision feature can you use to generate automatic captions for digital photographs?

- A. Recognize text.
- B. Describe the images.
- C. Identify the areas of interest.
- D. Detect objects.

Answer: B

NEW QUESTION 21

- (Topic 5)

Which scenario is an example of a webchat bot?

- A. Determine whether reviews entered on a website for a concert are positive or negative, and then add athumbs up or thumbs down emoji to the reviews.
- B. Translate into English questions entered by customers at a kiosk so that the appropriate person can call the customers back.
- C. Accept questions through email, and then route the email messages to the correct person based on the content of the message.
- D. From a website interface, answer common questions about scheduled events and ticket purchases for a music festival.

Answer: D

NEW QUESTION 23

HOTSPOT - (Topic 5)

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

| Statements | Yes | No |
|-----------------------------------------------------------------------------------------------------------------|-----------------------|-----------------------|
| Chatbots can support voice input. | <input type="radio"/> | <input type="radio"/> |
| A separate chatbot is required for each communication channel. | <input type="radio"/> | <input type="radio"/> |
| Chatbots manage conversation flows by using a combination of natural language and constrained option responses. | <input type="radio"/> | <input type="radio"/> |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

| Statements | Yes | No |
|-----------------------------------------------------------------------------------------------------------------|----------------------------------|----------------------------------|
| Chatbots can support voice input. | <input type="radio"/> | <input checked="" type="radio"/> |
| A separate chatbot is required for each communication channel. | <input type="radio"/> | <input checked="" type="radio"/> |
| Chatbots manage conversation flows by using a combination of natural language and constrained option responses. | <input checked="" type="radio"/> | <input type="radio"/> |

NEW QUESTION 24

DRAG DROP - (Topic 5)

Match the machine learning models to the appropriate descriptions.

To answer, drag the appropriate model from the column on the left to its description on the right. Each model may be used once, more than once, or not at all.

NOTE: Each correct match is worth one point.

Models

Classification

Clustering

Regression

Answer Area

A supervised machine learning model used to predict numeric values.

A supervised machine learning model used to predict categories.

An unsupervised machine learning model used to group similar entities based on features.

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Models

Classification

Clustering

Regression

Answer Area

Regression

Classification

Clustering

A supervised machine learning model used to predict numeric values.

A supervised machine learning model used to predict categories.

An unsupervised machine learning model used to group similar entities based on features.

NEW QUESTION 29

- (Topic 5)

During the process of Machine Learning, when should you review evaluation metrics?

- A. After you clean the data.
B. Before you train a model.
C. Before you choose the type of model.
D. After you test a model on the validation data.

Answer: D

NEW QUESTION 34

HOTSPOT - (Topic 5)

Select the answer that correctly completes the sentence.

Answer Area

According to Microsoft's

fairness

accountability

fairness

inclusiveness

transparency

principle of responsible AI,


AI systems should **NOT** reflect biases from the data sets that are used to train the systems.

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area

According to Microsoft's  principle of responsible AI, AI systems should **NOT** reflect biases from the data sets that are used to train the systems.

NEW QUESTION 37

HOTSPOT - (Topic 5)

For each of the following statements, select Yes if the statement is True. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

| Statements | Yes | No |
|----------------------------------------------------------------------------------------------------------------------------------|-----------------------|-----------------------|
| A smart device in the home that responds to questions such as "When is my next appointment?" is an example of conversational AI. | <input type="radio"/> | <input type="radio"/> |
| An interactive webchat feature on a company website can be implemented by using Azure Bot Service. | <input type="radio"/> | <input type="radio"/> |
| Automatically generating captions for pre-recorded videos is an example of conversational AI. | <input type="radio"/> | <input type="radio"/> |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

| Statements | Yes | No |
|----------------------------------------------------------------------------------------------------------------------------------|----------------------------------|-----------------------|
| A smart device in the home that responds to questions such as "When is my next appointment?" is an example of conversational AI. | <input checked="" type="radio"/> | <input type="radio"/> |
| An interactive webchat feature on a company website can be implemented by using Azure Bot Service. | <input checked="" type="radio"/> | <input type="radio"/> |
| Automatically generating captions for pre-recorded videos is an example of conversational AI. | <input checked="" type="radio"/> | <input type="radio"/> |

NEW QUESTION 42

- (Topic 5)

Which two scenarios are examples of a conversational AI workload? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. a smart device in the home that responds to questions such as "What will the weather be like today?"
- B. a website that uses a knowledge base to interactively respond to users' questions
- C. assembly line machinery that autonomously inserts headlamps into cars
- D. monitoring the temperature of machinery to turn on a fan when the temperature reaches a specificThreshold

Answer: AB

NEW QUESTION 46

- (Topic 5)

You have an Azure Machine Learning pipeline that contains a Split Data module. The Split Data module outputs to a Train Model module and a Score Model module. What is the function of the Split Data module?

- A. selecting columns that must be included in the model
- B. creating training and validation datasets
- C. diverting records that have missing data
- D. scaling numeric variables so that they are within a consistent numeric range

Answer: A

NEW QUESTION 48

HOTSPOT - (Topic 5)

Select the answer that correctly completes the sentence.

Answer Area

Using Recency, Frequency, and Monetary (RFM) values to identify segments of a customer base is an example of

classification.

clustering.

regression.

classification.

regularization.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Using Recency, Frequency, and Monetary (RFM) values to identify segments of a customer base is an example of

classification.

clustering.

regression.

classification.

regularization.

NEW QUESTION 52

- (Topic 5)
You need to implement a pre-built solution that will identify well-known brands in digital photographs. Which Azure AI sen/tee should you use?

- A. Face
- B. Custom Vision
- C. Computer Vision
- D. Form Recognizer

Answer: C

NEW QUESTION 54

HOTSPOT - (Topic 5)
For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE; Each correct selection is worth one point.

Answer Area

| Statements | Yes | No |
|----------------------------------------------------------------------------------------|-----------------------|-----------------------|
| The Language service can identify in which language text is written. | <input type="radio"/> | <input type="radio"/> |
| The Language service can detect handwritten signatures in a document. | <input type="radio"/> | <input type="radio"/> |
| The Language service can identify companies and organizations mentioned in a document. | <input type="radio"/> | <input type="radio"/> |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

| Statements | Yes | No |
|----------------------------------------------------------------------------------------|----------------------------------|----------------------------------|
| The Language service can identify in which language text is written. | <input checked="" type="radio"/> | <input type="radio"/> |
| The Language service can detect handwritten signatures in a document. | <input type="radio"/> | <input checked="" type="radio"/> |
| The Language service can identify companies and organizations mentioned in a document. | <input checked="" type="radio"/> | <input type="radio"/> |

NEW QUESTION 58

HOTSPOT - (Topic 5)
For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

| Statements | Yes | No |
|--------------------------------------------------------------|-----------------------|-----------------------|
| You can communicate with a bot by using Cortana. | <input type="radio"/> | <input type="radio"/> |
| You can communicate with a bot by using Microsoft Teams. | <input type="radio"/> | <input type="radio"/> |
| You can communicate with a bot by using a webchat interface. | <input type="radio"/> | <input type="radio"/> |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

| Statements | Yes | No |
|--------------------------------------------------------------|----------------------------------|-----------------------|
| You can communicate with a bot by using Cortana. | <input checked="" type="radio"/> | <input type="radio"/> |
| You can communicate with a bot by using Microsoft Teams. | <input checked="" type="radio"/> | <input type="radio"/> |
| You can communicate with a bot by using a webchat interface. | <input checked="" type="radio"/> | <input type="radio"/> |

NEW QUESTION 61

- (Topic 5)
You have a natural language processing (NLP) model that was created by using data obtained without permission. Which Microsoft principle for responsible AI does this breach?

- A. privacy and security
- B. inclusiveness
- C. transparency
- D. reliability and safety

Answer: C

NEW QUESTION 62

DRAG DROP - (Topic 5)
Match the Azure Cognitive Services service to the appropriate actions.
To answer, drag the appropriate service from the column on the left to its action on the right. Each service may be used once, more than once, or not at all.
NOTE: Each correct match is worth one point.

| Services | Answer Area |
|-----------------------------|----------------------------------------------------|
| <div>Speech</div> | <div></div> Convert a user's speech to text. |
| <div>Language service</div> | <div></div> Identify a user's intent. |
| <div>Translator Text</div> | <div></div> Provide a spoken response to the user. |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Services

Speech

Language service

Translator Text

Answer Area

Speech

Convert a user's speech to text.

Language service

Identify a user's intent.

Speech

Provide a spoken response to the user.

NEW QUESTION 64

- (Topic 5)

You need to track multiple versions of a model that was trained by using Azure Machine Learning. What should you do?

- A. Provision an inference duster.
- B. Explain the model.
- C. Register the model.
- D. Register the training data.

Answer: C

NEW QUESTION 66

DRAG DROP - (Topic 5)

Match the principles of responsible AI to the appropriate descriptions.

To answer, drag the appropriate principle from the column on the left to its description on the right. Each principle may be used once, more than once, or not at all.

NOTE: Each correct match is worth one point.

Principles

Fairness

Inclusiveness

Privacy and securit

Reliability and safe

Answer Area

AI systems must consistently operate as intended, even under unexpected conditions.

AI systems must protect and secure personal and businesses information.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Principles

Fairness

Inclusiveness

Privacy and securit

Reliability and safe

Answer Area

Reliability and safe

AI systems must consistently operate as intended, even under unexpected conditions.

Privacy and securit

AI systems must protect and secure personal and businesses information.

NEW QUESTION 67

HOTSPOT - (Topic 5)

correctly completes the sentence.

Answer Area

In a machine learning model, the data that is used as inputs are called

features.

functions.

labels.

instances.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

In a machine learning model, the data that is used as inputs are called

features.

functions.

labels.

instances.

NEW QUESTION 70

- (Topic 5)

You need to create a clustering model and evaluate the model by using Azure Machine Learning designer. What should you do?

- A. Split the original dataset into a dataset for features and a dataset for label
- B. Use the features dataset for evaluation.
- C. Split the original dataset into a dataset for training and a dataset for testin
- D. Use the training dataset for evaluation.
- E. Split the original dataset into a dataset for training and a dataset for testin
- F. Use the testing dataset for evaluation.
- G. Use the original dataset for training and evaluation.

Answer: C

NEW QUESTION 75

HOTSPOT - (Topic 5)

Select the answer that correctly completes the sentence.

Azure Machine Learning designer lets you create machine learning models by

adding and connecting modules on a visual canvas.

adding and connecting modules on a visual canvas.

automatically performing common data preparation tasks.

automatically selecting an algorithm to build the most accurate model.

using a code-first notebook experience.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Azure Machine Learning designer lets you create machine learning models by

adding and connecting modules on a visual canvas.

adding and connecting modules on a visual canvas.

automatically performing common data preparation tasks.

automatically selecting an algorithm to build the most accurate model.

using a code-first notebook experience.

NEW QUESTION 77

HOTSPOT - (Topic 5)

Select the answer that correctly completes the sentence.

Answer Area

Optical character recognition (OCR)

Object detection

Facial recognition

Image classification

Optical character recognition (OCR)

extracts text from handwritten documents.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Optical character recognition (OCR)

Object detection

Facial recognition

Image classification

Optical character recognition (OCR)

extracts text from handwritten documents.

NEW QUESTION 78

- (Topic 5)

You are building a knowledge base by using QnA Maker. Which file format can you use to populate the knowledge base?

- A. PDF
- B. PPTX
- C. XML
- D. ZIP

Answer: A

Explanation:

Reference:
<https://docs.microsoft.com/en-us/azure/cognitive-services/qnamaker/concepts/data-sources-and-content>

NEW QUESTION 81

HOTSPOT - (Topic 5)

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE; Each correct selection is worth one point

| Statements | Yes | No |
|---------------------------------------------------------------------------------------|-----|----|
| The Custom Vision service can be used to detect objects in an image. | | |
| The Custom Vision service requires that you provide your own data to train the model. | | |
| The Custom Vision service can be used to analyze video files. | | |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

| Statements | Yes | No |
|---------------------------------------------------------------------------------------|-------------------------------------|-------------------------------------|
| The Custom Vision service can be used to detect objects in an image. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| The Custom Vision service requires that you provide your own data to train the model. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| The Custom Vision service can be used to analyze video files. | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

NEW QUESTION 83

- (Topic 5)

You have a webchat bot that provides responses from a QnA Maker knowledge base.
You need to ensure that the bot uses user feedback to improve the relevance of the responses over time.
What should you use?

- A. key phrase extraction
- B. sentiment analysis
- C. business logic
- D. active learning

Answer: D

Explanation:

Reference:
<https://docs.microsoft.com/en-us/azure/cognitive-services/qnamaker/how-to/improve-knowledge-base>

NEW QUESTION 86

FILL IN THE BLANK - (Topic 5)

To complete the sentence, select the appropriate option in the answer area.
Using Recency, Frequency, and Monetary (RFM) values to identify segments of a customer base is an example of _____

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Using Recency, Frequency, and Monetary (RFM) values to identify segments of a customer base is an example of 

NEW QUESTION 87

- (Topic 4)

In which scenario should you use key phrase extraction?

- A. translating a set of documents from English to German
- B. generating captions for a video based on the audio track
- C. identifying whether reviews of a restaurant are positive or negative
- D. identifying which documents provide information about the same topics

Answer: D

NEW QUESTION 89

HOTSPOT - (Topic 4)

To complete the sentence, select the appropriate option in the answer area.

Answer Area

Natural language processing can be used to

- classify email messages as work-related or personal.
- predict the number of future car rentals.
- predict which website visitors will make a transaction.
- stop a process in a factory when extremely high temperatures are registered.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Natural language processing (NLP) is used for tasks such as sentiment analysis, topic detection, language detection, key phrase extraction, and document categorization.

NEW QUESTION 91

- (Topic 4)

You are developing a solution that uses the Text Analytics service.

You need to identify the main talking points in a collection of documents. Which type of natural language processing should you use?

- A. entity recognition
- B. key phrase extraction
- C. sentiment analysis
- D. language detection

Answer: B

Explanation:

Broad entity extraction: Identify important concepts in text, including key

Key phrase extraction/ Broad entity extraction: Identify important concepts in text, including key phrases and named entities such as people, places, and organizations.

Reference:

<https://docs.microsoft.com/en-us/azure/architecture/data-guide/technology-choices/natural-language-processing>

NEW QUESTION 94

- (Topic 4)

You are authoring a Language Understanding (LUIS) application to support a music festival.

You want users to be able to ask questions about scheduled shows, such as: "Which act is playing on the main stage?"

The question "Which act is playing on the main stage?" is an example of which type of element?

- A. an intent
- B. an utterance
- C. a domain
- D. an entity

Answer: B

Explanation:

Utterances are input from the user that your app needs to interpret. Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/LUIS/luis-concept-utterance>

NEW QUESTION 98

HOTSPOT - (Topic 4)

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

| Statements | Yes | No |
|----------------------------------------------------------------------------|-----------------------|-----------------------|
| You can use the Translator service to translate text between languages. | <input type="radio"/> | <input type="radio"/> |
| You can use the Translator service to detect the language of a given text. | <input type="radio"/> | <input type="radio"/> |
| You can use the Translator service to transcribe audible speech into text. | <input type="radio"/> | <input type="radio"/> |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

The translator service provides multi-language support for text translation, transliteration, language detection, and dictionaries. Speech-to-Text, also known as automatic speech recognition (ASR), is a feature of Speech Services that provides transcription.

NEW QUESTION 99

- (Topic 4)

You need to make the press releases of your company available in a range of languages. Which service should you use?

- A. Translator Text
- B. Text Analytics
- C. Speech
- D. Language Understanding (LUIS)

Answer: A

Explanation:

Press release is a written communication. Speech wouldn't make sense. Plus, the Speech service doesn't translate languages, it "translates" audio into text, and vice versa.

<https://docs.microsoft.com/en-us/learn/modules/translate-text-with-translation-service/2-get-started-azure>

NEW QUESTION 104

- (Topic 4)

You are developing a Chabot solution in Azure.

Which service should you use to determine a user's intent?

- A. Translator
- B. Azure Cognitive Search
- C. Speech
- D. Language

Answer: B

Explanation:

Language Understanding (LUIS) is a cloud-based API service that applies custom machine-learning intelligence to a user's conversational, natural language text to predict overall meaning, and pull out relevant, detailed information.

Design your LUIS model with categories of user intentions called intents. Each intent needs examples of user utterances. Each utterance can provide data that needs to be extracted with machine-learning entities.

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/luis/what-is-luis>

NEW QUESTION 107

- (Topic 4)

Your website has a chatbot to assist customers.

You need to detect when a customer is upset based on what the customer types in the chatbot.

Which type of AI workload should you use?

- A. anomaly detection
- B. semantic segmentation
- C. regression
- D. natural language processing

Answer: D

Explanation:

Natural language processing (NLP) is used for tasks such as sentiment analysis, topic detection, language detection, key phrase extraction, and document categorization.

Sentiment Analysis is the process of determining whether a piece of writing is positive, negative or neutral.

Reference:

<https://docs.microsoft.com/en-us/azure/architecture/data-guide/technology-choices/natural-language-processing>

NEW QUESTION 112

- (Topic 4)

You build a QnA Maker bot by using a frequently asked questions (FAQ) page.

You need to add professional greetings and other responses to make the bot more user friendly.

What should you do?

- A. Increase the confidence threshold of responses
- B. Enable active learning
- C. Create multi-turn questions
- D. Add chit-chat

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/qnamaker/how-to/chit-chat-knowledge-base?tabs=v1>

NEW QUESTION 114

DRAG DROP - (Topic 4)

Match the types of natural languages processing workloads to the appropriate scenarios.

To answer, drag the appropriate workload type from the column on the left to its scenario on the right. Each workload type may be used once, more than once, or not at all.

NOTE: Each correct selection is worth one point.

| Workloads Types | Answer Area |
|-----------------------------------------|-------------------------------------------------------------------------------|
| Entity recognition | Workload Type Extracts persons, locations, and organizations from the text |
| Key phrase extraction | Workload Type Evaluates text along a positive-negative scale |
| Language modeling | Workload Type Returns text translated to the specified target language |
| Sentiment analysis | |
| Natural language processing | |
| Translation | |
| Speech recognition and speech synthesis | |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Entity recognition

Classify a broad range of entities in text, such as people, places, organisations, date/time and percentages, using named entity recognition. Whereas:- Get a list of relevant phrases that best describe the subject of each record using key phrase extraction.

Box 2: Sentiment analysis

Sentiment Analysis is the process of determining whether a piece of writing is positive, negative or neutral.

Box 3: Translation

Using Microsoft's Translator text API

This versatile API from Microsoft can be used for the following: Translate text from one language to another.

Transliterate text from one script to another. Detecting language of the input text.

Find alternate translations to specific text. Determine the sentence length.

NEW QUESTION 116

- (Topic 4)

You have insurance claim reports that are stored as text.

You need to extract key terms from the reports to generate summaries. Which type of AI workload should you use?

- A. conversational AI
- B. anomaly detection
- C. natural language processing
- D. computer vision

Answer: C

Explanation:

Key phrase extraction is the concept of evaluating the text of a document, or documents, and then identifying the main talking points of the document(s).

Key phrase extraction is a part of Text Analytics. The Text Analytics service is a part of the Azure Cognitive Services offerings that can perform advanced natural language processing over raw text.

<https://docs.microsoft.com/en-us/learn/modules/analyze-text-with-text-analytics-service/2-get-started-azure>

NEW QUESTION 121

HOTSPOT - (Topic 3)

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

| Statements | Yes | No |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|-----------------------|
| When creating an object detection model in the Custom Vision service, you must choose a classification type of either Multilabel or Multiclass . | <input type="radio"/> | <input type="radio"/> |
| You can create an object detection model in the Custom Vision service to find the location of content within an image. | <input type="radio"/> | <input type="radio"/> |
| When creating an object detection model in the Custom Vision service, you can select from a set of predefined domains. | <input type="radio"/> | <input type="radio"/> |

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area

| Statements | Yes | No |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|----------------------------------|
| When creating an object detection model in the Custom Vision service, you must choose a classification type of either Multilabel or Multiclass . | <input type="radio"/> | <input checked="" type="radio"/> |
| You can create an object detection model in the Custom Vision service to find the location of content within an image. | <input checked="" type="radio"/> | <input type="radio"/> |
| When creating an object detection model in the Custom Vision service, you can select from a set of predefined domains. | <input checked="" type="radio"/> | <input type="radio"/> |

NEW QUESTION 124

- (Topic 3)

What are two tasks that can be performed by using the Computer Vision service? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Train a custom image classification model.
B. Detect faces in an image.
C. Recognize handwritten text.
D. Translate the text in an image between languages.

Answer: BC

Explanation:

B: Azure's Computer Vision service provides developers with access to advanced algorithms that process images and return information based on the visual features you're interested in. For example, Computer Vision can determine whether an image contains adult content, find specific brands or objects, or find human faces.

C: Computer Vision includes Optical Character Recognition (OCR) capabilities. You can use the new Read API to extract printed and handwritten text from images and documents.

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/computer-vision/home>

Detect faces in an image - Face API

Microsoft Azure provides multiple cognitive services that you can use to detect and analyze faces, including:

Computer Vision, which offers face detection and some basic face analysis, such as determining age.

Video Indexer, which you can use to detect and identify faces in a video.

Face, which offers pre-built algorithms that can detect, recognize, and analyze faces. Recognize hand written text - Read API

The Read API is a better option for scanned documents that have a lot of text. The Read API also has the ability to automatically determine the proper recognition model

NEW QUESTION 129

- (Topic 2)

Which type of machine learning should you use to predict the number of gift cards that will be sold next month?

- A. classification
- B. regression
- C. clustering

Answer: B

NEW QUESTION 131

HOTSPOT - (Topic 3)

You have a database that contains a list of employees and their photos. You are tagging new photos of the employees. For each of the following statements select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

| Statements | Yes | No |
|------------------------------------------------------------------------------------------------------------------|-----------------------|-----------------------|
| The Face service can be used to group all the employees who have similar facial characteristics. | <input type="radio"/> | <input type="radio"/> |
| The Face service will be more accurate if you provide more sample photos of each employee from different angles. | <input type="radio"/> | <input type="radio"/> |
| If an employee is wearing sunglasses, the Face service will always fail to recognize the employee. | <input type="radio"/> | <input type="radio"/> |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

| Statements | Yes | No |
|------------------------------------------------------------------------------------------------------------------|----------------------------------|----------------------------------|
| The Face service can be used to group all the employees who have similar facial characteristics. | <input checked="" type="radio"/> | <input type="radio"/> |
| The Face service will be more accurate if you provide more sample photos of each employee from different angles. | <input checked="" type="radio"/> | <input type="radio"/> |
| If an employee is wearing sunglasses, the Face service will always fail to recognize the employee. | <input type="radio"/> | <input checked="" type="radio"/> |

NEW QUESTION 136

DRAG DROP - (Topic 3)

Match the types of computer vision to the appropriate scenarios.

To answer, drag the appropriate workload type from the column on the left to its scenario on the right. Each workload type may be used once, more than once, or not at all.

NOTE: Each correct selection is worth one point.

| Workloads Types | Answer Area |
|-------------------------------------|-------------------------------------------------------------------|
| Facial recognition | Workload Type Identify celebrities in images. |
| Image classification | Workload Type Extract movie title names from movie poster images. |
| Object detection | Workload Type Locate vehicles in images. |
| Optical character recognition (OCR) | |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Facial recognition

Face detection that perceives faces and attributes in an image; person identification that matches an individual in your private repository of up to 1 million people; perceived emotion recognition that detects a range of facial expressions like happiness, contempt, neutrality, and fear; and recognition and grouping of similar faces in images.

Box 2: OCR

Box 3: Object detection

Object detection is similar to tagging, but the API returns the bounding box coordinates (in pixels) for each object found. For example, if an image contains a dog, cat and person, the Detect operation will list those objects together with their coordinates in the image. You can use this functionality to process the relationships between the objects in an image. It also lets you determine whether there are multiple instances of the same tag in an image.

The Detect API applies tags based on the objects or living things identified in the image. There is currently no formal relationship between the tagging taxonomy and the object detection taxonomy. At a conceptual level, the Detect API only finds objects and living things, while the Tag API can also include contextual terms like "indoor", which can't be localized with bounding boxes.

NEW QUESTION 138

HOTSPOT - (Topic 2)

To complete the sentence, select the appropriate option in the answer area.

Answer Area

Azure Machine Learning designer lets you create machine learning models by

- adding and connecting modules on a visual canvas.
- automatically performing common data preparation tasks.
- automatically selecting an algorithm to build the most accurate model.
- using a code-first notebook experience.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Azure Machine Learning designer lets you create machine learning models by

- adding and connecting modules on a visual canvas.
- automatically performing common data preparation tasks.
- automatically selecting an algorithm to build the most accurate model.
- using a code-first notebook experience.

NEW QUESTION 139

HOTSPOT - (Topic 2)

To complete the sentence, select the appropriate option in the answer area.

Predicting how many vehicles will travel across a bridge on a given day is an example of

- classification.
- clustering.
- regression.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Regression is a machine learning task that is used to predict the value of the label from a set of related features.

NEW QUESTION 142
HOTSPOT - (Topic 2)
You have the following dataset.

| Household Income | Postal Code | House Price Category |
|------------------|-------------|----------------------|
| 20,000 | 55555 | Low |
| 23,000 | 20541 | Middle |
| 80,000 | 87960 | High |

You plan to use the dataset to train a model that will predict the house price categories of houses.
What are Household Income and House Price Category? To answer, select the appropriate option in the answer area.
NOTE: Each correct selection is worth one point.

Answer Area

Household Income:

A feature

A label

House Price Category:

A feature

A label

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Box 1: A feature Box 2: A label

NEW QUESTION 143
- (Topic 2)
A medical research project uses a large anonymized dataset of brain scan images that are categorized into predefined brain haemorrhage types.
You need to use machine learning to support early detection of the different brain haemorrhage types in the images before the images are reviewed by a person.
This is an example of which type of machine learning?

- A. clustering
- B. regression
- C. classification

Answer: C

Explanation:
Reference:
<https://docs.microsoft.com/en-us/learn/modules/create-classification-model-azure-machine-learning-designer/introduction>

NEW QUESTION 145
HOTSPOT - (Topic 2)
For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

| Statements | Yes | No |
|------------------------------------------------------------------------------------------------|-----------------------|-----------------------|
| A validation set includes the set of input examples that will be used to train a mode. | <input type="radio"/> | <input type="radio"/> |
| A validation set can be used to determine how well a model predicts labels. | <input type="radio"/> | <input type="radio"/> |
| A validation set can be used to verify that all the training data was used to train the model. | <input type="radio"/> | <input type="radio"/> |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: No
The validation dataset is different from the test dataset that is held back from the training of the model.

Box 2: Yes
A validation dataset is a sample of data that is used to give an estimate of model skill while tuning model's hyperparameters.

Box 3: No
The Test Dataset, not the validation set, used for this. The Test Dataset is a sample of data used to provide an unbiased evaluation of a final model fit on the training dataset.

NEW QUESTION 147

- (Topic 2)
You need to predict the sea level in meters for the next 10 years. Which type of machine learning should you use?

- A. classification
- B. regression
- C. clustering

Answer: C

Explanation:
In the most basic sense, regression refers to prediction of a numeric target. Linear regression attempts to establish a linear relationship between one or more independent variables and a numeric outcome, or dependent variable.
You use this module to define a linear regression method, and then train a model using a labeled dataset. The trained model can then be used to make predictions.
Reference:
<https://docs.microsoft.com/en-us/azure/machine-learning/studio-module-reference/linear-regression>
Regression is a form of machine learning that is used to predict a numeric label based on an item's features.
<https://docs.microsoft.com/en-us/learn/modules/create-regression-model-azure-machine-learning-designer/introduction>

NEW QUESTION 152

HOTSPOT - (Topic 2)
For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

| Statements | Yes | No |
|------------------------------------------------------------------------------------------------------------------------------------|-----------------------|-----------------------|
| Automated machine learning is the process of automating the time-consuming, iterative tasks of machine learning model development. | <input type="radio"/> | <input type="radio"/> |
| Automated machine learning can automatically infer the training data from the use case provided. | <input type="radio"/> | <input type="radio"/> |
| Automated machine learning works by running multiple training iterations that are scored and ranked by the metrics you specify. | <input type="radio"/> | <input type="radio"/> |
| Automated machine learning enables you to specify a dataset and will automatically understand which label to predict. | <input type="radio"/> | <input type="radio"/> |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Box 1: Yes
Automated machine learning, also referred to as automated ML or AutoML, is the process of automating the time consuming, iterative tasks of machine learning model development. It allows data scientists, analysts, and developers to build ML models with high scale, efficiency, and productivity all while sustaining model quality.

Box 2: No
Box 3: Yes
During training, Azure Machine Learning creates a number of pipelines in parallel that try different algorithms and parameters for you. The service iterates through ML algorithms paired with feature selections, where each iteration produces a model with a training score. The higher the score, the better the model is considered to "fit" your data. It will stop once it hits the exit criteria defined in the experiment.

Box 4: No
Apply automated ML when you want Azure Machine Learning to train and tune a model for you using the target metric you specify.
The label is the column you want to predict.

NEW QUESTION 154

- (Topic 2)
When training a model, why should you randomly split the rows into separate subsets?

- A. to train the model twice to attain better accuracy
- B. to train multiple models simultaneously to attain better performance
- C. to test the model by using data that was not used to train the model

Answer: C

Explanation:

The goal is to produce a trained (fitted) model that generalizes well to new, unknown data. The fitted model is evaluated using “new” examples from the held-out datasets (validation and test datasets) to estimate the model's accuracy in classifying new data.

https://en.wikipedia.org/wiki/Training,_validation,_and_test_sets#:~:text=Training%20datas et,-A%20training%20dataset&text=The%20goal%20is%20to%20produce,accuracy%20in%20classifying%20new%20data.

NEW QUESTION 157

HOTSPOT - (Topic 2)

To complete the sentence, select the appropriate option in the answer area.

Answer Area

A banking system that predicts whether a loan will be repaid is an example of the type of machine learning.

- classification
- regression
- clustering

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

A banking system that predicts whether a loan will be repaid is an example of the type of machine learning.

- classification
- regression
- clustering

NEW QUESTION 161

- (Topic 1)

For a machine learning progress, how should you split data for training and evaluation?

- A. Use features for training and labels for evaluation.
- B. Randomly split the data into rows for training and rows for evaluation.
- C. Use labels for training and features for evaluation.
- D. Randomly split the data into columns for training and columns for evaluation.

Answer: B


Explanation:

<https://docs.microsoft.com/en-us/azure/machine-learning/algorithm-module-reference/split-data>

NEW QUESTION 162

- (Topic 2)

You have the Predicted vs. True chart shown in the following exhibit.



Which type of model is the chart used to evaluate?

- A. classification
- B. regression
- C. clustering

Answer: B

Explanation:

What is a Predicted vs. True chart?

Predicted vs. True shows the relationship between a predicted value and its correlating true value for a regression problem. This graph can be used to measure performance of a model as the closer to the y=x line the predicted values are, the better the accuracy of a predictive model.

Reference:

<https://docs.microsoft.com/en-us/azure/machine-learning/how-to-understand-automated-m>

NEW QUESTION 164

HOTSPOT - (Topic 1)

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

| Statements | Yes | No |
|-------------------------------------------------------------------------------------------------------------------------------|-----------------------|-----------------------|
| Forecasting housing prices based on historical data is an example of anomaly detection. | <input type="radio"/> | <input type="radio"/> |
| Identifying suspicious sign-ins by looking for deviations from usual patterns is an example of anomaly detection. | <input type="radio"/> | <input type="radio"/> |
| Predicting whether a patient will develop diabetes based on the patient's medical history is an example of anomaly detection. | <input type="radio"/> | <input type="radio"/> |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: No

Box 2: Yes

Box 3: Yes

Anomaly detection encompasses many important tasks in machine learning:

Identifying transactions that are potentially fraudulent.

Learning patterns that indicate that a network intrusion has occurred. Finding abnormal clusters of patients.

Checking values entered into a system.

NEW QUESTION 168

DRAG DROP - (Topic 1)

Match the principles of responsible AI to appropriate requirements.

To answer, drag the appropriate principles from the column on the left to its requirement on the right. Each principle may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Principles

Fairness

Privacy and security

Reliability and safety

Transparency

Answer Area

The system must not discriminate based on gender, race

Personal data must be visible only to approve

Automated decision-making processes must be recorded so that approved users can identify why a decision was made

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Principles

Fairness

Privacy and security

Reliability and safety

Transparency

Answer Area

Fairness

Privacy and security

Transparency

The system must not discriminate based on gender, race

Personal data must be visible only to approve

Automated decision-making processes must be recorded so that approved users can identify why a decision was made

NEW QUESTION 173

DRAG DROP - (Topic 1)

Match the Microsoft guiding principles for responsible AI to the appropriate descriptions.

To answer, drag the appropriate principle from the column on the left to its description on the right. Each principle may be used once, more than once, or not at all.

NOTE: Each correct selection is worth one point.

Principles

Accountability

Fairness

Inclusiveness

Privacy and security

Reliability and safety

Answer Area

Principle

Principle

Principle

Ensure that AI systems operate as they were originally designed, respond to unanticipated conditions, and resist harmful manipulation.

Implementing processes to ensure that decisions made by AI systems can be overridden by humans.

Provide consumers with information and controls over the collection, use, and storage of their data.

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: Reliability and safety

To build trust, it's critical that AI systems operate reliably, safely, and consistently under normal circumstances and in unexpected conditions. These systems should be able to operate as they were originally designed, respond safely to unanticipated conditions, and resist harmful manipulation.

Box 2: accountability

Box 3: Privacy and security

As AI becomes more prevalent, protecting privacy and securing important personal and business information is becoming more critical and complex. With AI, privacy and data security issues require especially close attention because access to data is essential for AI systems to make accurate and informed predictions and decisions about people. AI systems must comply with privacy laws that require transparency about the collection, use, and storage of data and mandate that consumers have appropriate controls to choose how their data is used

<https://docs.microsoft.com/en-us/learn/modules/responsible-ai-principles/4-guiding-principles>

NEW QUESTION 178

DRAG DROP - (Topic 1)

Match the types of AI workloads to the appropriate scenarios.

To answer, drag the appropriate workload type from the column on the left to its scenario on the right. Each workload type may be used once, more than once, or not at all.

NOTE: Each correct selection is worth one point.

Workloads Types

| |
|-----------------------------|
| Anomaly detection |
| Computer vision |
| Conversational AI |
| Knowledge mining |
| Natural language processing |

Answer Area

| | |
|---------------|------------------------------------------------------------------|
| Workload Type | An automated chat to answer questions about refunds and exchange |
| Workload Type | Determining whether a photo contains a person |
| Workload Type | Determining whether a review is positive or negative |

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 3: Natural language processing

Natural language processing (NLP) is used for tasks such as sentiment analysis, topic detection, language detection, key phrase extraction, and document categorization.

NEW QUESTION 183

HOTSPOT - (Topic 1)

To complete the sentence, select the appropriate option in the answer area.

Answer Area

The handling of unusual or missing values provided to an AI system is a consideration for the Microsoft ▼ principle for responsible AI.

inclusiveness

privacy and security

reliability and safety

transparency

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Reliability & Safety [https://en.wikipedia.org/wiki/Tay_\(bot\)](https://en.wikipedia.org/wiki/Tay_(bot))

“To build trust, it's critical that AI systems operate reliably, safely, and consistently under normal circumstances and in unexpected conditions. These systems should be able to

operate as they were originally designed, respond safely to unanticipated conditions, and resist harmful manipulation. It's also important to be able to verify that these systems are behaving as intended under actual operating conditions. How they behave and the variety of conditions they can handle reliably and safely largely reflects the range of situations and circumstances that developers anticipate during design and testing. We believe that rigorous testing is essential during system development and deployment to ensure AI systems can respond safely in unanticipated situations and edge cases, don't have unexpected performance failures, and don't evolve in ways that are inconsistent with original expectations”

NEW QUESTION 187

HOTSPOT - (Topic 1)

To complete the sentence, select the appropriate option in the answer area.

When developing an AI system for self-driving cars, the Microsoft for responsible AI should be applied to ensure consistent operation system during unexpected circumstances.

▼ principle of the

inclusiveness

accountability

reliability and safety

fairness

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Reliability and safety: To build trust, it's critical that AI systems operate reliably, safely, and consistently under normal circumstances and in unexpected conditions. These systems should be able to operate as they were originally designed, respond safely to unanticipated conditions, and resist harmful manipulation.

NEW QUESTION 192

- (Topic 1)

You are building an AI system.

Which task should you include to ensure that the service meets the Microsoft transparency principle for responsible AI?

- A. Ensure that all visuals have an associated text that can be read by a screen reader.
- B. Enable autoscaling to ensure that a service scales based on demand.
- C. Provide documentation to help developers debug code.
- D. Ensure that a training dataset is representative of the population.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/learn/modules/responsible-ai-principles/4-guiding-principles>

NEW QUESTION 197

- (Topic 1)

You are building an AI-based app.

You need to ensure that the app uses the principles for responsible AI.

Which two principles should you follow? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Implement an Agile software development methodology
- B. Implement a process of AI model validation as part of the software review process
- C. Establish a risk governance committee that includes members of the legal team, members of the risk management team, and a privacy officer
- D. Prevent the disclosure of the use of AI-based algorithms for automated decision making

Answer: BC

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/cloud-adoption-framework/innovate/best-practices/trusted-ai>

<https://docs.microsoft.com/en-us/learn/modules/responsible-ai-principles/3-implications-responsible-ai-practical>

NEW QUESTION 202

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

AI-900 Practice Exam Features:

- * AI-900 Questions and Answers Updated Frequently
- * AI-900 Practice Questions Verified by Expert Senior Certified Staff
- * AI-900 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * AI-900 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The AI-900 Practice Test Here](#)