

HP

Exam Questions HPE2-T37

Using HPE OneView



NEW QUESTION 1

Which parameters can be defined in a server profile template for HPE Synergy Compute Modules? (Select two.)

- A. partition layout for servers running Linux.
- B. IL0 IPv4 or IPv6 address.
- C. local storage and BIOS settings.
- D. NIC teaming setup at OS level.
- E. network and storage connectivity.

Answer: CE

NEW QUESTION 2

You want to update the firmware for only two HPE Synergy Virtual Connect SE 32Gb FC Modules of a large environment. From which level must this procedure be initiated?

- A. Logical Enclosure
- B. Logical Interconnect Group
- C. Logical Interconnect
- D. Server Profile

Answer: A

NEW QUESTION 3

Which statement about HPE OneView Global Dashboard is true?

- A. It is an application that can be installed on Windows or Linux system that will provide automated discovery of HPE OneView instances
- B. It is a plugin to HPE Oneview that will allow integration of HPE oneView with VMware management and monitoring components
- C. It is a virtual appliance that can aggregate health and inventory information from multiple HPE OneView appliances or HPE Composers
- D. It is a plugin to vCenter Server that will allow management of the components added to HPE Oneview from vCenter server interface

Answer: C

NEW QUESTION 4

You try to add an HPE Primera array to HPE OneView, but you get a connectivity error. However, you can connect to the array using SSMC. What should you verify before adding HPE Primera to HPE OneView?

- A. whether WSAPI service is enabled on HPE Primera array.
- B. whether the appropriate license for HPE Primera is available in HPE OneView.
- C. whether array management using HPE OneView is enabled in SSMC.
- D. whether there are at least two Fibre Channel networks defined in HPE OneView.

Answer: A

NEW QUESTION 5

Which statement about logical JBODs configured using KPE OneView and D3940 Storage Modules is true?

- A. A logical JBOD lifecycle can be associated with a server profile lifecycle and drives can be securely erased.
- B. A logical JBOD cannot be created during server profile creation and must be prepared in advance
- C. Different types of the drives can be used within a logical JBOD as long as they have the same capacity
- D. Logical JBOD functionality must be enabled on the Enclosure Group level by a storage administrator

Answer: B

NEW QUESTION 6

Which statement regarding HPE OneView backup restore is true?

- A. During backup restore, users with Administrator privileges can still login to HPE OneView
- B. An HPE OneView backup can be used to restore individual components like server profile
- C. Users with Backup Administrator privileges can restore an HPE OneView backup
- D. Only users with Infrastructure Administrator privileges can restore an HPE OneView backup


Answer: D

Explanation:

Only an Infrastructure administrator can restore an appliance from a backup file.

NEW QUESTION 7

Refer to the exhibit.



A customer complains that firmware compliance is empty. The customer confirmed that Synergy Service Pack is uploaded to the HPE OneView repository. How should you respond?

- A. The refresh procedure must be performed on each logical enclosure to refresh firmware.
- B. All of the components are up to date and compliant with firmware baseline.
- C. The firmware repository service must be restarted using maintenance connection.
- D. The firmware repository is not defined within firmware compliance report.

Answer: C

NEW QUESTION 8

What event occurs on iLO when an HPE ProLiant server is added to HPE OneView?

- A. IPMI credentials are configured for the iLO
- B. REST API plugin is enabled for iLO
- C. Active Directory configuration is performed on iLO
- D. SSO certificate is added to the iLO

Answer: B

NEW QUESTION 9

You want a server profile to be automatically applied when an HPE Synergy Compute Module is replaced. Click the appropriate configuration option.

General

Name

ESXi-ClusterNode1

Description

Server profile template

None

✕

🔍

Server hardware

CZ204400XB, bay 1

✕

🔍

☐ Show empty bays

Server hardware power is on. Some server profile updates require the server to be powered off. [Power off the server.](#) [Learn more.](#)

Server hardware type

SY 480 Gen10 1

Change

Enclosure group

EG

Change

Affinity

Device bay + server hardware

OS Deployment

To define OS deployment settings, add a OneView Deployment Manager type OS deployment server. [Add OS deployment server](#)

Firmware

Firmware baseline

managed manually

Connections

ID	Name	Network	Port	Boot
1	e1	Eth1 Untagged	Mezzanine 3:1-a	Not bootable
Type		Ethernet		
MAC address		94:40:C9:6C:24:24 (ii)		
Requested virtual functions		None		
Requested bandwidth		2.5 Gb/s		
Link Aggregation group		None		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Connections

NEW QUESTION 10

Which licenses are optional to be purchased separately for HPE Synergy?

- A. Global Dashboard licenses
- B. FC Upgrade licenses
- C. HPE OneView licenses
- D. Virtual Connect licenses

Answer: B

Explanation:

Licenses were not purchased in the original order for the modules and were ordered separately.

NEW QUESTION 10

Your customer is considering HPE Synergy as a hardware platform for visualization workload. The customer environment is wry dynamic, and they often have to modify hypervisor networking.

Which resource provided by HPE should you discuss with this customer?

- A. HPE OneView Global Dashboard allows server profile replication and change management.
- B. PowerShell Library for HPE OneView allows scripted environment modification.
- C. HPE OneView for VMware vCenter Server will enable host profile functionality and simplify changes.
- D. HPE Image Streamer provides templates which can be updated to map the hypervisor requirements

Answer: C

NEW QUESTION 14

Your customer asks you if it is possible to perform HPE Synergy initial setup remotely. How should you respond?

- A. Remote HPE Synergy setup is possible if HPE Composer 2 is used and a DHCP server is available in the management network.
- B. Remote HPE Synergy Installation can be done only if an additional set of the services was purchased together with hardware platform.
- C. HPE Synergy cannot be deployed remotely, as Initial setup must be performed using a local console connection.
- D. HPE Synergy can be configured remotely through a secure connection to the FLM if this option was enabled in the factory.

Answer: D

Explanation:

HPE Synergy 4-port Frame Link Modules have SFP+ ports which enable connections to distant frames and remote subnets.

NEW QUESTION 15

Your customer wants to manage their HPE Superdome Flex using HPE OneView. Which component must be added to HPE OneView to accomplish this task?

- A. Baseboard Management Controller (BMC)
- B. Rack Management Controller (RMC)
- C. all nPARs created within the complex
- D. only the base chassis from the complex

Answer: A

NEW QUESTION 16

A customer wants to estimate the cost of the licenses required to manage HPE Synergy and some external components. When component includes an HPE OneView license for management?

- A. Compute Module
- B. Storage Array
- C. Master Module
- D. Logical Enclosure

Answer: A

NEW QUESTION 17

Which HPE components can be managed using HPE Composer? (select two.)

- A. HPE Superdome Flex 280
- B. HPE Synergy Virtual Connect SE 32Gb FC Module
- C. HPE Synergy 480 Compute Modules
- D. HPE B-series SN6600B Fibre Channel Switch
- E. HPE MSA 2062 Storage Array

Answer: BD

NEW QUESTION 20

You want to add the latest iLO firmware to an HPE OneView firmware repository. How can you complete this task?

- A. A PowerShell script must be used to upload iLO firmware to the Internal or external firmware repository.
- B. A custom SPP iso image must be created with the new iLO firmware version and uploaded to the repository.
- C. An external repository must be created, because standalone components are supported only in an external repository.
- D. iLO firmware can be marked as a hotfix and uploaded directly to the Internal or external firmware repository.

Answer: B

NEW QUESTION 24

Which statement about the presented storage pools is true?

OneView

Search

Storage Pools 11

Name	Storage System	State
Cluster-1	Cluster-1	Managed
Cluster-2	Cluster-2	Managed
cpg-growth-limit-1TiB	ThreePAR-1	Managed
CPG-SSD	ThreePAR-1	Managed
CPG-SSD-AO	ThreePAR-1	Managed
CPG_FC-AO	ThreePAR-1	Managed
default	Nimble-HasCacheCapacityAllFlash	Discovered
default	Nimble-HasCacheCapacityAllFlash	Managed
FST_CPG1	ThreePAR-1	Managed
FST_CPG2	ThreePAR-1	Managed

exhibit 21.31.4.3

Cluster-1

General

General

StateManaged

Storage systemCluster-1

Used byno volumes
no volume templates

Capacity

Allocated0 GiB

GiB

20480 GiB

- A. Storage pools in discovered state can be removed from HPE OneView.
- B. HPE OneView can be used to configure replication only between managed storage pools
- C. All storage pools from the system named ThreePAR-1 can be used for volume provisioning
- D. All storage pools in managed state have a valid HPE OneView license applied

Answer: C

NEW QUESTION 28

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

HPE2-T37 Practice Exam Features:

- * HPE2-T37 Questions and Answers Updated Frequently
- * HPE2-T37 Practice Questions Verified by Expert Senior Certified Staff
- * HPE2-T37 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * HPE2-T37 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The HPE2-T37 Practice Test Here](#)