

ISTQB

Exam Questions CTFL-Foundation

Certified Tester Foundation Level



NEW QUESTION 1

Since the system is in the medical domain and therefore in the safety critical area, testing needs to be rigorous and evidence is required that the system has been adequately tested. Identify THREE measures that would typically be part of the test approach in this domain and which are not always applicable in other domains! 1 credit

- A. High level of documentation
- B. Failure Mode and Effect Analysis (FMEA) sessions
- C. Traceability to requirements
- D. Non-functional testing
- E. Master test planning
- F. Test design techniques
- G. Reviews

Answer: ABC

NEW QUESTION 2

You are about to release a test progress report to a senior manager, who is not a test specialist. Which of the following topics should NOT be included in the test progress report? 1 credit

- A. Product risks which have been mitigated and those which are outstanding.
- B. Recommendations for taking controlling actions
- C. Status compared against the started exit criteria
- D. Detailed overview of the risk-based test approach being used to ensure the exit criteria to be achieved

Answer: D

NEW QUESTION 3

Explain how the above mentioned report may differ from a report that you produce for the project manager, who is a test specialist Select TWO items from the following options that can be used to report to the project manager and would not be included in a report to senior management. 1 credit

- A. Show details on effort spent
- B. List of all outstanding defects with their priority and severity
- C. Give product risk status
- D. Show trend analysis
- E. State recommendations for release

Answer: AB

NEW QUESTION 4

The introduction of reviews and inspections has often failed as a process improvement action. Identify the THREE most important measures that should be taken to reduce the risk that this test process improvement will fail. 2 Credits (for 2 out correct 1 credit)

- A. Process ownership and experienced moderators who drive the inspection process.
- B. Management support
- C. Training of those involved
- D. The availability of stands and processes
- E. Usage of a more traditional software development lifecycle
- F. Alignment with software process improvement
- G. Using a reference model, e.
- H. TMMi

Answer: ABC

NEW QUESTION 5

As part of the improvement program, the organization is also looking at tool support. Which type of tool could be used to ensure higher quality of the code to be reviewed? 1 credit

- A. Review tool
- B. Test execution tool
- C. Static analysis tool
- D. Test design tool

Answer: C

NEW QUESTION 6

What is the main reason why reviews are especially beneficial in the above-mentioned scenario? 2 credits

- A. They ensure a common understanding of the product.
- B. They find defects early.
- C. They enhance project communication.
- D. They can be performed without exercising the code.

Answer: D

NEW QUESTION 7

Which of the following would you least expect to form part of the analysis of initial tool costs? 1 credit

- A. Integration with other tools
- B. Learning time required to use the new tool
- C. Tool portability
- D. Evaluation of suitable tools

Answer: C

NEW QUESTION 8

Select THREE issues from the options provided that should at least be raised. 1 credit

- A. Has there been sufficient comparison of tools?
- B. What are the problems we are trying to address?
- C. Do we have a set of tool requirements to validate the tool against?
- D. How will the implementation be organized?
- E. Which project will be selected to perform the tool pilot?
- F. Is customized training available?
- G. How will the change process be managed?

Answer: ABC

NEW QUESTION 9

Which of the following would be the TWO most appropriate examples of entry criteria documented in the system integration test plan? 2 credits

- A. The percentage of decision coverage achieved during unit testing.
- B. The availability of the latest version of the capture-replay tool (for testing the interface with the newly developed test management tool).
- C. The sign-off of a performance test software release note (test item transmittal report) by both development and testing showing that system performance meets the specified acceptance criteria.
- D. The percentage of acceptance test procedures scheduled for execution.
- E. The percentage of requirements coverage achieved during system integration tes

Answer: AB

NEW QUESTION 10

Which of the following would be the most significant input to estimating the time to carry out the specified testing tasks? 3 credits

- A. The skills and experience of developers to correct the failures.
- B. The standards used for the requirements specification.
- C. The metrics recorded from testing the capture-replay tool.
- D. The number of testers in the company and their grad

Answer: C

NEW QUESTION 10

Which of the following are valid reasons for adopting a different life cycle (from the V model), for increments after the first year? 2 credits

- A. We do not have a clear understanding of the requirements from a customer perspective.i
- B. We see the risk of delivering requested functionality late as being higher than the risk of delivering a lower quality product.ii
- C. We do not have a budget for additional regression testing which is needed to ensure that existing functionality is not compromised by future iterations.i
- D. The company test strategy does not fit well within the V life cycle model.
- E. (i) and (ii)
- F. (i) and (iv)
- G. (ii) and (iii)
- H. (ii) and (iv)

Answer: A

NEW QUESTION 14

Which of the following is a characteristic of good testing in any life cycle model? 1 credit

- A. Analysis and design of tests begins as soon as development is completed.
- B. Some, but not all, development activities have corresponding test activities.
- C. Each test level has test objectives specific to that level.
- D. All document reviews involve the development tea

Answer: C

NEW QUESTION 18

Which of the following is a project risk mitigation step you might take as test manager? 1 credit

- A. Testing for performance problems
- B. Hiring a contractor after a test analyst leaves the company
- C. Arranging a back-up test environment in case the existing one fails during testing
- D. Performing a project retrospective meeting using the test results after each increment

Answer: C

NEW QUESTION 21

Which test management control option is most appropriate to adopt under these circumstances? 2 credits

- A. Introduce mandatory evening and weekend working to retrieve the 3 week slippage.
- B. Reconsider the exit criteria and review the test plan in the context of the current situation.
- C. Advise the user community regarding the reduced scope of requirements and the additional incremental delivery.
- D. Arrange a meeting with the user community representatives to discuss the user interface

Answer: B

NEW QUESTION 26

Risks should be constantly reviewed. Given the current situation, which one of the following factors is most likely to lead to a revised view of product risk? 3 credits

- A. The concerns over the user interface may lead to changes to the interface which cannot be implemented by development in time for the second test iteration.
- B. The concerns over the user interface raises the likelihood of a risk in that area and increases the amount of test effort needed for the user interface, thereby limiting the test effort available for other parts of the test management tool.
- C. The delivery of the application without the interface changes may upset the user community.
- D. The method used for test estimation is not accurate enough and hence the money spent on testing exceeded its budget

Answer: B

NEW QUESTION 29

In addition to risk, identify TWO other components of a testing strategy. 1 credit

- A. The entry and exit criteria for each test phase
- B. Test training needs for the project resources
- C. The test design techniques to be used
- D. Test performance indicators
- E. The test schedule

Answer: AC

NEW QUESTION 31

What would be a test approach regarding the test design techniques to be applied that would fit an item with the highest risk? 2 credits

- A. Component testing: decision testing; System testing: exploratory testing
- B. Component testing: decision testing; System testing: decision table testing
- C. Component testing: statement testing; System testing: equivalence partitioning
- D. Component testing: statement testing; System testing: decision table partitioning

Answer: B

NEW QUESTION 33

Which of the following is a benefit of independent testing? 1 credit

- A. Code cannot be released into production until independent testing is complete.
- B. Testing is isolated from development.
- C. Independent testers find different defects and are unbiased.
- D. Developers do not have to take as much responsibility for quality

Answer: C

NEW QUESTION 35

Based on the information given in the scenario, identify how the team could be improved most effectively? 2 credits

- A. By providing training in the payroll domain
- B. By providing a workshop on test design techniques
- C. By providing specific training on the systems being tested
- D. By providing training on reviewing requirements

Answer: B

NEW QUESTION 39

Evaluate the status of the project against the defined exit criteria. Which of the following options shows the correct status? 2 credits

- A. Criteria A = OK, criteria B = OK, criteria C = OK
- B. Criteria A = NOT OK, criteria B = NOT OK, criteria C = OK
- C. Criteria A = OK, criteria B = NOT OK, criteria C = NOT OK
- D. Criteria A = NOT OK, criteria B = NOT OK, criteria C = NOT OK

Answer: B

NEW QUESTION 40

You have investigated different possibilities and selected four of them to present to IT management. Which of the proposals will you most likely give your highest

recommendations? 3 credits

- A. Insourcing of test automation based on an offer from a local company ABC that has people who are specialists in system level capture-replay automation tools and they also do regular training courses in test automation methods and tool
- B. They can then work closely with Vicki.
- C. Outsourcing of test automation based on an offer from an Asian company, AsiaAutoTest, which has people who are specialists in system level capture-replay automation tool
- D. They also offer training and besides they offer to run and maintain the regression tests in the future.
- E. Internal offer from the development department of XYZ to create the regression package using CppUnit as test automation tool
- F. One of the development groups have very good experiences in automating unit tests, and they are willing to do training as well.
- G. Solution from a tool vendor offering to educate two test team members in the use of their easy-to-use test automation capture replay tool over the first 3 months and based on that build the regression test suite
- H. In addition to Vicki, Steve is the only one that has time available to be educated.

Answer: A

NEW QUESTION 45

Instead of having an independent test team within the company, the company is considering to outsource testing. What are THREE key challenges that are typical for outsourcing? 1 credit

- A. Test environment more complex
- B. Define expectation for tasks and deliverables
- C. Clear channels of communications
- D. Possibly different cultures
- E. Testing of non-functional requirements
- F. Audit trail from requirements to test cases
- G. Applying test automation

Answer: BCD

NEW QUESTION 47

Which aspect in the test estimate is the main risk in this project? 1 credit

- A. Quality of the specification
- B. Availability of end-users
- C. The costs of hardware and tools
- D. Unknown input quality due to third party development

Answer: D

NEW QUESTION 50

In general, why is it NOT a good idea to estimate the testing effort based only on a percentage of development effort? Identify THREE valid reasons. 1 credit

- A. The quality of the development estimate may be poor.
- B. In general bottom-up estimation is always better than top-down estimation.
- C. The percentage based technique only applies to the V life cycle model.
- D. Using the same percentage every time does not address the level of risk of the application to be tested.
- E. The maturity of the organization, e.
- F. the quality of the test basis, quality of development testing, configuration management, availability of test tools, also influence the effort needed for testing.
- G. It builds on large set of historical data
- H. The result is almost always a too low estimate for the required test effort

Answer: ADE

NEW QUESTION 54

In general which part of the testing activity is most difficult to estimate? 1 credit

- A. Test planning
- B. Test execution
- C. Test management
- D. Test design

Answer: B

NEW QUESTION 58

Identify THREE items that would be part of the work-breakdown structure showing the key testing activities for the acceptance test project. 2 credits (for 2 out correct 1 credit)

- A. Test planning, test case preparation and test execution for each of the four iterations
- B. Work should be explicitly allocated to test completion, test management, installation and to training on using the system
- C. Activities to deploy the system in the user environment
- D. Regression testing in the second, third and fourth iterations
- E. Development activities for unit and integration testing
- F. Reviews on requirements documentation
- G. Defining test environment requirements for system testing

Answer: ABD

NEW QUESTION 63

A test assessment has been carried out using the selected model as a reference framework. A number of recommendations have been identified and you are asked to prioritize them. Based on your knowledge of the project, you are expecting severe resistance to change. Which of the following would be the most important selection criterion for defining the priority of the recommendations? 2 credits

- A. Synchronized with the overall long-term organizational strategy
- B. Defined according to the maturity model used
- C. Most visible to stakeholders
- D. Low costs actions first

Answer: C

NEW QUESTION 67

Comparing TMMi and TPI, which is not a valid reason for choosing either TPI or TMMi? 2 credits

- A. If the scope of test performance improvement covers all test levels, TMMi is preferred since TPI focusses mainly on black-box testing.
- B. If the organization is already applying CMMI, TMMi may be preferred since it has the same structure and uses the same terminology.
- C. TMMi addresses management commitment very strongly and is therefore more suitable to support a top-down improvement process.
- D. TPI is much more a bottom-up model that is suitable for addressing test topics for a specific (test) project.
- E. TMMi can only be used with the traditional V model, whereas TPI can be used with all types of software life cycle

Answer: D

NEW QUESTION 69

The test improvement project will take place in an organization developing a safety-critical avionics application. Which one of the following standards do you believe would be most appropriate to take into account for compliance during your assignment? 1 credit

- A. ISO 9126
- B. IEEE 829
- C. BS 7925/2
- D. DO-178B

Answer: D

NEW QUESTION 73

Model characteristics:

Which THREE of the below mentioned characteristics relate to TMMi? 1 credit

- A. 5 maturity levels
- B. Focussed on higher level testing
- C. 20 key areas
- D. Highly related to CMMI
- E. Continuous model
- F. Staged model
- G. Focussed on component and integration testing
- H. Is build around 12 critical testing processes

Answer: ADF

NEW QUESTION 75

Which of the following phases in the fundamental test process is considered to deliver a document which can be used as a major input for test process improvement? 1 credit

- A. Test planning and control
- B. Test implementation & execution
- C. Evaluating exit criteria and reporting
- D. Test project closure

Answer: D

NEW QUESTION 78

Within the projects, a master test plan and phase test plan will be used. Following is a list of characteristics applicable for test plans:

- A. Any deviation from the procedures described in the test
 - B. strategy document
 - C. The overall estimated costs, timescales and resource
 - D. requirements
 - E. A detailed schedule of testing activities
 - F. The development deliverables to be tested
 - G. Which test staff members (names) will be involved and when
 - H. Level of requirements coverage achieved
 - I. a
 - J. b
 - K. c
 - L. d
 - M. e
 - N. f
- Which TWO of the above mentioned characteristics relate to the phase test plan? 1 credit

Answer: CE

NEW QUESTION 80

Which THREE activities would be valid steps during the development of the test strategy? 2 credits (2 out correct 1 credit)

- A. Identify test staff members that will be involved in the system test
- B. Define test career paths
- C. Understand the software development life cycle used by the software house
- D. Assess the testing that needs to be done to minimize the risks
- E. Issue the test strategy document for review
- F. Define a master test plan template
- G. Perform a project risk analysis

Answer: CDE

NEW QUESTION 83

Which of the following product risks would be most effectively addressed just by static testing? 3 credits

- A. In the delivered application, one of the countries, as specified in the requirements, has not been correctly implemented.
- B. The application takes too long to process a request for additional cover.
- C. The test cases do not cover the key requirements.
- D. The successful bidder may not deliver all the required functionality on time

Answer: C

NEW QUESTION 86

The development manager is managing the review of the responses received from bidders, and has asked the in-house test manager to provide a review checklist for the test management aspects of the responses. Which of the following checkpoints would be appropriate? 2 credits

- A. The bidder's test policy should enforce that incident management fully conforms to IEEE 1044.
- B. The bidder's project strategy shows that the data content of all the test environments conforms to EU standards.
- C. The bidder's test plan shows that the application will be delivered for acceptance in six months time.
- D. The bidder's project test plan depicts a phased implementation with later delivery dates to be confirmed and states that test deliverables will be developed using IEEE 829 as a guide.

Answer: D

NEW QUESTION 90

Which one of the following estimation approaches is appropriate at this stage of the project? 2 credits

- A. Create an estimate based on the function point analysis technique and test point analysis
- B. Create an estimate based on the complexity of the code
- C. Create an estimate based on the credentials of the successful bidder
- D. Create an estimate based on a percentage of the development effort

Answer: A

NEW QUESTION 95

Which of the following is NOT a typical key challenge for testing in a RAD based development approach? 1 credit

- A. Re-usable test scripts for (automated) regression testing
- B. Project management and control
- C. No complete requirements specification
- D. Time-boxing

Answer: B

NEW QUESTION 100

Regarding the process described above, what is the most important recommendation you would make using IEEE 1044 as a guide? 2 credits

- A. No priority or severity assigned
- B. Incident numbering is manual rather than automated
- C. No mentioning of reproduceability
- D. No classification on type of incident

Answer: A

NEW QUESTION 105

Relying only on the information provided in the scenario, select the TWO items and/or features for which sufficient information is available to proceed with test design. 2 credits

- A. All supported credit cards
- B. Language localization
- C. Valid and invalid advances
- D. Usability

E. Response time

Answer: AC

NEW QUESTION 108

The effect of testing is to:

- A. Increase software quality;
- B. Give an indication of the software quality;
- C. Enable those responsible for software failures to be identified;
- D. Show there are no problems remaining?

Answer: B

NEW QUESTION 109

Which of the following statements describes a key principle of software testing?

- A. Automated tests allow better statements of confidence about the quality of software products.
- B. For a software system, it is normally impossible to test all the input and output combinations.
- C. Exhaustive software testing is, with enough effort and tool support, feasible for all software.
- D. The purpose of software testing is demonstrating the absence of defects in software product

Answer: B

NEW QUESTION 114

Which of the following is a structure-based (white-box) technique?

- A. Decision table testing
- B. State transition testing
- C. Statement testing
- D. Boundary value analysis

Answer: C

Explanation:

All other options are specification-based (black-box) techniques, and the main distracter is answer (A) because decision table testing could be confused with decision testing.

NEW QUESTION 116

A system is designed to accept values of examination marks as follows: Fail: 0–39 inclusive Pass: 40–59 inclusive Merit: 60–79 inclusive Distinction: 80–100 inclusive

In which of the following sets of values are all values in different equivalence partitions?

- A. 25, 40, 60, 75
- B. 0, 45, 79, 87
- C. 35, 40, 59, 69
- D. 25, 39, 60, 81

Answer: B

NEW QUESTION 119

The cost of fixing a fault:

- A. Is not important
- B. Increases as we move the product towards live use
- C. Decreases as we move the product towards live use
- D. Is more expensive if found in requirements than functional design
- E. Can never be determined

Answer: B

NEW QUESTION 121

Which of the following statements contains a valuable objective for a test team?

- A. Prove that the remaining defects will not cause any additional failures.
- B. Run all of the tests that are defined for the test object as quickly as possible.
- C. Prove that all faults have been identified through thorough testing.
- D. Cause as many failures as possible so that faults can be identified and corrected

Answer: D

NEW QUESTION 122

Designing the test environment set-up and identifying any required infrastructure and tools are a part of which phase:

- A. Test Implementation and execution

- B. Test Analysis and Design
- C. Evaluating the Exit Criteria and reporting
- D. Test Closure Activities

Answer: B

NEW QUESTION 127

Which of the following is most likely to be a benefit of using static techniques?

- A. Fewer performance defects.
- B. Productivity improvements in the development process.
- C. More efficient regression testing.
- D. Quick return on investment in static analysis tools.

Answer: B

Explanation:

Although the other options might be seen as benefits they are not amongst the most likely benefits. Option (B) is the benefit that is most likely to be realized.

NEW QUESTION 128

Reviewing the test Basis is a part of which phase

- A. Test Analysis and Design
- B. Test Implementation and execution
- C. Test Closure Activities
- D. Evaluating exit criteria and reporting

Answer: A

NEW QUESTION 132

A tool that supports traceability, recording of incidents or scheduling of tests is called..?

- A. A dynamic analysis tool
- B. A test execution tool
- C. A debugging tool
- D. A test management tool
- E. A configuration management tool

Answer: D

NEW QUESTION 133

Which of the following is most likely to cause failure in the implementation of a test tool?

- A. Underestimating the demand for a tool.
- B. The purchase price of the tool.
- C. No agreed requirements for the tool.
- D. The cost of resources to implement and maintain the too

Answer: C

NEW QUESTION 137

A test management tool is most likely to integrate with which of the following tools?

- A. Performance testing tool
- B. Test data preparation tool
- C. Static analysis tool
- D. Requirements management tool

Answer: D

Explanation:

Requirements management tools (option (D)) often have interfaces with test management tools. In some cases they will be sold as a package or in other cases a test management tool may have its own requirements module. The use of such interfaces or integrated packages aids traceability from requirements through to test scripts and defects.

Performance management tools (option (A)), test data preparation tools (option (B)) and static analysis tools (option (C)) are unlikely to have an interface or be integrated with a test management tool. They serve different purposes and therefore there is little need for such interfaces.

NEW QUESTION 142

According to the ISTQB Glossary, regression testing is required for what purpose?

- A. To verify the success of corrective actions.
- B. To prevent a task from being incorrectly considered completed.
- C. To ensure that defects have not been introduced by a modification.
- D. To motivate better unit testing by the programmer

Answer: C

NEW QUESTION 147

Which of the following are valid justifications for developers testing their own code during unit testing?

- (i) Their lack of independence is mitigated by independent testing during system and acceptance testing.
- (ii) A person with a good understanding of the code can find more defects more quickly using white-box techniques.
- (iii) Developers have a better understanding of the requirements than testers.
- (iv) Testers write unnecessary incident reports because they find minor differences between the way in which the system behaves and the way in which it is specified to work.

- A. (i) and (ii)
- B. (i) and (iv)
- C. (ii) and (iii)
- D. (iii) and (iv)

Answer: A

Explanation:

It is unlikely that developers will have a better understanding of the requirements than testers, partly because testers work closely with the user community (and may be drawn from it) and partly because developers seldom work with the complete set of requirements in a medium to large development. Testers may raise incidents related to the difference between user expectations and the specification, but these are not unnecessary. Such issues are more likely to arise at the later stages of testing. Early testing (unit testing) is usually done most effectively by developers with a good understanding of the code and the development environment; they can be more efficient and more effective at this level. Later independent stages of testing offset any disadvantage from the lack of independence at unit testing level.

NEW QUESTION 150

Which of the following are the most important factors to be taken into account when selecting test techniques?

- (i) Tools available.
 - (ii) Regulatory standards.
 - (iii) Experience of the development team.
 - (iv) Knowledge of the test team.
- The need to maintain levels of capability in each technique.

- A. (i) and (ii)
- B. (ii) and (iv)
- C. (iii) and (iv)
- D. (i) and (v)

Answer: B

Explanation:

Answer (i) looks temptingly right, and the availability of tools might make the use of a technique more or less attractive, but it would not be decisive in the way that regulatory standards and tester knowledge are. Answer (iii) is irrelevant because testing should be independent of development anyway, but it could tempt someone who is unsure about the relationship between development and testing. Answer (v) is a factor in managing the test team, and experience would need to be maintained, but this should not influence the selection of techniques for a live project.

NEW QUESTION 152

How many test cases are necessary to cover all the possible sequences of statements (paths) for the following program fragment?

Assume that the two conditions are independent of each other : -if (Condition 1)then statement 1else statement 2if (Condition 2)then statement 3

- A. 2 Test Cases
- B. 3 Test Cases
- C. 4 Test Cases
- D. Not achievable

Answer: A

NEW QUESTION 154

Tools like change Man, Clear case are used as..?

- A. functional automation tools
- B. performance testing tools
- C. configuration management tools
- D. none of the above

Answer: C

NEW QUESTION 156

Which is not the testing objective?

- A. Finding defects
- B. Gaining confidence about the level of quality and providing information
- C. Preventing defects.
- D. Debugging defects

Answer: D

NEW QUESTION 159

What is the benefit of independent testing?

- A. More work gets done because testers do not disturb the developers all the time.
- B. Independent testers tend to be unbiased and find different defects than the developers
- C. Independent testers do not need extra education and training.
- D. Independent testers reduce the bottleneck in the incident management process

Answer: B

NEW QUESTION 161

Which of the following defects is most likely to be found by a test harness?

- A. Variance from programming standards.
- B. A defect in middleware.
- C. Memory leaks.
- D. Regression defects.

Answer: B

Explanation:

Variance from programming standards defects (option (A)) are found during the review or static testing process.

Therefore a test harness is unlikely to find a defect in programming standards.

Memory leak defects (option (C)) could potentially be found by a test harness designed to run many test cases. Regression defects (option (D)) could be found using many types of test tool.

Defects in middleware (option (B)) are generally more likely to be found by a test harness or a dynamic analysis tool than by any other type of tool.

NEW QUESTION 166

The difference between re-testing and regression testing is:

- A. Re-testing is running a test again; regression testing looks for unexpected side effects
- B. Re-testing looks for unexpected side effects; regression testing is repeating those tests
- C. Re-testing is done after faults are fixed; regression testing is done earlier
- D. Re-testing uses different environments, regression testing uses the same environment
- E. Re-testing is done by developers, regression testing is done by independent testers

Answer: A

NEW QUESTION 171

A washing machine has three temperature bands for different kinds of fabrics: fragile fabrics are washed at temperatures between 15 and 30 degrees Celsius; normal fabrics are washed at temperatures between 31 and 60 degrees Celsius; heavily soiled and tough fabrics are washed at temperatures between 61 and 100 degrees Celsius.

Which of the following contains only values that are in different equivalence partitions? A. 15, 30, 60

- A. 20, 35, 60
- B. 25, 45, 75
- C. 12, 35, 55

Answer: C

Explanation:

Answer (A) includes two values from the lower partition, answer (B) contains two values from the second partition, answer (D) contains one value that is invalid (out of range).

NEW QUESTION 172

During the software development process, at what point can the test process start?

- A. When the code is complete.
- B. When the design is complete.
- C. When the software requirements have been approved.
- D. When the first code module is ready for unit testing

Answer: C

NEW QUESTION 175

Which list of levels of tester independence is in the correct order, starting with the most independent first?

- A. Tests designed by the author; tests designed by another member of the development team; tests designed by someone from a different company.
- B. Tests designed by someone from a different department within the company; tests designed by the author; tests designed by someone from a different company.
- C. Tests designed by someone from a different company; tests designed by someone from a different department within the company; tests designed by another member of the development team.
- D. Tests designed by someone from a different department within the company; tests designed by someone from a different company; tests designed by the author.

Answer: C

Explanation:

This option has someone nearer to the written code in each statement. All other options are not in this order.

NEW QUESTION 176

In the MASPAR case study..?

- A. Security failures were the result of untested parts of code
- B. The development team achieved complete statement and branch coverage but missed a serious bug in the MASPAR operating system
- C. An error in the code was so obscure that you had to test the function with almost every input value to find its two special-case failures
- D. All the above

Answer: C

NEW QUESTION 180

Which of the following defines the expected result of a test?

- A. Test case
- B. Test procedure
- C. Test execution schedule
- D. Test condition

Answer: A

NEW QUESTION 185

The five parts of the fundamental test process have a broad chronological order. Which of the options gives three different parts in the correct order?

- A. Implementation and execution, planning and control, analysis and design.
- B. Analysis and design, evaluating exit criteria and reporting, test closure activities.
- C. Evaluating exit criteria and reporting, implementation and execution, analysis and design.
- D. Evaluating exit criteria and reporting, test closure activities, analysis and design.

Answer: B

Explanation:

All other answers have at least one stage of the fundamental test process in the wrong sequence.

NEW QUESTION 186

Which of the following is a benefit of test independence?

- A. It does not require familiarity with the code.
- B. It is cheaper than using developers to test their own code.
- C. It avoids author bias in defining effective tests.
- D. Testers are better at finding defects than developer

Answer: C

NEW QUESTION 190

What if the project isn't big enough to justify extensive testing..?

- A. Use risk based analysis to find out which areas need to be tested
- B. Use automation tool for testing
- C. Both a and b
- D. None of the above

Answer: A

NEW QUESTION 195

Faults found by users are due to..?

- A. Poor quality software
- B. Poor software and poor testing
- C. Bad luck
- D. Insufficient time for testing

Answer: B

NEW QUESTION 197

A software component has the code shown below: Program BiggestA,
Biggest: Integer Begin
Read A Biggest = 10 While A > 0 Do
If A > Biggest Then Biggest = A Endif
Read A Enddo End

The component has exit criteria for component testing that include 100% statement coverage. Which of the following test cases will satisfy this criterion?

- A. 10, 0

- B. 10, 5, 0
- C. 10, 11, 0

Answer: D

NEW QUESTION 199

What is the purpose of exit criteria?

- A. To identify how many tests to design.
- B. To identify when to start testing.
- C. To identify when to stop testing.
- D. To identify who will carry out the test execution

Answer: C

NEW QUESTION 200

Boundary value testing:

- A. Is the same as equivalence partitioning tests
- B. Test boundary conditions on, below and above the edges of input and output equivalence classes
- C. Tests combinations of input circumstances
- D. Is used in white box testing strategy

Answer: B

NEW QUESTION 204

When what is visible to end-users is a deviation from the specific or expected behavior, this is called..?

- A. An error
- B. A fault
- C. A failure
- D. A defect
- E. A mistake

Answer: C

NEW QUESTION 207

During which test activity could faults be found most cost effectively?

- A. Execution
- B. Design
- C. Planning
- D. Check Exit criteria completion

Answer: C

NEW QUESTION 212

Incorrect form of Logic coverage is:

- A. Statement Coverage
- B. Pole Coverage
- C. Condition Coverage
- D. Path Coverage

Answer: B

NEW QUESTION 213

Which of the following is the task of a Tester?

- A. Interaction with the Test Tool Vendor to identify best ways to leverage test tool on the project.i
- B. Prepare and acquire Test Dataii
- C. Implement Tests on all test levels, execute and log the tests.i
- D. Create the Test Specifications
- E. i, ii, iii is true and iv is false
- F. ii, iii, iv is true and i is false
- G. i is true and ii, iii, iv are false
- H. iii and iv is correct and i and ii are Incorrect

Answer: B

NEW QUESTION 217

Which of these are objectives for software testing?

- A. Determine the productivity of programmers
- B. Eliminate the need for future program maintenance

- C. Eliminate every error prior to release
- D. Uncover software errors

Answer: D

NEW QUESTION 219

Which of the following is the main purpose of the component build and integration strategy?

- A. to ensure that all of the small components are tested
- B. to ensure that the system interfaces to other systems and networks
- C. to ensure that the integration testing can be performed by a small team
- D. to specify how the software should be divided into components
- E. to specify which components to combine when, and how many at once

Answer: E

NEW QUESTION 224

Which of the following are static techniques?

- A. Walkthrough.
- B. State transition testing.
- C. Decision table testing.
- D. Statement testing.

Answer: A

Explanation:

Options (B), (C) and (D) are all dynamic test techniques.

NEW QUESTION 228

What if the project isn't big enough to justify extensive testing..?

- A. Use automation tool for testing
- B. Use risk based analysis to find out which areas need to be tested
- C. Both a and b
- D. None of the above

Answer: B

NEW QUESTION 232

Which of the following is MOST important in the selection of a test approach?

- A. Availability of tools to support the proposed techniques.
- B. The budget allowed for training in proposed techniques.
- C. Available skills and experience in the proposed techniques.
- D. The willingness of the test team to learn new technique

Answer: C

NEW QUESTION 237

Which of the following could be a disadvantage of independent testing?

- A. Developer and independent testing will overlap and waste resources.
- B. Communication is limited between independent testers and developers.
- C. Independent testers are too slow and delay the project schedule.
- D. Developers can lose a sense of responsibility for quality

Answer: D

NEW QUESTION 239

Important consequences of the impossibility of complete testing are ..?

- A. We can never be certain that the program is bug free
- B. We have no definite stopping point for testing, which makes it easier for some managers to argue for very little testing
- C. We have no easy answer for what testing tasks should always be required, because every task takes time that could be spent on other high importance tasks
- D. All of the above

Answer: D

NEW QUESTION 241

Who is responsible for conducting test readiness review..?

- A. Project Manager
- B. Test Engineer
- C. Test Manager

D. None of the above

Answer: C

NEW QUESTION 245

What are the key features to be concentrated upon when doing a testing for world wide web sites ..?

- A. Interaction between html pages
- B. Performance on the client side
- C. Security aspects
- D. All of the above

Answer: D

NEW QUESTION 246

What do you mean by "Having to say NO"..?

- A. No, the problem is not with testers
- B. No, the software is not ready for production
- C. Both a & b
- D. None of the above

Answer: B

NEW QUESTION 248

When assembling a test team to work on an enhancement to an existing system, which of the following has the highest level of test independence?

- A. A business analyst who wrote the original requirements for the system.
- B. A permanent programmer who reviewed some of the new code, but has not written any of it.
- C. A permanent tester who found most defects in the original system.
- D. A contract tester who has never worked for the organization before.

Answer: D

Explanation:

In this scenario, the contract tester who has never worked for the organization before has the highest level of test independence. The three others are less independent as they are likely to make assumptions based on their previous knowledge of the requirements, code and general functionality of the original system. Note that independence does not necessarily equate to most useful. In practice most test or project managers would recruit a permanent tester who has worked on the original system in preference to a contract tester with no knowledge of the system. However, when assembling a team it would be useful to have staff with varying levels of test independence and system knowledge.

NEW QUESTION 250

Which of the following statements are true?

- (i) For every development activity there is a corresponding testing activity.
 - (ii) Each test level has the same test objectives.
 - (iii) The analysis and design of tests for a given test level should begin after the corresponding development activity.
 - (iv) Testers should be involved in reviewing documents as soon as drafts are available in the development life cycle.
- A. (i) and (ii)
 - B. (iii) and (iv)
 - C. (ii) and (iii)
 - D. (i) and (iv)

Answer: D

Explanation:

Option (ii) is incorrect: each test level has a different objective.
Option (iii) is also incorrect: test analysis and design should start once the documentation has been completed.

NEW QUESTION 252

How can test execution tools be of most benefit during exploratory testing?

- A. They can record user actions so that defects are easier to recreate.
- B. They can be used to perform the regression aspects of exploratory testing.
- C. They can help to mitigate the risk of low test coverage.
- D. They can use data-driven tests to increase the amount of exploratory testing performed.

Answer: A

Explanation:

Exploratory testing is used when it is unclear what the system is supposed to do. Therefore test execution tools are of little use because expected results cannot be predicted. However, the record feature of a test execution tool can be used to log the actions performed so that defects can be recreated (option (A)) and rectified more easily.

NEW QUESTION 254

For which of the following would maintenance testing be used?

- A. Correction of defects during the development phase.
- B. Planned enhancements to an existing operational system.
- C. Complaints about system quality during user acceptance testing.
- D. Integrating functions during the development of a new system.

Answer: B

NEW QUESTION 257

Consider the following statements about early test design:

- A. Early test design can prevent fault multiplication.
- B. Faults found during early test design are more expensive to fix.
- C. Early test design can find faults.
- D. Early test design can cause changes to the requirements.
- E. Early test design takes more effort.
- F. i, iii & iv are true.
- G. ii & v are false.
- H. iii is true, i, ii, iv & v are false.
- I. iii & iv are true.
- J. i, ii & v are false.
- K. i, iii, iv & v are true, ii is false.
- L. i & iii are true, ii, iv & v are false.

Answer: A

NEW QUESTION 258

The following statements relate to activities that are part of the fundamental test process.

- A. Evaluating the testability of requirements.
- B. Repeating testing activities after changes.
- C. Designing the test environment set-up.
- D. Developing and prioritizing test cases.
- E. Verifying the environment is set up correctly.
- F. Which statement below is TRUE?
- G. (i) and (ii) are part of analysis and design, (iii), (iv) and (v) are part of test implementation and execution.
- H. (i) and (iii) are part of analysis and design, (ii), (iv) and (v) are part of test implementation and execution.
- I. (i) and (v) are part of analysis and design, (ii), (iii) and (iv) are part of test implementation and execution.
- J. (i) and (iv) are part of analysis and design, (ii), (iii) and (v) are part of test implementation and execution.

Answer: B

Explanation:

All other answers contain an activity identified as analysis and design that is part of implementation and test execution.

NEW QUESTION 260

Independent Verification & Validation is:

- A. Done by the Developer
- B. Done by the Test Engineers
- C. Done By Management
- D. Done by an Entity Outside the Project's sphere of influence

Answer: D

NEW QUESTION 262

An input field takes the year of birth between 1900 and 2004. The boundary values for testing this field are:

- A. 0,1900,2004,2005
- B. 1900, 2004
- C. 1899,1900,2004,2005
- D. 1899, 1900, 1901,2003,2004,2005

Answer: C

NEW QUESTION 267

When is testing complete?

- A. When time and budget are exhausted.
- B. When there is enough information for sponsors to make an informed decision about release.
- C. When there are no remaining high priority defects outstanding.
- D. When every data combination has been exercised successfully.

Answer: B

Explanation:

Sometimes time/money does signify the end of testing, but it is really complete when everything that was set out in advance has been achieved.

NEW QUESTION 270

Which statement correctly describes the public and profession aspects of the code of ethics?

- A. Public: Certified software testers shall act in the best interests of their client and employer (being consistent with the wider public interest). Profession: Certified software testers shall advance the integrity and reputation of their industry consistent with the public interest.
- B. Public: Certified software testers shall advance the integrity and reputation of the profession consistent with the public interest.
- C. Profession: Certified software testers shall consider the wider public interest in their actions.
- D. Public: Certified software testers shall consider the wider public interest in their action.
- E. Profession: Certified software testers shall participate in lifelong learning regarding the practice of their profession and shall promote an ethical approach to the practice of their profession.
- F. Public: Certified software testers shall consider the wider public interest in their action.
- G. Profession: Certified software testers shall advance the integrity and reputation of their industry consistent with the public interest.

Answer: D

Explanation:

All other answers contain an activity identified as analysis and design that is part of implementation and test execution.

NEW QUESTION 272

Which is the best definition of complete testing..?

- A. You have discovered every bug in the program
- B. You have tested every statement, branch, and combination of branches in the program
- C. You have reached the scheduled ship date
- D. You have completed every test in the test plan

Answer: C

NEW QUESTION 277

Which activities form part of test planning?

- i) Developing test cases.
- ii) Defining the overall approach to testing.
- iii) Assigning resources.
- iv) Building the test environment.
- v) Writing test conditions.

- A. i, ii & iv are true, iii & v are false.
- B. ii & iii are true, i, iv & v are false.
- C. iv & v are true, i, ii & iii are false.
- D. i, ii & iii are true iv & v are false

Answer: B

NEW QUESTION 278

Which of the following is not a quality characteristic listed in ISO 9126 Standard?

- A. Functionality
- B. Usability
- C. Supportability
- D. Maintainability

Answer: C

NEW QUESTION 280

Which pair of definitions is correct?

- A. Regression testing is checking that the reported defect has been fixed; retesting is testing that there are no additional problems in previously tested software.
- B. Regression testing is checking there are no additional problems in previously tested software; retesting enables developers to isolate the problem.
- C. Regression testing involves running all tests that have been run before; retesting runs new tests.
- D. Regression testing is checking that there are no additional problems in previously tested software, retesting is demonstrating that the reported defect has been fixed.

Answer: D

Explanation:

Regression testing is testing that nothing has regressed. Retesting (or confirmation testing) confirms the fix is correct by running the same test after the fix has been made. No other option has both of these as true.

NEW QUESTION 281

“How much testing is enough?”

- A. This question is impossible to answer
- B. This question is easy to answer
- C. The answer depends on the risk for your industry, contract and special requirements
- D. This answer depends on the maturity of your developers

Answer:

C

NEW QUESTION 284

Which TWO of the review types below are the BEST fitted (most adequate) options to choose for reviewing safety critical components in a software project? Select 2 options.

- A. Informal review.
- B. Management review.
- C. Inspection.
- D. Walkthrough
- E. Technical Review

Answer: CE

NEW QUESTION 288

A deviation from the specified or expected behavior that is visible to end-users is called:

- A. an error
- B. a fault
- C. a failure
- D. a defect

Answer: C

NEW QUESTION 289

What test roles (or parts in the testing process) is a developer most likely to perform?

- (i) Executing component integration tests.
- (ii) Static analysis.
- (iii) Setting up the test environment.
- (iv) Deciding how much testing should be automated.

- A. (i) and (ii)
- B. (i) and (iv)
- C. (ii) and (iii)
- D. (iii) and (iv)

Answer: A

Explanation:

- (i) Executing component integration tests is usually done by developers. Developers are usually responsible for unit and component integration testing. Independent testing usually follows at system and acceptance test levels.
- (ii) Static analysis is usually done by developers because: it requires an understanding of the code and therefore the person doing this needs skills in the programming language; and it can be done as soon as the code is written. Therefore it is quick and effective for the developer to do it. The risk of a lack of test independence can be mitigated by performing independent system and acceptance testing.
- (iii) Setting up the test environment is an activity typically performed by a tester. It may require support from developers and staff from other departments and on some occasions environments could be set up by developers. However, it is a task that could be done by a tester rather than a developer.
- (iv) Deciding how much testing should be automated is typically a decision made by the test leader, who will consult other staff in the decision-making process. Developers may be involved and their skills may be required to automate some tests. However, the decision on how much to automate should not be made by developers.

NEW QUESTION 293

Which statement below BEST describes non-functional testing?

- A. The process of testing an integrated system to verify that it meets specified requirements.
- B. The process of testing to determine the compliance of a system to coding standards.
- C. Testing without reference to the internal structure of a system.
- D. Testing system attributes, such as usability, reliability or maintainability

Answer: A

NEW QUESTION 294

Which of the following has the typical formal review activities in the correct sequence?

- A. Kick-off, review meeting, planning, follow-up.
- B. Kick-off, planning, review meeting, re-work.
- C. Planning, kick-off, individual preparation, review meeting.
- D. Planning, individual preparation, follow-up, re-work.

Answer: C

Explanation:

The correct sequence is: planning, kick-off, individual preparation, review meeting, re-work, follow-up. All of the other options have either the activities in the wrong order or activities missing from the strict flow.

NEW QUESTION 296

Which is not the fundamental test process?

- A. Planning and control
- B. Test closure activities
- C. Analysis and design
- D. None

Answer: D

NEW QUESTION 300

Failure is

- A. Incorrect program behavior due to a fault in the program
- B. Bug found before product Release
- C. Bug found after product Release
- D. Bug found during Design phase

Answer: A

NEW QUESTION 303

Which of the following is not a major task of Exit criteria?

- A. Checking test logs against the exit criteria specified in test planning.
- B. Logging the outcome of test execution.
- C. Assessing if more tests are needed.
- D. Writing a test summary report for stakeholder

Answer: B

NEW QUESTION 305

Which of the following best describes the purpose of non-functional testing?

- A. To measure characteristics of a system which give an indication of how the system performs its functions
- B. To ensure that a system complies with the quality standards set by ISO 9126
- C. To ensure that the system deals appropriately with software malfunctions
- D. To measure the extent to which a system has been tested by functional testing

Answer: A

NEW QUESTION 306

Complete statement and branch coverage means..?

- A. That you have tested every statement in the program
- B. That you have tested every statement and every branch in the program
- C. That you have tested every IF statement in the program
- D. That you have tested every combination of values of IF statements in the program

Answer: B

NEW QUESTION 308

When a defect is detected and fixed then the software should be retested to confirm that the original defect has been successfully removed. This is called:

- A. Regression testing
- B. Maintenance testing
- C. Confirmation testing
- D. None of the above

Answer: C

NEW QUESTION 309

Which of the following describes structure-based (white-box) test case design techniques?

- A. Test cases are derived systematically from models of the system.
- B. Test cases are derived systematically from the tester's experience.
- C. Test cases are derived systematically from the delivered code.
- D. Test cases are derived from the developers' experience.

Answer: C

Explanation:

Answer (A) relates to specification-based testing, answer (B) relates to experience-based testing and answer (D) could relate either to debugging or to experience-based techniques.

NEW QUESTION 313

Which of the following statements are correct for walkthroughs?

- (i) Often led by the author.
- (ii) Documented and defined results.

- (iii) All participants have defined roles.
- (iv) Used to aid learning.
- (v) Main purpose is to find defects.

- A. (i) and (v) are correct.
- B. (ii) and (iii) are correct.
- C. (i) and (iv) are correct.
- D. (iii) and (iv) are correct.

Answer: C

NEW QUESTION 315

Which of the following pairs of test tools are likely to be most useful during the test analysis and design stage of the fundamental test process?

- (i) Test execution tool
- (ii) Test data preparation tool
- (iii) Test management tool
- (iv) Requirements management tool

- A. (i) and (ii)
- B. (i) and (iv)
- C. (ii) and (iii)
- D. (iii) and (iv)

Answer: D

NEW QUESTION 319

Testing should be stopped when:

- A. All the planned tests have been run
- B. Time has run out
- C. All faults have been fixed correctly
- D. Both A and C
- E. It depends on the risks for the system being tested

Answer: E

NEW QUESTION 320

Equivalence Partitioning is best defined as:

- A. An analysis technique that divides inputs into groups that are expected to exhibit similar behaviors.
- B. Applying to time-related data classes only.
- C. A form of white-box testing.
- D. A method to reduce test coverage

Answer: A

NEW QUESTION 325

Which of the following would typically be identified using static analysis by tools? [K1]

- A. Spelling mistake on an error message
- B. A potential infinite loop
- C. Memory leakage
- D. A variable set to the wrong value

Answer: B

NEW QUESTION 330

Which of the following test case design techniques is white box (structure-based)? [K1]

- A. Use case testing
- B. State transition testing
- C. Decision testing
- D. Equivalence partitioning

Answer: C

NEW QUESTION 332

Which of the following risks represents the highest level of risk to the project?

- A. Likelihood of failure = 1%, potential cost of impact = \$1m.
- B. Likelihood of failure = 10%, potential cost of impact = \$500,000.
- C. Likelihood of failure = 20%, potential cost of impact = \$150,000.
- D. Likelihood of failure = 5%, potential cost of impact = \$500,000.

Answer: B

NEW QUESTION 337

What other details should be included in the following incident report when it is first submitted? Date of Issue: 23/11/05 Severity: P1
Build: Version15.6
Details: Expected field to be limited to 15 chars, able to enter 27

- A. Suggested solution, priority and number of defects assigned to this developer.
- B. Status of the incident, degree of impact, Test Case Number.
- C. History, related defects and expected fix time.
- D. Line of code, number of defects found, time of da

Answer: B

NEW QUESTION 340

What is static analysis?

- A. The decision between using white or black box test techniques.
- B. Executing software to validate the most common path through the code.
- C. A technique to find defects in software source code and software models, performed without executing code.
- D. It is a testing technique used during system testin

Answer: C

NEW QUESTION 343

Which of the following correctly states a limitation in the use of static analysis tools? [K1]

- A. Static analysis tools can be applied to new code but cannot be applied to existing code
- B. Static analysis tools can be used to enforce coding standards
- C. Static analysis tools always generate large numbers of warning messages when applied to new code, even if the code meets coding standards
- D. Static analysis tools do not generate warning messages when applied to existing code

Answer: B

NEW QUESTION 348

A system calculates the amount of customs duty to be paid:

- _ No duty is paid on goods value up to, and including, \$2,000. _ The next \$8,000 is taxed at 10%.
- _ The next \$20,000 after that is taxed at 12%.
- _ Any further amount after that is taxed at 17%.

To the nearest \$, which of these groups of numbers fall into three DIFFERENT equivalence classes?

- A. \$20,000 \$20,001 \$30,001
- B. \$2,000 \$2,001 \$10,000
- C. \$2,000 \$8,000 \$20,000
- D. \$1,500 \$2,000 \$10,000

Answer: C

NEW QUESTION 352

Before an invoice can be created, an account is required. Before an account can be set up, an account user is required (in order to set up the account). The software is delivered with a master user only, who can only create other types of users. The following test cases have been written to test the high-level structure of the software

- A. Create an invoice
 - B. Amend an invoice
 - C. Process an invoice (send to customer)
 - D. Delete an invoice
 - E. Create an account
 - F. Create an account user
 - G. Amend an account user
 - H. Delete an account user
 - I. Amend an account
 - J. Delete an account
- Which of the following test procedures would enable all tests to be run? [K3]
- K. f, g, a, c, b, d, e, i, j, h
 - L. e, i, a, c, b, d, f, g, h, j
 - M. e, i, f, g, a, c, b, d, h, j
 - N. f, g, e, i, a, b, c, d, j, h

Answer: D

NEW QUESTION 357

Which of the following BEST defines static techniques? [K1]

- A. Executing the software work product
- B. Manually examining the code or project documentation
- C. Automated analysis of the code or project documentation
- D. Manual examination and automated analysis of code or project documentation

Answer: D

NEW QUESTION 359

Which of the following factors will MOST affect the testing effort required to test a software product? [K1]

- A. The number of staff available to execute tests
- B. The level of detail in the test plan
- C. The requirements for reliability and security in the product
- D. The test estimation method used

Answer: C

NEW QUESTION 360

Which of the following is a white box testing design characteristic?

- A. To be based on specifications
- B. To be based on an analysis of the test basis documentation
- C. To be based on an analysis of the structure of the component or system
- D. To include both functional and non-functional testing

Answer: C

NEW QUESTION 362

Which of the following would NOT be a typical target of testing support tools?

- A. Automate activities that require significant resources when done manually
- B. Automate activities that cannot be executed manually
- C. Automate repetitive tasks
- D. Automating repetitive inspections

Answer: D

NEW QUESTION 363

A client-server system for a web development must support a minimum enquiries per hour. In peak times, it must be available 24 hours x 7 days due to the critical nature of the application, and must have a response time lower than 20 seconds during peak loads.

Which of the following set of test types would be most appropriate to verify the non-functional requirements expressed in this statement?

- A. Performance, Usability, Regression.
- B. System, Load, Fail-over.
- C. Performance, Load, Stress.
- D. Load, Volume and Componen

Answer: C

NEW QUESTION 364

Dynamic Analysis Tools are used to:

- A. Determine differences between files or databases.
- B. Monitor and report on how a system behaves under a variety of conditions.
- C. Find defects, such as memory leaks, while software is executing.
- D. Measure the percentage of specific types of code structure that have been exercise

Answer: C

NEW QUESTION 367

Which of the following test design techniques is classified as a structure-based (white box) technique? [K1]

- A. Exploratory testing
- B. Decision table testing
- C. State transition testing
- D. Statement testing

Answer: D

NEW QUESTION 371

Which of the following metrics could be used to monitor progress along with test preparation and execution? [K1]

- A. The total number of tests planned
- B. The total number of requirements to be tested
- C. The failure rate in testing already completed
- D. The number of testers used for test execution so far

Answer: C

NEW QUESTION 373

Which of the following is a consideration when deploying test execution tools? [K1]

- A. Data-driven testing cannot be used with test execution tools
- B. Recorded manual tests may become unstable in use
- C. Keyword-driven testing cannot be used with test execution tools
- D. Expected results for tests are not required because the tool generates expected results

Answer: B

NEW QUESTION 377

Which of the following statements is most true about test conditions?

- A. An item or event of a component or system that can be verified by one or more test cases.
- B. The grouping of a composite set of test cases which, when tested as a whole, reveal a positive or negative result.
- C. A testable component derived from business requirements.
- D. Applies to software testing only

Answer: A

NEW QUESTION 380

Component testing may include:

- A. Sociability testing.
- B. User acceptance testing.
- C. Beta testing.
- D. The use of stubs and driver

Answer: D

NEW QUESTION 383

Which of the main activities of the fundamental test process does the task 'verify the test environment set up is correct' relate to? [K1]

- A. Planning and control
- B. Analysis and design
- C. Implementation and execution
- D. Evaluating exit criteria and reporting

Answer: C

NEW QUESTION 386

Under which of the following circumstances is maintenance testing required? [K1]

- A. Migration of software onto a new platform
- B. Testing during initial development of a replacement for an existing system
- C. Purchase of a new software tool
- D. Updating of a regression suite

Answer: A

NEW QUESTION 390

What is the main reason for using a pilot project to introduce a testing tool into an organization? [K1]

- A. To identify the requirements for using a tool
- B. To make a selection between alternative tools
- C. To assess whether the tool will be cost-effective
- D. To ensure the tool fits existing processes without change

Answer: C

NEW QUESTION 391

Testers are often seen as the bearer of unwanted news regarding defects. What are effective ways to improve the communication and relationship between testers and others?

- a) Communicate factual information in a constructive way.
- b) Try to understand how the other person feels and why they react the way they do.
- c) Always outsource testing activities.
- d) Never record information that could be used to apportion blame to an individual or team.

- A. a and b
- B. a, b and c
- C. a, b and d
- D. a and c

Answer: A

NEW QUESTION 393

When an organization considers the use of testing tools, they should:

- A. Use a tool in order to help define a good test process because the tool will force process repeatability and therefore enforce good test process.

- B. Always start by bringing in automated test execution tools as these tools have the greatest return on investment and therefore should be introduced first.
- C. Perform analysis of the test process and then assess whether it can be supported through the introduction of tool support.
- D. Allow the developers to select the testing tools because tools are technical and developers have the appropriate skills to advise on test tool selection and configuration.

Answer: C

NEW QUESTION 397

Which type of review has the following main purposes:

discussing, making decisions, evaluating alternatives, finding defects, solving technical problems and checking conformance to specifications, plans, regulations, and standards?

- A. Technical Review
- B. Inspection
- C. Walkthrough
- D. Informal review

Answer: A

NEW QUESTION 402

What are metrics NOT used for?

- A. To identify the percentage of work done in test environment preparation.
- B. To identify the percentage of work done in test case preparation.
- C. To apply to the RAD development model.
- D. To measure whether dates of test milestones were met

Answer: C

NEW QUESTION 404

Of the following, select the best description of the fundamental test process:

- A. Planning and control, analysis, design, implementation, execution, evaluation of exit criteria and reporting, test closure.
- B. Executing tests, identifying and recording defects and preparing recommendation and closure reports.
- C. Controls, preparation of test cases, execution of test cases, execution of regression packs, communicating with developers, writing recommendations for release.
- D. Static testing, dynamic testing, defect reporting, reporting and closure

Answer: A

NEW QUESTION 408

It is recommended to perform exhaustive tests for covering all combinations of inputs and preconditions.

- A. Yes, it's strongly recommended.
- B. No, risk analysis and priorities should be used to focus testing efforts
- C. Yes, and it's also necessary to include all the exit combinations
- D. Only the expert testers can make exhaustive test

Answer: B

NEW QUESTION 413

Typically, exit criteria may consist of:

- A. Defining the amount, level of detail structure, and templates for the test documentation.
- B. Estimates of defect density or reliability measures.
- C. Adequacy of the test approaches taken.
- D. Discussions on disaster recovery

Answer: B

NEW QUESTION 414

Which option BEST describes how the level of risk is determined?

- A. The likelihood of an adverse event happening multiplied by the cost of preventing it
- B. The consequences of a potential problem multiplied by the cost of possible legal action
- C. The impact of an adverse event multiplied by the likelihood of that event occurring
- D. The likelihood and the probability of a hazard occurring

Answer: B

NEW QUESTION 417

A system is being enhanced to simplify screen navigation for users. Which of the following does NOT reflect structural testing?

- A. To test all paths that users could take through the screen menu system
- B. To ensure that 100% decision testing is achieved for each system component

- C. To test all branches of component calls within the application call graph
- D. To ensure that users can navigate to all fields on the screen

Answer: C

NEW QUESTION 420

Testing effort can depend on a number of factors, which one of following is MOST likely to impact the amount of effort required?

- A. The predicted number of defects and the amount of rework required
- B. The ratio of developers to testers in the project team
- C. The planned use of a project management tool to schedule tasks
- D. The responsibilities for testers and developers being clearly defined

Answer: C

NEW QUESTION 425

Which of the following type of defect would NOT be typically found by using a static analysis tool?

- A. A variable is defined but is then not used
- B. A variable is used in a calculation before it is defined
- C. A variable has the wrong numeric value passed into it
- D. A variable is used but not declared

Answer: C

NEW QUESTION 430

Which of the following activities is appropriate to the test planning stage?

- A. Analysing the test basis
- B. Assigning resources for the planned activities
- C. Designing the test environments
- D. Writing a test execution schedule

Answer: B

NEW QUESTION 433

A new testing tool has been selected for an organisation and a pilot project has successfully completed. The next step is to deploy the tool within the organization. What is a key success factor in tool deployment?

- A. Estimate a cost-benefit ratio based on a firm business case
- B. Determine whether benefits will be achieved at reasonable cost
- C. Provide support for the test team using the tool
- D. Assessment of organisational maturity, strengths and weaknesses

Answer: A

NEW QUESTION 435

Which of the following is NOT a valid use of decision coverage?

- A. Checking that all decisions have been exercised in a single program
- B. Checking that all decisions have been exercised in a business process
- C. Checking that all calls from one program module to another have been made correctly
- D. Checking that at least 50% of decisions have been exercised by a test case suite

Answer: D

NEW QUESTION 438

Which of the following options BEST explain the pesticide paradox principle of testing?

- A. If we do not regularly review and revise our tests, we'll stop finding defects
- B. Repeatedly running a set of tests will ensure that a system is defect free
- C. Defects are, paradoxically, often contained in a small number of modules
- D. Testing, like spraying pesticide, is an effective bug / defect removal activity

Answer: C

NEW QUESTION 442

The following Test Cases have been created for a simple web-based airline booking system. Test Case 1: Search for an item Available Flights

Test Case 2: View selected item in My Flights Test Case 3: Login to the system: Login is accepted

Test Case 4: Select an available flight: item added to My Flights Test Case 5: Print confirmation receipt, then exit Test Case 6: In My Flights, confirm details and book flight

Which of the following is the correct logical order for the test cases?

- A. 6, 3, 1, 4, 2, 5
- B. 3, 4, 1, 2, 5, 6

- C. 3, 2, 1, 4, 6, 5
- D. 3, 1, 4, 2, 6, 5

Answer: B

NEW QUESTION 443

Which of the following options describe the causal chain in the correct sequence?

- A. Error, fault, failure
- B. Fault, bug, mistake
- C. Mistake, failure, fault
- D. Failure, bug, error

Answer: A

NEW QUESTION 447

Which of the following is a Black Box test design technique?

- A. Decision Coverage
- B. Error Guessing
- C. Statement Coverage
- D. Equivalence Partitioning

Answer: D

NEW QUESTION 450

A garden irrigation system allows the user to specify 2 inputs:

1. Frequency - The number of times the system should be automatically switched on per day; minimum once per day, maximum 5 times
 2. Duration - The duration of operation, in whole minutes, each time it is switched on; ranging from 1 to 60
- Applying 2-value boundary value analysis which of the following options has the correct test set of valid and invalid boundary values?

- A. Frequency 1, 5; Duration 1, 60
- B. Frequency 0, 1, 5, 6; Duration 59 seconds, 1 minute, 60 minutes, 60 minutes 1 second
- C. Frequency 0, 1, 5, 6; Duration 0, 1, 30, 60, 61
- D. Frequency 0, 1, 2, 5, 6; Duration 0, 1, 30, 60, 61

Answer: B

NEW QUESTION 455

When can functional and structural testing BOTH be applied?

- A. System and Component test levels only
- B. All 'Development' test levels, i.
- C. those before Acceptance testing
- D. Component and Component integration test levels only
- E. All test levels

Answer: D

NEW QUESTION 457

You have been asked to improve the way test automation tools are being used in your company. Which one of the following is the BEST approach?

- A. Selecting and automating scripts that test new functionality to find the most defects
- B. Using a keyword-driven testing approach to separate the actions and data from the tool's script
- C. Ensuring that all data, inputs and actions are stored in the tool's script for ease of maintenance
- D. Keeping expected results separate from the automation tool to allow the testers to check the results

Answer: A

NEW QUESTION 459

During the development of a software change for a system, the developer makes a mistake in his work, which leads to a fault in the code. Unfortunately the fault is not found by software testing and is released into live.

What is the definite consequence of this mistake?

- A. The system will fail, causing a defect
- B. If the defect is executed, the system may fail
- C. Loss of money, time, or business reputation
- D. Contractual requirements have not been met by testing

Answer: B

NEW QUESTION 462

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

CTFL-Foundation Practice Exam Features:

- * CTFL-Foundation Questions and Answers Updated Frequently
- * CTFL-Foundation Practice Questions Verified by Expert Senior Certified Staff
- * CTFL-Foundation Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * CTFL-Foundation Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The CTFL-Foundation Practice Test Here](#)