CheckPoint

Exam Questions 156-836

Check Point Certified Maestro Expert - R81 (CCME)

About Exambible

Your Partner of IT Exam

Found in 1998

Exambible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, Exambible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

  All examinations will be up to date.

* 24/7 Quality Support

  We will provide service round the clock.

* 100% Pass Rate

  Our guarantee that you will pass the exam.

* Unique Gurantee

  If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1
Which feature is used to force trusted non-F2F traffic into the fully accelerated path for handling by SecureXL.

A. Fast Accelerator
B. hypersync
C. rate limiting
D. SecureXL

Answer: D

NEW QUESTION 2
When security policy is installed

A. All SGMs receive the security policy and one by one performs an independent policy verificatio
B. Then, all SGMs simultaneously install the policy.
C. The SMO Master receives the policy and performs a policy verification the policy is installed on the SMO Master, the SMO Master broadcasts the available package, other members retrieve the new policy from the SMO Master, then the non-SMO Master SGMs install the policy.
D. All SGMs receive the security policy and simultaneous policy installation occurs.
E. The policy is installed on the SMO, the SMO Master broadcasts the available package, other members retrieve the new policy from the SMO Master and perform an independent policy verification, then the non-SMO Master SGMs install the policy.

Answer: B

NEW QUESTION 3
Which command do you use to find bottlenecks in the system that are affecting performance, even functionality in some cases?

A. asg stat -v
B. asg diag verify
C. asg perf -v
D. asg monitor

Answer: C

NEW QUESTION 4
What does the lldpctl command do?

A. Show all devices discovered by LLDP protocol on downlink ports
B. Show all devices discovered by LLDP protocol on all ports
C. Discover orchestrators
D. Show all devices discovered by LLDP protocol on uplink ports

Answer: B

NEW QUESTION 5
Do all MHOs need to be upgraded before starting the SGM upgrades?

A. During the upgrade process all SGMs should be upgraded before upgrading all of the MHOs.
B. A minimum of one of the MHOs should be upgraded before starting the SGM upgrade
C. However, there is no requirement to upgrade all the SGMs during the same maintenancewindow as the MHO
D. All MHOs must first be upgraded before starting the SGM upgrades However, there is no requirement to upgrade all the SGMs during the same maintenance window as the MHOs.
E. MHOs do not need to be upgraded at all because Maestro supports the use of different versions between the MHOs and SGMs.

Answer: C

NEW QUESTION 6
What is HealthCheck Point?

A. Is a self-updatable suite of tools for MHOs with the capability to assess the health of the system and provide a timeline of critical and informative events that might have occurred in a production system.
B. Performs a system health check and is meant to replace both a CPInfo and the health check script.
C. Can be used to let you visualize the Firewall topology for the SG and view live statistics, which includes throughput, problem notes, and CPU utilization.
D. Is a self-updatable suite of tools for SGMs with the capability to assess the health of the system, visualize the Firewall topology, provide a timeline of critical and informative events that might have occurred in a production system.

Answer: B

NEW QUESTION 7
Layer 4 distribution is enabled by default in Maestro. Which is not a scenario when you would want to leave this enabled?

A. When there is a large number of source ports in use by protocols such as HTTP, HTTPS, and DNS.
B. When dynamic routing protocols, such as BGP or OSPF are used.
C. When there is a heavy imbalance of traffic between the SGMs that are members of the same SG.
D. When the SG is NATing a very high percentage of traffic passing through it.

Answer: B

NEW QUESTION 8
What cannot be learned from the output of lldpctl?

A. Serial number of Appliance
B. Appliance model
C. Distribution mode
D. Orchestrator's IP

Answer: C

NEW QUESTION 9
To display processes that are consuming excessive system resources, users should use the _____ command.

A. asg perf -v
B. asg stat -v
C. top
D. asg_perf_hogs

Answer: D

NEW QUESTION 10
A splitter cannot be used:

A. To connect a single port on an Orchestrator to the same Appliance
B. To connect a single port on an Orchestrator to multiple ports on an external switch
C. To connect a single port on an Appliance to multiple ports on the Orchestrator
D. To connect a single port on an Orchestrator to multiple Appliances

Answer: A

NEW QUESTION 10
What is an uplink interface used for?

A. To connect in between appliances
B. To connect appliances to customer's infrastructure
C. To connect Orchestrators to customer??s infrastructure
D. To connect in between Orchestrators

Answer: C

NEW QUESTION 15
What is the difference between Dual-Site and Dual-Room?

A. Dual-Room is a kind of Dual-Site deployment within the same building
B. Dual-Room is Active / Standby and Dual-Site is Active / Active
C. Dual-Room is a Single-Site deployment where all Appliances are connected to both orchestrators
D. They are the same

Answer: A

NEW QUESTION 19
When working with Maestro, what is the difference between using Clish and gClish?

A. Clish commands are for testing purposes only and cannot be saved, gClish commands apply to all SG members, by default.
B. Clish commands apply to all UP SG members, by defaul
C. gClish commands apply to all SG members, by default.
D. Clish commands are run on the SG member
E. gClish commands are run on the MHO and applied to all connected SG members in a specified group.
F. Clish commands apply only to a specific SG membe
G. gClish commands apply to all UP SG members, by default.

Answer: C

NEW QUESTION 21
When a VPN tunnel is formed with a Maestro SGM,

A. The receiving SGM makes an encryption decisio
B. The SGM then syncs the traffic to two backup SGMs: one for clear traffic and one for encrypted traffic.
C. SGM 1 analyzes the policy and topolog
D. If encryption is required, it calculates the tunnel owner's IP addres
E. SGM 1 sends a clear packet to the tunnel owne
F. SGM 2 is now the connection and tunnel owner.
G. The MHO handles the IKE before distributing the traffic to a SGM to handle all encrypted traffi

H. This helps to prevent any issues with the correction layer.
I. The MHO distributes copies of the packets to two different SGMs because SGM 1 will handle the clear traffic IKE exchange packets, while SGM2 handles encrypted packets.

Answer: B

NEW QUESTION 22
There are two 10Gbps dual-port NIC installed on a 6800 appliance. Which interfaces should be connected to Orchestrator 1 for downlinks' intra-orchestrator redundancy when using two Orchestrators?

A. Any pair of available ports
B. Port 1 in Slot 1 and Port 1 in Slot 2
C. Port 1 in Slot 1 and Port 2 in Slot 1
D. Port 1 in Slot 2 and Port 2 in Slot 1

Answer: B

NEW QUESTION 26
What is the throughput penalty of Security Group?

A. Depends on the type of Appliance
B. 1% per member
C. 10% per Security Group with no relation to the number of members
D. 5% per member

Answer: B

NEW QUESTION 27
Common Layer 1 issues include

A. Routing
B. Distribution
C. MAC addresses
D. Loose or bad cables

Answer: D

NEW QUESTION 28
What does asg monitor command do?

A. This command does not exist
B. Monitor health status of entire system
C. Monitor traffic on Appliances in Security Group
D. Show real-time cluster status of Appliances in Security Group

Answer: D

NEW QUESTION 33
What is a downlink interface used for?

A. To connect appliances to Orchestrators
B. To connect appliances to customer's infrastructure
C. To connect in between Orchestrators
D. To connect Orchestrators to customer's infrastructure

Answer: A

NEW QUESTION 37
In a Maestro Dual Site environment, what is the definition of the term Active Site.

A. The Active Site is the site that is not handling any traffic for the specific SG, but its connections are synced to its SGMs from the MHOs to be ready in the event of a failover.
B. The Active Site is the site where the SMO Master exists.
C. There is no such thing as an active sit
D. In a Dual Site environment, traffic is load balanced.
E. The Active Site is the site currently handling the enforcement on traffic passing for a specific S
F. Connections are synced within the SGMs in the Active Site.

Answer: D

NEW QUESTION 38
Splitter cannot be used _____

A. To connect single port on orchestrator to the same Appliance
B. To connect single port on orchestrator to multiple port on external switch

C. To connect single port on Appliance to multiple ports on the orchestrator
D. To connect single port on orchestrator to multiple Appliances

Answer: A

NEW QUESTION 42
What type of cluster can a Security Group can be compared to?

A. Load Sharing Active / Active
B. VSLS
C. Active / Backup
D. Active / Standby

Answer: A

NEW QUESTION 43
What kinds of transceivers are supported on Orchestrator MHO-170?

A. SFP, QSFP, QSFP28
B. SFP+, SFP28, QSFP
C. SFP, SFP+, SFP28
D. QSFP, QSFP28

Answer: D

NEW QUESTION 45
On the MHO, to view connected ports and their functions, use the following command:

A. asg_ifconfig
B. show ports
C. orch_stat -c
D. orch_stat -p

Answer: D

NEW QUESTION 50
Where should the sx_api_ports_dump.py command be run?

A. Management server
B. Security Group
C. Orchestrator
D. SMO Appliance

Answer: C

NEW QUESTION 53
What happens if the SMO Master fails?

A. The next SGM with the current lowest SGM ID assumes the role of the SMO Master.
B. The Backup SMO Master will take over in the event of a failure with the SMO Master.
C. A failover will occur on the MHO and traffic will continue to pass.
D. The Security Group will no longer pass traffic and the issue must be resolved with the SMO Master.

Answer: B

NEW QUESTION 57
What is the purpose of RJ-45 connectors located at the front panel of the Orchestrator MHO-170?

A. Two Out-of-band interfaces for access to Orchestrator itself
B. 1Gbps connectivity for Security Groups
C. Out-of-band interface for access to Orchestrator itself and Serial Console connector
D. Reserved for internal purpose
E. Not in use

Answer: C

NEW QUESTION 62
What is a security group?

A. A solution for Security Gateway redundancy and Load Sharing.
B. A set of appliances of the same model that are collectively managed by the MHO.
C. A set of network interfaces and individual SGMs assigned to a logical group.
D. A set of objects in SmartConsole that are responsible for enforcing an access policy.

Answer: A

NEW QUESTION 63
There are two appliances within the same Security Group. One of them is connected by One downlink only, another one by Two downlinks. Assuming there's no NAT and no VPN, what would be proportion of traffic distribution done by Orchestrator?

A. 100%/0%
B. 33%/66%
C. 50%/50%
D. 66%/33%

Answer: B

NEW QUESTION 67
There are two 10Gbps dual-port NICs and one 40Gbps NIC installed on a 23800 Appliance in slots 1, 2 and 3 accordingly. Which interfaces should be connected to Orchestrator 1 for downlinks' intra-
orchestrator redundancy when using two Orchestrators?

A. Port 1 in Slot 2 and Port 2 in Slot 1
B. This configuration is not supported
C. Any pair of available ports
D. Port 1 in Slot 1 and Port 2 in Slot 1

Answer: D

NEW QUESTION 71
At a minimum, how many management and Uplink ports does a SG require?

A. Only one of the two interfaces is needed for the Security Group.
B. Neither are required.
C. Two of each.
D. One each.

Answer: D

NEW QUESTION 74
What happens if you apply a hotfix using gClish?

A. If you apply a hotfix using gclish, it causes an outage for the entire SG as all members reboot at roughly the same time.
B. If you apply a hotfix using gclish, each SG members installs the hotfix and reboots after waiting it's turn to do so.
C. Logical groups "A" and "B" are create
D. Members of group "A" install and reboot firs
E. Then members of group "B" does the same once reboots have finished with group "A."
F. If you apply a hotfix using gclish, the operation will fail because an outage would occur.

Answer: B

NEW QUESTION 78
Logs without a dedicated log file can be found in

A. /var/log/junk.log.dbg
B. /var/log/messages
C. $RTDIR/log/junk.log
D. $FWDIR/log/fw.log

Answer: B

NEW QUESTION 80
What Maestro component is automatically designated the SMO Master?

A. The SGM with the lowest member ID (the first one added to the security group.)
B. The MDS that pushes policy to the SMO is considered the SMO Master.
C. The first MHO configured is considered the SMO Master.
D. The SGM with the highest member ID (the last one added to the security group.)

Answer: A

NEW QUESTION 82
What is the command 'asg diag' used for?

A. Asg diag used for system diagnostics on Chassis onl
B. It does not exist on Maestro
C. Asg diag is used for system backup
D. Asg diag is used for system diagnostics
E. Asg diag is used for creating traffic flow diagrams

Answer: C

NEW QUESTION 85
Possibilities for a failure in a single SGM of a Security Group include.

A. A change was made with clish instead of gClish, causing the SGM to handle traffic differently than the other SGMs.
B. SecureXL is not enabled on the SGM.
C. An administrator imported a hotfix into the CPUSE repository of a single SGM.
D. There are too many active SGMs in the SG.

Answer: C

NEW QUESTION 90
What type of license is required for an MHO?

A. The MHO requires a NGTP license.
B. The MHO requires a VSX license.
C. The MHO does not require a license.
D. A license is needed for each attached SGM.

Answer: C

NEW QUESTION 95
.....

Relate Links

100% Pass Your 156-836 Exam with Exambible Prep Materials

https://www.exambible.com/156-836-exam/

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - https://www.exambible.com/