

Exam Questions UiPath-ADPv1

UiPath (ADPv1) Automation Developer Professional Exam

<https://www.2passeasy.com/dumps/UiPath-ADPv1/>



NEW QUESTION 1


What method can be used to change the index of an existing column in a datatable?

- A. Move At
- B. SetOrdinal
- C. SetColumnIndex
- D. SetIndex

Answer: B

NEW QUESTION 2

Which of the following options is correct regarding the below Object Repository tree structure?



- A. One ScreenTwo ApplicationsTwo UI Elements
- B. One ScreenTwo ApplicationsFive UI Elements
- C. One ApplicationTwo ScreensFive UI Elements
- D. One ApplicationTwo UI ElementsFive Screens

Answer: C

NEW QUESTION 3

A developer extracts a date from an email. The date will always be in the same format and always from the past. Some examples of this format are: "3 Mar 2023". "20 Nov 2021". The name of the variable where the date is saved is DateTime What expression should the developer use to check if the extracted date is within the last 7 days?

- A. (DateTime.Now - DateTime.ParseExact(DateStrin
- B. "dd MMM yyyy". CultureInfo.InvariantCulture)).Days < 7
- C. (DateTime.Now - DateTime.ParseExact(DateStnn
- D. *dd MMM yyyy
- E. CultureInfo.InvariantCulture)).AddDays(-7) > 0
- F. (DateTime.Now - DateTime.ParseExact(DateString, "d MMM yyyy". CultureInfo.InvariantCulture)).Days < 7
- G. DateTime Parse(DateTime Now - DateTime) Days < 7

Answer: C

NEW QUESTION 4

Which of the following is an outcome of converting a personal workspace into a folder in UiPath Orchestrator?

- A. The owner of the initial workspace and the admin user are added by default to the newly created folder and assigned the Personal Workspace Administrator role.
- B. The owner of the initial workspace is added by default to the newly created folder and assigned the Folder Administrator role.
- C. The owner of the initial workspace loses access to the newly created folder and the existing admin users are added by default.
- D. The admin user is added by default to the newly created folder with the User Administrator role.

Answer: B

Explanation:

The outcome of converting a personal workspace into a folder in UiPath Orchestrator is that the owner of the initial workspace is added by default to the newly created folder and assigned the Folder Administrator role. A personal workspace is a special type of folder that is created automatically for each user in Orchestrator and allows them to work on their own automation projects without affecting other users or folders. A personal workspace can be converted into a regular folder if the user wants to share their work with other users or move it to another folder. When a personal workspace is converted into a folder, the owner of the workspace becomes the owner of the folder and gets the Folder Administrator role, which gives them full permissions to manage the folder and its contents. The folder also inherits the permissions and settings of the parent folder, which is the Default folder by default. The admin user is not added to the folder by default, but they can access the folder as a Tenant Administrator if they have that role. References:

[Personal Workspaces], [Convert Personal Workspace to Folder]

NEW QUESTION 5

Which of the following examples accurately demonstrates using LINQ to perform data operations in a UiPath process?

- A. Employing LINQ to concatenate two strings in a list by writing `listOfStrings.Concatenate("String_1", "String_2").ToList()`.
- B. Using LINQ to filter DataTable rows based on a specific condition by writing `dataTable.AsEnumerable().Where(Function(row) row("ColumnName").ToString.Contains("Value")).CopyToDataTable()`.
- C. Applying LINQ to convert a list of integers to a JSON format by writing `listOfIntegers.ToJSON().ToList()`.
- D. Utilizing LINQ to split a DataTable into multiple smaller DataTables based on a specific condition by writing `dataTable.Splitf'ColumnName = 'Condition').CopyToData Tablet)`.

Answer: B

NEW QUESTION 6

In the Robotic Enterprise (RE) Framework, at which point should a developer log a clear message with the Logging Level set to "Information," adhering to the best practices for automating a production-level process?

- A. Whenever an exception is caught in a Catch block.
- B. Whenever data is fetched from external sources.
- C. Whenever an argument or value is used.
- D. Whenever the robot encounters an error on a Queue Item.

Answer: B

NEW QUESTION 7

What role do Triggers play in the UiPath Integration Service?

- A. Provide a mechanism for subscribing to specific events from third-party applications, automatically starting processes in Orchestrator.
- B. Assist in the creation of automation projects by providing event-based activities.
- C. Manage connections between UiPath Studio and third-party applications.
- D. Provide a mechanism for starting processes on a scheduled basis from Orchestrator.

Answer: A

NEW QUESTION 8

In which of the following places can you access a recording of a failed queue transaction in UiPath Orchestrator?

- A. In the job details window of the process that contains the failed transaction.
- B. In the Logs page of the queue transaction.
- C. In the contextual menu of the failed transaction, by clicking Open recording.
- D. In the queue transaction list view, by hovering over the transaction status.

Answer: C

NEW QUESTION 9

In the context of UiPath Orchestrator, what is the primary purpose of the Monitoring feature?

- A. Handling version control and collaboration among team members.
- B. Real-time tracking of Robots, Machines, Queues, and Jobs.
- C. Facilitating the design and deployment of automation workflows.
- D. Consolidating event logs and records related to executed tasks and runtime anomalies.

Answer: B

NEW QUESTION 10

Which are the actions that can be done in Test Explorer?

- A. Export test data, group tests together, analyze activity coverage.
- B. Perform debugging, analyze activity coverage, group tests together.
- C. Export test results, group tests together, analyze activity coverage.
- D. Export test data, perform debugging, analyze activity coverage.

Answer: C

NEW QUESTION 10

Which of the following activities in UiPath Studio have the Verify Execution property available?

- A. Click activity
- B. Invoke workflow activity
- C. If activity
- D. Assign activity

Answer: A

NEW QUESTION 14

In the context of a UiPath State Machine, what is the primary purpose of the Exit action in a state?

- A. To manually stop the state machine's execution.
- B. To execute the final actions of the current state before transitioning to the next stage.
- C. To revoke any entry actions performed when entering the current state.
- D. To define the conditions upon which a state transition should occur.

Answer: B


NEW QUESTION 15

Review the following graphics:

Try

[Do]

Use Application: Untitled - Notepad



Application path *


"C:\Windows\System32\notepad.exe"

Application arguments

Text must be quoted

Match exact title: Untitled - Notepad

Type Into 'editable text'



Type this

Standard Secure

"Typing into Notepad"

Empty field before typing

Single line [End, Shift+H]

Click before typing

Single

Log Message

Message *

{ } "Try"

Log Level

Info

Catches

Exception exception

Log Message

Message *
 {} "Exception" ⌵ ⊕

Log Level
 Error ⌵ ⊕

SelectorNotFoundException exception

Log Message

Message *
 {} "SelectorNotFoundException" ⌵ ⊕

Log Level
 Error ⌵ ⊕

ApplicationNotFoundException exception

Log Message

Message *
 {} "ApplicationNotFoundException" ⌵ ⊕

Log Level
 Error ⌵ ⊕

Add new catch

Finally

Drop activity here

Properties

UiPath.UIAutomationNext.Activities.NApplicationCard

Common

Continue on error Continue executing the activ ...

DisplayName Use Application: Untitled - Notepad

Timeout 11 ...

Input

Unified Application Target TargetApp

Input/Output Element

Input element The Input UI Element defines the ...

Output element Output a UI Element to use in ot ...

Misc

Private

Options

Close NAppCloseMode.Always ⌵ ...

Input mode Hardware Events ⌵

Open NAppOpenMode.Never ⌵ ...

Resize window None ⌵

Window attach mode Application instance ⌵


Options - Browser

Incognito/private window Opens the new browser sessi ...

User data folder mode The user data folder mode y ⌵ ...

User data folder path The user data folder that the bro ...

WebDriver mode Indicates how WebDriver is t ⌵ ...



If the automation is executed and Notepad.exe is not running, which Log Message text value is contained in the Output panel?

- A. Exception
- B. ApplicationNotFoundException
- C. Try
- D. SelectorNotFoundException

Answer: B

NEW QUESTION 16

A developer is building an automation that must interact with a destination remote computer reached by jumping through multiple RDP connections, as described by the following scenario:

- The Robot is installed on Machine A, which connects through RDP to Machine B.
- From Machine B another RDP connection is opened to Machine C, where the automation must be performed.

Which of the following scenarios is appropriate for the developer who wants to use UI Automation activities?

- A. UI Automation can be used and the following are prerequisites:Machine A - install RDP extension.Machine B - install RemoteRuntime.msi.Machine C - install RemoteRuntime.msi.
- B. UI Automation can be used and the following are prerequisites:Machine A - install RDP extension.Machine B - install RDP extension and RemoteRuntime.msi.Machine C - install RemoteRuntime.msi.
- C. UI Automation can be used and the following are prerequisites:Machine A - no requirement.Machine B - no requirement.Machine C - install RemoteRuntime.msi.
- D. UI Automation can be used and the following are prerequisites:Machine A - install RDP extension.Machine B - no requirement.Machine C - install RemoteRuntime.msi.

Answer: B

NEW QUESTION 20

"Process A" is scheduled to run at 2:00 PM using a time trigger with the Schedule ending of Job execution feature configured to stop the job after 20 minutes.


Assuming that the robots are busy and "Process A" is queued until 2:05 PM. at what time will "Process A" be stopped?

- A. 2:20 PM
- B. 2:25 PM
- C. 2:05 PM
- D. 2:28 PM

Answer: B

NEW QUESTION 21

When encountering an ApplicationException, what occurs if the developer chooses InvalidOperationException as the exception handler within the Catches section of the Try Catch activity?



- A. The Finally block is executed and the Catches section catches the exception.
- B. No exception is thrown and the Finally block executes.
- C. A runtime error occurs and the Finally block is not executed.
- D. No exceptions are happening and the workflow continues to execute.

Answer: A

NEW QUESTION 23

Which one is a feature of UiPath Solutions Management?

- A. Process execution set
- B. Orchestrator bundle
- C. Solution package
- D. Environment-specific configuration file

Answer: C

NEW QUESTION 28

A developer implemented a process using the Robotic Enterprise Framework and an Orchestrator queue. The MaxRetryNumber from the "Config.xlsx" file is set to "1" and the Max # of retries from the Queue settings from Orchestrator is set to "2". At runtime, the first transaction item throws a Business Exception. How many times will the transaction be retried?

- A. The transaction will not be retried.
- B. The transaction will be retried only one time.
- C. The transaction will be retried 2 times.
- D. The transaction will be retried multiple times, until it will be processed successfully.

Answer: B

NEW QUESTION 31

An error occurs during the Initialization state within the ??FrameworkMnitAllSettings.xml?? file for a process using REFramework which is executed on Orchestrator. The project contains default values for the settings specified in "Config.xlsx".
 What is the current state of the job in Orchestrator?

- A. Successful
- B. Faulted
- C. Suspended
- D. Stopped

Answer: B

NEW QUESTION 33

What is the use of job priorities in unattended automations within UiPath Orchestrator?

- A. To determine machine resource allocation among processes.
- B. To sort and organize tasks within a folder.
- C. To create job dependencies that must be completed before new job execution.
- D. To determine which processes should be executed first when dealing with multiple jobs.

Answer: D

NEW QUESTION 35

What is the default polling interval set for an event trigger?

- A. 1 minute
- B. 5 minutes
- C. 10 minutes
- D. 15 minutes

Answer: B

NEW QUESTION 38

What are the possible statuses after running any REFramework test case?

- A. MANUAL or AUTOMATIC.
- B. PASS or FAIL.
- C. EXPECTED or ACTUAL.
- D. SUCCESS or EXCEPTION.

Answer: B

NEW QUESTION 41

What actions must be manually selected in the App/Web Recorder before recording a step?

- A. Click on buttons, links, and other clickable elements such as icons or images.Type text in a text area such as a text box.Select or clear a check box.Send keyboard shortcuts using your keyboard.Select an item from a drop-down.
- B. Select or clear a check box.Send keyboard shortcuts using your keyboard.Select an item from a drop-down.
- C. Copy text using the Get Text activity.Hover over an element using the Hover activity.Highlight an element using the Highlight activity.
- D. Copy text using the Get Text activity.Hover over an element using the Hover activity.Click on buttons, links, and other clickable elements such as icons or images.Type text in a text area such as a text box.Select or clear a check box.


Answer: A

NEW QUESTION 46

Given the following list of arguments:

Name	Direction	Type	Value
in_numArray	In	Int32[]	{2,5,1,7,9,4,8}
out_numVar	Out	Int32	numVar

and the following code:



The screenshot shows a 'Code Editor' window with the following VB.NET code:

```
1 out_numVar = 0
2 Dim i As Integer
3 For i = 0 To in_numArray.Length-1
4     If in_numArray(i) > out_numVar Then
5         out_numVar = in_numArray(i)
6     End If
7 Next i
```

The code is displayed in a text area with line numbers 1 through 7. The window has a blue title bar with 'Code Editor' and standard window controls (minimize, maximize, close). At the bottom right, there are 'OK' and 'Cancel' buttons.

What is the value that will be displayed in the Output Panel at the end of the sequence below:



- A. 1
- B. 2
- C. 7
- D. 9

Answer: D

NEW QUESTION 50

Which logging level includes the following information by default?

- * 1. Execution Started log entry - generated every time a process is started.
- * 2. Execution Ended log entry - generated every time a process is finalized.
- * 3. Transaction Started log entry - generated every time a transaction item is obtained by the robot from Orchestrator.
- * 4. Transaction Ended log entry - generated every time the robot sets the transaction status to either Success or Failed.
- * 5. Activity Information log entry - generated every time an activity is started, faulted or finished inside a workflow.
- * 6. Arguments and Variables Information log entry - show values of the variables and arguments that are used.

- A. Verbose
- B. Trace
- C. Critical
- D. Information

Answer: A

NEW QUESTION 55

What is the purpose of The Relative To feature in Computer Vision activities?

- A. To compare the size and position of UI elements in different applications.
- B. To synchronize the timing of multiple Computer Vision activities in the same project.
- C. To configure the target as being relative to an element, either a single point or an area selection in the application.
- D. To create a fixed relationship between Computer Vision actions and UI element positions.

Answer: C

NEW QUESTION 57

A developer configured the properties for a Click activity as shown below:


What happens if the activity cannot find its target at runtime?

- A. An exception is thrown after 10 milliseconds.
- B. An exception is thrown after 10 seconds.
- C. The next activity is executed after 10 seconds.
- D. The next activity is executed after 10 milliseconds.

Answer: B

NEW QUESTION 61

What do the percentages from the Test Explorer panel represent?



- A. Percent of test data run.
- B. Correctness of the code percent.
- C. Coverage percent.
- D. Passing percent.

Answer: D

NEW QUESTION 64

To retrieve all Outlook emails with the word "UiPath" in the subject, which filtering property and filter schema should a developer use?

- A. Property: FilterByMessageIdsSchema: "@SQL=""urn:schemas:httpmail:subject"" like 'UiPath%'"
- B. Property: FilterSchema: "@SQL=""urn:schemas:httpmail:subject"" like 'UiPath%'"
- C. Property: FilterSchema: "@SQL=""urn:schemas:httpmail:subject"" like '%UiPath%'"
- D. Property: FilterByMessageIdsSchema: "@SQL=""urn:schemas:httpmail:subject"" like '%UiPath%'"

Answer: C

Explanation:

o retrieve all Outlook emails with the word ??UiPath?? in the subject, the developer should use the Filter property and the filter schema ??@SQL=????urn:schemas:httpmail:subject??" like ??%UiPath%?????. The Filter property allows the developer to specify a condition for retrieving the emails based on the email properties. The filter schema is a string that follows the SQL syntax and uses the urn:schemas:httpmail namespace to access the email properties. The subject property is accessed by using ??urn:schemas:httpmail:subject??. The like operator is used to match the value of the subject property with a pattern that contains the word ??UiPath??. The percent sign (%) is a wildcard that matches any sequence of characters. Therefore, the filter schema ??@SQL=????urn:schemas:httpmail:subject???? like ??%UiPath%??" will match any email that has the word ??UiPath?? anywhere in the subject. References: Get Outlook Mail Messages

NEW QUESTION 67

A developer designed a project in the REFramework. The "Config.xlsx" has me following Setting entry:

	A	B
1	Name	Value
2	OrchestratorQueueName	ProcessABCQueue

Assuming the default REFramework configuration, how can the developer reference the Setting in the Config variable to obtain the Setting value as a String from the dictionary?

- A. Config (??OrchestratorOueueName"." Process ABCQueue")ToString
- B. Config (??OrchestratorOueueName).ToString
- C. Config (??ProcessABCQueue"."OrchestratorQueueName").ToString
- D. Config (??ProcessABCQueue")ToString

Answer: B

NEW QUESTION 68

What is the output type returned when using a Get Test Data Queue Item activity?

- A. QueueItem
- B. Object
- C. Dictionary

Answer: A

Explanation:

The output type returned when using a Get Test Data Queue Item activity is QueueItem. The Get Test Data Queue Item activity is an activity that allows the developer to retrieve a test data queue item from a test data queue in Orchestrator. A test data queue is a special type of queue that is used to store and manage test data for automation testing purposes. A test data queue item is a data object that contains the test data and the expected results for a test case. The Get Test Data Queue Item activity has an output property called TestDataQueueItem, which returns the test data queue item as a QueueItem type. The QueueItem type is a class that represents a queue item in Orchestrator. The QueueItem type has various properties and methods that allow the developer to access and manipulate the data and the status of the queue item. References: [Get Test Data Queue Item], [QueueItem Class]

NEW QUESTION 69

What is the functionality of the Include Subfolders filter in the Monitoring pages when a modern folder is selected?

- A. It allows you to choose between background and foreground processes for the displayed data.
- B. It allows you to select whether the contents of the selected folder's subfolders are displayed.
- C. It enables you to sort the displayed data based on job priorities.
- D. It allows you to allocate licenses per machine for the displayed data.

Answer: B

NEW QUESTION 74

You are building an automation for a CRM system where customer data from various sources needs to be reviewed and consolidated into a single record before being entered into the system.

What is the best strategy for handling the data?

- A. Use attended workflows to review each piece of customer data separately before manually entering it into the CRM system.
- B. Store the customer data in multiple files, then manually transfer the information between workflows.
- C. Create individual variables for each customer data field and manually merge them in the final step before entering the CRM system.
- D. Consolidate all customer data into a single entity that can be reviewed and processed before final entry into the CRM system.

Answer: D

NEW QUESTION 78

Considering a process developed using REFramework, if the status of a transaction was set to "Failed" with the ErrorType specified as "Business", the process will transition to which state?

- A. End Process
- B. Initialization
- C. Get Transaction Data
- D. Process Transaction

Answer: C

NEW QUESTION 79

Assume we have the Verify Expression with Operator activity from the UiPath. Testing.Activities package with the properties configured as follows:

Verify Expression with Operator

FirstExpression *
() 1

Operator *
Equality

SecondExpression *
() 2

Hide advanced options

Input

ContinueOnFailure
 True False

TakeScreenshotIfFailed *
 True False

TakeScreenshotIfSucceeded *
 True False

Messages


AlternativeVerificationTitle
() Enter a VB expression

OutputMessageFormat
() Enter a VB expression

Output

Result (Out)
() Enter a VB expression

The activity is used within a Try-Catch activity. The Catch block is set to System.Exception and UiPath.Testing.Exception.TestingActivitiesException as shown in the screenshot below:



During the execution of the sequence shown above, which block from the Try-Catch activity will be entered first, after the Verify Expression with Operator activity is executed?

- A. None of the other blocks within the Try-Catch activity will be executed.
- B. The Finally block within the Try-Catch activity.
- C. The Exception sequence from the Catches block within the Try-Catch activity.
- D. The TestingActivitiesException sequence from the Catches block within the Try-Catch activity.

Answer: C

NEW QUESTION 84

At indication time, the Strict Selector has the following functionalities available:

- A. Refresh, Open in UiExplorer, Copy to clipboard.
- B. Ignore tex
- C. Copy to clipboar
- D. Show all matches.
- E. Open in UiExplorer, Copy to clipboard, Show all matches.
- F. Accuracy, Open in UiExplorer, Copy to clipboar

G. Show all matches.

Answer: C

NEW QUESTION 89

What can be verified in the InitAllSettingsTestCase test case?

- A. Verify If a certain application is open in the execution environment.
- B. Verify the naming of a certain key present in the 'Config' dictionary.
- C. Verify the variable type for the 'Config' dictionary.
- D. Verify If a certain key is present in the 'Config' dictionary.

Answer: D

Explanation:

In the InitAllSettingsTestCase test case, one of the verifications that can be done is to check if a certain key is present in the 'Config' dictionary. This ensures that necessary configurations are available for the process.

NEW QUESTION 92

DRAG DROP

What are the steps to publish a project from UiPath Studio?

Instructions: Drag the Description found on the "Left" and drop on the correct Step Sequence found on the "Right".

Answer Area

Description

- 0 Fill in the necessary publishing details, such as the project name, version, and description.
- 0 In the Design ribbon tab, click on the "Publish" button.
- 0 Click on the "Publish" button to initiate the publishing process.
- 0 Choose the desired publishing option, such as Orchestrator, Local, or Custom NuGet feed.

Step Sequence

- 0
- 0
- 0
- 0

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Description

- 0 Fill in the necessary publishing details, such as the project name, version, and description.
- 0 In the Design ribbon tab, click on the "Publish" button.
- 0 Click on the "Publish" button to initiate the publishing process.
- 0 Choose the desired publishing option, such as Orchestrator, Local, or Custom NuGet feed.

Step Sequence

- 0 In the Design ribbon tab, click on the "Publish" button.
- 0 Choose the desired publishing option, such as Orchestrator, Local, or Custom NuGet feed.
- 0 Fill in the necessary publishing details, such as the project name, version, and description.
- 0 Click on the "Publish" button to initiate the publishing process.

NEW QUESTION 94


What are the five severity levels of Orchestrator alerts?

- A. Info, Success, Warn, Error, Fatal.
- B. Inf
- C. Succes
- D. Warnin
- E. Erro
- F. Critical.
- G. Information, Complet
- H. Warning, Error, Failure.
- I. Info, Complete
- J. Warning, Erro
- K. Fatal.


Answer: A

NEW QUESTION 98

Given the following conditional breakpoint with count = 0



Conditional breakpoint settings:



How many times will UiPath be displayed in the Output panel before the process goes into a Paused state in Debug mode?

- A. 4
- B. 3
- C. 2
- D. 5

Answer: A

NEW QUESTION 101

When working with a long-running workflow involving form actions in Action Center, how is the job resumed after it has been suspended?

- A. The job resumes only after the assigned user completes the form action.
- B. The job resumes automatically after 30 minutes if the form action is not completed.
- C. The job resumes when any user with View permissions on Actions approves the form.
- D. The job resumes immediately when the form action is created, without waiting for completion.

Answer: A

NEW QUESTION 104

What is the purpose of the Invoke Code activity in UiPath?

- A. Invokes VB.NET or C# code, optionally passing it a list of input arguments.
- B. Invokes VB MET or Java code optionally passing it a list of input arguments
- C. Invokes VB MET code optionally passing it a list of input arguments
- D. Invokes Java code, optionally passing it a list of input arguments.

Answer: A

NEW QUESTION 105

Which of the following credentials stores have built in support in Orchestrator?

- A. Azure Key Vault, CyberArk CCP, HashiCorp Vault, Thycotic Secret Server, BeyondTrust, CyberArk.
- B. Cisco, Amazon Security Services, Google Credentials, Microsoft SCS, IBM Vault.
- C. CyberArk CCP, Cisco, Google Credentials, CyberArk, Azure Key Vault.
- D. CyberArk CCP, Azure Key Vault, Google Credentials, Amazon Security Services.

Answer: A

NEW QUESTION 107

When should a developer log a coherent message with the Logging Level set as "Info" while building an automation project?

- A. Every time data is read from external sources.
- B. Every time an exception is caught in a Catch block
- C. Every time a variable or argument value is used.
- D. Every time the robot encounters an error processing a Queue Item.

Answer: A

NEW QUESTION 111

What are the two types of elements that can Be included in an Object Repository?

- A. Local elements and library elements.
- B. Dynamic elements and static elements
- C. Web elements and mobile elements.
- D. UI elements and non-UI elements.

Answer: A

NEW QUESTION 114

In UiPath Orchestrator, when managing multiple Jobs in a queue, which feature allows operators to dictate the execution sequence by assigning the importance of each Job?

- A. Job Execution Order
- B. Job Queuing Strategy
- C. Job Dependency Settings
- D. Job Priority Levels

Answer: D

NEW QUESTION 115

What is the recommended approach for a user to log custom information at each breakpoint while executing a process in Debug mode?

- A. Set Log Message option in the Breakpoint Settings.
- B. Insert a Log Message before each activity with a breakpoint.
- C. Select Log Activities from the Debug panel.
- D. Select Execution Trail from the Debug panel.

Answer: A

NEW QUESTION 118

How does UiPath handle different dependency versions for multiple running processes that run at the same time?

- A. Each running process automatically adapts to the available dependency version.
- B. Each running process uses its own required version of the dependency.
- C. All running processes use the latest version of the dependency available.
- D. Running processes use the earliest compatible dependency version.

Answer: B

NEW QUESTION 123

When performing Remote Debugging using an Unattended Robot connection, Studio sends the list of project dependencies to the remote robot. From where does the remote robot download the required packages?

- A. Studio local NuGet cache.
- B. Orchestrator feeds and Robot activity feeds.
- C. Orchestrator feeds and UiPath Official activity feed.
- D. Activity feeds configured in Studio.

Answer: C

NEW QUESTION 126



In the Global Exception Handler, which arguments are provided by default and should not be removed?

- A. errorinfo with the "Out" direction result with the "In/Out" direction
- B. errorinfo with the "In" direction result with the "In/Out" direction
- C. errorinfo with the "In" direction result with the "In" direction
- D. errorinfo with the "In" direction result with the "Out" direction

Answer: D

NEW QUESTION 131

A developer wants to add items to a list of strings using the Invoke Method activity. The list is declared as follows:



The Invoke Method includes the following properties:

System.Activities.Statements.InvokeMethod	
Common	
DisplayName	Invoke Method
Misc	
GenericTypeArguments	(Collection) ...
MethodName	Add
Parameters	(Collection) ...
Private	<input type="checkbox"/>
Result	Enter a VB expression ...
RunAsynchronously	<input type="checkbox"/>
TargetObject	Colors ...
TargetType	(null) ▼

The Invoke Method includes the following properties:



Based on the exhibits, what is the outcome of this Invoke Method activity?

- A. Colors will contain items in the following order: "Yellow", "Red", "Green".
- B. Colors will contain items in the following order: "Red", "Green".
- C. Invoke Method activity will throw an error.
- D. Colors will contain items in the following order: "Red", "Green", "Yellow".

Answer: D

NEW QUESTION 134


In the context of a linear process, implemented with REFramework, how many times will the process enter the Get Transaction Data state?

- A. 1 time
- B. 2 times.
- C. The process will not enter the Get Transaction Data state because a linear process is not transactional.
- D. Until there are no more queue items left unprocessed in Orchestrator

Answer: A

NEW QUESTION 138

While troubleshooting a process developed using the Robotic Enterprise (RE) Framework, you have placed a breakpoint at the "Invoke InitAllSettings" workflow activity.



Given the current state of the Executor, what will occur when you click on the Step Over button?

- A. Executor directs to the "If in_OrchestratorQ ..." activity
- B. Executor directs to the first InitAllSettings workflow activity
- C. Executor directs to the first activity outside "If first run, read local configuration"
- D. Executor directs to the "First Run" sequence

Answer: A

NEW QUESTION 141

How can UiPath Orchestrator help address potential Issues before they become critical problems?

- A. By sending customer feedback to UiPath developers.
- B. Through proactive monitoring and alerting of detected issues
- C. With immediate technical support for any detected Issue.
- D. By automatically updating background processes.

Answer: B

NEW QUESTION 143

Which of the following statements is true about the existing UiPath Studio installation packages?

- A. The Attended Robot installation package installs only the UiPath Robot.

- B. The Unattended Robot installation package installs only UiPath Studio, Assistant, and Robot.
- C. The Attended Robot installation package installs only UiPath Studio, and Robot.
- D. The Automation Developer installation package installs only UiPath Studio, Assistant, and Robot.

Answer: A

NEW QUESTION 145


You are tasked with automating a process that requires secure, persisted, and accessible data storage across multiple systems. What is the most suitable benefit of UiPath Data Service for this scenario?

- A. It stores data on local machines with integrated security for each user's session.
- B. It integrates directly with third-party cloud storage services to manage data externally.
- C. It provides secured, persisted storage in a central location accessible to all UiPath products.
- D. It enables real-time data processing only in attended workflows with no data persistence.

Answer: C

NEW QUESTION 149

You have to create a testcase for an attended RPA process. At some point, the attended process asks the user to input a specific token for the execution to continue, as shown in the screenshot below.



What testing concept (included in UiPath.Testing.Activities) can be used to isolate and replace the input part, without modifying the original workflow?

- A. Application Testing
- B. Data-Driven Testing
- C. Mock Testing
- D. RPA Testing

Answer: C

NEW QUESTION 152

A developer aims to employ the REFramework for automating a business process that involves a TransactionData collection and addresses. What is the appropriate variable type for the TransactionItem?

- A. List
- B. Data Row
- C. QueueItem
- D. DataRow[]

Answer: B

NEW QUESTION 153

A developer needs to use the REFramework to automate a business process that involves processing transactions within an Excel table. Each transaction in the table should follow the same steps for processing and queues cannot be used as there is no Orchestrator in the environment. Which variable type is best suited for TransactionItem in this scenario?

- A. UiPath.Core.QueueItem
- B. System.Data.DataRow[]
- C. System.Data.DataTable
- D. System.Data.DataRow

Answer: D

NEW QUESTION 157

What is a prerequisite for performing Remote Debugging using an Unattended Robot connection?

- A. Studio and the remote robot have the same version.
- B. TCP/IP connectivity exists between the Studio machine and the remote machine
- C. The same user must be signed in Studio and the remote robot.
- D. Studio and the remote robot must be connected to the same Orchestrator tenant.

Answer: D

NEW QUESTION 159

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual UiPath-ADPv1 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the UiPath-ADPv1 Product From:

<https://www.2passeasy.com/dumps/UiPath-ADPv1/>

Money Back Guarantee

UiPath-ADPv1 Practice Exam Features:

- * UiPath-ADPv1 Questions and Answers Updated Frequently
- * UiPath-ADPv1 Practice Questions Verified by Expert Senior Certified Staff
- * UiPath-ADPv1 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * UiPath-ADPv1 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year