

Fortinet

Exam Questions FCP_FML_AD-7.4

FCP - FortiMail 7.4 Administrator



NEW QUESTION 1

Refer to the exhibit, which displays a history log entry.

History									
System Event Mail Event AntiVirus AntiSpam Encryption Log Search Task									
2024-04-09 10:21:39 -> Current									
Records per page 100 Go to line									
#	Date	Time	Classifier	Disposition ...	From	Header From ...	To	Subject	Policy ID
1	2024-04-10	09:54:35.287	Not Spam	Accept	extuser@exte...	extuser@exte...	user1@intern...	Meeting minutes 20-Apr-24	0:1:0:SYSTEM

In the Policy ID column, why is the last policy ID value SYSTEM?

- A. The email was dropped by a system blacklist.
- B. The email matched a system-level authentication policy.
- C. It is an inbound email.
- D. The email did not match a recipient-based policy.

Answer: D

NEW QUESTION 2

Refer to the exhibit, which shows the output of an email transmission using a telnet session.

```
220 mx.internal.lab ESMTP Smtpd
EHLO 10.0.1.10
250-mx.internal.lab Hello [10.0.1.10]
250-SIZE 10485760
250-DSN
250-AUTH LOGIN PLAIN DIGEST-MD5 CRAM-MD5
MAIL FROM: <extuser@external.lab>
250 2.1.0 <extuser@external.lab>... Sender ok
RCPT TO: <user1@internal.lab>
250 2.1.5 <user1@internal.lab>... Recipient ok
DATA
354 Enter mail, end with "." on a line by itself
From: External User 1 <extuser@external.lab>
To: Mail User 1 <user1@internal.lab>
Date: 30 Jan 2024 12:24:54 +0100
Subject: Hello, World!
The quick brown fox jumped over the lazy dog.
.
250 Message accepted for delivery
QUIT
221 mx.internal.lab closing connection
```

What are two correct observations about this SMTP session? (Choose two.)


- A. The SMTP envelope addresses are different from the message header addresses.
- B. The "Subject" is part of the message header.
- C. The "220 m
- D. internal, lab ESMTPSmtpd" message is part of the SMTP banner.
- E. The "250Message accepted for delivery" message is part of the message body.

Answer: BC

NEW QUESTION 3

Refer to the exhibits, which show a topology diagram (Topology) and a configuration element (Access Control Rule.)

Topology



Access Control Rule

Access Control Rule	
Status	<input checked="" type="checkbox"/>
Sender	User Defined ▼
	*
Recipient	User Defined ▼
	*
Source	IP/Netmask ▼
	0.0.0.0/0
Reverse DNS pattern	*
Authentication status	Any ▼
TLS profile	--None-- ▼
Action	Reject ▼
Comment	


An administrator wants to configure an access receive rule to match authentication status on FML-1 for all outbound email from the example. co- domain. Which two access receive rule settings must the administrator configure? (Choose two.)

- A. The Sender IP/netmask must be set to 10.29.1.0/24.
- B. A TLS profile must be configured and applied.
- C. The Recipient pattern must be set to *@exampl
- D. com.
- E. The Authentication status must be set to Authenticated

Answer: CD

NEW QUESTION 4

Refer to the exhibit, which shows a topology diagram of two separate email domains.




Which two statements correctly describe how an email message is delivered from User A to User B? (Choose two.)

- A. mx.example1.org will forward the email message to the MX record that has the lowest preference.
- B. User B will retrieve the email message using either POP3 or IMAP.
- C. User A's MUA will perform a DNS MX record lookup to send the email message.
- D. The DNS server will act as an intermediary MTA.

Answer: AB

NEW QUESTION 5

Refer to the exhibit which shows a command prompt output of a telnet command.




Which configuration change must you make to prevent the banner from displaying the FortiMail serial number?

- A. Change the host name
- B. Add a protected domain
- C. Configure a local domain name
- D. Change the operation mode


Answer: A

NEW QUESTION 6

Refer to the exhibits, which shows a DLP scan profile configuration (DLP Scan Rule 1 and DLP Scan Rule 2) from a FortiMail device.



DLP Scan Rule 2



Which two message types will trigger this DLP scan rule? (Choose two.)

- A. An email that contains credit card numbers in the body, attachment, and subject will trigger this scan rule.
- B. An email sent from sales@interna
- C. lac will trigger this scan rule, even without matching any conditions.
- D. An email message that contains credit card numbers in the body will trigger this scan rule.
- E. An email message with a subject that contains the term 'credit card" will trigger this scan rule.

Answer: CD

NEW QUESTION 7

An organization has different groups of users with different needs in email functionality, such as address book access, mobile device access, email retention periods, and disk quotas. Which FortiMail feature specific to server mode can be used to accomplish this?

- A. Access profiles
- B. Domain-level service settings
- C. Resource profiles.
- D. Email group profiles

Answer: C

NEW QUESTION 8

Exhibit.

Mail Server settings

Local Host	
Host name	<input type="text" value="mx"/>
Local domain name	<input type="text" value="example.com"/>
Default domain for authentication	<input type="text" value="--None--"/>
SMTP Service <input checked="" type="checkbox"/>	
SMTP port	<input type="text" value="25"/>
SMTPS port	<input type="text" value="465"/>
SMTP over SSL/TLS	<input checked="" type="checkbox"/>
SMTPUTF8	<input type="checkbox"/>
SMTP MSA service	<input type="checkbox"/>
SMTP MSA port	<input type="text" value="587"/>
Authentication	SMTP <input checked="" type="checkbox"/> SMTPS <input checked="" type="checkbox"/> SMTP over TLS <input checked="" type="checkbox"/>
MTA-STS service	<input type="text" value="Disable"/>

Refer to the exhibit, which shows the mail server settings of a FortiMail device. What are two ways this FortiMail device will handle connections? (Choose two.)

- A. FortiMail will support the STARTTLS extension.
- B. FortiMail will drop any inbound plaintext SMTP connection.
- C. FortiMail will accept SMTPS connections.
- D. FortiMail will enforce SMTPS on all outbound sessions.

Answer: AC

NEW QUESTION 9

A FortiMail administrator is investigating a sudden increase in DSNs being delivered to their protected domain. After searching the logs, the administrator identifies that the DSNs werenotgenerated because of any outbound email sent from their organization.

Which FortiMail antispam technique can the administrator use to prevent this scenario?

- A. FortiGuard IP Reputation
- B. Spoofed header detection
- C. Spam outbreak protection
- D. Bounce address tag validation

Answer: D

NEW QUESTION 10

Exhibit.

FortiMail IBE encryption

Enable IBE service	<input checked="" type="checkbox"/>
IBE service name:	<input type="text" value="Example Secure Portal"/>
Activation is required for account registration	<input checked="" type="checkbox"/>
Account registration expiry time (days):	<input type="text" value="30"/>
Account inactivity expiry time (days):	<input type="text" value="90"/>
Account password reset expiry time (hours):	<input type="text" value="24"/>
Encrypted email retention period (days):	<input type="text" value="180"/>
Allow secure replying	<input checked="" type="checkbox"/>
Allow secure forwarding	<input type="checkbox"/>
Allow secure composing	<input type="checkbox"/>
IBE base URL:	<input type="text" value="fml1.example.com"/>
"Help" content URL:	<input type="text"/>
"About" content URL:	<input type="text"/>
Allow custom user control	<input type="checkbox"/>

Refer to the exhibit, which shows the IBE Encryption page of a FortiMail device. Which user account behavior can you expect from these IBE settings?

- A. After initial registration
- B. IBE users can access the secure portal without authenticating again for 90 days.
- C. Registered IBE users have 90 days from the time they receive a notification email message to access their IBE email.
- D. IBE user accounts will expire after 90 days of inactivity and must register again to access new IBE email message.
- E. First time IBE users must register to access their email within 90 days of receiving the notification email message

Answer: C

NEW QUESTION 10

A FortiMail device is configured with the protected domain example.com. Its senders are not authenticated, which two envelope addresses will require an access receive rule? (Choose two.)

- A. MAIL FROM: mis@hosted.r.example.com RCPT TO: noc@example.com
- B. MAIL FROM: accounts@example.com RCPT TO: aales8biz.example.com
- C. MAIL FROM: support6example.org RCPT TO: marketing9example.com
- D. MAIL FROM: trainingexample.com RCPT TO: students@external.org

Answer: BC

NEW QUESTION 15

What are two disadvantages of configuring the dictionary and DLP scan rule aggressiveness too high? (Choose two.)


- A. High aggressiveness scan settings do not support executable file types.
- B. It is more resource intensive
- C. More false positives could be detected.
- D. FortiMail requires more disk space for the additional rules.

Answer: BC

NEW QUESTION 19

Refer to the exhibits.

Topology



HA Interface Configuration

HA Interface	
Port	port1...
Enable port monitor	<input type="checkbox"/>
Heartbeat status	Disable
Peer IP address:	0.0.0.0
Peer IPv6 address:	::
Virtual IP action	Ignore
Virtual IP address	0.0.0.0 / 0
Virtual IPv6 address	:: / 0

The exhibits display a topology diagram of a FortiMail cluster (Topology) and the primary HA interface configuration of the Primary FortiMail (HA Interface Configuration)

Which three actions are recommended when configuring the primary FortiMail HA interface? (Choose three.)

- A. In the Heartbeat status drop-down list, select Primary
- B. In the Virtual IP action drop-down list, select Use
- C. In the Virtual IP address field, type 172.16.32.55/24
- D. In the Peer IP address field, type 172.16.32.57
- E. Disable Enable port monitor

Answer: BCD

NEW QUESTION 22

A FortiMail is configured with the protected domain example.com.


On this FortiMail, which two envelope addresses are considered incoming? (Choose two.)

- A. EMAIL FROM: nisGhosed.r.et RCPT TO: noceexample.com
- B. MAIL FROM: supportexample.com RCPT TO: marketing@example.com
- C. MAIL FROM: accountsGexample.ccm RCPT TO: sales@external.org
- D. MAIL FROM: training&external.crg RCPT TO: student30extersal.org

Answer: BC

NEW QUESTION 27

Refer to the exhibit, which shows a partial antispam profile configuration.



The screenshot shows the 'AntiSpam Profile' configuration page. The profile name is 'AS_Inbound' and the domain is '--System--'. The default action is 'UserQuarantine'. Under 'Scan Configurations', 'FortiGuard' and 'IP Reputation' are checked. 'URL Category' has 'Primary' set to 'phishing' and 'Secondary' set to 'unrated'. 'Spam outbreak protection' is set to 'Monitor only'. There are four 'Action' dropdown menus, all set to '--Default--'.

What will happen to an email that triggers Spam outbreak protection?

- A. The email is logged.
- B. The email is rejected.
- C. The email is held in a deferred queue for a period of time.
- D. The email is marked as clean and released to the recipient.

Answer: A

NEW QUESTION 32

Which SMTP command lists (he supported SMTP service extensions of the recipient MTA?

- A. DATA
- B. VRFY
- C. EHLO
- D. HELO

Answer: A

NEW QUESTION 33

In which two ways does a transparent mode FortiMail use the build-it MTA to process email? (Choose two.)


- A. It can queue undeliverable messages and generate DSNs.
- B. The built-in MTA must connect to an external relay host to deliver email.
- C. MUAs must be configured to connect to the built-in MTA to send email.
- D. It ignores the destination set by the sender and uses its own MX record lookup.

Answer: CD

NEW QUESTION 38

Refer to the exhibits, which display a topology diagram (Topology) and two FortiMail device configurations (FML1 Configuration and FML2 Configuration).

Topology



FML1 Configuration

FortiMail

Domain name

Is subdomain

Main domain

Relay type

SMTP server Port [\[Test...\]](#)

Use SMTPS

Fallback SMTP server Port [\[Test...\]](#)

Use SMTPS

FML2 Configuration

Local Host

Host name

Local domain name

Default domain for authentication

SMTP Service

SMTP server port number

SMTPS server port number

SMTP over SSL/TLS

SMTP MSA service

SMTP MSA port number

Authentication SMTP SMTPS SMTP over TLS

What is the expected outcome of SMTP sessions sourced from FML1 and destined for FML2?

- A. FML1 will fail to establish any connection with FML2.
- B. FML1 will attempt to establish an SMTPS session with FML2. but fail and revert to standard SMTP.
- C. FML1 will send the STARTTLS command in the SMTP session, which will be rejected by FML2.
- D. FML1 will successfully establish an SMTPS session with FML2.

Answer: D

NEW QUESTION 40

Refer to the exhibit, which shows an inbound recipient policy.

Inbound Recipient Policy

Status

Domain

Comment

Recipient Pattern

Type

@

+ Profiles

- Authentication and Access

Authentication type

Authentication profile

Allow SMTP authentication

After creating the policy shown in the exhibit, an administrator discovers that clients can send unauthenticated emails using SMTP. What must the administrator do to enforce authentication?

- A. Move this incoming recipient policy to the top of the list.
- B. Configure a matching IP policy with the exclusive flag enabled.
- C. Configure an access delivery rule to enforce authentication.
- D. Configure an access receive rule to verify authentication status.

Answer: D

NEW QUESTION 41

Refer to the exhibit, which shows an antivirus action profile.

Antivirus Action Profile

AntiVirus Action Profile

Domain

Name

Comment

Tag subject

Insert header 

Total: 0

 New...
 Edit...
 Delete

Header Name	Header Value

Insert disclaimer at

Deliver to alternate host

Deliver to original host

BCC 

Replace infected / suspicious body or attachment  

Remove URL detected by FortiSandbox

Archive to account  

Notify with profile  

Final action

What are two expected outcomes if FortiMail applies this antivirus action profile to an email? (Choose two.)

- A. Virus content will be removed from the email.
- B. The original email will be sent to the system quarantine.
- C. The sanitized email will be sent to the recipient's personal quarantine.
- D. A replacement message will be added to the email.

Answer: AD

NEW QUESTION 43

Refer to the exhibits showing SMTP limits (Session Profile — SMTP Limits), and domain settings (Domain Settings, and Domain Settings — Other) of a FortiMail device.

Session Profile—SMTP Limits

Session Profile

Profile name

Comment

SMTP Limits

Restrict number of EHLO/HELOs per session to	<input type="text" value="3"/>
Restrict number of email per session to	<input type="text" value="10"/>
Restrict number of recipients per email to	<input type="text" value="500"/>
Cap message size (KB) at	<input type="text" value="51200"/>
Cap header size (KB) at	<input type="text" value="10240"/>
Maximum number of NOOPs allowed for each connection	<input type="text" value="10"/>
Maximum number of RSETs allowed for each connection	<input type="text" value="20"/>

Domain Settings

FortiMail

Domain name

Relay type

SMTP server Port [\[Test...\]](#)

Use SMTPS

Fallback SMTP server Port [\[Test...\]](#)

Use SMTPS

Relay Authentication

Domain Settings—Other

Other

Webmail theme Use system settings ▼

Webmail language --Default-- ▼

Maximum message size (KB) 204800

SMTP greeting (EHLO/HELO) name (as client) Use system host name ▼

IP pool --None-- ▼ Direction Delivering ▼

Remove received header of outgoing email

Use global bayesian database

Bypass bounce verification

Email continuity

Which message size limit in KB will the FortiMail apply to outbound email?

- A. 204300
- B. There is no message size limit for outbound email from a protected domain.
- C. 10240
- D. 51200

Answer: D

NEW QUESTION 46

Refer to the exhibit, which displays an encryption profile configuration.

Encryption Profile ☰

Name IBE_Push

Comment

Protocol IBE ▼

IBE Configuration

Access method Push ▼

Maximum size (KB) for Push method 1024

Encryption algorithm AES 256 ▼

Action on failure Enforce TLS ▼

What happens if the attachment size of an IBE email exceeds 1024 KB?

- A. Pull delivery will be used.
- B. The email message will not be delivered.
- C. OTLS will be used.
- D. AES 256 will be used.

Answer: A

NEW QUESTION 50

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

FCP_FML_AD-7.4 Practice Exam Features:

- * FCP_FML_AD-7.4 Questions and Answers Updated Frequently
- * FCP_FML_AD-7.4 Practice Questions Verified by Expert Senior Certified Staff
- * FCP_FML_AD-7.4 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * FCP_FML_AD-7.4 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The FCP_FML_AD-7.4 Practice Test Here](#)