



Oracle

Exam Questions 1z0-067

Upgrade Oracle9i/10g/11g OCA to Oracle Database 12c OCP

NEW QUESTION 1

A complete database backup to media is taken for your database every day. Which three actions would you take to improve backup performance?

- A. Set the backup_tape_io_slaves parameter to true.
- B. Set the dbwr_io_slaves parameter to a nonzero value if synchronous I/O is in use.
- C. Configure large pool if not already done.
- D. Remove the rate parameter, if specified, in the allocate channel command.
- E. Always use RMAN compression for tape backups rather than the compression provided by media manager.
- F. Always use synchronous I/O for the databas

Answer: BCD

Explanation:

Tuning RMAN Backup Performance: Procedure Many factors can affect backup performance. Often, finding the solution to a slow backup is a process of trial and error. To get the best performance for a backup, follow the suggested steps in this section: Step 1: Remove RATE Parameters from Configured and Allocated Channels Step 2: If You Use Synchronous Disk I/O, Set DBWR_IO_SLAVES Step 3: If You Fail to Allocate Shared Memory, Set LARGE_POOL_SIZE Step 4: Tune RMAN Tape Streaming Performance Bottlenecks Step 5: Query V\$ Views to Identify Bottlenecks
<https://docs.oracle.com/database/121/BRADV/rcmtunin.htm#BRADV172>

NEW QUESTION 2

For which three pieces of information can you use the RMAN list command?

- A. stored scripts in the recovery catalog
- B. available archived redo log files
- C. backup sets and image copies that are obsolete
- D. backups of tablespaces
- E. backups that are marked obsolete according to the current retention policy

Answer: ABD

Explanation:

About the LIST Command: The primary purpose of the LIST command is to list backup and copies. For example, you can list: -Backups and proxy copies of a database, tablespace, datafile, archived redo log, or control file -Backups that have expired -Backups restricted by time, path name, device type, tag, or recoverability -Archived redo log files and disk copies
http://docs.oracle.com/cd/B28359_01/backup.111/b28270/rcmreprt.htm#BRADV89585

NEW QUESTION 3

You notice performance degradation in your production Oracle 12c database. You want to know what caused this performance difference. Which method or feature should you use?

- A. Database Replay
- B. Automatic Database Diagnostic Monitor (ADDM) Compare Period report
- C. Active Session History (ASH) report
- D. SQL Performance Analyzer

Answer: B

Explanation:

References: http://docs.oracle.com/cd/E24628_01/server.121/e17635/tdppt_degrade.htm

NEW QUESTION 4

Which three statements are true about a job chain?

- A. It can contain a nested chain of jobs.
- B. It can be used to implement dependency-based scheduling.
- C. It cannot invoke the same program or nested chain in multiple steps in the chain.
- D. It cannot have more than one dependency.
- E. It can be executed using event-based or time-based schedule

Answer: ABE

Explanation:

Chains are the means by which you can implement dependency based scheduling, in which jobs are started depending on the outcomes of one or more previous jobs.

DBMS_SCHEDULER.DEFINE_CHAIN_STEP DBMS_SCHEDULER.DEFINE_CHAIN_EVENT_STEP
http://docs.oracle.com/cd/B28359_01/server.111/b28310/scheduse009.htm#ADMIN12

NEW QUESTION 5

The environmental variable oracle_Base is set to /u01/app/oracle and oracle_home is set to /u01/app/oracle/product/12.1.0/db 1.

You want to check the diagnostic files created as part of the Automatic Diagnostic Repository (ADR). Examine the initialization parameters set in your database.

NAME TYPE VALUE

audit_file_deststring/u01/app/oracle/admin/eml2rep/adump
background_dump_deststring
core_dump_deststring
db_create_file_deststring

db_recovery_file_deststring/u01/app/oracle/fast_recovery_area
diagnostic_deststring
What is the location of the ADR base?

- A. It is set to /u01/app/oracle/product/12.1.0/db_1/log.
- B. It is set to /u01/app/oracle/admin/en12.1.0/adump.
- C. It is set to /u01/app/oracle.
- D. It is set to /u01/app/oracle/flash_recovery_are

Answer: C

Explanation:

http://docs.oracle.com/cd/B28359_01/server.111/b28310/diag001.htm#ADMIN11008

The Automatic Diagnostic Repository (ADR) is a directory structure that is stored outside of the database. It is therefore available for problem diagnosis when the database is down.

The ADR root directory is known as ADR base. Its location is set by the DIAGNOSTIC_DEST initialization parameter. If this parameter is omitted or left null, the database sets DIAGNOSTIC_DEST upon startup as follows:

If environment variable ORACLE_BASE is set, DIAGNOSTIC_DEST is set to the directory designated by ORACLE_BASE.

If environment variable ORACLE_BASE is not set, DIAGNOSTIC_DEST is set to ORACLE_HOME/log.

NEW QUESTION 6

Your Oracle 12c multitenant container database (CDB) contains multiple pluggable databases (PDBs). In the PDB hr_pdb, the common user c##admin and the local user b_admin have only the connect privilege.

You create a common role c##role1 with the create table and select any table privileges. You then execute the commands:

```
SQL> GRANTc##role1 TOcMadmin CONTAINER=ALL;
```

```
SQL> CONNsys/oracle@HR_PDB assysdba
```

```
SQL> GRANTc##role1TO b_admin CONTAINER=CURRENT;
```

Which two statements are true?

- A. C##admin can create and select any table, and grant the c##role1 role to users only in the root container.
- B. B_admin can create and select any table in both the root container and hr_pdb.
- C. c##admin can create and select any table in the root container and all the PDBs.
- D. B_admin can create and select any table only in hr_pdb.
- E. The grant c=»role1 to b_admin command returns an error because container should be set to AL

Answer: CD

NEW QUESTION 7

You want to consolidate backup information and centrally manage backup and recovery scripts for multiple databases running in your organization.

Which two backup solutions can be used?

- A. RMAN recovery catalog
- B. RMAN Media Management Library
- C. Enterprise Manager Cloud Control
- D. Enterprise Manager Database Express
- E. Oracle Secure Backup

Answer: AC

Explanation:

2018-04-01T22:00:00.56<!--[if gte mso 9]><xml>

<o:OfficeDocumentSettings>

<o:RelyOnVML/>

<o:AllowPNG/>

</o:OfficeDocumentSettings>

</xml><![endif]-->

2018-04-01T22:00:00.57<!--[if gte mso 9]><xml>

<w:WordDocument>

<w:View>Normal</w:View>

<w:Zoom>0</w:Zoom>

<w:TrackMoves/>

<w:TrackFormatting/>

<w:PunctuationKerning/>

<w:ValidateAgainstSchemas/>

<w:SaveIfXMLInvalid>>false</w:SaveIfXMLInvalid>

<w:IgnoreMixedContent>>false</w:IgnoreMixedContent>

<w:AlwaysShowPlaceholderText>>false</w:AlwaysShowPlaceholderText>

<w:DoNotPromoteQF/>

<w:LidThemeOther>RU</w:LidThemeOther>

<w:LidThemeAsian>JA</w:LidThemeAsian>

<w:LidThemeComplexScript>X-NONE</w:LidThemeComplexScript>

<w:Compatibility>

<w:BreakWrappedTables/>

<w:SnapToGridInCell/>

<w:WrapTextWithPunct/>

<w:UseAsianBreakRules/>

<w:DontGrowAutofit/>

<w:SplitPgBreakAndParaMark/>

<w:EnableOpenTypeKerning/>

<w:DontFlipMirrorIndents/>

<w:OverrideTableStyleHps/>

```
</w:Compatibility>
<m:mathPr>
<m:mathFont m:val="Cambria Math"/>
<m:brkBin m:val="before"/>
<m:brkBinSub m:val="--"/>
<m:smallFrac m:val="off"/>
<m:dispDef/>
<m:lMargin m:val="0"/>
<m:rMargin m:val="0"/>
<m:defJc m:val="centerGroup"/>
<m:wrapIndent m:val="1440"/>
<m:intLim m:val="subSup"/>
<m:naryLim m:val="undOvr"/>
</m:mathPr></w:WordDocument>
</xml><![endif]-->
2018-04-01T22:00:00.60<!--[if gte mso 9]><xml>
<w:LatentStyles DefLockedState="false" DefUnhideWhenUsed="true" DefSemiHidden="true" DefQFormat="false" DefPriority="99"
LatentStyleCount="276">
<w:LsdException Locked="false" Priority="0" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Normal"/>
<w:LsdException Locked="false" Priority="9" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="heading 1"/>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 2"/>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 3"/>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 4"/>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 5"/>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 6"/>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 7"/>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 8"/>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 9"/>
<w:LsdException Locked="false" Priority="39" Name="toc 1"/>
<w:LsdException Locked="false" Priority="39" Name="toc 2"/>
<w:LsdException Locked="false" Priority="39" Name="toc 3"/>
<w:LsdException Locked="false" Priority="39" Name="toc 4"/>
<w:LsdException Locked="false" Priority="39" Name="toc 5"/>
<w:LsdException Locked="false" Priority="39" Name="toc 6"/>
<w:LsdException Locked="false" Priority="39" Name="toc 7"/>
<w:LsdException Locked="false" Priority="39" Name="toc 8"/>
<w:LsdException Locked="false" Priority="39" Name="toc 9"/>
<w:LsdException Locked="false" Priority="35" QFormat="true" Name="caption"/>
<w:LsdException Locked="false" Priority="10" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Title"/>
<w:LsdException Locked="false" Priority="1" Name="Default Paragraph Font"/>
<w:LsdException Locked="false" Priority="11" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Subtitle"/>
<w:LsdException Locked="false" Priority="22" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Strong"/>
<w:LsdException Locked="false" Priority="20" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Emphasis"/>
<w:LsdException Locked="false" Priority="59" SemiHidden="false" UnhideWhenUsed="false" Name="Table Grid"/>
<w:LsdException Locked="false" UnhideWhenUsed="false" Name="Placeholder Text"/>
<w:LsdException Locked="false" Priority="1" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="No Spacing"/>
<w:LsdException Locked="false" Priority="60" SemiHidden="false" UnhideWhenUsed="false" Name="Light Shading"/>
<w:LsdException Locked="false" Priority="61" SemiHidden="false" UnhideWhenUsed="false" Name="Light List"/>
<w:LsdException Locked="false" Priority="62" SemiHidden="false" UnhideWhenUsed="false" Name="Light Grid"/>
<w:LsdException Locked="false" Priority="63" SemiHidden="false" UnhideWhenUsed="false" Name="Medium Shading 1"/>
<w:LsdException Locked="false" Priority="64" SemiHidden="false" UnhideWhenUsed="false" Name="Medium Shading 2"/>
<w:LsdException Locked="false" Priority="65" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 1"/>
<w:LsdException Locked="false" Priority="66" SemiHidden="false" UnhideWhenUsed="false" Name="Medium List 2"/>
<w:LsdException Locked="false" Priority="67" SemiHidden="false" UnhideWhenUsed="false" Name="Medium Grid 1"/>
<w:LsdException Locked="false" Priority="68" SemiHidden="false" UnhideWhenUsed="false" Name="Medium Grid 2"/>
<w:LsdException Locked="false" Priority="69" SemiHidden="false" UnhideWhenUsed="false" Name="Medium Grid 3"/>
<w:LsdException Locked="false" Priority="70" SemiHidden="false" UnhideWhenUsed="false" Name="Dark List"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false" UnhideWhenUsed="false" Name="Colorful Shading"/>
<w:LsdException Locked="false" Priority="72" SemiHidden="false" UnhideWhenUsed="false" Name="Colorful List"/>
<w:LsdException Locked="false" Priority="73" SemiHidden="false" UnhideWhenUsed="false" Name="Colorful Grid"/>
<w:LsdException Locked="false" Priority="60" SemiHidden="false" UnhideWhenUsed="false" Name="Light Shading Accent 1"/>
<w:LsdException Locked="false" Priority="61" SemiHidden="false" UnhideWhenUsed="false" Name="Light List Accent 1"/>
<w:LsdException Locked="false" Priority="62" SemiHidden="false" UnhideWhenUsed="false" Name="Light Grid Accent 1"/>
<w:LsdException Locked="false" Priority="63" SemiHidden="false" UnhideWhenUsed="false" Name="Medium Shading 1 Accent 1"/>
<w:LsdException Locked="false" Priority="64" SemiHidden="false" UnhideWhenUsed="false" Name="Medium Shading 2 Accent 1"/>
<w:LsdException Locked="false" Priority="65" SemiHidden="false" UnhideWhenUsed="false" Name="Medium List 1 Accent 1"/>
<w:LsdException Locked="false" UnhideWhenUsed="false" Name="Revision"/>
<w:LsdException Locked="false" Priority="34" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="List Paragraph"/>
<w:LsdException Locked="false" Priority="29" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Quote"/>
<w:LsdException Locked="false" Priority="30" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Intense Quote"/>
<w:LsdException Locked="false" Priority="66" SemiHidden="false" UnhideWhenUsed="false" Name="Medium List 2 Accent 1"/>
<w:LsdException Locked="false" Priority="67" SemiHidden="false" UnhideWhenUsed="false" Name="Medium Grid 1 Accent 1"/>
<w:LsdException Locked="false" Priority="68" SemiHidden="false" UnhideWhenUsed="false" Name="Medium Grid 2 Accent 1"/>
<w:LsdException Locked="false" Priority="69" SemiHidden="false" UnhideWhenUsed="false" Name="Medium Grid 3 Accent 1"/>
<w:LsdException Locked="false" Priority="70" SemiHidden="false" UnhideWhenUsed="false" Name="Dark List Accent 1"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false" UnhideWhenUsed="false" Name="Colorful Shading Accent 1"/>
UnhideWhenUsed="false" Name="Colorful List Accent 1"/>
<w:LsdException Locked="false" Priority="73" SemiHidden="false" UnhideWhenUsed="false" Name="Colorful Grid Accent 1"/>
<w:LsdException Locked="false" Priority="60" SemiHidden="false" UnhideWhenUsed="false" Name="Light Shading Accent 2"/>
<w:LsdException Locked="false" Priority="61" SemiHidden="false" UnhideWhenUsed="false" Name="Light List Accent 2"/>
<w:LsdException Locked="false" Priority="62" SemiHidden="false" UnhideWhenUsed="false" Name="Light Grid Accent 2"/>
<w:LsdException Locked="false" Priority="63" SemiHidden="false" UnhideWhenUsed="false" Name="Medium Shading 1 Accent 2"/>
```



```
mso-pagination:widow-orphan; font-size:11.0pt;
font-family:Calibri;
mso-ascii-font-family:Calibri; mso-ascii-theme-font:minor-latin; mso-hansi-font-family:Calibri; mso-hansi-theme-font:minor-latin; mso-ansi-language:RU;}
</style>
<![endif]-->
2018-04-01T22:00:00.60<!--StartFragment-->
Enterprise Manager allows a centralized control of database backups. It is possible to set up and schedule RMAN backups for all the databases in a large company, use a consistent backup strategy, and refer to all past RMAN output logs at any time, since they are stored in the Enterprise Manager Cloud Control repository. There is no need to use a central RMAN catalog, because information about the backups is centrally available from Enterprise Manager. And with the group backup feature new to Enterprise Manager Cloud Control 12c, it can be even faster to set up RMAN backups for all the databases-even if there are thousands-that are part of an Enterprise Manager group.
http://www.oracle.com/technetwork/articles/oem/havewala-rman-em12c-2104270.html 2018-04-01T22:00:00.60<!--EndFragment-->
```

NEW QUESTION 8

Which two resources might be prioritized between competing pluggable databases (PDBs) when creating a multitenant container database (COB) plan using Oracle Database Resource Manager?

- A. maximum undo per consumer group
- B. maximum idle time for a session in a PDB
- C. parallel server limit
- D. CPU
- E. maximum number of sessions for a PDB

Answer: CD

NEW QUESTION 9

Examine the RMAN command:

```
RMAN> SET ENCRYPTION IDENTIFIED BY <password> ON FOR ALL TABLESPACES; RMAN> BACKUP DATABASE PLUS ARCHIVELOG;
```

Which type of encryption is used for the backup performed by using this command?

- A. password-mode encryption
- B. dual-mode encryption
- C. transparent encryption
- D. default encryption

Answer: B

Explanation:

http://docs.oracle.com/cd/B28359_01/backup.111/b28270/rcmbckad.htm#CEGEJABH To make dualmode encrypted backups: Start RMAN and connect to a target database and recovery catalog (if used). Execute the SET ENCRYPTION BY PASSWORD command, making sure to omit the ONLY keyword. The following example sets the encryption password for all tablespaces (where password is a placeholder for the actual password that you enter) in the backup and omits ONLY to indicate dualmode encryption: SET ENCRYPTION IDENTIFIED BY password ON FOR ALL TABLESPACES;

NEW QUESTION 10

Your database is running in archivelog mode. Examine the parameters for your database instance: LOG_ARCHIVE_DEST_1='LOCATION=/disk1/arch MANDATORY'

```
LOG_ARCHIVE_DEST_2='LOCATION=/disk2/arch' LOG_ARCHIVE_DEST_3='LOCATIO=/disk3/arch' LOG_ARCHIVE_DEST_4='LOCATIONs/disk4/arch'
LOG_ARCHIVE_MIN_SUCCEED_DEST = 2
```

While the database is open, you notice that the destination set by the log_archive_dest_1 parameter is not available. All redo log groups have been used. What happens at the next log switch?

- A. The database instance hangs and the redo log files are not overwritten.
- B. The archived redo log files are written to the fast recovery area until the mandatory destination is made available.
- C. The database instance is shutdown immediately.
- D. The destination set by the log_archive_dest parameter is ignored and the archived redo log files are created in the next two available locations to guarantee archive log success.

Answer: A

Explanation:

Made more logfile switch until all redos groups are full. first log switch succeeds, second also succeeds then next will hang database.

NEW QUESTION 10

Which two statements are true about recovering logically corrupted tables or table partitions from an RMAN backup?

- A. Tables or table partitions can be recovered by using an auxiliary instance only.
- B. Tables or table partitions with a foreign key cannot be recovered.
- C. Tables or table partitions can be recovered only when the database is in mount state.
- D. Tables or table partitions from the system and sysauxtablespaces cannot be recovered.
- E. Tables with not null constraints cannot be recovere

Answer: AD

Explanation:

References:

<https://www.pythian.com/blog/table-recovery-with-rman-in-database-12c/> <https://docs.oracle.com/database/121/BRADV/rcmresind.htm#BRADV695>

NEW QUESTION 15

```
2018-04-01T12:03:00.67<!--[if gte mso 9]><xml>
<o:OfficeDocumentSettings>
<o:RelyOnVML/>
<o:AllowPNG/>
</o:OfficeDocumentSettings>
</xml><![endif]-->
2018-04-01T12:03:00.67<!--[if gte mso 9]><xml>
<w:WordDocument>
<w:View>Normal</w:View>
<w:Zoom>0</w:Zoom>
<w:TrackMoves/>
<w:TrackFormatting/>
<w:PunctuationKerning/>
<w:ValidateAgainstSchemas/>
<w:SaveIfXMLInvalid>>false</w:SaveIfXMLInvalid>
<w:IgnoreMixedContent>>false</w:IgnoreMixedContent>
<w:AlwaysShowPlaceholderText>>false</w:AlwaysShowPlaceholderText>
<w:DoNotPromoteQF/>
<w:LidThemeOther>RU</w:LidThemeOther>
<w:LidThemeAsian>JA</w:LidThemeAsian>
<w:LidThemeComplexScript>X-NONE</w:LidThemeComplexScript>
<w:Compatibility>
<w:BreakWrappedTables/>
<w:SnapToGridInCell/>
<w:WrapTextWithPunct/>
<w:UseAsianBreakRules/>
<w:DontGrowAutofit/>
<w:SplitPgBreakAndParaMark/>
<w:EnableOpenTypeKerning/>
<w:DontFlipMirrorIndents/>
<w:OverrideTableStyleHps/>
</w:Compatibility>
<m:mathPr>
<m:mathFont m:val="Cambria Math"/>
<m:brkBin m:val="before"/>
<m:brkBinSub m:val="--"/>
<m:smallFrac m:val="off"/>
<m:dispDef/>
<m:IMargin m:val="0"/>
<m:RMargin m:val="0"/>
<m:defJc m:val="centerGroup"/>
<m:wrapIndent m:val="1440"/>
<m:intLim m:val="subSup"/>
<m:naryLim m:val="undOvr"/>
</m:mathPr></w:WordDocument>
</xml><![endif]-->
2018-04-01T12:03:00.70<!--[if gte mso 9]><xml>
<w:LatentStyles DefLockedState="false" DefUnhideWhenUsed="true" DefSemiHidden="true" DefQFormat="false" DefPriority="99" LatentStyleCount="276">
<w:LsdException Locked="false" Priority="0" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Normal"/>
<w:LsdException Locked="false" Priority="9" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="heading 1"/>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 2"/>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 3"/>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 4"/>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 5"/>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 6"/>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 7"/>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 8"/>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 9"/>
<w:LsdException Locked="false" Priority="39" Name="toc 1"/>
<w:LsdException Locked="false" Priority="39" Name="toc 2"/>
<w:LsdException Locked="false" Priority="39" Name="toc 3"/>
<w:LsdException Locked="false" Priority="39" Name="toc 4"/>
<w:LsdException Locked="false" Priority="39" Name="toc 5"/>
<w:LsdException Locked="false" Priority="39" Name="toc 6"/>
<w:LsdException Locked="false" Priority="39" Name="toc 7"/>
<w:LsdException Locked="false" Priority="39" Name="toc 8"/>
<w:LsdException Locked="false" Priority="39" Name="toc 9"/>
<w:LsdException Locked="false" Priority="35" QFormat="true" Name="caption"/>
<w:LsdException Locked="false" Priority="10" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Title"/>
<w:LsdException Locked="false" Priority="1" Name="Default Paragraph Font"/>
<w:LsdException Locked="false" Priority="11" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Subtitle"/>
<w:LsdException Locked="false" Priority="22" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Strong"/>
<w:LsdException Locked="false" Priority="20" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Emphasis"/>
<w:LsdException Locked="false" Priority="59" SemiHidden="false" UnhideWhenUsed="false" Name="Table Grid"/>
<w:LsdException Locked="false" UnhideWhenUsed="false" Name="Placeholder Text"/>
<w:LsdException Locked="false" Priority="1" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="No Spacing"/>
<w:LsdException Locked="false" Priority="60" SemiHidden="false" UnhideWhenUsed="false" Name="Light Shading"/>
<w:LsdException Locked="false" Priority="61" SemiHidden="false" UnhideWhenUsed="false" Name="Light List"/>
<w:LsdException Locked="false" Priority="62" SemiHidden="false" UnhideWhenUsed="false" Name="Light Grid"/>
<w:LsdException Locked="false" Priority="63" SemiHidden="false" UnhideWhenUsed="false" Name="Medium Shading 1"/>
<w:LsdException Locked="false" Priority="64" SemiHidden="false" UnhideWhenUsed="false" Name="Medium Shading 2"/>
<w:LsdException Locked="false" Priority="65" SemiHidden="false" UnhideWhenUsed="false" Name="Medium List 1"/>
```


[illegible]


```
<w:LsdException Locked="false" Priority="61" SemiHidden="false" UnhideWhenUsed="false" Name="Light List Accent 6"/>
<w:LsdException Locked="false" Priority="62" SemiHidden="false" UnhideWhenUsed="false" Name="Light Grid Accent 6"/>
<w:LsdException Locked="false" Priority="63" SemiHidden="false" UnhideWhenUsed="false" Name="Medium Shading 1 Accent 6"/>
<w:LsdException Locked="false" Priority="64" SemiHidden="false" UnhideWhenUsed="false" Name="Medium Shading 2 Accent 6"/>
<w:LsdException Locked="false" Priority="65" SemiHidden="false" UnhideWhenUsed="false" Name="Medium List 1 Accent 6"/>
<w:LsdException Locked="false" Priority="66" SemiHidden="false" UnhideWhenUsed="false" Name="Medium List 2 Accent 6"/>
<w:LsdException Locked="false" Priority="67" SemiHidden="false" UnhideWhenUsed="false" Name="Medium Grid 1 Accent 6"/>
<w:LsdException Locked="false" Priority="68" SemiHidden="false" UnhideWhenUsed="false" Name="Medium Grid 2 Accent 6"/>
<w:LsdException Locked="false" Priority="69" SemiHidden="false" UnhideWhenUsed="false" Name="Medium Grid 3 Accent 6"/>
UnhideWhenUsed="false" Name="Dark List Accent 6"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false" UnhideWhenUsed="false" Name="Colorful Shading Accent 6"/>
<w:LsdException Locked="false" Priority="72" SemiHidden="false" UnhideWhenUsed="false" Name="Colorful List Accent 6"/>
<w:LsdException Locked="false" Priority="73" SemiHidden="false" UnhideWhenUsed="false" Name="Colorful Grid Accent 6"/>
<w:LsdException Locked="false" Priority="19" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Subtle Emphasis"/>
<w:LsdException Locked="false" Priority="21" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Intense Emphasis"/>
<w:LsdException Locked="false" Priority="31" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Subtle Reference"/>
<w:LsdException Locked="false" Priority="32" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Intense Reference"/>
<w:LsdException Locked="false" Priority="33" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Book Title"/>
<w:LsdException Locked="false" Priority="37" Name="Bibliography"/>
<w:LsdException Locked="false" Priority="39" QFormat="true" Name="TOC Heading"/>
</w:LatentStyles>
</xml><![endif]-->
2018-04-01T12:03:00.71<!--[if gte mso 10]>
<style>
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal"; mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0; mso-style-noshow:yes; mso-style-priority:99; mso-style-parent:"";
mso-padding-alt:0cm 5.4pt 0cm 5.4pt; mso-para-margin-top:0cm;
mso-para-margin-right:0cm; mso-para-margin-bottom:10.0pt; mso-para-margin-left:0cm;
line-height:115%;
mso-pagination:widow-orphan; font-size:11.0pt;
font-family:Calibri;
mso-ascii-font-family:Calibri; mso-ascii-theme-font:minor-latin; mso-hansi-font-family:Calibri; mso-hansi-theme-font:minor-latin; mso-ansi-language:RU;}
</style>
<![endif]-->
2018-04-01T12:03:00.71<!--StartFragment-->
Your database has a table CUSTOMERS that contains the columns CUST_NAME, AMT_DUE, and OLD_STATUS.
Examine the commands executed and their output:
SQL> UPDATE customers SET amt_due=amt_due+amt_due*.1 WHERE cust_name='JAMES'; 1 row updated.
SQL> ALTER TABLE customers DROP COLUMN old_status; Table Altered
SQL> UPDATE customers SET amt_due=amt_due+amt_due*1.5 WHERE cust_name='JAMES'; 1 row updated.
SQL> COMMIT;
SQL> SELECT versions_xid AS XID, versions_startscn AS START_SCN, versions_endcsn AS END_SCN, versions_operation AS OPERATION, amt_due
FROM customers VERSIONS BETWEEN SCN MINVALUE AND MAXVALUE WHERE
cust_name='JAMES';
XID START_SCN END_SCN OPERATION AMT_DUE
-----
07002f00c030000 1706337 1706337 U 3300
2018-04-01T12:03:00.71<!--EndFragment-->
Why is it that only one update is listed by the Flashback Version Query?
```

A. Supplemental logging is not enabled for the database.

B. The undo data that existed for versions of rows before the change to the table structure is invalidated.

C. 2018-04-01T12:05:00.71<!--[if gte

```
mso9]><xml><o:OfficeDocumentSettings><o:RelyOnVML/><o:AllowPNG/></o:OfficeDocumentSettings></xml><![endif]-->2018-04-01T12:05:00.72<!--[if gte mso
9]><xml><w:WordDocument><w:View>Normal</w:View><w:Zoom>0</w:Zoom><w:TrackMoves/><
w:TrackFormatting/><w:PunctuationKerning/><w:ValidateAgainstSchemas/><w:SavelfXMLInvalid>fa
lse</w:SavelfXMLInvalid><w:IgnoreMixedContent>>false</w:IgnoreMixedContent><w:AlwaysShowPI
aceholderText>>false</w:AlwaysShowPlaceholderText><w:DoNotPromoteQF/><w:LidThemeOther>R
U</w:LidThemeOther><w:LidThemeAsian>JA</w:LidThemeAsian><w:LidThemeComplexScript>XNONE</
w:LidThemeComplexScript><w:Compatibility><w:BreakWrappedTables/><w:SnapToGridInC
ell/><w:WrapTextWithPunct/><w:UseAsianBreakRules/><w:DontGrowAutofit/><w:SplitPgBreakAnd
ParaMark/><w:EnableOpenTypeKerning/><w:DontFlipMirrorIndents/><w:OverrideTableStyleHps/></w:Compatibility><m:mathPr><m:mathFont m:val="Cambria
Math"/><m:brkBin m:val="before"/><m:brkBinSub m:val="--"/><m:smallFrac m:val="off"/><m:dispDef/><m:lMargin m:val="0"/><m:rMargin m:val="0"/><m:defJc
m:val="centerGroup"/><m:wrapIndent m:val="1440"/><m:intLim
m:val="subSup"/><m:naryLimm:val="undOvr"/></m:mathPr></w:WordDocument></xml><![endif]-->2018-04-01T12:05:00.74<!-- [if gte mso
9]><xml><w:LatentStyles DefLockedState="false" DefUnhideWhenUsed="true" DefSemiHidden="true" DefQFormat="false"
DefPriority="99" LatentStyleCount="276"><w:LsdException Locked="false" Priority="0" SemiHidden="false" UnhideWhenUsed="false" QFormat="true"
Name="Normal"/><w:LsdException Locked="false" Priority="9" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="heading
1"/><w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 2"/><w:LsdException Locked="false" Priority="9" QFormat="true"
Name="heading 3"/><w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 4"/><w:LsdException Locked="false" Priority="9"
QFormat="true" Name="heading5"/><w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 6"/><w:LsdException Locked="false"
Priority="9" QFormat="true" Name="heading 7"/><w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 8"/><w:LsdException
Locked="false" Priority="9" QFormat="true" Name="heading 9"/><w:LsdException Locked="false" Priority="39" Name="toc 1"/><w:LsdException Locked="false"
Priority="39" Name="toc 2"/><w:LsdException Locked="false" Priority="39" Name="toc 3"/><w:LsdException Locked="false" Priority="39" Name="toc
4"/><w:LsdException Locked="false" Priority="39" Name="toc 5"/><w:LsdException Locked="false" Priority="39" Name="toc 6"/><w:LsdException Locked="false"
Priority="39" Name="toc 7"/><w:LsdException Locked="false" Priority="39" Name="toc 8"/><w:LsdException Locked="false" Priority="39" Name="toc
9"/><w:LsdException Locked="false" Priority="35" QFormat="true" Name="caption"/><w:LsdException Locked="false" Priority="10"
SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Title"/><w:LsdException Locked="false" Priority="1" Name="Default Paragraph
Font"/><w:LsdException Locked="false" Priority="11" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Subtitle"/><w:LsdException
Locked="false" Priority="22" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Strong"/><w:LsdException Locked="false" Priority="20"
SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Emphasis"/><w:LsdException Locked="false" Priority="59"
SemiHidden="false" UnhideWhenUsed="false" Name="Table Grid"/><w:LsdException Locked="false" UnhideWhenUsed="false" Name="Placeholder
Text"/><w:LsdException Locked="false" Priority="1" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="No Spacing"/><w:LsdException
```

[illegible]

SemiHidden="false" UnhideWhenUsed="false" Name="Light Shading Accent 6"/><w:LsdException Locked="false" Priority="61"
SemiHidden="false" UnhideWhenUsed="false" Name="Light List Accent 6"/><w:LsdException Locked="false" Priority="62"
SemiHidden="false" UnhideWhenUsed="false" Name="Light Grid Accent 6"/><w:LsdException Locked="false" Priority="63"
SemiHidden="false" UnhideWhenUsed="false" Name="Medium Shading 1 Accent 6"/><w:LsdException Locked="false" Priority="64"
SemiHidden="false" UnhideWhenUsed="false" Name="Medium Shading 2 Accent 6"/><w:LsdException Locked="false" Priority="65"
SemiHidden="false" UnhideWhenUsed="false" Name="Medium List 1 Accent 6"/><w:LsdException Locked="false" Priority="66"
SemiHidden="false" UnhideWhenUsed="false" Name="Medium List 2 Accent 6"/><w:LsdException Locked="false" Priority="67"
SemiHidden="false" UnhideWhenUsed="false" Name="Medium Grid 1 Accent 6"/><w:LsdException Locked="false" Priority="68"
SemiHidden="false" UnhideWhenUsed="false" Name="Medium Grid 2 Accent 6"/><w:LsdException Locked="false" Priority="69"
SemiHidden="false" UnhideWhenUsed="false" Name="Medium Grid 3 Accent 6"/><w:LsdException Locked="false" Priority="70"
SemiHidden="false" UnhideWhenUsed="false" Name="Dark List Accent 6"/><w:LsdException Locked="false" Priority="71"
SemiHidden="false" UnhideWhenUsed="false" Name="Colorful Shading Accent 6"/><w:LsdException Locked="false" Priority="72"
SemiHidden="false" UnhideWhenUsed="false" Name="Colorful List Accent 6"/><w:LsdException Locked="false" Priority="73"
SemiHidden="false" UnhideWhenUsed="false" Name="Colorful Grid Accent 6"/><w:LsdException Locked="false" Priority="19"
SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Subtle Emphasis"/><w:LsdException Locked="false" Priority="21"
SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Intense Emphasis"/><w:LsdException Locked="false" Priority="31"
SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Subtle Reference"/><w:LsdException Locked="false" Priority="32"
SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Intense Reference"/><w:LsdException Locked="false" Priority="33"
SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Book Title"/><w:LsdException Locked="false" Priority="37"
Name="Bibliography"/><w:LsdException Locked="false" Priority="39" QFormat="true" Name="TOC
Heading"/></w:LatentStyles></xml><![endif]-->2018-04-01T12:05:00.75<!--[if gte mso 10]><style> /* Style Definitions */ table.MsoNormalTable{mso-style-
name:"Table Normal";mso-tstyle-rowbandsize: 0;mso-tstyle-colband-size:0;mso-style-noshow:yes;mso-style-priority:99;mso-styleparent:"";mso-padding-alt:0cm
5.4pt 0cm 5.4pt;mso-para-margin-top:0cm;mso-para-marginright:0cm;mso-para-margin-bottom:10.0pt;mso-para-margin-left:0cm;line-height:115%;msopagination:
widow-orphan;font-size:11.0pt;font-family:Calibri;mso-ascii-font-family:Calibri;mso-asciiQuestions& Answers PDF P-59theme-font:minor-latin;mso-hansi-font-
family:Calibri;mso-hansi-theme-font:minor-latin;mso-ansilanguage: RU;}</style><![endif]-->2018-04-01T12:05:00.75<!--StartFragment-->The
DB_FLASHBACK_RETENTION_TARGET parameter is set to a lower value and the undo data pertaining to the first transaction is flushed out.
D. Undo retention guarantee is not enabled.
E. Flashback Data Archive is full after the first update statement.

Answer: C

NEW QUESTION 17

Which two statements are true about a multitenant architecture?

- A. Each pluggable database (PDB) has its own initialization parameter file.
- B. A PDB can have a private undo tablespace.
- C. Log switches occur only at the container database level.
- D. A PDB can have a private temporary tablespace.
- E. Each PDB has a private control file

Answer: CD

Explanation:

You are only able to switch the archived logs when you connect to the root of a CDB, but you cannot switch archived redo logs when connected to a PDB. You can able to create a PDB without temporary tablespace but not able to make it use the temporary tablespace of CDB.

NEW QUESTION 19

You want to back up a database such that only formatted blocks are backed up. Which statement is true about this backup operation?

- A. The backup must be performed in mount state.
- B. The tablespace must be taken offline.
- C. All files must be backed up as backup sets.
- D. The database must be backed up as an image copy

Answer: A

Explanation:

If you run multiple AUDIT statements on the same unified audit policy but specify different EXCEPT users, then Oracle Database uses the last exception user list, not any of the users from the preceding lists. This means the effect of the earlier AUDIT POLICY ... EXCEPT statements are overridden by the latest AUDIT POLICY ... EXCEPT statement https://docs.oracle.com/database/121/DBSEG/audit_config.htm#DBSEG459

NEW QUESTION 21

You wish to enable an audit policy for all database users, except sys, system, and scott. You issue the following statements:

SQL> AUDIT POLICY ORA_DATABASE_PARAMETER EXCEPT SYS; SQL> AUDIT POLICY ORA_DATABASE_PARAMETER EXCEPT SYSTEM; SQL> AUDIT POLICY ORA_DATABASE_PARAMETER EXCEPT SCOTT;

For which database users is the audit policy now active?

- A. all users except sys
- B. all users except scott
- C. all users except sys and scott
- D. all users except sys, system, and scott

Answer: B

NEW QUESTION 24

In which situation can you use Flashback Database?

- A. when undoing a shrink data file operation

- B. when retrieving a dropped tablespace
- C. when returning to a point in time before the restoration or re-creation of a control file
- D. when returning to a point in time before the most recent open resetlogs operation

Answer: D

Explanation:

TO BEFORE RESETLOGS Returns the database to its state including all changes up to the SCN of the most recent OPEN RESETLOGS. Note: FLASHBACK DATABASE can only return the database to a point before the most recent OPEN RESETLOGS operation if your database has been upgraded to Oracle Database 10g Release 2 or later. http://docs.oracle.com/cd/B28359_01/backup.111/b28273/rcmsynta023.htm#RCMRF194

NEW QUESTION 27

For your database, an incremental level 1 backup is taken every week day. On Tuesday, before the backup is performed, you add a new tablespace. You execute the command:

```
RMAN> BACKUP INCREMENTAL LEVEL 1 FOR RECOVER OF COPY WITH TAG WEEKLY DATABASE;
```

Which statement is true about the execution of the command?

- A. It returns an error because there is no level 0 backup available for new data files.
- B. It performs an image copy backup of new data files, and a level 1 incremental backup of all other data files.
- C. It performs a level-0 backup of all data files including those that belong to the new tablespace.
- D. It performs an image copy backup of all data files including those that belong to the new tablespace.
- E. It performs a backup as a backup set of all data files including those that belong to the new tablespace.

Answer: B

Explanation:

References: https://docs.oracle.com/cd/B19306_01/backup.102/b14192/bkup004.htm

NEW QUESTION 28

Which three conditions must be true for unused block compression to be used automatically while performing backups by using RMAN?

- A. The compatible initialization parameter is set to 10.2 or higher.
- B. There are no guaranteed restore points defined for the database.
- C. The default device for the backup must be set to disk.
- D. The tablespaces are locally managed.
- E. The fast recovery area is less than 50 percent free

Answer: ABD

Explanation:

About Unused Block Compression When employing unused block compression, RMAN skips reading, and backing up, any database blocks that are not currently allocated to some database object. This is regardless of whether those blocks had previously been allocated. So if a database table is dropped, RMAN will not back up the space that was occupied by that table until new objects are created in that space. Unused block compression is used automatically when the following conditions are true:

-The COMPATIBLE initialization parameter is set to 10.2 or higher. -There are currently no guaranteed restore points defined for the database. -The data file is locally managed. -The data file is being backed up to a backup set as part of a full backup or a level 0 incremental backup. -The backup set is created on disk, or Oracle Secure Backup is the media manager.

References: <http://docs.oracle.com/database/121/BRADV/rcmcncpt.htm#BRADV89481>

NEW QUESTION 33

Your database supports a Decision Support System (DSS) workload that involves the execution of complex queries. Currently, the database is running with peak workload. You want to analyze some of the most resource-intensive statements cached in the library cache.

What must you run to receive recommendations on the efficient use of indexes and materialized views to improve query performance?

- A. SQL Performance Analyzer
- B. SQL Access Advisor
- C. SQL Tuning Advisor
- D. Automatic Workload Repository (AWR) report
- E. Automatic Database Diagnostic Monitor (ADDM)

Answer: B

Explanation:

References:

http://docs.oracle.com/cd/B28359_01/server.111/b28275/tdppt_sqltune.htm#TDPPT160

NEW QUESTION 38

Which four actions are possible during an Online Datafile Move operation?

- A. Creating and dropping tables in the datafile being moved
- B. Performing file shrink of the data file being moved
- C. Querying tables in the datafile being moved
- D. Performing Block Media Recovery for a data block in the datafile being moved
- E. Flashing back the database
- F. Executing DML statements on objects stored in the datafile being moved

Answer: ACEF

Explanation:

“The good news is that Oracle 12cR1 now offers the ability to move entire datafiles between different storage locations without ever having to take the datafiles offline. The datafiles being moved remain completely accessible to applications in almost all situations, including querying against or performing DML and DDL operations against existing objects, creating new objects, and even rebuilding indexes online. Online Move Datafile (OMD) also makes it possible to migrate a datafile between non-ASM and ASM storage (or vice-versa) while maintaining transparent application access to that datafile’s underlying database objects. OMD is completely compatible with online block media recovery, the automatic extension of a datafile, the modification of a tablespace between READ WRITE and READ ONLY mode, and it even permits backup operations to continue against any datafiles that are being moved via this feature.”
<http://muhammad-asif-dba.blogspot.com.br/2013/11/oracle-12c-database-online-movedatafile.html>

NEW QUESTION 39

Examine the command used to perform an incremental level-0 backup: RMAN>BACKUP INCREMENTAL LEVEL0 DATABASE;
To enable block change tracking, after the incremental level 0 backup, you issue the command: SQL>ALTER DATABASE ENABLE BLOCK CHANGE TRACKING USING FILE'/mydir/rman_change_track.f';
To perform an incremental level-1 cumulative backup, you issue the command: RMAN>BACKUP INCREMENTAL LEVEL1 CUMULATIVE DATABASE;
Which two statements are true in the preceding situation?

- A. The block change tracking data is used only from the next incremental backup.
- B. The incremental level 1 backup fails because a block change tracking file is created after the level 0 backup.
- C. The incremental level 1 backup does not use change tracking data for accomplishing the backup.
- D. The block change tracking file scans all blocks and creates a bitmap for the blocks backed up in the level 0 backup.
- E. The block change tracking data is used for the next incremental level 1 backup only after the next level 0 backup.

Answer: CE

NEW QUESTION 43

You specified the warning and critical thresholds for a locally managed tablespace to be 60% and 70%, respectively.
From the tablespace space usage metrics, you find that the space usage has reached the specified warning threshold value, but no alerts have been generated.
What could be the reason for this?

- A. The event parameter was not set.
- B. The sql_trace parameter is set to false.
- C. Enterprise Manager was not used.
- D. The statistics_level parameter is set to basic.
- E. The t:kid_statistics parameter is set to false.

Answer: D

Explanation:

To enable the dbms_server_alert package functionality, set the statistical_level initialization parameter to TYPICAL or ALL.
http://www.dba-oracle.com/t_dbms_server_alert.htm

NEW QUESTION 47

Which three statements are true about the startup and shutdown of multitenant container databases (CDBs) and pluggable databases (PDBs)?

- A. A PDB opened in restricted mode allows only local users to connect.
- B. When a CDB is open in restricted mode, PDBs must also be opened in restricted mode.
- C. When a CDB is in mount state, PDBs are automatically placed in mount state.
- D. All PDBs must be shut down before shutting down a CDB instance.
- E. When a CDB instance is started, PDBs can be placed in open state by using database triggers or by executing the alter pluggable database command.

Answer: BCE

Explanation:

Reference: <https://oracle-base.com/articles/12c/multitenant-startup-and-shutdown-cdb-and-pdb-12cr1>

NEW QUESTION 49

Examine the commands executed to monitor database operations:
\$> conn sys/oracle@prod as sysdba SQL> VAR eid NUMBER
SQL>EXEC :eid := DBMS_SQL_MONITOR.BEGIN_OPERATION('batch_job',FORCED_TRACKING=>'Y');
Which two statements are true?

- A. Database operations will be monitored only when they consume a significant amount of resource.
- B. Database operations for all sessions will be monitored.
- C. Database operations will be monitored only if the STATISTICS_LEVEL parameter is set to TYPICAL and CONTROL_MANAGEMENT_PACK_ACCESS is set DIAGNOSTIC + TUNING.
- D. Only DML and DDL statements will be monitored for the session.
- E. All subsequent statements in the session will be treated as one database operation and will be monitored.

Answer: CE

Explanation:

C: Setting the CONTROL_MANAGEMENT_PACK_ACCESS initialization parameter to DIAGNOSTIC+TUNING (default) enables monitoring of database operations. Real-Time SQL Monitoring is a feature of the Oracle Database Tuning Pack.

Note:

* The DBMS_SQL_MONITOR package provides information about Real-time SQL Monitoring and Real-time Database Operation Monitoring.

*(not B) BEGIN_OPERATION Function starts a composite database operation in the current session.

/(E) FORCE_TRACKING - forces the composite database operation to be tracked when the operation starts. You can also use the string variable 'Y'.

/ (not A) NO_FORCE_TRACKING - the operation will be tracked only when it has consumed at least 5 seconds of CPU or I/O time. You can also use the string variable 'N'.

NEW QUESTION 53

You notice that the performance of your production 24x7 Oracle 12c database has significantly degraded. Sometimes, you are not able to connect to the database instance because it hangs. How can you detect the cause of the degraded performance?

- A. by performing emergency monitoring using Real-Time Automatic Database Diagnostic Monitor (ADDM) to fetch data directly from SGA for analysis
- B. by running ADDM to fetch information from the latest Automatic Workload Repository (AWR) snapshots
- C. by using Active Session History (ASH) data and performing hang analysis
- D. by running ADDM in diagnostic mode

Answer: B

NEW QUESTION 56

You have installed two 64G flash devices to support the Database Smart Flash Cache feature on your database server that is running on Oracle Linux. You have set the db_smart_flash_file parameter: DB_FLASH_CACHE_FILE= '/dev/f lash_device_1',' /dev/f lash_device_2' How should the D3_flash_cache_size be configured to use both devices?

- A. Set DB_FLASH_CACHE_SIZE=64G.
- B. Set D3_FLASH_CACHE_SIZE=64G, 64G.
- C. Set D3_FLASH_CACHE_SIZE=128G.
- D. db_flash_cache_SIZE is automatically configured by the instance at startu

Answer: B

Explanation:

* Smart Flash Cache concept is not new in Oracle 12C - DB Smart Flash Cache in Oracle 11g.

In this release Oracle has made changes related to both initialization parameters used by DB Smart Flash cache. Now you can define many files|devices and its sizes for "Database Smart Flash Cache" are

A. In previous releases only one file|device could be defined. DB_FLASH_CACHE_FILE = /dev/sda, /dev/sdb, /dev/sdc DB_FLASH_CACHE_SIZE = 32G, 32G, 64G

So above settings defines 3 devices which will be in use by "DB Smart Flash Cache"

/dev/sda – size 32G

/dev/sdb – size 32G

/dev/sdc – size 64G

New view V\$FLASHFILESTAT – it's used to determine the cumulative latency and read counts of each file|device and compute the average latency

Reference: <https://oracle-base.com/articles/12c/database-smart-flash-cache-12cr1>

NEW QUESTION 59

You are required to migrate your 11.2.0.3 database to an Oracle 12c database. Examine the list of steps that might be used to accomplish this task:

1. Place all user-defined tablespaces in read-only mode on the source database.
2. Use the RMAN convert command to convert data files to the target platform's endian format, if required.
3. Perform a full transportable export on the source database with the parameters VERSION=12, TRANSPORTABLE=ALWAYS, and FULL=Y.
4. Transport the data files for all the user-defined tablespaces.
5. Transport the export dump file to the target database.
6. Perform an import on the target database by using the full, network_link, and transportable_datafiles parameters.
7. Perform an import on the target database by using the full and transportable_datafiles parameters.

Identify the required steps in the correct order.

- A. 1, 3, 5, 4, 2, and 7
- B. 1, 2, 4, 6, 5, 3, and 7
- C. 1, 2, 4, and 7
- D. 2, 4, 5, 6, and 7

Answer: A

Explanation:

Reference: <http://www.oracle.com/technetwork/database/upgrade/upgrading-oracle-database-wp-12c-1896123.pdf>

NEW QUESTION 63

You want to migrate your Oracle 11g database as a pluggable database (PDB) in a multitenant container database (CDB).

The following are the possible steps to accomplish this task:

1. Place all the user-defined tablespace in read-only mode on the source database.
 2. Upgrade the source database to a 12c version.
 3. Create a new PDB in the target container database.
 4. Perform a full transportable export on the source database with the VERSION parameter set to 12 using the expdp utility.
 5. Copy the associated data files and export the dump file to the desired location in the target database.
 6. Invoke the Data Pump import utility on the new PDB database as a user with the DATAPUMP_IMP_FULL_DATABASE role and specify the full transportable import options.
 7. Synchronize the PDB on the target container database by using the DBMS_PDS.SYNC_ODB function.
- Identify the correct order of the required steps.

- A. 2, 1, 3, 4, 5, 6
- B. 1, 3, 4, 5, 6, 7
- C. 1, 4, 3, 5, 6, 7
- D. 2, 1, 3, 4, 5, 6, 7
- E. 1, 5, 6, 4, 3, 2

Answer: C

Explanation:

1. Create a directory in source database to store the export dump files. 2. Set the user and application tablespace in the source database as READ ONLY 3. Export the source database using expdp with parameters version=12.0, transportable=always and full=y 4. Copy the dumpfile and datafiles for tablespaces containing user /application dat
A. 5. Create a new PDB in the destination CDB using create pluggable database command. 6. Create a directory in the destination PDB pointing to the folder containing the dump file or create a directory for dump file and move the dump file there. 7. Create an entry in tnsnames.ora for the new PDB. 8. Import in to the target using impdp with parameters FULL=Y and TRANSPORT_DATAFILES parameters. Make sure, the account is having IMP_FULL_DATABASE. 9. Restore the tablespaces to READ-WRITE in source database. <http://sandeepnandhadba.blogspot.pt/2014/05/migrating-from-11203-non-cdb-to-12c-pdb.html>

NEW QUESTION 66

Identify three benefits of unified auditing.

- A. It helps to reduce disk space used to store an audit trail in a database.
- B. It guarantees zero-loss auditing.
- C. It reduces overhead on a database caused by auditing, by having a single audit trail.
- D. An audit trail cannot be modified because it is read-only.
- E. It automatically audits Recovery Manager (RMAN) event

Answer: CDE

NEW QUESTION 68

Which three statements correctly describe the relationship amongst jobs, programs, and schedules within the Oracle Job Scheduler?

- A. A job is specified as part of a program definition.
- B. A program can be used in the definition of multiple jobs.
- C. A program and job can be specified as part of a schedule definition.
- D. A program and schedule can be specified as part of a job definition.
- E. A program and window can be specified as part of a job definitio

Answer: BDE

Explanation:

References: <http://docs.oracle.com/database/121/ADMIN/schedover.htm#ADMIN13371>

NEW QUESTION 73

Which two are prerequisites for creating a backup-based duplicate database?

- A. connecting to the target database and a recovery catalog to execute the duplicate command
- B. creating a password file for an auxiliary instance
- C. connecting to an auxiliary instance
- D. matching the database identifier (DBID) of the source database and the duplicate database
- E. creating an SPFILE for the target database

Answer: BC

Explanation:

References:
http://docs.oracle.com/cd/E11882_01/backup.112/e10643/rcmsynta020.htm#CHDEDFFH

NEW QUESTION 74

LDAP_DIRECTORY_SYSAUTH is set to YES.
Users requiring DBAs access have been granted the sysdba enterprise role in Oracle Internet Directory(OID).
SSL has been configure for the database and OLD and the password file has been configured for the database.
User scott with sysdba privilege tries to connect remotely using this command:
\$sqlplusscott/tiger@DB01 As sysdba where DB01 is the net service name. Which authentication method will be attempted first?

- A. authentication by password file
- B. authentication by using certificates over SSL
- C. authentication by using the Oracle Internet Directory
- D. authentication by using the local OS of the database server

Answer: A

Explanation:

If the database is configured to use a password file for remote authentication, Oracle Database checks the password file first.
http://docs.oracle.com/cd/E25054_01/network.11111/e16543/authentication.htm

NEW QUESTION 77

You are administering a multitenant container database (COB) that contains two pluggable databases (PDBs), pdb1 and pdb2. You are connected to pdb2 as a common user with DBA privileges.
The statistics_level parameter is PDB modifiable.
As the user sys, execute the following command on pdb2:
SQL> ALTER SYSTEM SET STATISTICS_LEVEL=ALL SID='*' SCOPE=SPFILE;
Which statement is true about the result of this command?

- A. The statistics_level parameter is set to all when any of the PDBs is reopened.
- B. The statistics_level parameter is set to all only for PDB2 when it is reopened.
- C. The statistics_level parameter is set to all when the root database is restarted.
- D. The statement is ignored because there is no SPFILE for a PD

Answer: B

Explanation:

This ALTER SYSTEM statement sets the STATISTICS_LEVEL initialization parameter to ALL for the current PDB: ALTER SYSTEM SET STATISTICS_LEVEL = ALL SCOPE = MEMORY;

NEW QUESTION 78

Examine the command to back up the ASM metadata: ASMCMD>md_backup /backup/ASM_backup
In which three situations can you use the backup?

- A. when one or more disks in an ASM disk group are lost
- B. when the data file on an ASM disk group gets corrupted
- C. when one of the disks in a disk group is accidentally unplugged
- D. when one or more file directory paths are accidentally deleted from an ASM disk group
- E. when all the ASM disk groups for the ASM instance are lost

Answer: ADE

Explanation:

<http://www.hhutzler.de/blog/asm-backup-and-restore-dg-metadata/>

The md_backup command creates a backup file containing metadata for one or more disk groups. i By default all the mounted disk groups are included in the backup file which is saved in the current working directory. http://docs.oracle.com/cd/E11882_01/server.112/e18951/asm_util004.htm#OSTMG94578

The md_backup command creates a backup file containing metadata for one or more disk groups.

NEW QUESTION 82

You have a production Oracle 12c database running on a host.

You want to install and create databases across multiple new machines that do not have any Oracle database software installed. You also want the new databases to have the same directory structure and components as your existing 12c database.

The steps in random order:

1. Create directory structures similar to the production database on all new machines.
2. Create a response file for Oracle Universal Installer (OUI) with the same configurations as the production database.
3. Create a database clone template for the database.
4. Run the Database Configuration Assistant (DBCA) to create the database.
5. Run OUI in graphical mode on each machine.
6. Run OUI in silent mode using the OUI response file.

Identify the required steps in the correct sequence to achieve the requirement with minimal human intervention.

- A. 2, 1, 6, and 4
- B. 2, 3, and 6
- C. 3, 1, 5, and 6
- D. 2, 3, 1, and 6
- E. 1, 5, and 4

Answer: D

NEW QUESTION 86

RMAN is connected to the target database PROD1 and an auxiliary instance in NOMOUNT state. Examine the command to create a duplicate database:

```
RMAN> DUPLICATE TARGET DATABASE TO dup1 FROM ACTIVE DATABASE  
NOFILENAMECHECK PASSWORD FILE SPFILE;
```

Which two statements are true about the execution of the DUPLICATE command?

- A. All archive redo log files are automatically copied to the duplicate database.
- B. The duplicate database has the same directory structure as the source database.
- C. The duplicate database is created by using the backups created during the execution of the DUPLICATE command.
- D. The password file and SPFILE for the duplicate database DUP1 are created in their respective default locations.
- E. The duplicate database is created without using RMAN backups and PROD1 is allowed to remain open during duplication.

Answer: AE

NEW QUESTION 87

Which two statements are true about service creation for pluggable databases (PDBs)?

- A. When a PDB is created, a service is automatically started in the instance with the same name as the PDB.
- B. The default service that is automatically created by a database at the time of PDB creation can be dropped, provided a new additional service is created.
- C. A database managed by Oracle Restart can have additional services created or existing services modified by using the srvctl utility for each PDB.
- D. Only a common user can create additional services for a PDB.
- E. When a PDB is created, a service with the same name as the PDB is created in the PD

Answer: AC

NEW QUESTION 92

You want the execution of large database operations to suspend, and then resume, in the event of space allocation failures.

You set the value of the initialization parameter resumable_timeout to 3600. Which two statements are true?

- A. A resumable statement can be suspended and resumed only once during execution.
- B. Data Manipulation Language (DML) operations are resumable, provided that they are not embedded in a PL/SQL block.
- C. A suspended statement will report an error if no corrective action has taken place during a timeout period.
- D. Before a statement executes in resumable mode, the alter session enable resumable statement must be issued in its session.
- E. Suspending a statement automatically results in suspending a transaction and releasing all the resources held by the transaction.

Answer: CD

NEW QUESTION 94

You set the following parameters in the parameter file and restart the database instance: MEMORY_MAX_TARGET=0
MEMORY_TARGET=500M PGA_AGGREGATE_TARGET=90M SGA_TARGET=270M
Which two statements are true?

- A. The memory_max_target parameter is automatically set to 500 MB.
- B. The pga_aggregate_target and sga_target parameters are automatically set to zero.
- C. The value of the memory_max_target parameter remains zero for the database instance.
- D. The lower limits of the pga_aggregate_target and sga_target parameters are set to 90 MB and 270 MB respectively.
- E. The instance does not start up because Automatic Memory Management (AMM) is enabled but pga_aggregate_target and sga_target parameters are set to nonzero values.

Answer: AD

NEW QUESTION 99

You restore and recover your database to a new host by using an existing RMAN open database backup.
Which step must you perform next?

- A. Execute catproc.sql to recompile invalid PL/SQL modules.
- B. Open the database with the resetlogs option.
- C. Set a new database identifier (DBID) for the newly restored database.
- D. Use the RMAN set newname and switch commands to switch to new file

Answer: B

NEW QUESTION 102

Which two statements are true about unified auditing?

- A. A unified audit trail captures audit information from unified audit policies and audit settings.
- B. Unified auditing is enabled by executing make-fins_rdbms.mk uniaud_onioracle ORACLE_HOME=\$ORACLE_HOME.
- C. Audit records are created for all users except sys.
- D. Audit records are created only for the DML and DDL operations performed on database objects.
- E. Unified auditing is enabled by setting the audit_trail parameter to db, extended.
- F. A unified audit trail resides in a read-only table in the audsys schema in the system tablespac

Answer: AB

Explanation:

<https://docs.oracle.com/database/121/DBSEG/auditing.htm#DBSEG343> In unified auditing, the unified audit trail captures audit information from a variety of sources. Audit records (including SYS audit records) from unified audit policies and AUDIT settings Fine-grained audit records from the DBMS_FGA PL/SQL package Oracle Database Real Application Security audit records Oracle Recovery Manager audit records Oracle Database Vault audit records Oracle Label Security audit records Oracle Data Mining records Oracle Data Pump Oracle SQL*Loader Direct Load
<https://docs.oracle.com/database/121/TDPSG/GUID-BF747771-01D1-4BFB-8489-08988E1181F6.htm#TDPSG55281> Enable theunified auditing executable.
UNIX: Run the following command: make -f ins_rdbms.mk uniaud_on ioracle ORACLE_HOME=\$ORACLE_HOME
<https://docs.oracle.com/database/121/DBSEG/auditing.htm#DBSEG1024> The unified audit trail, which resides in a read-only table in the AUDSYS schema in the SYSAUX tablespace

NEW QUESTION 105

You plan to use the In-Database Archiving feature of Oracle Database 12c, and store rows that are inactive for over three months, in Hybrid Columnar Compressed (HCC) format.
Which three storage options support the use of HCC?

- A. ASM disk groups with ASM disks consisting of Exadata Grid Disks.
- B. ASM disk groups with ASM disks consisting of LUNS on any Storage Area Network array
- C. ASM disk groups with ASM disks consisting of any zero padded NFS-mounted files
- D. Database files stored in ZFS and accessed using conventional NFS mounts.
- E. Database files stored in ZFS and accessed using the Oracle Direct NFS feature
- F. Database files stored in any file system and accessed using the Oracle Direct NFS feature
- G. ASM disk groups with ASM disks consisting of LUNs on Pillar Axiom Storage arrays

Answer: AEG

Explanation:

HCC requires the use of Oracle Storage – Exadata (A), Pillar Axiom (G) or Sun ZFS Storage Appliance (ZFSSA).

Note:

* Hybrid Columnar Compression, initially only available on Exadata, has been extended to support Pillar Axiom and Sun ZFS Storage Appliance (ZFSSA) storage when used with Oracle Database Enterprise Edition 11.2.0.3 and above

* Oracle offers the ability to manage NFS using a feature called Oracle Direct NFS (dNFS). Oracle Direct NFS implements NFS V3 protocol within the Oracle database kernel itself. Oracle Direct NFS client overcomes many of the challenges associated with using NFS with the Oracle Database with simple configuration, better performance than traditional NFS clients, and offers consistent configuration across platforms.

NEW QUESTION 106

You notice a performance change in your production Oracle 12c database. You want to know which change caused this performance difference. Which method or feature should you use?

- A. Compare Period ADDM report
- B. AWR Compare Period report
- C. Active Session History (ASH) report
- D. taking a new snapshot and comparing it with a preserved snapshot

Answer: B

Explanation:

Comparing Current System Performance to a Baseline Period You may have noticed a performance change on a production system and would like to know why, or you may have implemented a change to a production system and want to know the effect of the change, such as increased concurrency waits. The Compare Period ADDM compares the performance of the database server in two time periods, and returns a report describing the performance changes and the root origin of the changes.

The Advisor can analyze any Oracle RDBMS version 10.2.0.4 or later monitored by Cloud Control. The following procedure explains how to initiate a report from the Compare Period ADDM.

NEW QUESTION 107

Which parameter must be set to which value to implement automatic PGA memory management?

- A. Set memory_target to zero.
- B. Set STATISTICS_LEVEL to BASIC.
- C. Set pga_aggregate_target to a nonzero value.
- D. Set pga_aggregate_target and sga_target to the same value.
- E. Set sgajtarget to zer

Answer: C

Explanation:

When automatic memory management is not enabled, the default method for the instance PGA is automatic PGA memory management
http://docs.oracle.com/cd/B28359_01/server.111/b28318/memory.htm

NEW QUESTION 112

You are administering a multitenant container database (CDB) that contains multiple pluggable databases (PDBs). You are connected to cdb\$root as the sys user. You execute the commands: SQL> CREATE USER C##ADMIN IDENTIFIED BY orcll23;
SQL> CREATE ROLE C##CONNECT;
SQL> GRANT CREATE SESSION, CREATE TABLE, SELECT ANY TABLE TO C##CONNECT; SQL> GRANT C##CONNECT to C##ADMIN CONTAINER=ALL;
Which statement is true about the c##connect role?

- A. It is created only in cdb\$root and cannot be granted to the c##admin user with the container=all clause.
- B. It is granted to the c##admin user only in the CDB.
- C. It is granted to the c##admin user in all PDBs and can be granted only to a local user in a PDB.
- D. It is granted to the c##admin user in all PDBs and can be granted object and system privileges for a PDB.

Answer: D

Explanation:

https://docs.oracle.com/database/121/SQLRF/statements_6014.htm#SQLRF01311

“CONTAINER Clause The CONTAINER clause applies when you are connected to a CDB. However, it is not necessary to specify the CONTAINER clause because its default values are the only allowed

values. To create a common role, you must be connected to the root. You can optionally specify CONTAINER = ALL, which is the default when you are connected to the root. To create a local role, you must be connected to a PDB. You can optionally specify CONTAINER = CURRENT, which is the default when you are connected to a PDB.”

NEW QUESTION 114

Which three conditions must be met before you create a Virtual Private Catalog (VPC)?

- A. A base recovery catalog should exist.
- B. The owner of VPC cannot own recovery catalog.
- C. At least one target database should be registered in the recovery catalog.
- D. The register database privilege should be granted to the virtual catalog owner.
- E. The recovery_catalog_owner role should be granted to the virtual catalog owne

Answer: ADE

Explanation:

References: http://docs.oracle.com/cd/B28359_01/backup.111/b28273/rcmsynta013.htm

NEW QUESTION 115

Examine the output:

SQL > ARCHIVE LOGLIST

Database log mode Archive Mode Automatic archival Enabled

Archive Destination USE_DB_RECOVERY_FILE_DEST Oldest online log sequence 376

Next log sequence to archive 378 Current log sequence 378

Which three types of files are automatically placed in the fast recovery area?

- A. Flashback data archives (FDA)

- B. Archived redo log files
- C. Control file autobackups
- D. Server parameter file (SPFILE)
- E. Recovery Manager (RMAN) backup pieces

Answer: BCE

Explanation:

References: http://docs.oracle.com/cd/E11882_01/backup.112/e10642/glossary.htm#BRADV526

NEW QUESTION 119

Which two statements are true about Resource Manager plans for individual pluggable databases (PDB plans) in a multitenant container database (CDB)?

- A. If no PDB plan is enabled for a pluggable database, then all sessions for that PDB are treated to an equal degree of the resource share of that PDB.
- B. In a PDB plan, subplans may be used with up to eight consumer groups.
- C. If a PDB plan is enabled for a pluggable database, then resources are allocated to consumer groups across all PDBs in the CDB.
- D. If no PDB plan is enabled for a pluggable database, then the PDB share in the CDB plan is dynamically calculated.
- E. If a PDB plan is enabled for a pluggable database, then resources are allocated to consumer groups based on the shares provided to the PDB in the CDB plan and the shares provided to the consumer groups in the PDB plan.

Answer: AE

Explanation:

A: Setting a PDB resource plan is optional. If not specified, all sessions within the PDB are treated equally.

In a non-CDB database, workloads within a database are managed with resource plans.

In a PDB, workloads are also managed with resource plans, also called PDB resource plans. The functionality is similar except for the following differences:

Non-CDB Database Multi-level resource plans

Up to 32 consumer groups Subplans

PDB Database

Single-level resource plans only Up to 8 consumer groups

(Not B) No subplans

NEW QUESTION 121

In your database, there are tablespaces that were read-only when the last backup was taken. These tablespaces have not been made read/write since then. You want to perform an incomplete recovery on the database by using a backup control file.

What precaution must you take for the read-only tablespaces before performing an incomplete recovery?

- A. All the read-only tablespaces should be taken offline.
- B. All the read-only tablespaces should be restored separately.
- C. All the read-only tablespaces should be renamed to have the MISSINGnnnn format.
- D. All the read-only tablespaces should be made online with logging disable

Answer: A

Explanation:

Take data files from read-only tablespaces offline before doing recovery with a backup control file, and then bring the files online at the end of media recovery.

http://docs.oracle.com/cd/E11882_01/backup.112/e10642/osadvscs.htm#BRADV227

NEW QUESTION 126

Examine the RMAN commands executed in your database: RMAN>CONFIGURE DEFAULT DEVICE TYPE TO disk;

RMAN>CONFIGURE DEVICE TYPE DISK BACKUP TYPE TO BACKUPSET; RMAN> CONFIGURE CONTROLFILE AUTOBACKUP ON;

You issue the command: RMAN> BACKUP DATABASE;

Which two statements are true about the command?

- A. It performs a log switch.
- B. It creates compressed backup sets by using binary compression by default.
- C. It backs up only the used blocks in data files.
- D. It backs up data files, the control file, and the server parameter file.
- E. It creates a backup of only the control file whenever the database undergoes a structural change

Answer: CD

Explanation:

C: RMAN backup sets automatically use unused block compression. http://docs.oracle.com/cd/B28359_01/backup.111/b28273/rcmsynta007.htm#i1015382

D: If CONFIGURE CONTROLFILE AUTOBACKUP is ON (by default it is OFF), then RMAN automatically backs up the control file and server parameter file after every backup and after database structural

changes. http://docs.oracle.com/cd/B19306_01/backup.102/b14192/bkup003.htm#i1009642 Not E: spfile is also backed up.

NEW QUESTION 130

You execute the commands on a multitenant container database CDB1 that has multiple pluggable databases:

\$. oraenv

ORACLE_SID = [oracle] ? cdb1

The oracle base for ORACLE_HOME=/u01/app/oracle/product/12.1.0/dbhome_1 is /u01/app/oracle

\$ rman target /

Recovery Manager : Release 12.1.0.0.2 - production on Fri Jul 19 05:18:33: 2013 Copyright (c) 1982, 2013, oracle and/or its affiliates. All rights reserved.

Connected to target database:CDB1 (DBID=782249327)

RMAN>SELECT name FROMv\$tablespace;

Which statement is true about the execution of the last command?

- A. It succeeds and displays all the tablespaces that belong to the root database.
- B. It fails and returns an error because a connection is not made by using the sysdba privilege.
- C. It succeeds and displays all the tablespaces that belong to the root and pluggable databases.
- D. It fails and returns an error because SQL commands cannot be executed at the RMAN prompt

Answer: C

NEW QUESTION 135

Which Oracle Database component is audited by default if the Unified Auditing option is enabled?

- A. Oracle Data Pump
- B. Oracle Recovery Manager (RMAN)
- C. Oracle Label Security
- D. Oracle Database Vault
- E. Oracle Real Application Security

Answer: B

Explanation:

Unlike other Oracle Database components, you do not create a unified audit policy for Oracle Recovery Manager events. The UNIFIED_AUDIT_TRAIL data dictionary view has a set of fields, whose names begin with RMAN_, that automatically record Recovery Manager-related events. https://docs.oracle.com/database/121/DBSEG/audit_config.htm#CHDDHEIA

NEW QUESTION 138

As part of a manual upgrade process, after installing the software for Oracle Database 12c and preparing the new Oracle home, you shut down the existing single-instance database.

Which step should you perform next to start the upgrade of the database?

- A. Start up the database instance by using the new location of the server parameter file and run the catuppst.sql script to generate informational messages and log files during the upgrade.
- B. Start up the database instance by using the new location of the server parameter file and run the cact1.pl script from the new Oracle home to use parallel upgrade options that reduce down time.
- C. Start up the database instance by using the STARTUP UPGRADE command and gather fixed object statistics to minimize the time needed for recompilation.
- D. Start up the database instance by using the STARTUP UPGRADE command, which opens the existing database, and then performs additional upgrade operations.

Answer: D

NEW QUESTION 141

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

1z0-067 Practice Exam Features:

- * 1z0-067 Questions and Answers Updated Frequently
- * 1z0-067 Practice Questions Verified by Expert Senior Certified Staff
- * 1z0-067 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 1z0-067 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 1z0-067 Practice Test Here](#)