

C2090-320 Dumps

DB2 11 Fundamentals for z/OS

<https://www.certleader.com/C2090-320-dumps.html>



NEW QUESTION 1

In order to evaluate the real-time relative disorganization of an index, which catalog table would you query?

- A. SYSIBM.SYSINDEXES
- B. SYSIBM.SYSINDEXPART
- C. SYSIBM.SYSINDEXSTATS
- D. SYSIBM.SYSINDEXSPACESTATS

Answer: B

NEW QUESTION 2

Consider the following scenario:

User1 creates table USER1.TABLE1 in DATABASE1 User1 grants ALL PRIVILEGES on TABLE1 to User2 User2 grants ALL PRIVILEGES on TABLE1 to User3

User1 revokes ALL PRIVILEGES on TABLE1 to User2 User3 has DBCTRL authority on DATABASE1

Is User3 able to retrieve rows from TABLE1?

- A. No
- B. Yes
- C. No, if the revoke used INCLUDING DEPENDENT PRIVILEGES
- D. Yes, if User3 was granted DBCTRL prior to the creation of table USER1.TABLE1

Answer: B

NEW QUESTION 3

Which catalog table would you query in order to determine the relevant statistics for an index?

- A. SYSIBM.SYSKEYS
- B. SYSIBM.SYSFIELDS
- C. SYSIBM.SYSCOLUMNS
- D. SYSIBM.SYSINDEXSTATS1

Answer: D

NEW QUESTION 4

Which BIND option determines when DB2 will do authorization checking?

- A. DEFER
- B. DEPLOY
- C. VALIDATE
- D. CURRENTDATA

Answer: C

NEW QUESTION 5

An array value CANNOT be specified using which of the following methods?

- A. Invocation of an INSERT statement
- B. Invocation of the ARRAY_AGG function
- C. Invocation of the ARRAY_DELETE or TRIM_ARRAY built-in functions
- D. A simple reference to an SQL variable, or SQL parameter that is a user-defined array type

Answer: D

NEW QUESTION 6

Which privilege or authority is required to use the DSN command?

- A. None
- B. SYSADM
- C. SECADM
- D. EXECUTE

Answer: B

NEW QUESTION 7

Which statement is TRUE regarding catalog table SYSIBM.SYSROUTINES?

- A. Contains scheduled tasks for the administrative scheduler
- B. Contains information about UDFs, BIFs and stored procedures
- C. Contains information about bound packages
- D. Contains information about UDFs and stored procedures

Answer: D

NEW QUESTION 8

Which of the following actions can you take in order to prevent users from obtaining implicit privileges as a result of object ownership?

- A. Create the object in a trusted context that is defined with the ROLE AS OBJECT OWNER AND QUALIFIER clause
- B. Create the object after activating the SEPARATE_SECURITY=YES DSNZPARM
- C. Let somebody with SYSCTRL authority create the object
- D. Create the object after activating an audit policy that will apply to the table that you are about to create

Answer: A

NEW QUESTION 9

A stored procedure needs to issue a dynamic SQL statement (SELECT) at runtime. The stored procedure's owner ID must be used for the authorization check (whether or not the SELECT is allowed).

Which BIND parameter setting can you use to accomplish this ?

- A. DYNAMICRULES(RUN)
- B. DYNAMICRULES(BIND)
- C. DYNAMICRULES(INVOKERUN)
- D. DYNAMICRULES(DEFINEBIND)

Answer: B

NEW QUESTION 10

In a unique referential constraint, which type of key does a foreign key reference?

- A. Child key
- B. Collation key
- C. Parent key
- D. Secondary key

Answer: C

NEW QUESTION 10

In the parent table of a referential constraint, a parent key must be which of the following? (Choose two.)

- A. A unique key
- B. A foreign key
- C. A primary key
- D. A duplicate key
- E. A secondary key

Answer: AC

NEW QUESTION 12

Select the SQL statement which will list the employee(empno) and the project numbers(projno) from the EMPACT table that has an employee(empno) whose salary(salary) is in the top three salaries for all employees from the EMP table.

A)

```
SELECT empno, projno
FROM empact ep
WHERE ep.empno IN
(SELECT em.empno
FROM emp em
ORDER BY salary DESC)
FETCH FIRST 3 ROWS ONLY;
```

B)

```
SELECT empno, projno
FROM empact
WHERE empno IN
(SELECT empno
FROM emp
FETCH FIRST 3 ROWS ONLY);
```

C)

```
SELECT ep.empno, projno
FROM empact ep
WHERE ep.empno IN
(SELECT em.empno
FROM emp em
ORDER BY salary
FETCH FIRST 3 ROWS ONLY);
```

D)

```
SELECT ep.empno, projno
FROM empact ep
WHERE ep.empno IN
(SELECT em.empno
FROM emp em
ORDER BY salary DESC
FETCH FIRST 3 ROWS ONLY);
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: D

NEW QUESTION 15

In order to run a DB2 program, the user issues the following commands: TSO prompt: READY
USER enters: DSN SYS(SSTR)
USER enters: RUN PROGRAM(MYPROG)
USER enters: END What is the result?

- A. DB2 does not allow these commands
- B. DSN command can not be used to run a program
- C. Start a DSN session with DB2 subsystem SSTR, run a program and end the DSN session
- D. Start a DSN session with system parameters SSTR, run a program and end the DSN session

Answer: C

NEW QUESTION 20

You want to reduce lock contention that results from uncommitted insert and delete operations by enabling transactions that read data to access only the currently committed data rather than waiting for the uncommitted changes to be resolved. How can you accomplish this?

- A. Bind your application with ISOLATION(UR)
- B. Bind your application with ISOLATION(CS)
- C. Bind your application with CONCURRENTACCESSRESOLUTION (WAITFOROUTCOME)
- D. Bind your application with CONCURRENTACCESSRESOLUTION (USECURRENTLYCOMMITTED)

Answer: D

NEW QUESTION 25

Which characteristic best describes a created global temporary table?

- A. Inserts are logged
- B. Rows are locked when they exist in the table
- C. They have permanent, shareable descriptions
- D. Access to rows can be shared across multiple processes

Answer: C

NEW QUESTION 26

You have created a new index. What is the command to potentially change the access path for a static package?

- A. FREE
- B. RESET
- C. REBIND
- D. REFRESH

Answer: A

NEW QUESTION 31

Which option is used with the RECOVER utility when the data sets of the target objects have already been restored to a point of consistency by another process offline?

- A. LOGONLY
- B. FROMDUMP
- C. TOLASTCOPY
- D. CURRENTCOPYONLY

Answer: A

NEW QUESTION 33

Which of the following utilities CANNOT be executed from the DB2 utilities panel in DB2I?

- A. COPY
- B. REORG

- C. STOSPACE
- D. BACKUP SYSTEM

Answer: D

NEW QUESTION 38

A view is considered read only if which of the following is TRUE?

- A. The first EROM clause identifies only one table
- B. The outer fullselect contains an ORDER BY clause
- C. The first SELECT clause specifies the DISTINCT option
- D. The fullselect includes a column of a base table that is defined as implicitly hidden

Answer: B

NEW QUESTION 39

A summary table can be easily maintained using which of the following?

- A. An auxiliary table
- B. A partitioned table
- C. A bi-temporal table
- D. A materialized query table

Answer: D

NEW QUESTION 42

Which of the following can be defined on the basis of a query?

- A. An alias
- B. A base table
- C. An accelerator-only table
- D. A materialized query table

Answer: D

NEW QUESTION 46

What are two major encoding schemes? (Choose two.)

- A. UNIX
- B. Linux
- C. CCSID
- D. Unicode
- E. EBCDIC

Answer: DE

NEW QUESTION 49

Which of the following statements about a system-period temporal table is TRUE?

- A. Rows can be archived into a history table which is always read only
- B. Every row has a pair of timestamps which is set and managed by the application
- C. AN SQL query for auditing can be run against current data or history data, but not both
- D. The table contains only the current active rows

Answer: B

Explanation:

In a system-period temporal table, every row has a pair of timestamps, which are set by the DB2 system and recorded in the begin_column and end_column columns. DB2 uses the SYSTEM_TIME period to audit the data changes. It provides the application with the database managed row begin and row end timestamp maintenance, providing non-overlapping time periods with no gaps in time.

NEW QUESTION 51

An external stored procedure is invoked using a CALL :hv (host variable). Which special register identifies the location of the procedure?

- A. CURRENT PATH
- B. CURRENT SCHEMA
- C. CURRENT PACKAGESET
- D. CURRENT ROUTINE VERSION

Answer: D

NEW QUESTION 52

Which DB2 command displays the status information about DB2 database MYDB and displays the status of all objects in this database?

- A. -DISPLAY DATABASE(MYDB) OVERVIEW

- B. -DISPLAY DATABASE(MYDB) SPACENAM(*)
- C. -DISPLAY DATABASE(MYDB) SPACENAM(') RES
- D. -DISPLAY DATABASE(MYDB) SPACENAMO ACTIVE

Answer: D

NEW QUESTION 54

DB2 native SQL procedures execute in which DB2 address space?

- A. IRLM
- B. DIST
- C. DBM1
- D. WLM stored procedure

Answer: D

NEW QUESTION 59

Which of the following SQL constructs does NOT provide information about the success or failure of the SQL statement that was just executed?

- A. SQLCA
- B. SQLDA
- C. SQLCODE
- D. SQLSTATE

Answer: B

NEW QUESTION 64

Which protocol provides applications the ability to connect to a server at another location and execute packages that have been previously bound at that server?

- A. CLI
- B. JDBC
- C. DRDA
- D. ODBC

Answer: D

NEW QUESTION 68

How can a stored procedure be invoked?

- A. Via an SQL SELECT statement
- B. Via a CALL statement using SPUFI
- C. Directly via a RUN PROGRAM command
- D. Via a CALL statement from within an application program

Answer: D

NEW QUESTION 70

You want to see all messages that were generated by one specific DB2 subsystem such as log switches and timeout messages. Which job log would show all of these?

- A. MSTR
- B. DBM1
- C. DIST
- D. IRLM

Answer: A

NEW QUESTION 75

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your C2090-320 Exam with Our Prep Materials Via below:

<https://www.certleader.com/C2090-320-dumps.html>