

300-920 Dumps

Developing Applications for Cisco Webex and Webex Devices (DEVWBX)

<https://www.certleader.com/300-920-dumps.html>



NEW QUESTION 1

Refer to the exhibit. What is the Webex Teams REST API HTTP response status code, based on this code snippet?

```
{
  "message": "The user has sent too many requests in a given amount of time. Please refer to the
Retry-After response header to wait before making a new request.",
  "errors": [
    {
      "description" : "The user has sent too many requests in a given amount of time. Please
refer to the Retry-After response header to wait before making a new request."
    }
  ],
  "trackingId": "ROUTER_5D224C5A-C32B-01BB-007E-2D30B4D4007E"
}
```

- A. 401
- B. 403
- C. 429
- D. 501

Answer: C

NEW QUESTION 2

A Webex Teams bot is deployed but soon it stops responding. Which two explanations are the cause of the issue? (Choose two.)

- A. A new webhook was created, which marks the old webhook as inactive.
- B. The web server that is set to receive webhooks is not configured to return a 200 message.
- C. And the webhook is disabled.
- D. The webhook secret is expired and must be refreshed.
- E. The refresh token is not being used.
- F. The bot owner regenerated the access token on developer.webex.com.

Answer: AB

NEW QUESTION 3

Which xAPI access mechanism requires separate connections for commands and notifications?

- A. Serial
- B. WebSocket
- C. HTTP/HTTPS
- D. SSH

Answer: D

NEW QUESTION 4

Which two capabilities are currently supported by the Webex Meetings XML API? (Choose two.)

- A. Request a recording link for playback.
- B. Send a text message to the meeting host.
- C. Request permissions to schedule on someone else's behalf.
- D. Schedule a new meeting.
- E. Send a problem report.

Answer: CD

NEW QUESTION 5

```
xcommand UserInterface Extensions List
OK
*r ExtensionsListResult (status=OK):
*r ExtensionsListResult Extensions Version: "1.5"
*r ExtensionsListResult Extensions Panel 1 Icon: Lightbulb
*r ExtensionsListResult Extensions Panel 1 Type: Statusbar
*r ExtensionsListResult Extensions Panel 1 Name: Panel
*r ExtensionsListResult Extensions Panel 1 PanelId: "panel_1"
*r ExtensionsListResult Extensions Panel 1 Order: 1
*r ExtensionsListResult Extensions Panel 1 Page 1 Name: "Page"
*r ExtensionsListResult Extensions Panel 1 Page 1 Row 1 Name: "Row"
*r ExtensionsListResult Extensions Panel 1 Page 1 Row 1 Widget 1 WidgetId: "widget_1"
*r ExtensionsListResult Extensions Panel 1 Page 1 Row 1 Widget 1 Type: Slider
*r ExtensionsListResult Extensions Panel 1 Page 1 Row 1 Widget 1 Options: "size=3"
** end
--
```

Refer to the exhibit. With this in-room configuration, which command successfully sets the slider to 50?

- A. xcommand UserInterface Extensions Widget SetSlider Value: 50
- B. xcommand UserInterface Extensions Widget Slider: 50 Widget: "widget_1"

- C. xconfiguration UserInterface Extensions widget_1 50
- D. xcommand UserInterface Extensions Widget SetValue WidgetId: "widget_1" Value: 50

Answer: A

NEW QUESTION 6

Which two filters are valid for limiting a webhook? (Choose two.)

- A. roomId=<roomId>
- B. personId!=<personId>
- C. spaceId=<spaceId>
- D. personId=<personId>\$spaceId=<spaceId>
- E. personId=<personId>\$roomId=<roomId>

Answer: AB

NEW QUESTION 7

A company wants to adopt Webex Teams as a messaging platform and use REST APIs to automate the creation of teams and rooms. Which sequence of REST API requests is needed to create and populate a new Webex team and create a populated Webex room for the team?

- A. POST /teams, POST /memberships, POST /rooms
- B. POST /teams, POST /people, POST /rooms
- C. POST /teams, POST /team/memberships, POST /rooms
- D. POST /teams, POST /team/memberships, POST /rooms, POST /memberships

Answer: B

NEW QUESTION 8

Which Webex Teams webhook resource type indicates that a user interacted with a card?

- A. buttonActions
- B. attachmentActions
- C. webhookCardActions
- D. cardActions

Answer: B

NEW QUESTION 9

```

1  /**
2  * A small In-Room controls panel with 4 quick dial numbers
3  */
4  const xapi = require('xapi');
5
6  //These match the widget ids of the In-Room control buttons
7  const numbers = {
8    dial_catering: 'catering@example.com',
9    dial_it support: 'itsupport@example.com',
10   dial_taxi: 'taxi@example.com',
11   dial_reception: 'reception@example.com',
12 },
13
14 function dial(number) {
15   xapi.command('call', {Number:number});
16 }
17
18 function listenToGui() {
19   xapi.event.on('UserInterface Extensions Widget Action', (event)-> {
20     if (event.Type === 'clicked') {
21       const number = numbers[event.WidgetId];
22       if (number) dial(number);
23       else console.log('Unknown button pressed', event.WidgetId);
24     }
25   });
26 }

```

Severity ▾ Enter filter Show history

```

22:38:35 [system] > Starting macros...
22:38:35 Quick dial > Loading...
22:38:36 Quick dial > Ready!
22:38:36 Quick dial > 'Unhandled promise rejection' (code: 3,
message: 'Ambiguous command',
data: {xpath: '/Call'})

```

Refer to the exhibit. An end user reports that the speed dial button is not working on their Webex Device, and when loading into the Macro Editor, this error was presented. On which line is the incorrect syntax?

- A. line 4
- B. line 14
- C. line 15
- D. line 22

Answer: C

NEW QUESTION 10

Which two statements about using the Compliance Office role to manage data in Webex Teams are true? (Choose two.)

- A. For group rooms with members from multiple organizations, only the compliance officer of the owning organization can manage all data.
- B. The compliance officer can manage data only for users who have granted the spark-compliance messages scope.
- C. For direct rooms between two organizations, each compliance officer can manage data only from their organization.
- D. For group rooms with members from multiple organizations, either compliance officer can manage all data.
- E. For direct rooms between two organizations, the compliance officer of either organization can manage all data.

Answer: CE

NEW QUESTION 10

```
xapi.on('ready', () => {
  console.log("connection successful");

  // Start a call

  * _____ *

  .then((call) => {
    console.log(`Started call with status: ${call.status}, id: ${call.CallId}`);
  });
});
```

Refer to the exhibit. Assume that there is already a connection to a device for this jsxapi.code snippet. Which snippet completes the code so that the connected device makes a call to the user jdoe@example.com?

- A. `xapi.command('Dial', {Endpoint: 'jdoe@example.com'})`
- B. `xapi.command('Call', { SIP: 'jdoe@example.com'})`
- C. `xapi.command('SIP', {Number: 'jdoe@example.com'})`
- D. `xapi.command('Dial', {Number: 'jdoe@example.com'})`

Answer: D

NEW QUESTION 12

Which user role implicitly has permission in the Events API to retrieve "message created" events from other users in the same organization?

- A. Compliance Officer
- B. User and Device Administrator
- C. Full Administrator
- D. User Administrator

Answer: A

NEW QUESTION 16

Which code adds a Space Widget in an HTML script that uses the CSS Webex CDN?

- A. `<link rel="stylesheet" href="https://code.s4d.io/widget-recents/production/main.css">`
- B. `<script src="stylesheet" href="https://code.s4d.io/widget-space/production/main.css">`
- C. `<link rel="stylesheet" href="https://code.s4d.io/widget-recents/production/bundle.js">`
- D. `<link rel="stylesheet" href="https://code.s4d.io/widget-space/production/main.css">`

Answer: D

NEW QUESTION 20

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 300-920 Exam with Our Prep Materials Via below:

<https://www.certleader.com/300-920-dumps.html>