



Cisco

Exam Questions 300-835

Automating Cisco Collaboration Solutions (CLAUTO)

NEW QUESTION 1

```
#!/usr/bin/env python
import os
import requests

token = os.environ.get('ACCESS_TOKEN')
url = "https://api.ciscopark.com/v1/messages"
roomId = "abcde12345"

mentionName = ""

markdownTxt = mentionName + ", your registration is confirmed"

payload = { "roomId": roomId, "markdown": markdownTxt }

headers = {
    "Authorization": "Bearer " + token,
    "Content-type": "application/json"
}

response = requests.request("POST", url, data=payload, headers = headers)
```

Refer to the exhibit. Which code snippet is used to mention the bot CiscoDevNet@webex.bot?

- A. <@personEmail.CiscoDevNet@webex.bot>
- B. @CiscoDevNet@webex.bot
- C. @personEmail.CiscoDevNet@webex.bot
- D. (@personEmail.CiscoDevNet@webex.bot)

Answer: B

NEW QUESTION 2

```
def my_function(listOfNumbers, b):
    total1 = b
    total2 = 0

    for num in listOfNumbers:
        if num < 5:
            total1 += num
        else:
            total2 += num

    return total1

listOfNums = [4, 3, 9, 1, 7, 2, 9, 0, 6, 8, 5]
a = my_function(listOfNums, 3)
print(a)
```

Refer to the exhibit. Which value of "a" is displayed when the Python code is executed?

- A. 10
- B. 13
- C. 18
- D. 21

Answer: B

NEW QUESTION 3

```
import requests

def createUser(apiKey, email, firstName, lastName, displayName):
    url = "https://api.ciscopark.com/v1/people"
    headers = {
        'Authorization': "Bearer " + apiKey,
        'Content-Type': "application/json"
    }
    body = {
        
    }
    response = requests.post(url = url, headers = headers, json=body)
    return response
```

Refer to the exhibit. Which snippet of code does a user with the administrator role use in the missing "body" section to create a new user in a Webex Teams organization?

- A. `"displayName": displayName,`
`"firstName": firstName,`
`"lastName": lastName`
- B. `"emails": {`
`email`
`},`
`"displayName": displayName,`
`"firstName": firstName,`
`"lastName": lastName`
- C. `"email": email,`
`"displayName": displayName,`
`"firstName": firstName,`
`"lastName": lastName`
- D. `"emails": [`
`email`
`],`
`"displayName": displayName,`
`"firstName": firstName,`
`"lastName": lastName`

Answer: C

NEW QUESTION 4

A Webex Teams bot receives a Webhook payload, which notifies the bot that a message was created in a space. Which two API requests must be issued for the bot to answer the author of the message? (Choose two.)

- A. POST /v1/messages
- B. GET /v1/messages/{messageId}
- C. GET /v1/webhooks/{webhookId}
- D. PUT /v1/messages/{messageId}
- E. POST /v1/webhooks

Answer: CE

NEW QUESTION 5

Refer to the exhibit. The code includes the beginning of a short Python script that is constructed to notify the guard in case of an intruder alert. Which code snippet completes the script?

- A.

```
request.put('https://api.ciscospark.com/v1/rooms' + room,
            headers = {'Authorization': 'Bearer' + token },
            data = {
                'toPersonEmail' : 'guard2319@perimeter.net',
                'html' : '<b>Warning!</b> Intruder alert in Section 12'
            }
        )
```
- B.

```
request.post('https://api.ciscospark.com/v1/messages',
            headers = {'Authorization': 'Bearer' + token },
            data = {
                'roomId' : 'Perimeter Guard Space',
                'markdown' : '**Warning!** Intruder alert in Section 12'
            }
        )
```
- C.

```
request.post('https://api.ciscospark.com/v1/rooms' + room,
            headers = {'Authorization': 'Bearer' + token },
            data = {
                'text' : 'Warning! Intruder alert in Section 12'
                'markdown' : '**Warning!** Intruder alert in Section 12'
            }
        )
```
- D.

```
request.post('https://api.ciscospark.com/v1/messages',
            headers = {'Authorization': 'Bearer' + token },
            data = {
                'toPersonEmail' : 'guard2319@perimeter.net',
                'markdown' : '**Warning!** Intruder alert in Section 12'
            }
        )
```

Answer: A

NEW QUESTION 6

Which two Webex technologies can be used to embed voice and video collaboration into a company web page? (Choose two.)

- A. Webex Teams Widgets
- B. Webex Teams Browser SDK
- C. Webex Meetings XML API
- D. Webex Teams REST API
- E. Webex Teams Java SDK

Answer: AC

NEW QUESTION 7

Which statement is true for JavaScript Macros deployed on a Cisco Collaboration room device?

- A. Macros can register to receive any event that is local to the device.
- B. There is no hard limit to the number of macros that can be deployed.
- C. A macro can store data using a local JavaScript datastore.
- D. Macros execute in the order defined in the Macro Editor.

Answer: C

NEW QUESTION 8

```

from pyxows import xows
import asyncio

async def main():

    async with xows.XoWSClient( '10.10.20.153', 'integrator', 'integrator' ) as client:

        async def callback( data, id ):
            print( f'Call status event: { data }' )

        

        await client.wait_until_closed()

asyncio.run( main() )

```

Refer to the exhibit. This exhibit is a simple Python scrip to monitor call activity for a local Webex room device. Which code snippet listens for call events and completes the script?

- A. await client.xfeedback(['Status', 'Call', 'Status'], callback, False)
- B. await client.subscribe(['Feedback', 'Call', 'Status'], callback, False)
- C. await client.subscribe(['Status', 'Call', 'Status'], callback, False)
- D. await client.xfeedback(['Feedback', 'Call', 'Status'], callback, False)

Answer: C

NEW QUESTION 9

What is the expiration time for a Cisco Webex Meeting API key to access the Webex API as an anonymous user?

- A. 3 months
- B. 12 hours
- C. one week
- D. 6 months

Answer: D

NEW QUESTION 10

Which Cisco Meeting Server REST API object resource is used to retrieve active call information?

- A. /activecalls
- B. /calls
- C. /getactivecalls
- D. /callProfiles

Answer: B

NEW QUESTION 10

Which two methods can be used to add a custom UI panel to a Webex room device? (Choose two.)

- A. Import an existing panel configuration file by connecting a USB storage drive to the device.
- B. Use xAPI to push a JSON panel configuration to the device.
- C. Create a panel using the device UI Extensions Editor (previously In-Room Controls).
- D. Restore a device backup file present on a PC that contains a panel configuration.
- E. From a T-shell session, use the git command to merge the XML configuration of a panel.

Answer: AE

NEW QUESTION 13

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

300-835 Practice Exam Features:

- * 300-835 Questions and Answers Updated Frequently
- * 300-835 Practice Questions Verified by Expert Senior Certified Staff
- * 300-835 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * 300-835 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 300-835 Practice Test Here](#)