

AZ-300 Dumps

Microsoft Azure Architect Technologies

<https://www.certleader.com/AZ-300-dumps.html>



NEW QUESTION 1

- (Exam Topic 2)

You need to ensure that the solution can meet the scaling requirements for Policy Service. Which Azure Application Insights data model should you use?

- A. an Application Insights trace
- B. an Application Insights metric
- C. an Application Insights dependency
- D. an Application Insights event

Answer: B

NEW QUESTION 2

- (Exam Topic 4)

You need to configure AG1. What should you create?

- A. a basic routing rule
- B. a multi-site listener
- C. a basic listener
- D. a URL path-based routing rule

Answer: D

Explanation:

References:

<https://docs.microsoft.com/en-us/azure/application-gateway/application-gateway-create-url-route-portal>

NEW QUESTION 3

- (Exam Topic 5)

You are developing a workflow solution using Azure technologies.

What should you implement to meet each requirement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement

Tool

Debug the solution by using Visual Studio.

<input type="checkbox"/>	Durable functions only
<input type="checkbox"/>	Logic Apps only
<input type="checkbox"/>	Durable functions and Logic Apps

Use a collection of ready-made actions.

<input type="checkbox"/>	Durable functions only
<input type="checkbox"/>	Logic Apps only
<input type="checkbox"/>	Durable functions and Logic Apps

Deploy the component by using Visual Studio Team Services.

<input type="checkbox"/>	Durable functions only
<input type="checkbox"/>	Logic Apps only
<input type="checkbox"/>	Durable functions and Logic Apps

- A. Mastered
- B. Not Mastered


Answer: A

Explanation:


Requirement

Tool


Debug the solution by using Visual Studio.



Use a collection of ready-made actions.



Deploy the component by using Visual Studio Team Services.



NEW QUESTION 4

- (Exam Topic 5)

You have two subscriptions named Subscription1 and Subscription2. Each subscription is associated to a different Azure AD tenant. Subscription1 contains a virtual network named VNet1. VNet1 contains an Azure virtual machine named VM1 and has an IP address space of 10.0.0.0/16. Subscription2 contains a virtual network named VNet2. VNet2 contains an Azure virtual machine named VM2 and has an IP address space of 10.10.0.0/24. You need to connect VNet1 to VNet2. What should you do first?

- A. Modify the IP address space of VNet2
- B. Move VM1 to Subscription.
- C. Provision virtual network gateways.
- D. Move VNet1 to Subscription2.

Answer: C

NEW QUESTION 5

- (Exam Topic 5)

You have an Azure subscription named Subscription1 that contains an Azure virtual machine named VM1. VM1 is in a resource group named RG1. VM1 runs services that will be used to deploy resources to RG1. You need to ensure that a service running on VM1 can manage the resources in RG1 by using the identity of VM1. What should you do first?

- A. From the Azure portal, modify the Access control (IAM) settings of RG1.
- B. From the Azure portal, modify the Policies settings of RG1.
- C. From the Azure portal, modify the Access control (IAM) settings of VM1.
- D. From the Azure portal, modify the value of the Managed Service Identity option for VM1.

Answer: D

Explanation:

References:

<https://docs.microsoft.com/en-us/azure/active-directory/managed-identities-azure-resources/overview>

NEW QUESTION 6

- (Exam Topic 5)

You have an Azure Storage accounts as shown in the following exhibit.

Storage accounts

Contoso

+ Add Edit columns Refresh Assign Tags Delete

Subscriptions: All 2 selected = Don't see a subscription? [Switch directories](#)

*Filter by name All subscriptions v All resource groups v All types v All locations v No grouping v

3 items

NAME	TYPE	KIND	RESOURCE...	LOCATION	SYBSCRIPTI..	ACCESS T...	REPLICAT..
storageaccount1	Storage account	Storage	ContosoRG1	East US	Subscription 1	.	Read-access ge..
storageaccount2	Storage account	StorageV2	ContosoRG1	Central US	Subscription 1	Hot	Geo-redundant
storageaccount3	Storage account	BlobStorage	ContosoRG1	East US	Subscription 1	Hot	Locally-redund

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

You can use [answer choice] for Azure Table Storage.

- storageaccount1 only
- storageaccount2 only
- storageaccount3 only
- storageaccount1 and storageaccount2 only
- storageaccount2 and storageaccount3 only

You can use [answer choice] for Azure Blob Storage.

- storageaccount3 only
- storageaccount2 and storageaccount3 only
- storageaccount1 and storageaccount3 only
- all the storage accounts

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:
<https://docs.microsoft.com/en-us/azure/storage/common/storage-account-overview>

NEW QUESTION 7

- (Exam Topic 5)


You have an Azure subscription that contains the following resources:

- a virtual network named VNet1
- a replication policy named RepIPoHcy1
- a Recovery Services vault named Vault1
- an Azure Storage account named Storage1

You have an Amazon Web Services (AWS) EC2 virtual machine named VM1 that runs Windows Server 2016.

You need to migrate VM1 to VNet1 by using Azure Site Recovery.


Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 8

- (Exam Topic 5)

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company backs up data to on-premises servers at their main facility. The company currently has 30 TB of archived data that infrequently used. The facility has download speeds of 100 Mbps and upload speeds of 20 Mbps.

You need to securely transfer all backups to Azure Blob Storage for long-term archival. All backup data must be sent within seven days.

Solution: Backup data to local disks and use the Azure Import/Export service to send backups to Azure Blob Storage.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 9

- (Exam Topic 5)

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company backs up data to on-premises servers at their main facility. The company currently has 30 TB of archived data that infrequently used. The facility has download speeds of 100 Mbps and upload speeds of 20 Mbps.

You need to securely transfer all backups to Azure Blob Storage for long-term archival. All backup data must be sent within seven days.

Solution: Create a file share in Azure Files. Mount the file share to the server and upload the files to the file share. Transfer the files to Azure Blob Storage.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 10

- (Exam Topic 5)

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company backs up data to on-premises servers at their main facility. The company currently has 30 TB of archived data that infrequently used. The facility has download speeds of 100 Mbps and upload speeds of 20 Mbps.

You need to securely transfer all backups to Azure Blob Storage for long-term archival. All backup data must be sent within seven days.

Solution: Use the Set-AzureStorageBlobContent Azure PowerShell command to copy all backups asynchronously to Azure Blob Storage.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 10

- (Exam Topic 5)

You are developing a solution that requires serverless code execution in Azure. The solution has two functions that must run in a specific order. You need to ensure that the second function can use the output from the first function.

How should you complete the code? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

```
public static async Task<object> Run (
```

- DurableOrchestrationContext
- DurableActivityContext
- DurableOrchestrationClient
- DurableOrchestrationStatus

C)

```
{  
try  
{
```

```
var flResult = await c.
```

- CallActivityAsync
- CallSuborchestratorAsync
- WaitForExternalEvent

```
<object>("AzureFunction01", null);
```

```
return await c.  
}
```

- CallActivityAsync
- CallSubOrchestratorAsync
- WaitForExternalEvent

```
<object>("AzureFunction02", flResult);
```

```
catch (Exception e)  
{  
...  
}  
}
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

```

public static async Task<object> Run (
    DurableOrchestrationContext
    DurableActivityContext
    DurableOrchestrationClient
    DurableOrchestrationStatus
)
{
    try
    {
        var f1Result = await c.
            CallActivityAsync |
            CallSubOrchestratorAsync
            WaitForExternalEvent
        <object>("AzureFunction01", null);

        return await c.
            CallActivityAsync |
            CallSubOrchestratorAsync
            WaitForExternalEvent
        <object>("AzureFunction02", f1Result);
    }
    catch (Exception e)
    {
        ...
    }
}

```

NEW QUESTION 12

- (Exam Topic 5)

You have an Azure Active Directory (Azure AD) tenant that has the initial domain name. You have a domain name of contoso.com registered at a third-party registrar.

You need to ensure that you can create Azure AD users that have names containing a suffix of @contoso.com. Which three actions should you perform in sequence? To answer, move the appropriate cmdlets from the list of cmdlets to the answer area and arrange them in the correct order.

Actions

- Add an Azure AD tenant.
- Create an Azure DNS zone.
- Verify the domain.
- Configure company branding.
- Add a record to the public contoso.com DNS zone.
- Add a custom domain name.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/azure/active-directory/fundamentals/add-custom-domain>

NEW QUESTION 17

- (Exam Topic 5)

You have an on-premises network that contains a Hyper-V host named Host1. Host1 runs Windows Server 2016 and hosts 10 virtual machines that run Windows Server 2016.

You plan to replicate the virtual machines to Azure by using Azure Site Recovery. You create a Recovery Services vault named ASR1 and a Hyper-V site named Site1. You need to add Host1 to ASR1.

What should you do?

- A. Download the installation file for the Azure Site Recovery Provider. Download the storage account key. Install the Azure Site Recovery Provider on each virtual machine and register the virtual machines.
- B. Download the installation file for the Azure Site Recovery Provider. Download the vault registration key. Install the Azure Site Recovery Provider on Host1 and register the server.
- C. Download the installation file for the Azure Site Recovery Provider. Download the storage account key. Install the Azure Site Recovery Provider on Host1 and register the server.
- D. Download the installation file for the Azure Site Recovery Provider. Download the vault registration key. Install the Azure Site Recovery Provider on each virtual machine and register the virtual machines.

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/azure/site-recovery/hyper-v-azure-tutorial>

NEW QUESTION 19

- (Exam Topic 5)

You maintain an existing Azure SQL Database instance. Management of the database is performed by an external party. All cryptographic keys are stored in an Azure Key Vault.

You must ensure that the external party cannot access the data in the SSN column of the Person table

Will each protection method meet the requirement? To answer, drag the appropriate responses to the correct protection methods. Each response may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point

Responses	Answer Area	
<input type="checkbox"/> Yes <input type="checkbox"/> No	Protection method Enable AlwaysOn encryption. Set the column encryption setting to disabled. Assign users to the Public fixed database role. Store column encryption keys in the system catalog view in the database.	Response <input type="text" value="Response"/> <input type="text" value="Response"/> <input type="text" value="Response"/> <input type="text" value="Response"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/azure/security/azure-database-security-overview>

NEW QUESTION 21

- (Exam Topic 5)

You are developing a speech-enabled home automation control bot. The bot interprets some spoken words incorrectly.

You need to improve the spoken word recognition for the bot. What should you implement?

- A. The Skype for Business Channel and use scorable dialogs for improving conversation flow.
- B. The Web Chat Channel and Speech priming using a Bing Speech Service and LUIS app.
- C. The Skype Channel and use scorable dialogs for improving conversation flow.
- D. The Cortana Channel and use scorable dialogs for improving conversation flow.

Answer: B

NEW QUESTION 22

- (Exam Topic 5)

You have an Azure subscription named Subscription1 that contains two Azure networks named VNet1 and VNet2. VNet1 contains a VPN gateway named

VPNGW1 that uses static routing. There is a site-to-site VPN connection between your on-premises network and VNet1. On a computer named Client1 that runs Windows 10, you configure a point-to-site VPN connection to VNet1. You configure virtual network peering between VNet1 and VNet2. You verify that you can connect to VNet2 from the on-premises network. Client1 is unable to connect to VNet2. You need to ensure that you can connect Client1 to VNet2. What should you do?

- A. Select Allow gateway transit on VNet1
- B. Download and re-install the VPN client configuration package on Client1
- C. Enable BGP on VPNGW1.
- D. Select Allow gateway transit on VNet2.

Answer: B

Explanation:

References:
<https://docs.microsoft.com/en-us/azure/vpn-gateway/vpn-gateway-about-point-to-site-routing>

NEW QUESTION 27

- (Exam Topic 5)
You have the following resource groups:

Resource group	Comments
DevServer_WestCentralUS	This resource group is located in the West Central US region and contains a single virtual machine (VM) named DevServer. DevServer is connected to a private subnet in an Azure Virtual Network that has no internet access.
Workstation_EastUS	This resource group is located in the East US region and contains a VM named DevWorkstation. DevWorkstation is connected to a subnet in a Virtual Network and is configured with a public IP address. A network security group has been configured to allow public incoming remote desktop protocol (RDP) connections to the DevWorkstation.

Developers must connect to Dev Server only through Dev Workstation. To maintain security, Dev Server must not accept connections from the internet. You need to create a private connection between the Dev Workstation and Dev Server. Dev Workstation using their private IP addresses. Does the solution meet the goal?

- A. Yes
- B. NO

Answer: A

NEW QUESTION 28

- (Exam Topic 5)
You have an Azure Service Bus.
You need to implement a Service Bus queue that guarantees first-in-first-out (FIFO) delivery of messages. What should you do?

- A. Enable partitioning
- B. Enable duplicate detection
- C. Set the Lock Duration setting to 10 seconds
- D. Enable sessions
- E. Set the Max Size setting of the queue to 5 GB

Answer: D

Explanation:

References:
<https://docs.microsoft.com/en-us/azure/service-bus-messaging/service-bus-azure-and-service-bus-queuescompar>

NEW QUESTION 32

- (Exam Topic 5)
You plan to deploy five virtual machines to a virtual network subnet. Each virtual machine will have a public IP address and a private IP address. Each virtual machine requires the same inbound and outbound security rules. What is the minimum number of network interfaces and network security groups that you require? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Minimum number of network interfaces:

	▼
5	
10	
15	
20	

Minimum number of network security groups:

	▼
1	
2	
5	
10	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Minimum number of network interfaces:

	▼
5	
10	
15	
20	

Minimum number of network security groups:

	▼
1	
2	
5	
10	

NEW QUESTION 35

- (Exam Topic 5)

You have a task that includes a WebJob that should run continuously. The WebJob Log exhibit shows the text that is displayed when the WebJob runs. (Click the WebJob Log tab.)

Continuous WebJob Details WebJob1

Pending restart

Run commans: WebJob1.exe

[Toggle Output](#)

Refreshed a moment ago, [refresh](#) or [download](#)

```
[08/18/2018 17:28:24 > e013ed:SYS INFO] Run script 'WebJob1.exe' with script host -
'WindowsScriptHost'
[08/18/2018 17:28:24 > e013ed:SYS INFO] Status changed to Running
[08/18/2018 17:28:25 > e013ed:INFO] WebJob Started
[08/18/2018 17:28:25 > e013ed:SYS INFO] Status changed to Success
[08/18/2018 17:28:25 > e013ed:SYS INFO] Process went down waiting for 60 seconds
[08/18/2018 17:28:25 > e013ed:SYS INFO] Status changed to PendingRestart
```

The WebJob is configured as shown in the WebJob Configuration exhibit. (Click the WebJob Configuration tab.)

WebApp0909 - WebJobs
App Service

Search (Ctrl+/)

[+ Add](#)
[Refresh](#)
[Logs](#)
[Delete](#)
[Properties](#)

WebJobs
WebJobs provide an easy way to run scripts or programs as background processes in the context of your app.

NAME	TYPE	STATUS	SCHEDULE
WebJob1	Continuous	Pending Restart	n/a

[Authentication / Authorization](#)
[Application Insights](#)
[Managed service identity](#)
[Backups](#)
[Custom domains](#)
[SSL certificates](#)
[Networking](#)
[Scale up \(App Service plan\)](#)
[Scale out \(App Service plan\)](#)
[WebJobs](#)

The WebJob is not functioning as expected. The WebJob Code exhibit has a comment that shows where code should be added. (Click the WebJob Code tab.)

```

0 references
8 class Program
9 {
10 private static Timer workTimer = new Timer();
11
12 | 0 references
12 static void Main()
13 {
14 |     Trace.WriteLine("WebJob Setup Starting");
15 |     var config = new JobHostConfiguration();
16 |
17 |     if (config.IsDevelopment)
18 |     {
19 |         config.UseDevelopmentSettings()
20 |     }
21 |
22 |     workTimer.Interval = TimeSpan.FromSeconds(10).TotalMilliseconds;
23 |     workTimer.Elapsed += WorkTimer_Elapsed;
24 |     workTimer.AutoReset = true;
25 |     workTimer.Enabled = true;
26 |
27 |     Console.WriteLine("WebJob Started");
28 }
28
| 1 reference
30 private static void WorkTimer_Elapsed(object sender, ElapsedEventArgs e)
31 {
32 |     Console.WriteLine("Workload Processing");
33 |     //ToDo-Implement code
34 |     Trace.WriteLine("Workload Complete");
35 | }
36 }
37

```

You need to identify any issues with the WebJob. For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

	Yes	No
The WebJob will run continuously as the code is written.	<input type="radio"/>	<input type="radio"/>
The text WebJob Setup Srarting will output to the WebJob Logs.	<input type="radio"/>	<input type="radio"/>
The timer-elapsed code will be invoked and run at least once.	<input type="radio"/>	<input type="radio"/>
The WebJob settings are properly configured in the Azure portal.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

	Yes	No
The WebJob will run continuously as the code is written.	<input type="radio"/>	<input checked="" type="radio"/>
The text WebJob Setup Starting will output to the WebJob Logs.	<input type="radio"/>	<input checked="" type="radio"/>
The timer-elapsed code will be invoked and run at least once.	<input checked="" type="radio"/>	<input type="radio"/>
The WebJob settings are properly configured in the Azure portal.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 40

- (Exam Topic 5)

You are creating an IoT solution using Azure Time Series Insights.

You configure the environment to ensure that all data for the current year is available. What should you do?

- A. Add a disaster recovery (DR) strategy.
- B. Set a value for the Data retention time setting.
- C. Change the pricing tier.
- D. Create a reference data set.

Answer: D

NEW QUESTION 41

- (Exam Topic 5)

You are developing an Azure Function that will be triggered using a webhook from an external application. The Azure Function will receive JSON data in the body of the request.

Calling applications send an account ID as part of the URL. The number at the end of the URL is an integer. The format for the URL resembles the following: /api/account/1

The Azure Function must accept all incoming requests without requiring keys or tokens. You need to complete the attributes for the Azure Function.

How should you complete the code? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

```
[
  [
    FunctionName
    RouteAttribute
    QueueTrigger
    HttpTrigger
  ] ("ProcessItem")
]

public static async Task<HttpResponseMessage> Run(

[
  BlobTrigger
  FileTrigger
  QueueTrigger
  HttpTrigger
] (AuthorizationLevel. [
  Anonymous
  Admin
  User
  Function
] , "post",

Route = " [
  /api/account/1
  ProcessItem/{accountId:int}
  account/{accountId:int}
  /account/
] ]HttpRequestMessage req,

[
  string accountId
  int accountId
  [FromBody] string accountId
  int account
] , TraceWriter log)

{
  Item itemToProcess = await req.Content.ReadAsAsync<Item>();
  log.Info($"Processing item {itemToProcess.Id} for account {accountId}");
  var processedItem = DoItemProcessing(itemToProcess);
  return req.CreateResponse(HttpStatusCode.OK, processedItem);
}
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

```

[
    {
        FunctionName
        RouteAttribute
        QueueTrigger
        HttpTrigger
    }
] ("ProcessItem")

public static async Task<HttpResponseMessage> Run(

[
    {
        BlobTrigger
        FileTrigger
        QueueTrigger
        HttpTrigger
    }
] (AuthorizationLevel.

[
    Anonymous
    Admin
    User
    Function
] , "post",

Route = "
    /api/account/1
    ProcessItem/{accountId:int}
    account/{accountId:int}
    /account/
] ]HttpRequestMessage req,

[
    string accountId
    int accountId
    [FromBody] string accountId
    int account
] , TraceWriter log)

{
    Item itemToProcess = await req.Content.ReadAsAsync<Item>();
    log.Info($"Processing item {itemToProcess.Id} for account {accountId}");
    var processedItem = DoItemProcessing(itemToProcess);
    return req.CreateResponse(HttpStatusCode.OK, processedItem);
}

```

NEW QUESTION 46

- (Exam Topic 5)

You are developing an internal website for employee to view sensitive data. The website uses Azure Directory (AAD) for authentication.

You need to implement multifactor authentication for the website. What should you do? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Upgrade to Azure AD premium.
- B. In Azure ACL enable application pages.
- C. Configuration the website to user Azure AD BDC.
- D. In Azure AD conditional access enable the baseline policy.
- E. In Azure AD create a new conditional access policy.

Answer: CE

NEW QUESTION 48

- (Exam Topic 6)

You need to debug the user greeting issue. What should you use?

- A. Azure Application Insights
- B. Bot Framework Emulator
- C. Bot Framework Channel Inspector
- D. Bot Connector service
- E. Azure Compute Emulator


Answer: A

NEW QUESTION 52

- (Exam Topic 6)

You need to update the Inventory API.

Which development tools should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.




A. Mastered

B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 57

- (Exam Topic 6)

You need to resolve the language processing issue.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them on the correct order.

Actions


Answer Area

- Publish the LUIS app.
- Add new utterances and entities.
- Add new intents.
- Create a new LUIS app.
- Train the LUIS app.
- Add names for Italian cuisine to Azure Search.
- Add the Azure Search provider to the bot.

A. Mastered
B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 58

- (Exam Topic 6)

You need to implement the purchase requirement. What should you do?

- A. Use the Bot Framework REST API conversation operations to send the user's voice and the Speech Service API to recognize intents.
- B. Use the Direct Line REST API to send the user's voice and the Speech Service API to recognize intents.
- C. Use the Speech Service API to send the user's voice and the Bot Framework REST API conversation operations to recognize intents.
- D. Use the Bot Framework REST API attachment operations to send the user's voice and the Speech Service API to recognize intents.

Answer: A

NEW QUESTION 59

- (Exam Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals.

You need to meet the vendor notification requirement.

Solution: Configure notifications in the Azure API Management instance. Does the solution meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/azure/api-management/api-management-howto-configure-notifications>

NEW QUESTION 63

- (Exam Topic 6)

You need to meet the security requirements. What should you use?

- A. HTTP Strict Transport Security (HSTS)
- B. Direct Line API
- C. Multi-Factor Authentication (MFA)
- D. Bot Framework Portal

E. Bot Framework authentication

Answer: E

NEW QUESTION 67

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your AZ-300 Exam with Our Prep Materials Via below:

<https://www.certleader.com/AZ-300-dumps.html>