

70-778 Dumps

Analyzing and Visualizing Data with Microsoft Power BI (beta)


<https://www.certleader.com/70-778-dumps.html>



NEW QUESTION 1

You have two tables named CustomerVisits and Date in a Power BI model.

You create a measure to calculate the number of customer visits. You use the measure in the report shown in the exhibit. (Click the Exhibit.)



You discover that the total number of customer visits was 60,000, and that there were only 5,000 customer visits in August. You need to fix the report to display the correct data for each month. What should you do?

- A. Create a relationship between the CustomerVisits table and the Date table.
- B. Create a hierarchy in the Date table.
- C. Modify the measure to use the CALCULATE DAX function.
- D. Modify the measure to use the SUM DAX function.

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/power-bi/desktop-create-and-manage-relationships> <https://docs.microsoft.com/en-us/power-bi/desktop-tutorial-create-measures>

NEW QUESTION 2

From Power BI Desktop, you publish an app that contains one dashboard and one report. Q&A is enabled on the dashboard.

In Q&A, a user types the query count of clients and fails to receive any results. The user then types the query count of subscribers and received the expected results.

You need to ensure that the user can use both queries to receive the same results.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Update the app form powerbi.com

Delete and publish the app.

Edit the synonyms.

Publish the report to App Workspaces.

Enable and configure Data classification for dashboards.

Edit the dashboard settings from powerbi.com

Open the report by using Power BI Desktop.

Answer Area







- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Delete and publish the app.

Edit the dashboard settings from powerbi.com

Edit the synonyms.

Update the app form powerbi.com

NEW QUESTION 3

You create a dashboard that displays the results of a customer satisfaction survey. You need to embed a tweet from your company's Twitter feed into the dashboard. What should you do?

- A. To the dashboard, add a tile that uses a web content source.
- B. To the dashboard, add a tile that uses a PubNub content source.

- C. Edit the report and import a visualization from a file
- D. Pin the visualization to the dashboard.
- E. Edit the report and import a visualization from the marketplace
- F. Pin the visualization to the dashboard.

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/power-bi/service-dashboard-add-widget>

NEW QUESTION 4

Your company has a security policy stating that proprietary data must not be transferred over the Internet. During a security audit, auditors discover that executives use the Power BI service for reporting. You need to recommend a solution to ensure that the company adheres to the security policy. What should you include in the recommendation?

- A. Microsoft SQL Server column encryption
- B. Microsoft Azure ExpressRoute
- C. a site-to-site VPN to Microsoft Azure
- D. the on-premises gateway for Power BI

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/power-bi/service-admin-power-bi-expressroute>

NEW QUESTION 5

You plan to use Power BI Embedded to deliver reports in a web application. You need to ensure that the reports display live data. Which data source should you use?

- A. Microsoft Azure Data Lake Store
- B. Microsoft Azure Table Storage
- C. Microsoft Azure HDInsight
- D. Microsoft Azure SQL Database

Answer: D

Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/service-azure-sql-database-with-direct-connect>

NEW QUESTION 6

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is the same in each question in this series.

Start of repeated scenario

You have a Microsoft SQL Server database that contains the following tables.

Table name	Column name	Data type
Order	Order_ID	Integer
	Order_date	Integer
	Order_amount	Currency
	Customer_ID	Integer
	Order_ship_date	Integer
	Store_ID	Integer
Customer	Customer_ID	Integer
	First_name	Varchar(100)
	Last_name	Varchar(100)
	Customer_photo	Binary
Date	Date_ID	Integer
	Date_name	Datetime
	Month	Integer
	Week	Integer
	Year	Integer
Monthly_returns	Month_ID	Integer
	Total_returns	Float
	Store_ID	Varchar(100)
Store	Store_ID	Integer
	Name	Varchar(100)
	City	Varchar(100)
	Sales_target	Float

The following columns contain date information:

- Date[Month] in the mmyyyy format
 - Date[Date_ID] in the ddmmyyyy format
 - Date[Date_name] in the mm/dd/yyyy format
 - Monthly_returns[Month_ID] in the mmyyyy format
- The Order table contains more than one million rows.

The Store table has a relationship to the Monthly_returns table on the StoreID column. This is the only relationship between the tables.

You plan to use Power BI Desktop to create an analytics solution for the data. End of repeated scenario.

You need to create a chart that displays a sum of Order[Order_amount] by month for the Order_ship_date column and the Order_date column.

How should you model the data?

- A. Add a second Date table named Ship_date to the model
- B. Create a many-to-many relationship from Date[Date_ID] to Order [Order_date] and a many-to-many relationship from Ship_date[DateID] to Order[Order_ship_date].
- C. Add a second Date table named Ship_date to the model
- D. Create a one-to-many relationship from Date[Date_ID] to Order [Order_date] and a one-to-many relationship from Ship_date[Date_ID] to Order[Order_ship_date].
- E. Create a one-to-many relationship from Date[Date_ID] to Order[Order_date] and another relationship from Date[Date_ID] to Monthly_returns[Date_ID].
- F. Create a one-to-many relationship from Date[Date_ID] to Order[Order_date] and another relationship from Date[Date_ID] to Order[Order_ship_date].

Answer: D

NEW QUESTION 7

You create a report in the Power BI service that displays the following visualizations:

- A KPI that displays the count of customers
- A table that displays the count of customers by country
- A line chart that displays the count of customers by year

You need to receive an alert when the total number of customers reaches 10,000. What should you do first?

- A. Pin the line chart to a dashboard.
- B. Pin the KPI to a dashboard.
- C. Embed the report into a Microsoft SharePoint page.
- D. Pin the report to a dashboard.

Answer: D

NEW QUESTION 8

You have two Microsoft SQL Server database servers named SQLProd and SQLDev. SQLDev contains the same tables as SQLProd, but only a subset of the data in SQLProd.

You create a new Power BI Desktop model that uses 120 tables from SQLDev. You plan to publish the Power BI file to the Power BI service.

You need to connect the model to the tables in SQLProd. The solution must minimize administrative effort.

What should you do from Query Editor before you publish the model?

- A. Create a new connection to SQLProd, and then import the tables from SQLProd.
- B. Delete the existing queries, and then add new data sources.

- C. Configure the Data source settings.
- D. Edit the source of each table query.

Answer: D

Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/desktop-analysis-services-tabular-data>

NEW QUESTION 9

You have a Microsoft Excel workbook that contains two tables.

From Power BI, you create a dashboard that displays data from the tables. You update the tables each day.

You need to ensure that the visualizations in the dashboard are updated daily.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

NOTE. More than one order of answer choices is correct. You will receive credit for any of the correct orders you select.

Actions

Answer Area

Download and install an on-premises data gateway (personal).

Configure the Gateway Connection settings for the dataset.

Add subscriptions for the reports.

Download and install Power BI Desktop.

Configure the Schedule Refresh settings for the dataset.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/refresh-scheduled-refresh>

NEW QUESTION 10

You have a query that uses a Microsoft Excel data source. The data source contains the following table.

GeoCode	CustomerCount	2014	2015	2016	2017
MA	2300	38885900	40830195	46954724.25	49302460.46
SD	1200	3993773.76	4193461.65	3983788.56	4182977.99
PA	340	89433932.54	93905628.6	98600910.03	103530955.5
NC	890	2000243.76	2100255.15	2289278.15	2403742.01
US	7777	6994777.75	7344515.85	9180644.81	9639677.05

You need the data to appear as shown in the following table.

GeoCode	CustomerCount	Attribute	Value
MA	2300	2014	38885900
MA	2300	2016	46954724.25
MA	2300	2017	49302460.46
SD	1200	2014	3993773.76
SD	1200	2015	4193461.65
SD	1200	2016	3983788.56
SD	1200	2017	4182977.99
PA	340	2014	89433932.54
PA	340	2015	93905628.6
PA	340	2016	98600910.03
PA	340	2017	103530955.5
NC	890	2014	2000243.76
NC	890	2015	2100255.15
NC	890	2016	2289278.15
NC	890	2017	2403742.01
US	7777	2014	6994777.75
US	7777	2015	7344515.85
US	7777	2016	9180644.81
US	7777	2017	9639677.05

What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.



Answer Area

Columns to select:
 GeoCode only
 GeoCode and CustomerCount
 2014, 2015, 2016, and 2017

Command to use:
 Pivot Column
 Reverse Rows
 Unpivot Columns

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Columns to select:
 GeoCode only
 GeoCode and CustomerCount
 2014, 2015, 2016, and 2017

Command to use:
 Pivot Column
 Reverse Rows
 Unpivot Columns

NEW QUESTION 10

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an app workspace that contains a report. The report contains sensitive data.

You need to ensure that you can embed the report into a custom application that will be accessed by external users. The external users will NOT have a Microsoft Azure Active Directory user account or Power BI licenses.

Solution: From Publish to web, generate an iFrame. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 15

You create an app workspace named Wingtip Sales. Wingtip Sales is configured as shown in the following exhibit.

Create an app workspace

Name your workspace
Wingtip Sales

Workspace ID
wingtipsales

Available

Private - Only approved members can see what's inside

Members can edit Power BI content

Add workspace members

Enter email addresses

Add

austin@wingtip toys.com	Admin	▼	🗑️
maxwel@wingri toys.com	Member	▼	🗑️
james@wingri toys.com	Member	▼	🗑️

Advanced ^

Dedicated capacity ⓘ

Off

Save Cancel

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

Answer Area

The one task that Austin is permitted to perform, but the other members are not permitted to perform, is [answer choice].

- add other users as members
- create a new dashboard
- pin a report visualization to a dashboard
- publish a PBIX file

To make the content in Wingtip Sales available to users who have the free Power BI license, you must first [answer choice].

- add all the users as workspace members
- change the app workspace from Private to Public
- purchase Power BI Premium

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

The one task that Austin is permitted to perform, but the other members are not permitted to perform, is [answer choice].


- add other users as members
- create a new dashboard
- pin a report visualization to a dashboard
- publish a PBIX file

To make the content in Wingtip Sales available to users who have the free Power BI license, you must first [answer choice].

- add all the users as workspace members
- change the app workspace from Private to Public
- purchase Power BI Premium

NEW QUESTION 18

You plan to create a Power BI report. You have the schema model shown in the exhibit. (Click the exhibit).



The model has the following relationships:

- Store the District based on DistrictID
- Sales to Store based on LocationID
- Sales to Date based on PeriodID
- Sales to Item based on ItemID

You configure row-level security (RLS) so that the district managers of the stores only see the sales from the stores they manage.

When the district managers view the sales report, they see Sales by Items for all stores.

You need to ensure that the district managers can see Sales by items for the stores they manage only. How should you configure the relationship from Sales to Item?

- A. Change the Cardinality to One to one (1:1).
- B. Change the Cardinality to One to Many (1.*).
- C. Select Assume Referential Integrity.
- D. Change the Cross filter direction to Both.

Answer: D

Explanation:

References: <https://powerbi.microsoft.com/en-us/guided-learning/powerbi-admin-rls/>

NEW QUESTION 20

You have a Power BI dashboard that displays different visualizations of company sales. You enable Q&A on the dashboard.

You need to provide users with sample questions that they can ask when using Q&A. Which settings should you modify from the Power BI Settings?

- A. Subscriptions
- B. Dashboards
- C. Datasets
- D. Workbooks

Answer: C

Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/service-q-and-a-create-featured-questions>

NEW QUESTION 24

You have a query that retrieves data from a Microsoft Azure SQL database.

You discover that column named ErrorCode has several values starting with a space character, and a column named SubStatus contains several non-printable characters.

You need to remove all the leading whitespaces from ErrorCode and all the non-printable characters from SubStatus. All other data must be retained.

What should you do on each column? To answer, drag the appropriate tasks to the correct columns. Each task may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Answer Area

ErrorCode:

▼

From the Extract menu, click First Characters.
From the Extract menu, click Length.
From the Extract menu, click Clean.
From the Extract menu, click Trim.

SubStatus:

▼

From the Extract menu, click First Characters.
From the Extract menu, click Length.
From the Extract menu, click Clean.
From the Extract menu, click Trim.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://msdn.microsoft.com/en-us/library/mt260494.aspx> <https://msdn.microsoft.com/en-us/library/mt253328.aspx>

NEW QUESTION 29

You have the following tables.

Table name	Column name	Data Type
Subscriber	SubscriberID	Whole Number
	StartDate	Date
	EndDate	Date
Date	Date	Date
	Day	Text
	Month	Text
	Year	Whole Number

There is a many-to-one relationship from Subscriber to Date that uses Subscriber[StartDate] and Date[Date]. The Cross filter direction of the relationship is set to Single.

You plan to create a column chart that displays the following two measures:

Count of SubscriberID by Month based on the StartDate

Count of SubscriberID by Month based on the EndDate What should you do before you create the measures?

- A. Create an active one-to-one relationship from Subscriber[StartDate] to Date[Date].
- B. Change the Cross filter direction of the active relationship to Both.
- C. Change the active relationship for many-to-one.
- D. Create an inactive many-to-one relationship from Subscriber[StartDate] to Date[Date].

Answer: B

Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/desktop-create-and-manage-relationships>


NEW QUESTION 32

Note: This question is a part of a series of questions that present the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.


Start of repeated scenario

You have a Microsoft SQL Server database that has the tables shown in the Database Diagram exhibit. (Click the Exhibit.)

Database Diagram



You plan to develop a Power BI model as shown in the Power BI Model exhibit. (Click the Exhibit).



You plan to use Power BI to import data from 2013 to 2015. Product Subcategory [Subcategory] contains NULL values. End of repeated scenario. You implement the Power BI model.

You need to add a new column to the Product Subcategory table that uses the following formula. =if [Subcategory] =null then "NA" else [Subcategory] Which command should you use in Query Editor?

- A. Column From Examples
- B. Custom Column
- C. Invoke Custom Function
- D. Conditional Column

Answer: D

Explanation:

References:
<http://community.powerbi.com/t5/Desktop/if-then-else/td-p/117999>

NEW QUESTION 36

You plan to use Power BI Desktop optimized for Power BI Report Server to create a report. The report will be published to Power BI Report Server. You need to ensure that all the visualization in the report can be consumed by users. Which three types of visualizations should you include in the report? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. bubble maps
- B. custom visuals
- C. R visuals
- D. breadcrumbs
- E. funnel charts


Answer: ABE

Explanation:


References:
<https://docs.microsoft.com/en-us/power-bi/report-server/install-powerbi-desktop>

NEW QUESTION 39

You have the visualization shown in the following exhibit.



You need to display the values as shown in the following exhibit.



What should you do?

- A. Create a calculated column that adds the % symbol to the values.
- B. From the Modeling tab, change the Data Type to Percentage.
- C. Edit the query of the data source and change the Data Type to Percentage.
- D. Create a measure that adds the % symbol to the values,

Answer: D

NEW QUESTION 41

A data analyst publishes several Power BI visualizations to a blog.

You discover that some of the visualizations contain data that is considered private by your company. You need to prevent the visualizations from being published to the blog.

What should you do?

- A. From the Power BI Admin portal, disable the Publish to web setting.
- B. From the Power BI settings, delete the embedded codes.
- C. From the Power BI Admin portal, disable the Share content with external users setting.
- D. From the dashboard settings, modify the Share dashboard settings.

Answer: A

Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/service-publish-to-web>

NEW QUESTION 43

You have an app workspace named Retail Store Analysis in the Power BI service.

You need to manage the members that have access to the app workspace using the least amount of administrative effort.

What should you do?

- A. From the Power BI Admin portal, click Usage metrics .
- B. From the Office 365 Admin center, click Groups.
- C. From the Office 365 Admin center, click Users.
- D. From the Power BI Admin portal, click Tenant settings.

Answer: A

NEW QUESTION 48

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Power BI model that contains two tables named Sales and Date. Sales contains four columns named TotalCost, DueDate, ShipDate, and OrderDate. Date contains one column named Date.

The tables have the following relationships: The active relationship is on Sales[DueDate].

You need to create measures to count the number of orders by [ShipDate] and the orders by [OrderDate]. You must meet the goal without duplicating data or loading additional data.

Solution: You create two copies of the Date table named ShipDate and OrderDateGet. You create a measure that uses the new tables.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 53

You have a Microsoft Excel workbook that contains two tables.

From Power BI, you create a dashboard that displays data from the tables. You update the tables each day.

You need to ensure that the virtualizations in the dashboard are updated daily.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to answer area and arrange them in the correct order.

Actions

For each dataset, modify the Schedule Refresh settings.

Download and install an on-premises data gateway (personal).

For each dataset, modify the Gateway Connection settings.

Add subscriptions for the reports.

Download and install Power BI Desktop.

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/refresh-scheduled-refresh>


NEW QUESTION 55

Note: This question is a part of a series of questions that present the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.


Start of repeated scenario

You have a Microsoft SQL Server database that has the tables shown in the Database Diagram exhibit. (Click the Exhibit.)

Database Diagram



You plan to develop a Power BI model as shown in the Power BI Model exhibit. (Click the Exhibit).



You plan to use Power BI to import data from 2013 to 2015. Product Subcategory [Subcategory] contains NULL values. End of repeated scenario. You implement the Power BI model.

You need to add a measure to rank total sales by product. The results must appear as shown in the following table.

Rank	Product	SalesAmount
1	Product3	13,0000
1	Product2	13,0000
2	Product1	12,0000
3	Product5	10,000
3	Product4	10,000

Which DAX formula should you use?

- A. Product Ranking= RANKX (Product, [SalesAmount], , DESC, Skip)
- B. Product Ranking= RANKX (ALL, ('Product'), [SalesAmount], , DESC, Dense)
- C. Product Ranking= RANKX (ALL, ('Product'), [SalesAmount], , DESC, Skip)
- D. Product Ranking= RANKX (ALL ('Product'), [SalesAmount], , Asc, Dense)

Answer: B

Explanation:

References: <https://msdn.microsoft.com/en-us/library/gg492185.aspx>

NEW QUESTION 58

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a user named User1. User1 is a member of a security group named Contoso PowerBI. User1 has access to a workspace named Contoso Workspace. You need to prevent User1 from exporting data from the visualizations in Contoso Workspace.


Solution: From the Microsoft Office 365 Admin center, you remove User1 from the All Users security group. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 63

You open powerbi.com as shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Answer Area

A tenant administrator created a data classification that has a shorthand of [answer choice.]

Customers
Insurance
Insurance Data
Sale

The dashboard uses a dataset named [answer choice].

Customers
Insurance
Insurance Data
Sale

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/service-data-classification>

NEW QUESTION 66

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an app workspace that contains a report. The report contains sensitive data.

You need to ensure that you can embed the report into a custom application that will be accessed by external users. The external users will NOT have a Microsoft Azure Active Directory user account or Power BI licenses.

Solution: Purchase Power BI Premium P1, and then configure the app workspace to run in a dedicated capacity.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/developer/embed-sample-for-customers>

NEW QUESTION 69

Note: This question is a part of a series of questions that present the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario

You have a Microsoft SQL Server database that contains the following tables.

Table name	Column name	Data type
Order	Order_ID	Integer
	Order_date	Datetime
	Order_amount	Currency
	Customer_ID	Integer
	Order_ship_date	Datetime
	Store_ID	Varchar(100)
Customer	Customer_ID	Integer
	First_name	Varchar(100)
	Last_name	Varchar(100)
	Customer_photo	Binary
Date	Date_ID	Integer
	Date_name	Datetime
	Month	Integer
	Week	Integer
	Year	Integer
Monthly_returns	Month_ID	Integer
	Total_returns	Float
	Store_ID	Varchar(100)
Store	Store_ID	Integer
	Name	Varchar(100)
	City	Varchar(100)
	Sales_target	Float

The following columns contain data information:

Date[Month] in the mmyyyy format

Date[Date_ID] in the ddmmyyyy format

Date[Date_name] in the mm/dd/yyyy format

Monthly_returns[Month_ID] in the mmyyyy format

The Order table contains more than one million rows.

The Store table has relationship to the Monthly_returns table on the Store_ID column. This is the only relationship between the tables.

You plan to use Power BI desktop to create an analytics solution for the data.

End of repeated scenario.

You need to configure a KPI indicator to show the monthly sales of a store versus the target sales of the store. How should you configure the KPI indicator? To answer, drag the appropriate column to the correct fields.

Each column may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

COLUMNS	Answer Area
Date[Date_name]	Indicator: COLUMNS
Date[Month]	Trend axis: COLUMNS
Order[Order_amount]	Target goals: COLUMNS
Order[Order_ID]	
Store[Sales-target]	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Indicator : Order[Order_amount] Trend axis = Date[Month]

Target goals = Store[Sales-target]

References:

<https://powerbi.microsoft.com/en-us/guided-learning/powerbi-service-tutorial-kpi/#how-to-create-a-kpi>

NEW QUESTION 73

You have a Power Pivot model that includes a KPI.

You need to create a visualization based on the Power Pivot model as shown in the exhibit. (Click the Exhibit button.)

Year	Month	RevenueTY	RevenueTY Goal	RevenueTY Status
2013	August	\$4,689,121	\$4,521,528	●
	September	\$5,284,376	\$5,455,457	●
	October	\$5,962,371	\$6,418,957	●
	November	\$5,532,316	\$5,770,254	●
	December	\$6,714,041	\$6,771,982	●
2014	January	\$6,748,259	\$6,924,711	●
	February	\$6,999,557	\$7,328,599	●
	March	\$8,938,044	\$8,196,823	●
	April	\$8,518,611	\$8,142,711	●
	May	\$7,982,229	\$7,817,442	●
	June	\$9,183,416	\$9,227,351	●
	July	\$7,451,696	\$7,593,963	●
	August	\$8,068,372	\$7,791,851	●
	September	\$7,669,263	\$7,919,924	●
	October	\$7,813,739	\$7,592,288	●
	November	\$10,322...	\$9,857,259	●

Which type of visualization should you use?

- A. matrix
- B. KPI
- C. multi row card
- D. table

Answer: B

NEW QUESTION 76

You embed a Power BI report in a Microsoft SharePoint Online page.

A user name User1 can access the SharePoint Online page, but the Power BI web part displays the following error message: "This content isn't available".

User1 is unable to view the report.

You verify that you can access the SharePoint Online page and that the Power BI report displays as expected. You need to ensure that User1 can view the report form SharePoint Online.

What should you do?

- A. Publish the app workspace.
- B. Edit the settings of the Power BI web part.
- C. Modify the members of the app workplace.
- D. Share the dashboards in the app workspace.

Answer: C

Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/service-embed-report-spo>

NEW QUESTION 79

Note: This question is a part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has 1,000 users in a Microsoft Office 365 subscription.

A Power BI administrator named Admin1 creates 20 dashboards and shares them with 50 users. You discover that a use name User1 can access all the dashboards.

You need to prevent User1 from accessing all the dashboards.

Solution: From the Power BI Admin portal, you modify the Dashboard settings. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/power-bi/service-admin-administering-power-bi-in-your-organization#how-do>

NEW QUESTION 82

In the Power BI service, you create an app workplace that contains several dashboards.

You need to provide a user named user1@contoso.com with the ability to edit and publish dashboards. What should you do?

- A. Modify the members of the app workspace.
- B. Configure security for the dataset used by the app.
- C. Share the dashboard, and then modify the Access settings of the dashboard.
- D. From the app workspace, click Update app, and then configure the Access settings.

Answer: C

NEW QUESTION 85

Note: This question is a part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Power BI model that contains two tables named Sales and Date. Sales contains four columns named TotalCost, DueDate, ShipDate, and OrderDate.

Date contains two columns named Date and Time.

The tables have the following relationships:

Sales [DueDate] and Date [Date]

Sales [ShipDate] and Date [Date]

Sales [OrderDate] and Date [Date]

The active relationship is on Sales [DueDate].

You need to create measures to count the number of orders by [ShipDate] and orders by [OrderDate]. You must meet the goal without loading any additional data.

Solution: You create measures that use the CALCULATE, COUNT, and FILTER DAX functions. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:


References:

<https://msdn.microsoft.com/en-us/library/ee634966.aspx> <https://msdn.microsoft.com/en-us/library/ee634825.aspx> <https://msdn.microsoft.com/en-us/library/ee634791.aspx>

NEW QUESTION 86

Your organization has a team of power users who recently created 20 Power BI dashboards. The power users share the dashboards with other users in the organization.

When the users attempt to access the dashboards, they receive the error message shown in the exhibit. (Click the Exhibit.)



You need to ensure that all the users can access the dashboards. What should you do first?

- A. From the Microsoft Office 365 Admin center, and the Power BI (free) subscription, and then assign a license to each user.
- B. From the Power BI Admin portal, modify the Privacy Settings.
- C. From the properties of each dashboard, modify the Share dashboard settings.
- D. Instruct each user to install Microsoft Office 2016.

Answer: A

Explanation:

References:

<http://www.nubo.eu/en/blog/2016/12/Enable-PowerBI-On-Office-365/>

NEW QUESTION 91

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Power BI model that contains two tables named Sales and Date. Sales contains four columns named TotalCost, DueDate, ShipDate, and OrderDate. Date contains one column named Date.

The tables have the following relationships: The active relationship is on Sales[DueDate].

You need to create measures to count the number of orders by [ShipDate] and the orders by [OrderDate]. You must meet the goal without duplicating data or loading additional data.

Solution: You create measures that use the CALCULATE, COUNT, and FILTER DAX functions. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

References:

<https://msdn.microsoft.com/en-us/library/ee634966.aspx> <https://msdn.microsoft.com/en-us/library/ee634825.aspx> <https://msdn.microsoft.com/en-us/library/ee634791.aspx>

NEW QUESTION 93

You plan to deploy a Power BI app workspace that will be viewed by 10,000 users. You need to ensure that dashboard data can be updated every 30 minutes. What should you do?

- A. Assign each user a Power BI Pro license.
- B. Store the dataset in Microsoft Azure Storage that uses the Premium storage tier.
- C. Create the app workspace by using an account that is assigned a Power BI Pro license.
- D. Configure the app workspace for Premium capacity.

Answer: D

Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/service-premium>

NEW QUESTION 96

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario.

You have a Microsoft SQL Server database that has the tables shown in the Database Diagram exhibit. (Click the Exhibit button.)

dimGeography
[GeographyKey]
[City]
[StateProvinceCode]
[StateProvinceName]
[CountryRegionCode]
[EnglishCountryRegionName]
[PostalCode]
[SalesTerritoryKey]
[IpAddressLocator]

Sales
[ProductKey]
[OrderDateKey]
[DueDateKey]
[ShipDateKey]
[CustomerKey]
[PromotionKey]
[CurrencyKey]
[SalesTerritoryKey]
[SalesOrderNumber]
[SalesOrderLineNumber]
[OrderQuantity]
[UnitPrice]
[ExtendedAmount]
[UnitPriceDiscountPct]
[DiscountAmount]
ProductStandardCost
[TotalProductCost]
[SalesAmount]
[TaxAmt]
[Freight]
[OrderDate]
[DueDate]
[ShipDate]


dimProduct
[ProductKey]
[ProductSubcategoryKey]
[EnglishProductName]
[Color]
[ListPrice]
[Size]
[StartDate]
[EndDate]
[Status]

dimCustomer
[CustomerKey]
[GeographyKey]
[DisplayName]
[MaritalStatus]
[Gender]
[YearlyIncome]

dimProductSubcategory
[ProductSubcategoryKey]
[ProductSubcategoryAlternateKey]
[EnglishProductSubcategoryName]
[SpanishProductSubcategoryName]
[FrenchProductSubcategoryName]
[ProductCategoryKey]

dimProductCategory
[ProductCategoryKey]
[ProductCategoryAlternateKey]
[EnglishProductCategoryName]
[SpanishProductCategoryName]
[FrenchProductCategoryName]

You plan to develop a Power BI model as shown in the Power BI Model exhibit. (Click the Exhibit button.)



You plan to use Power BI to import data from 2013 to 2015. Product Subcategory[Subcategory] contains NULL values. End of Repeated Scenario.

You are implementing the Power BI model.

You need to edit the Product Category query to match the desired Power BI model.

How should you complete the advanced query? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Values	Answer Area
<input type="checkbox"/> Table.Combine	<pre> let Source = Sql.Database("localhost"), DB1 = Source([Name="DB1"])[Data], dbo_DimProductCategory = DB1{[Schema="dbo", Item="DimProductCategory"]}[Data], #"Var1" = <input type="text" value="Value"/> (dbo_DimProductCategory, {"ProductCategoryAlternateKey", "SpanishProductCategoryName", "FrenchProductCategoryName"}) #"Var2" = <input type="text" value="Value"/> ("Var1", {"EnglishProductCategoryName", "Category"}) in #"Var2" </pre>
<input checked="" type="checkbox"/> Table.RemoveColumns	
<input checked="" type="checkbox"/> Table.RemoveRows	
<input checked="" type="checkbox"/> Table.RenameColumns	
<input checked="" type="checkbox"/> Table.ReorderColumns	
<input type="checkbox"/> Table.SelectColumns	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Table.RemoveColumns

Box 2: Table.RenameColumns References:

<https://msdn.microsoft.com/en-us/library/mt260776.aspx> <https://msdn.microsoft.com/en-us/library/mt260808.aspx>

NEW QUESTION 97

You have a query that retrieves sales data. A sample of the data is shown in the following table.

Date	CustomerId	ProductId	Quantity
10/10/2016	8877	8878	5
<i>null</i>	8877	8879	5
<i>null</i>	8877	8880	5
10/11/2016	5723	1234	2
<i>null</i>	5723	1235	3
<i>null</i>	5723	1236	5
<i>null</i>	5723	1237	10
10/12/2016	4356	4401	11
<i>null</i>	5723	4908	2

You need to ensure that the values in the Date column contain a date. Null values must be replaced with the date from the previous row. What should you click on the Transform tab in Query Editor?

- A. Format, and then Clean
- B. Date, and then Earliest
- C. Fill, and then Down
- D. Replace Values, and then Replace Errors

Answer: C

Explanation:

References:

<https://www.excelcampus.com/library/fill-down-blank-null-cells-power-query/>

NEW QUESTION 99

Your company has a custom line-of-business application named SalesApp.

The developers of SalesApp want to push data into the Power BI service to create several visualizations. You need to ensure that the developers can push the data from SalesApp to the Power BI service.

What should you do?

- A. Go to portal.azure.com and create a web app.
- B. Go to dev.powerbi.com/apps and register an application.
- C. Go to app.powerbi.com/admin-portal and click Publish to web.
- D. Go to app.powerbi.com and create an app workspace.

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/power-bi/developer/walkthrough-push-data-register-app-with-azure-ad>

NEW QUESTION 100

Note: This question is a part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a query for a table named Sales. Sales has a column named CustomerID. The Data type of CustomerID is Whole Number.

You refresh the data and find several errors. You discover that new entries in the Sales table contain nonnumeric values.

You need to ensure that nonnumeric values in the CustomerID column are set to 0. Solution: From Query Editor, select the CustomerID column and click Replace Values... Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 101

You have three Power BI Desktop projects named Report1.pbix, Report2.pbix, and Report3.pbix that have the following characteristics:

- Report1.pbix contains a custom visualization.
- Report2.pbix implements row-level security.
- Report3.pbix connects to a Microsoft SQL Server database by using DirectQuery.

Which reports support Publish to Web, and which reports can be published to Power BI Report Server? To answer, drag the appropriate reports to the correct targets. Each report may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/power-bi/service-publish-to-web#custom-visuals>

NEW QUESTION 103

You are importing sales data from a Microsoft Excel file named Sales.xlsx into Power BI Desktop. You need to create a bar chart showing the total sales amount by region.

When you create the bar chart, the regions appear as expected, but the sales amount value displays the count of sales amount instead of the sum of sales amount each region.

You need to modify the query to ensure that the data appears correctly. What should you do?

- A. Delete the query, import the data into Microsoft SQL Server, and then import the data from SQL Server.
- B. In Query Editor, add a calculated column that totals the sales amount column.
- C. Change the Data Type of sales amount column to Numeric.
- D. Refresh the data model.

Answer: B

NEW QUESTION 104

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario.

You have a Microsoft SQL Server database that has the tables shown in the Database Diagram exhibit. (Click the Exhibit button.)

dimGeography
[GeographyKey]
[City]
[StateProvinceCode]
[StateProvinceName]
[CountryRegionCode]
[EnglishCountryRegionName]
[PostalCode]
[SalesTerritoryKey]
[IpAddressLocator]

Sales
[ProductKey]
[OrderDateKey]
[DueDateKey]
[ShipDateKey]
[CustomerKey]
[PromotionKey]
[CurrencyKey]
[SalesTerritoryKey]
[SalesOrderNumber]
[SalesOrderLineNumber]
[OrderQuantity]
[UnitPrice]
[ExtendedAmount]
[UnitPriceDiscountPct]
[DiscountAmount]
ProductStandardCost
[TotalProductCost]
[SalesAmount]
[TaxAmt]
[Freight]
[OrderDate]
[DueDate]
[ShipDate]


dimProduct
[ProductKey]
[ProductSubcategoryKey]
[EnglishProductName]
[Color]
[ListPrice]
[Size]
[StartDate]
[EndDate]
[Status]

dimCustomer
[CustomerKey]
[GeographyKey]
[DisplayName]
[MaritalStatus]
[Gender]
[YearlyIncome]

dimProductSubcategory
[ProductSubcategoryKey]
[ProductSubcategoryAlternateKey]
[EnglishProductSubcategoryName]
[SpanishProductSubcategoryName]
[FrenchProductSubcategoryName]
[ProductCategoryKey]

dimProductCategory
[ProductCategoryKey]
[ProductCategoryAlternateKey]
[EnglishProductCategoryName]
[SpanishProductCategoryName]
[FrenchProductCategoryName]

You plan to develop a Power BI model as shown in the Power BI Model exhibit. (Click the Exhibit button.)



You plan to use Power BI to import data from 2013 to 2015. Product Subcategory[Subcategory] contains NULL values. End of Repeated Scenario. You need to create a measure of Sales[SalesAmount] where Product[Color] is Red or Product[Size] is 50. Which DAX formula should you use?

A

```
[Total Sales] :=
CALCULATE (
    SUM([SalesAmount]),
    All('Product'[Color], 'Product'[Size])
)
```

B

```
[Total Sales] :=
CALCULATE (
    SUM([SalesAmount]),
    'Product'[Color] = "Red" || 'Product'[Size] = 50
)
```

C

```
[Total Sales] :=
CALCULATE (
    SUM([SalesAmount]),
    FILTER (
        'Product',
        'Product'[Color] = "Red" ||
        'Product'[Size] = 50
    )
)
```

D

```
[Total Sales] :=
CALCULATE (
    SUM([SalesAmount]),
    FILTER (
        'Product'[Color] = "Red" ||
        'Product'[Size] = 50
    )
)
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: C

NEW QUESTION 106

You have two tables named Customer and Orders. A sample of the Data in Customer is shown in the following table.

CustomerID	CustomerName
1	Customer1
2	Customer2
3	Customer3
4	Customer4

A sample of the data in Orders is shown in the following table.

OrderID	CustomerID	OrderDate	OrderAmount
1	1	12-22-2016	1000
2	1	12-23-2016	1200
3	2	12-24-2016	1100
4	3	12-24-2016	800

You need to create the following new table.

CustomerID	CustomerName	OrderID	OrderDate	OrderAmount
1	Customer1	1	12-22-2016	1000
1	Customer1	2	12-23-2016	1200
2	Customer2	3	12-24-2016	1100
3	Customer3	4	12-24-2016	800
4	Customer4			

You must use Customer as the first table. Which join kind should you use?

- A. Right Anti
- B. Right Outer
- C. Left Anti
- D. Left Outer
- E. Inner

Answer: D

NEW QUESTION 111

You plan to create a report in Power BI Desktop. You have the following tables.

Table name	Column name
Sales	OrderID
	Product
	ProductCategory
	ProductSubCategory
	OrderDate
	SalesAmount
Date	DateID
	Date
	Year
	Month
	Week
	Day

You have a measure that uses the following DAX formula. Total Sales = SUM('Sales'[SalesAmount])

You plan to create a report to display TotalSales by ProductCategory and ProductSubCategory. You need to create a measure to calculate the percentage of TotalSales for each ProductCategory.

How should you complete the DAX formula? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Values	Answer Area
ALL	Measure1 = Value ([TotalSales], CALCULATE([TotalSales],
ALLEXCEPT	Value (Sales[Value], Sales[Value]))
ALLSELECTED	
CALCULATE	
DIVIDE	
Product	
ProductCategory	
ProductSubcategory	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://support.office.com/en-us/article/when-to-use-calculated-columns-and-calculated-fields-ca18d63a-5b6d-4>


NEW QUESTION 112

You are creating a report in Power BI Desktop. You are consuming the following tables.

Total name	Column name	Data type
Sales	SalesID	Integer
	SalesDate	Datetime
	TotalPrice	Float
	CustomerID	Integer
	SalesShipDate	Datetime
	StoreID	Integer
Date	Date	Datetime
	DateKey	Integer
	DateName	Datetime
	MonthNumber	Integer
	Week	Integer
	MonthName	Varchar(3)
	Year	Integer

Date[Date] is in the mm/dd/yyyy format. Date[DateKey] is in the ddmmyyyy format. Date[MonthNumber] is in the mm format. Date[MonthName] is in the mmm format.

You create the report shown in the exhibit. (Click the Exhibit button.)



You need to ensure that the months appear in the order of the calendar. How should you sort the MonthName column?

- A. by MonthNumber
- B. ascending
- C. descending
- D. by DateKey

Answer: A

Explanation:

References:
<http://ppmworks.com/sorting-month-names-chronologically-in-microsoft-power-bi-reports/>

NEW QUESTION 116

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a user named User1. User1 is a member of a security group named Contoso PowerB1. User1 has access to a workspace named Contoso Workspace. You need to prevent User1 from exporting data from the visualizations in Contoso Workspace. Solution: From the Power B1 Admin portal, you modify the Tenant settings.

- A. Yes
- B. No

Answer: B

NEW QUESTION 118

You have a Power BI Desktop project that uses DirectQuery to access an on-premises Microsoft SQL Server database. From Power BI Desktop, you can query the database.

When you publish the Power BI Desktop project to the Power BI service, the visualizations cannot display the data. What should you do to resolve the issue?

- A. Locate the published dataset for the project in the Power BI service and configure the data source credentials.
- B. Install the on-premises data gateway (personal mode) and republish the project.
- C. Install the on-premises data gateway and configure a data source.
- D. Configure a Microsoft Azure ExpressRoute connection between the on-premises network and the Power BI service.

Answer: A

NEW QUESTION 121

You are creating a report in Power BI Desktop. You are consuming the following tables.

Total name	Column name	Data type
Sales	SalesID	Integer
	SalesDate	Datetime
	TotalPrice	Float
	CustomerID	Integer
	SalesShipDate	Datetime
	StoreID	Varchar(100)
Date	Date	Datetime
	DateKey	Integer
	DateName	Datetime
	MonthNumber	Integer
	MonthName	Varchar(3)
	Year	Integer

You have a new table named Fiscal that has the same schema as the Date table, but contains the fiscal dates of your company. You need to create a report that displays the total sales by fiscal month and calendar month. What should you do?

- A. Union Fiscal and Date as one table.
- B. Add Fiscal to the model and create a one-to-many relationship by using Date[Year] and Fiscal[Year].
- C. Add Fiscal to the model and create a one-to-one relationship by using Date[Year] and Fiscal[Year].
- D. Merge Fiscal into the Date table.

Answer: D

Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/desktop-shape-and-combine-data>

NEW QUESTION 123

You plan to create several datasets by using the Power BI service. You have the files configured as shown in the following table.

File name	File type	Size	Location
Data 1	TSV	50 MB	Microsoft OneDrive
Data 2	XLSX	3 GB	Local
Data 3	XML	100 MB	Microsoft OneDrive for Business
Data 4	CSV	2 GB	Microsoft OneDrive
Data 5	JPG	5 MB	Local

You need to identify which files can be used as datasets.

Which two files should you identify? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Data 1
- B. Data2
- C. Data 3
- D. Data4
- E. Data 5

Answer: AE

Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/service-get-data>

NEW QUESTION 124

You have a Microsoft Excel spreadsheet that contains a table named Sales. You need to add the Sales table to a Power BI dashboard as a tile. How should you configure the tile?

- A. From the Power BI service, import the data from the Excel workbook.
- B. From Excel, publish the workbook to the Power BI service.
- C. From the Power BI tab in Excel, pin the table.
- D. From the Power BI service, upload the Excel workbook.

Answer: C

Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/publisher-for-excel>

NEW QUESTION 125

You have a table in Power BI Desktop as shown in the following exhibit.

	Id	Key	Value
1	1	Student	Tom
2	1	Class	101
3	1	Score	80
4	2	Student	Jane
5	2	Class	101
6	2	Score	89
7	3	Student	Larry
8	3	Class	102
9	3	Score	95
10	3	Score	70

You pivot the columns as shown in the following exhibit.

	Id	Student	Class	Score
1	1	Tom	101	80
2	2	Jane	101	89
3	3	Larry	102	Error

You need to resolve the error in row 3. The solution must preserve all the data. What should you do?

- A. Change the Data Type of the Value column.
- B. Select the Score column, and then click Remove Errors.
- C. Select the Key column, and then click Remove Duplicates
- D. Change the Aggregate Value Function of the pivot.

Answer: D

Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/desktop-common-query-tasks>

NEW QUESTION 126

You have the datasets shown in the following graphic.

NAME	ACTIONS	LAST REFRESH	NEXT REFRESH	API ACCESS
Dataset1	  	1/24/2018, 2:32:12 PM	N/A	Streaming
Dataset1	  	1/24/2018, 2:32:12 PM	N/A	Hybrid

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
Note: Each selection is worth one point.

When designing a dashboard that uses Dataset1, you can use [answer choice].

▼

only report visualizations

only streaming data tiles

both report visualizations and streaming data tiles

When designing a dashboard that uses Dataset2, you can use [answer choice].

▼

only report visualizations

only streaming data tiles

both report visualizations and streaming data tiles

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/power-bi/service-real-time-streaming>

<http://radacad.com/integrate-power-bi-into-your-application-part-6-real-time-streaming-and-push-data>

NEW QUESTION 128

You are configuring the relationships between the following tables.

Table name	Column name
InsurancePolicy	PolicyID
	AccountID
	Policy_cost
	Date
Account	AccountID
	AccountName
BridgeAccount	AccountID
	CustomerID
Customer	CustomerID
	CustomerName

A customer can have multiple accounts. An account can only be associated to one customer. Each account is associated to only one insurance policy. You need to configure the relationships between the tables to ensure that you can create a report displaying customers and their associated insurance policies. How should you configure each relationship? To answer, drag the appropriate cardinalities to the correct relationships. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
NOTE: Each correct selection is worth one point.

Cardinalities

Answer Area

- Many-to-one
- One-to-many
- One-to-one

Relationship from InsurancePolicy to Account:

Relationship from Account to BridgeAccount:

Relationship from Customer to BridgeAccount:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/power-bi/desktop-create-and-manage-relationships>

NEW QUESTION 130

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 70-778 Exam with Our Prep Materials Via below:

<https://www.certleader.com/70-778-dumps.html>