

1Z0-062 Dumps

Oracle Database 12c: Installation and Administration

<https://www.certleader.com/1Z0-062-dumps.html>



NEW QUESTION 1

You conned using SQL Plus to the root container of a multitenant container database (CDB) with SYSDBA privilege. The CDB has several pluggable databases (PDBs) open in the read/write mode. There are ongoing transactions in both the CDB and PDBs.

What happens after issuing the SHUTDOWN TRANSACTIONAL statement?

- A. The shutdown proceeds immediately.
- B. The shutdown proceeds as soon as all transactions in the PDBs are either committed or rolled back.
- C. The shutdown proceeds as soon as all transactions in the CDB are either committed or rolled back.
- D. The shutdown proceeds as soon as all transactions in both the CDB and PDBs are either committed or rolled back.
- E. The statement results in an error because there are open PDBs.

Answer: B

Explanation:

* SHUTDOWN [ABORT | IMMEDIATE | NORMAL | TRANSACTIONAL [LOCAL]]

Shuts down a currently running Oracle Database instance, optionally closing and dismounting a database. If the current database is a pluggable database, only the pluggable database is closed. The consolidated instance continues to run. Shutdown commands that wait for current calls to complete or users to disconnect such as SHUTDOWN NORMAL and SHUTDOWN TRANSACTIONAL have a time limit that the SHUTDOWN command will wait. If all events blocking the shutdown have not occurred within the time limit, the shutdown command cancels with the following message: ORA-01013: user requested cancel of current operation

* If logged into a CDB, shutdown closes the CDB instance.

To shutdown a CDB or non CDB, you must be connected to the CDB or non CDB instance that you want to close, and then enter SHUTDOWN

Database closed. Database dismounted. Oracle instance shut down.

To shutdown a PDB, you must log into the PDB to issue the SHUTDOWN command. SHUTDOWN Pluggable Database closed. Note:

* Prerequisites for PDB Shutdown

When the current container is a pluggable database (PDB), the SHUTDOWN command can only be used if: The current user has SYSDBA, SYSOPER, SYSBACKUP, or SYSDG system privilege.

The privilege is either commonly granted or locally granted in the PDB.

The current user exercises the privilege using AS SYSDBA, AS SYSOPER, AS SYSBACKUP, or AS SYSDG at connect time.

To close a PDB, the PDB must be open.

NEW QUESTION 2

Examine the following command: CREATE TABLE (prod_id number(4), Prod_name varchar2 (20), Category_id number(30), Quantity_on_hand number (3) INVISIBLE);

Which three statements are true about using an invisible column in the PRODUCTS table? (Choose three.)

- A. The %ROWTYPE attribute declarations in PL/SQL to access a row will not display the invisible column in the output.
- B. The DESCRIBE commands in SQL *Plus will not display the invisible column in the output.
- C. Referential integrity constraint cannot be set on the invisible column.
- D. The invisible column cannot be made visible and can only be marked as unused.
- E. A primary key constraint can be added on the invisible column.

Answer: ABE

Explanation:

AB: You can make individual table columns invisible. Any generic access of a table does not show the invisible columns in the table. For example, the following operations do not display invisible columns in the output:

* SELECT * FROM statements in SQL

* DESCRIBE commands in SQL *Plus

* %ROWTYPE attribute declarations in PL/SQL

* Describes in Oracle Call Interface (OCI) Incorrect: Not D: You can make invisible columns visible.

You can make a column invisible during table creation or when you add a column to a table, and you can later alter the table to make the same column visible.

NEW QUESTION 3

Which are two ways for a database service to be recognized by a listener in Oracle Database 12c? (Choose two.)

- A. Dynamic Registration by the LREG process
- B. Dynamic Registration by the SMON process
- C. Static registration in the listener.ora file using the GLOBAL_DBNAME parameter
- D. Dynamic Registration by the PMON process
- E. Static registration in the listener.ora file using the SERVICE_NAME parameter

Answer: AE

Explanation:

Reference: <https://docs.oracle.com/database/121/NETAG/listenercfg.htm#NETAG298>

NEW QUESTION 4

Examine the contents of SQL loader control file:

```
LOAD DATA
INFILE myfile1.dat
INFILE myfile2.dat
FIELD NAMES FIRST FILE
APPEND
INTO TABLE EMP
FIELDS CSV WITH EMBEDDED
DATE FORMAT "DD-Month_YYYY"
(empno,
ename,
job,
mgr,
hiredate DATE,
sal,
comm,
deptno,
entrydate DATE)
```

Which three statements are true regarding the SQL* Loader operation performed using the control file? (Choose three.)

- A. An EMP table is created if a table does not exist.
- B. Otherwise, if the EMP table is appended with the loaded data.
- C. The SQL* Loader data file myfile1.dat has the column names for the EMP table.
- D. The SQL* Loader operation fails because no record terminators are specified.
- E. Field names should be the first line in both the SQL* Loader data files.
- F. The SQL* Loader operation assumes that the file must be a stream record format file with the normal carriage return string as the record terminator.

Answer: ABE

Explanation:

A: The APPEND keyword tells SQL*Loader to preserve any preexisting data in the table. Other options allow you to delete preexisting data, or to fail with an error if the table is not empty to begin with.

B (not D): Note:

* SQL*Loader-00210: first data file is empty, cannot process the FIELD NAMES record

Cause: The data file listed in the next message was empty. Therefore, the FIELD NAMES FIRST FILE directive could not be processed.

Action: Check the listed data file and fix it. Then retry the operation E:

* A comma-separated values (CSV) (also sometimes called character-separated values, because the separator character does not have to be a comma) file stores tabular data (numbers and text) in plain-text form. Plain text means that the file is a sequence of characters, with no data that has to be interpreted instead, as binary numbers. A CSV file consists of any number of records, separated by line breaks of some kind; each record consists of fields, separated by some other character or string, most commonly a literal comma or tab. Usually, all records have an identical sequence of fields.

* Fields with embedded commas must be quoted. Example:

1997,Ford,E350,"Super, luxurious truck" Note:

* SQL*Loader is a bulk loader utility used for moving data from external files into the Oracle database.

NEW QUESTION 5

In your multitenant container database (CDB) containing pluggable database (PDBs), the HR user executes the following commands to create and grant privileges on a procedure:

```
CREATE OR REPLACE PROCEDURE create_test_v (v_emp_id NUMBER, v_ename VARCHAR2, v_SALARY NUMBER, v_dept_id NUMBER)
BEGIN
INSERT INTO hr.test VALUES (V_emp_id, V_ename, V_salary, V_dept_id); END;
/
```

GRANT EXECUTE ON CREATE_TEST TO john, jim, smith, king;

How can you prevent users having the EXECUTE privilege on the CREATE_TEST procedure from inserting values into tables on which they do not have any privileges?

- A. Create the CREATE_TEST procedure with definer's rights.
- B. Grant the EXECUTE privilege to users with GRANT OPTION on the CREATE_TEST procedure.
- C. Create the CREATE_TEST procedure with invoker's rights.
- D. Create the CREATE_TEST procedure as part of a package and grant users the EXECUTE privilege the package.

Answer: C

Explanation:

If a program unit does not need to be executed with the escalated privileges of the definer, you should specify that the program unit executes with the privileges of the caller, also known as the invoker. Invoker's rights can mitigate the risk of SQL injection.

Incorrect:

Not A: By default, stored procedures and SQL methods execute with the privileges of their owner, not their current user. Such definer-rights subprograms are bound to the schema in which they reside.

not B: Using the GRANT option, a user can grant an Object privilege to another user or to PUBLIC.

NEW QUESTION 6

Examine the parameter for your database instance:

NAME	TYPE	VALUE
optimizer_adaptive_reporting_only	boolean	FALSE
optimizer_capture_sql_plan_baselines	boolean	FALSE
optimizer_dynamic_sampling	integer	2
optimizer_features_enable	string	12.1.0.1

You generated the execution plan for the following query in the plan table and noticed that the nested loop join was done. After actual execution of the query, you notice that the hash join was done in the execution plan:

```
SQL> SELECT product_name
FROM   order_items o, product_information p
WHERE  o.unit_price = 15
AND    quantity > 1
AND    p.product_id = o.product_id;

30 rows selected.
```

Identify the reason why the optimizer chose different execution plans.

- A. The optimizer used a dynamic plan for the query.
- B. The optimizer chose different plans because automatic dynamic sampling was enabled.
- C. The optimizer used re-optimization cardinality feedback for the query.
- D. The optimizer chose different plan because extended statistics were created for the columns use

Answer: A

NEW QUESTION 7

Examine the current value for the following parameters in your database instance: SGA_MAX_SIZE = 1024M
SGA_TARGET = 700M DB_8K_CACHE_SIZE = 124M LOG_BUFFER = 200M

You issue the following command to increase the value of DB_8K_CACHE_SIZE: SQL> ALTER SYSTEM SET DB_8K_CACHE_SIZE=140M;
Which statement is true?

- A. It fails because the DB_8K_CACHE_SIZE parameter cannot be changed dynamically.
- B. It succeeds only if memory is available from the autotuned components if SGA.
- C. It fails because an increase in DB_8K_CACHE_SIZE cannot be accommodated within SGA_TARGET.
- D. It fails because an increase in DB_8K_CACHE_SIZE cannot be accommodated within SGA_MAX_SIZE.

Answer: D

Explanation:

* The SGA_TARGET parameter can be dynamically increased up to the value specified for the SGA_MAX_SIZE parameter, and it can also be reduced.

* Example:

For example, suppose you have an environment with the following configuration: SGA_MAX_SIZE = 1024M

SGA_TARGET = 512M DB_8K_CACHE_SIZE = 128M

In this example, the value of SGA_TARGET can be resized up to 1024M and can also be reduced until one or more of the automatically sized components reaches its minimum size. The exact value depends on environmental factors such as the number of CPUs on the system. However, the value of DB_8K_CACHE_SIZE remains fixed at all times at 128M

* DB_8K_CACHE_SIZE Size of cache for 8K buffers

* For example, consider this configuration: SGA_TARGET = 512M DB_8K_CACHE_SIZE = 128M

In this example, increasing DB_8K_CACHE_SIZE by 16 M to 144M means that the 16M is taken away from the automatically sized components. Likewise, reducing DB_8K_CACHE_SIZE by 16M to 112M means that the 16M is given to the automatically sized components.

NEW QUESTION 8

Examine the query and its output:

```
SQL> SELECT reason, metric_value FROM dba_outstanding_alerts;
```

REASON	METRIC_VALUE
Tablespace [TEST] is [28 percent] full	28.125
Metrics "Current Logons Count" is at 29	29
Metrics "Database Time Spent Waiting (%)" is at 99.03754 for event class "Application"	99.0375405
db_recovery_file_dest_size of 4294967296 bytes is 97.298 used and has 116228096 remaining bytes available.	97

After 30 minutes, you execute the same query:

```
SQL> SELECT reason,metric_value FROM dba_outstanding_alerets;
```

REASON	METRIC_VALUE
Tablespace [TEST] is [28 percent] full	28.125

What might have caused three of the alerts to disappear?

- A. The threshold alerts were cleared and transferred to DBA_ALERT_HISTORY.
- B. An Automatic Workload Repository (AWR) snapshot was taken before the execution of the second query.
- C. An Automatic Database Diagnostic Monitor (ADOM) report was generated before the execution of the second query.
- D. The database instance was restarted before the execution of the second quer

Answer: D

NEW QUESTION 9

Which three factors influence the optimizer's choice of an execution plan? (Choose three.)

- A. the optimizer_mode initialization parameter
- B. operating system (OS) statistics
- C. cardinality estimates
- D. object statistics in the data dictionary
- E. fixed baselines

Answer: ACD

NEW QUESTION 10

Which two statements are true about the RMAN validate database command? (Choose two.) A. It checks the database for intrablock corruptions.

- A. It can detect corrupt pfiles.
- B. It can detect corrupt spfiles.
- C. It checks the database for interblock corruptions.
- D. It can detect corrupt block change tracking files.

Answer: AC

Explanation:

Block corruptions can be divided into interblock corruption and intrablock corruption. In intrablock corruption, the corruption occurs within the block itself and can be either physical or logical corruption. In interblock corruption, the corruption occurs between blocks and can only be logical corruption.

(key word) * The VALIDATE command checks for intrablock corruptions only. Only DBVERIFY and the ANALYZE statement detect interblock corruption.

VALIDATE Command Output **> List of Control File and SPFILE. File TYPE >>> SPFILE or Control File.

Status >>> OK if no corruption, or FAILED if block corruption is found. Blocks Failing >>> The number of blocks that fail the corruption check. These blocks are newly corrupt.

Blocks Examined >>> Total number of blocks in the file. Oracle Database Backup and Recovery User's Guide

12c Release 1 (12.1) - 16 Validating Database Files and Backups

NEW QUESTION 10

Which task would you recommend before using the Database Upgrade Assistant (DBUA) to upgrade a single-instance Oracle 11g R2 database to Oracle Database 12c?

- A. shutting down the database instance that is being upgraded
- B. executing the catctl.pl script to run the upgrade processes in parallel
- C. running the Pre-Upgrade Information Tool
- D. copying the listener.ora file to the new ORACLE_HOME

Answer: C

Explanation:

References:

http://docs.oracle.com/cd/E11882_01/server.112/e23633/upgrade.htm#UPGRD12395

NEW QUESTION 14

You administer an online transaction processing (OLTP) system whose database is stored in Automatic Storage Management (ASM) and whose disk group use normal redundancy.

One of the ASM disks goes offline, and is then dropped because it was not brought online before DISK_REPAIR_TIME elapsed.

When the disk is replaced and added back to the disk group, the ensuing rebalance operation is too slow.

Which two recommendations should you make to speed up the rebalance operation if this type of failure happens again? (Choose two.)

- A. Increase the value of the ASM_POWER_LIMIT parameter.
- B. Set the DISK_REPAIR_TIME disk attribute to a lower value.
- C. Specify the statement that adds the disk back to the disk group.
- D. Increase the number of ASMB processes.
- E. Increase the number of DBWR_IO_SLAVES in the ASM instance.

Answer: AD

Explanation:

A: ASM_POWER_LIMIT specifies the maximum power on an Automatic Storage Management instance for disk rebalancing. The higher the limit, the faster rebalancing will complete. Lower values will take longer, but consume fewer processing and I/O resources.

D:

* Normally a separate process is fired up to do that rebalance. This will take a certain amount of time. If you want it to happen faster, fire up more processes. You tell ASM it can add more processes by increasing the rebalance power.

* ASMB

ASM Background Process

Communicates with the ASM instance, managing storage and providing statistics Incorrect:

Not B: A higher, not a lower, value of DISK_REPAIR_TIME would be helpful here.

Not E: If you implement database writer I/O slaves by setting the DBWR_IO_SLAVES parameter, you configure a single (master) DBWR process that has slave processes that are subservient to it. In addition, I/O slaves can be used to "simulate" asynchronous I/O on platforms that do not support asynchronous I/O or implement it inefficiently. Database I/O slaves provide non-blocking, asynchronous requests to simulate asynchronous I/O.

NEW QUESTION 18

To implement Automatic Management (AMM), you set the following parameters:

```
MEMORY_MAX_TARGET=600M
SGA_MAX_SIZE=500M
MEMORY_TARGET=600M
OPEN_CURSORS=300
SGA_TARGET=300M
PROCESSES=150
STATISTICS_LEVEL=BASIC
PGA_AGGREGATE_TARGET=0
```

When you try to start the database instance with these parameter settings, you receive the following error message: SQL > startup ORA-00824: cannot set SGA_TARGET or MEMORY_TARGET due to existing internal settings, see alert log for more information. Identify the reason the instance failed to start.

- A. The PGA_AGGREGATE_TARGET parameter is set to zero.
- B. The STATISTICS_LEVEL parameter is set to BASIC.
- C. Both the SGA_TARGET and MEMORY_TARGET parameters are set.
- D. The SGA_MAX_SIZE and SGA_TARGET parameter values are not equal.

Answer: B

Explanation:

Example:

SQL> startup force

ORA-00824: cannot set SGA_TARGET or MEMORY_TARGET due to existing internal settings ORA-00848: STATISTICS_LEVEL cannot be set to BASIC with SGA_TARGET or MEMORY_TARGET

NEW QUESTION 19

Examine the following parameters for a database instance: MEMORY_MAX_TARGET=0 MEMORY_TARGET=0 SGA_TARGET=0 PGA_AGGREGATE_TARGET=500m

Which three initialization parameters are not controlled by Automatic Shared Memory Management (ASMM)? (Choose three.)

- A. LOG_BUFFER
- B. SORT_AREA_SIZE
- C. JAVA_POOL_SIZE
- D. STREAMS_POOL_SIZE
- E. DB_16K_CACHE_SIZE
- F. DB_KEEP_CACHE_SIZE

Answer: AEF

Explanation:

Manually Sized SGAComponents that Use SGA_TARGET Space SGAComponent, Initialization Parameter

/ The log buffer LOG_BUFFER

/ The keep and recycle buffer caches DB_KEEP_CACHE_SIZE DB_RECYCLE_CACHE_SIZE

/ Nonstandard block size buffer caches DB_nK_CACHE_SIZE Note:

* In addition to setting SGA_TARGET to a nonzero value, you must set to zero all initialization parameters listed in the table below to enable full automatic tuning

of the automatically sized SGA components.

* Table, Automatically Sized SGAComponents and Corresponding Parameters

SGA Component	Initialization Parameter
Fixed SGA and other internal allocations needed by the Oracle Database instance	N/A
The shared pool	SHARED_POOL_SIZE
The large pool	LARGE_POOL_SIZE
The Java pool	JAVA_POOL_SIZE
The buffer cache	DB_CACHE_SIZE
The Streams pool	STREAMS_POOL_SIZE

NEW QUESTION 23

Which three tasks can be automatically performed by the Automatic Data Optimization feature of Information lifecycle Management (ILM)? (Choose three.)

- A. Tracking the most recent read time for a table segment in a user tablespace
- B. Tracking the most recent write time for a table segment in a user tablespace
- C. Tracking insert time by row for table rows
- D. Tracking the most recent write time for a table block
- E. Tracking the most recent read time for a table segment in the SYSAUX tablespace
- F. Tracking the most recent write time for a table segment in the SYSAUX tablespace

Answer: ABD

Explanation:

Incorrect:

Not E, Not F When Heat Map is enabled, all accesses are tracked by the in-memory activity tracking module. Objects in the SYSTEM and SYSAUX tablespaces are not tracked.

* To implement your ILM strategy, you can use Heat Map in Oracle Database to track data access and modification. Heat Map provides data access tracking at the segment-level and data modification tracking at the segment and row level.

* To implement your ILM strategy, you can use Heat Map in Oracle Database to track data access and modification. You can also use Automatic Data Optimization (ADO) to automate the compression and movement of data between different tiers of storage within the database.

References:

NEW QUESTION 25

You are required to migrate your 11.2.0.3 database as a pluggable database (PDB) to a multitenant container database (CDB).

The following are the possible steps to accomplish this task:

1. Place all the user-defined tablespace in read-only mode on the source database.
2. Upgrade the source database to a 12c version.
3. Create a new PDB in the target container database.
4. Perform a full transportable export on the source database with the VERSION parameter set to 12 using the expdp utility.
5. Copy the associated data files and export the dump file to the desired location in the target database.
6. Invoke the Data Pump import utility on the new PDB database as a user with the DATAPUMP_IMP_FULL_DATABASE role and specify the full transportable import options.
7. Synchronize the PDB on the target container database by using the DBMS_PDS.SYNC_ODB function. Identify the correct order of the required steps.

- A. 2, 1, 3, 4, 5, 6
- B. 1, 3, 4, 5, 6, 7
- C. 1, 4, 3, 5, 6, 7
- D. 2, 1, 3, 4, 5, 6, 7
- E. 1, 5, 6, 4, 3, 2

Answer: C

Explanation:

1. Set user tablespaces in the source database to READ ONLY.

2. From the Oracle Database 11g Release 2 {11.2.0.3} environment, export the metadata and any data residing in administrative tablespaces from the source database using the FULL=Y and TRANSPORTABLE=ALWAYS parameters.

Note that the VER\$ION=12 parameter is required only when exporting from an Oracle Database 11g Release 2 database:

3. Copy the tablespace data files from the source system to the destination system. Note that the log file from the export operation will list the data files required to be moved.

4. Create a COB on the destination system, including a PDB into which you will import the source database.

5. In the Oracle Database 12c environment, connect to the pre-created PDB and import the dump file. The act of importing the dump file will plug the tablespace data files into the destination PDB

Oracle White Paper - Upgrading to Oracle Database 12c -August 2013

NEW QUESTION 30

A database is open READ WRITE and the instance has multiple sessions some of which have active transactions.

You execute this command:

SQL> ALTER SYSTEM ENABLE RESTRICTED SESSION;

Which three are true about the active transactions? (Choose three.)

- A. They may issue COMMIT OR ROLLBACK statements
- B. They are suspended and unable to issue any statements
- C. They may continue to issue DML statements

- D. They are rolled back automatically
- E. They may continue to issue queries
- F. They are terminated immediately

Answer: BDF

NEW QUESTION 34

Which two statements are true concerning dropping a pluggable database (PDB)? (Choose two.)

- A. The PDB must be open in read-only mode.
- B. The PDB must be in mount state.
- C. The PDB must be unplugged.
- D. The PDB data files are always removed from disk.
- E. A dropped PDB can never be plugged back into a multitenant container database (CDB).

Answer: BC

Explanation:

References: http://docs.oracle.com/database/121/ADMIN/cdb_plug.htm#ADMIN13658

NEW QUESTION 37

Examine the following impdp command to import a database over the network from a pre-12c Oracle database (source):

```
$> impdp <user_name> full=Y network_link=hrdb_test transportable=always
transport_datafiles=
'/u01/app/oracle/oradata/hrdb/sales01.dbf',
'/u01/app/oracle/oradata/hrdb/cust01.dbf',
'/u01/app/oracle/oradata/hrdb/emp01.dbf',
version=12 logfile=import.log
```

Which three are prerequisites for successful execution of the command? (Choose three.)

- A. The import operation must be performed by a user on the target database by a user with the DATAPUMP_IMP_FULL_DATABASE role, and the database link must connect to a user with the DATAPUMP_EXP_FULL_DATABASE role on the source database.
- B. All the user-defined tablespaces must be in read-only mode on the source database.
- C. The export dump file must be created before starting the import on the target database.
- D. The source and target database must be running on the same operating system (OS) with the same endianness.
- E. The impdp operation must be performed by the same user that performed the expdp operation.

Answer: ABD

Explanation:

In this case we have run the impdp without performing any conversion if endian format is different then we have to first perform conversion.

NEW QUESTION 38

You have installed two 64G flash devices to support the Database Smart Flash Cache feature on your database server that is running on Oracle Linux. You have set the DB_SMART_FLASH_FILE parameter: DB_FLASH_CACHE_FILE= '/dev/flash_device_1 ','/dev/flash_device_2' How should the DB_FLASH_CACHE_SIZE be configured to use both devices?

- A. Set DB_FLASH_CACHE_SIZE = 64G.
- B. Set DB_FLASH_CACHE_SIZE = 64G, 64G
- C. Set DB_FLASH_CACHE_SIZE = 128G.
- D. DB_FLASH_CACHE_SIZE is automatically configured by the instance at startup.

Answer: B

Explanation:

* Smart Flash Cache concept is not new in Oracle 12C - DB Smart Flash Cache in Oracle 11g.

In this release Oracle has made changes related to both initialization parameters used by DB Smart Flash cache. Now you can define many files|devices and its sizes for "Database Smart Flash Cache" area. In previous releases only one file|device could be defined.

DB_FLASH_CACHE_FILE = /dev/sda, /dev/sdb, /dev/sdc DB_FLASH_CACHE_SIZE = 32G, 32G, 64G

So above settings defines 3 devices which will be in use by "DB Smart Flash Cache"

/dev/sda – size 32G

/dev/sdb – size 32G

/dev/sdc – size 64G

New view V\$FLASHFILESTAT – it's used to determine the cumulative latency and read counts of each file|device and compute the average latency

NEW QUESTION 40

Which three statements are true about adaptive SQL plan management? (Choose three.)

- A. It automatically performs verification or evolves non-accepted plans, in COMPREHENSIVE mode when they perform better than existing accepted plans.
- B. The optimizer always uses the fixed plan, if the fixed plan exists in the plan baseline.
- C. It adds new, better plans automatically as fixed plans to the baseline.
- D. The non-accepted plans are automatically accepted and become usable by the optimizer if they perform better than the existing accepted plans.
- E. The non-accepted plans in a SQL plan baseline are automatically evolved, in COMPREHENSIVE mode, during the nightly maintenance window and a persistent verification report is generated.

Answer: ADE

Explanation:

With adaptive SQL plan management, DBAs no longer have to manually run the verification or evolve process for non-accepted plans. When automatic SQL tuning is in COMPREHENSIVE mode, it runs a verification or evolve process for all SQL statements that have non-accepted plans during the nightly maintenance window. If the non-accepted plan performs better than the existing accepted plan (or plans) in the SQL plan baseline, then the plan is automatically accepted and becomes usable by the optimizer. After the verification is complete, a persistent report is generated detailing how the non-accepted plan performs compared to the accepted plan performance. Because the evolve process is now an AUTOTASK, DBAs can also schedule their own evolve job at end time.

Note:

* The optimizer is able to adapt plans on the fly by predetermining multiple subplans for portions of the plan.

* Adaptive plans, introduced in Oracle Database 12c, enable the optimizer to defer the final plan decision for a statement until execution time. The optimizer instruments its chosen plan (the default plan) with statistics collectors so that it can detect at runtime, if its cardinality estimates differ greatly from the actual number of rows seen by the operations in the plan. If there is a significant difference, then the plan or a portion of it will be automatically adapted to avoid suboptimal performance on the first execution of a SQL statement.

NEW QUESTION 45

Examine the structure of the SALES table, which is stored in a locally managed tablespace with Automatic Segment Space Management (ASSM) enabled.

Name	Null?	Type
PROD_ID	NOT NULL	NUMBER
CUST_ID	NOT NULL	NUMBER
TIME_ID	NOT NULL	DATE
CHANNEL_ID	NOT NULL	NUMBER
PROMO_ID	NOT NULL	NUMBER
QUANTITY_SOLD	NOT NULL	NUMBER (10,2)
AMOUNT_SOLD	NOT NULL	NUMBER (10,2)

You want to perform online segment shrink to reclaim fragmented free space below the high water mark. What should you ensure before the start of the operation?

- A. Row movement is enabled.
- B. Referential integrity constraints for the table are disabled.
- C. No queries are running on this table.
- D. Extra disk space equivalent to the size of the segment is available in the tablespace.
- E. No pending transaction exists on the table.

Answer: A

NEW QUESTION 48

Examine the memory-related parameters set in the SPFILE of an Oracle database:

```
memory_max_target=6G
memory_target=5G
pga_aggregate_target=500M
sga_max_size=0
sga_target=0
```

Which statement is true?

- A. Only SGA components are sized automatically.
- B. Memory is dynamically re-allocated between the SGA and PGA as needed.
- C. The size of the PGA cannot grow automatically beyond 500 MB.
- D. The value of the MEMORY_TARGET parameter cannot be changed dynamically.

Answer: B

NEW QUESTION 53

The ORCL database is configured to support shared server mode. You want to ensure that a user connecting remotely to the database instance has a one-to-one ratio between client and server processes.

Which connection method guarantees that this requirement is met?

- A. connecting by using an external naming method
- B. connecting by using the easy connect method
- C. creating a service in the database by using the DBMS_SERVICE.CREATE_SERVICE procedure and using this service for creating a local naming service
- D. connecting by using the local naming method with the SERVER = DEDICATED parameter set in the tnsnames.ora file for the net service
- E. connecting by using a directory naming method

Answer: D

NEW QUESTION 54

You upgrade your Oracle database in a multiprocessor environment. As a recommended you execute the following script: SQL > @utlrp.sql
Which two actions does the script perform? (Choose two.)

- A. Parallel compilation of only the stored PL/SQL code
- B. Sequential recompilation of only the stored PL/SQL code
- C. Parallel recompilation of any stored PL/SQL code
- D. Sequential recompilation of any stored PL/SQL code
- E. Parallel recompilation of Java code
- F. Sequential recompilation of Java code

Answer: CE

Explanation:

utlrp.sql and utlprp.sql

The utlrp.sql and utlprp.sql scripts are provided by Oracle to recompile all invalid objects in the database. They are typically run after major database changes such as upgrades or patches. They are located in the

\$ORACLE_HOME/rdbms/admin directory and provide a wrapper on the UTL_RECOMP package. The utlrp.sql script simply calls the utlprp.sql script with a command line parameter of "0". The utlprp.sql accepts a single integer parameter that indicates the level of parallelism as follows.

0 - The level of parallelism is derived based on the CPU_COUNT parameter. 1 - The recompilation is run serially, one object at a time.

N - The recompilation is run in parallel with "N" number of threads.

Both scripts must be run as the SYS user, or another user with SYSDBA, to work correctly. References:

NEW QUESTION 57

You executed this command to create a password file: \$ orapwd file = orapworcl entries = 10 ignorecase = N Which two statements are true about the password file? (Choose two.)

- A. It will permit the use of uppercase passwords for database users who have been granted the SYSOPER role.
- B. It contains username and passwords of database users who are members of the OSOPER operating system group.
- C. It contains usernames and passwords of database users who are members of the OSDBA operating system group.
- D. It will permit the use of lowercase passwords for database users who have granted the SYSDBA role.
- E. It will not permit the use of mixed case passwords for the database users who have been granted the SYSDBA role.

Answer: AD

Explanation:

* You can create a password file using the password file creation utility, ORAPWD.

* Adding Users to a Password File

When you grant SYSDBA or SYSOPER privileges to a user, that user's name and privilege information are added to the password file. If the server does not have an EXCLUSIVE password file (that is, if the initialization parameter REMOTE_LOGIN_PASSWORDFILE is NONE or SHARED, or the password file is missing), Oracle Database issues an error if you attempt to grant these privileges.

A user's name remains in the password file only as long as that user has at least one of these two privileges. If you revoke both of these privileges, Oracle Database removes the user from the password file.

* The syntax of the ORAPWD command is as follows: ORAPWDFILE=filename [ENTRIES=numusers] [FORCE={Y|N}] [IGNORECASE={Y|N}] [NOSYSDBA={Y|N}]

* IGNORECASE

If this argument is set to y, passwords are case-insensitive. That is, case is ignored when comparing the password that the user supplies during login with the password in the password file.

NEW QUESTION 59

Which two statements are true about Oracle Managed Files (OMF)? (Choose two.)

- A. OMF cannot be used in a database that already has data files created with user-specified directions.
- B. The file system directions that are specified by OMF parameters are created automatically.
- C. OMF can be used with ASM disk groups, as well as with raw devices, for better file management.
- D. OMF automatically creates unique file names for table spaces and control files.
- E. OMF may affect the location of the redo log files and archived log files.

Answer: DE

Explanation:

D: The database internally uses standard file system interfaces to create and delete files as needed for the following database structures:

Tablespaces Redo log files Control files Archived logs

Block change tracking files Flashback logs

RMAN backups Note:

* Using Oracle-managed files simplifies the administration of an Oracle Database. Oracle-managed files eliminate the need for you, the DBA, to directly manage the operating system files that make up an Oracle Database. With Oracle-managed files, you specify file system directories in which the database automatically creates, names, and manages files at the database object level. For example, you need only specify that you want to create a tablespace; you do not need to specify the name and path of the tablespace's datafile with the DATAFILE clause.

<http://www.oracle-base.com/articles/9i/oracle-managed-files.php>

http://docs.oracle.com/cd/B10500_01/server.920/a96521/omf.htm References:

NEW QUESTION 61

Which three statements are true about a job chain? (Choose three.)

- A. It can contain a nested chain of jobs.
- B. It can be used to implement dependency-based scheduling.
- C. It cannot invoke the same program or nested chain in multiple steps in the chain.
- D. It cannot have more than one dependency.
- E. It can be executed using event-based or time-based schedules.

Answer: ABE

NEW QUESTION 63

Examine the following query output:

```
SQL> SELECT name, force_logging FROM v$databases;

NAME          FORCE_LOGGING
-----
PROD          NO
```

You issue the following command to import tables into the hr schema:

```
$ > impdp hr/hr directory = dumpdir dumpfile = hr_new.dmp schemas=hr TRANSFORM=DISABLE_ARCHIVE_LOGGING: Y
```

Which statement is true?

- A. All database operations performed by the impdp command are logged.
- B. Only CREATE INDEX and CREATE TABLE statements generated by the import are logged.
- C. Only CREATE TABLE and ALTER TABLE statements generated by the import are logged.
- D. None of the operations against the master table used by Oracle Data Pump to coordinate its activities are logged.

Answer: C

Explanation:

Oracle Data Pump disable redo logging when loading data into tables and when creating indexes.

The new TRANSFORM option introduced in data pumps import provides the flexibility to turn off the redo generation for the objects during the course of import.

The Master Table is used to track the detailed progress information of a Data Pump job.

The Master Table is created in the schema of the current user running the Pump Dump export or import, and it keeps tracks of lots of detailed information.

NEW QUESTION 66

You create a new pluggable database, HR_PDB, from the seed database. Which three tablespaces are created by default in HR_PDB? (Choose three.)

- A. SYSTEM
- B. SYSAUX
- C. EXAMPLE
- D. UNDO
- E. TEMP
- F. USERS

Answer: ABE

Explanation:

* A PDB would have its SYSTEM, SYSAUX, TEMP tablespaces. It can also contain other user created tablespaces in it.

* Oracle Database creates both the SYSTEM and SYSAUX tablespaces as part of every database.

* tablespace_datafile_clauses

Use these clauses to specify attributes for all data files comprising the SYSTEM and SYSAUX tablespaces in the seed PDB.

Incorrect:

Not D: a PDB can not have an undo tablespace. Instead, it uses the undo tablespace belonging to the CDB. Note:

* Example:

```
CONN pdb_admin@pdb1
```

```
SELECT tablespace_name FROM dba_tablespaces; TABLESPACE_NAME
```

```
----- SYSTEM
```

```
SYSAUX TEMP USERS SQL>
```

NEW QUESTION 70

Which three statements are true about using flashback database in a multitenant container database (CDB)? (Choose three.)

- A. The root container can be flashed back without flashing back the pluggable databases (PDBs).
- B. To enable flashback database, the CDB must be mounted.
- C. Individual PDBs can be flashed back without flashing back the entire CDB.
- D. The DB_FLASHBACK_RETENTION_TARGET parameter must be set to enable flashback of the CDB.
- E. ACDB can be flashed back specifying the desired target point in time or an SCN, but not a restore point.

Answer: ABD

NEW QUESTION 73

Which two statements are true about the Oracle Direct Network File system (DNFS)? (Choose two.)

- A. It utilizes the OS file system cache.
- B. A traditional NFS mount is not required when using Direct NFS.
- C. Oracle Disk Manager can manage NFS on its own, without using the operating kernel NFS driver.
- D. Direct NFS is available only in UNIX platforms.
- E. Direct NFS can load-balance I/O traffic across multiple network adapters.

Answer: CE

Explanation:

E: Performance is improved by load balancing across multiple network interfaces (if available). Note:

* To enable Direct NFS Client, you must replace the standard Oracle Disk Manager (ODM) library with one that supports Direct NFS Client.

Incorrect:

Not A: Direct NFS Client is capable of performing concurrent direct I/O, which bypasses any operating system level caches and eliminates any operating system write-ordering locks

Not B:

* To use Direct NFS Client, the NFS file systems must first be mounted and available over regular NFS mounts.

* Oracle Direct NFS (dNFS) is an optimized NFS (Network File System) client that provides faster and more scalable access to NFS storage located on NAS storage devices (accessible over TCP/IP).

Not D: Direct NFS is provided as part of the database kernel, and is thus available on all supported database platforms - even those that don't support NFS natively, like Windows.

Note:

* Oracle Direct NFS (dNFS) is an optimized NFS (Network File System) client that provides faster and more scalable access to NFS storage located on NAS storage devices (accessible over TCP/IP). Direct NFS is built directly into the database kernel - just like ASM which is mainly used when using DAS or SAN storage.

* Oracle Direct NFS (dNFS) is an internal I/O layer that provides faster access to large NFS files than traditional NFS clients.

NEW QUESTION 78

You install a non-RAC Oracle Database. During Installation, the Oracle Universal Installer (OUI) prompts you to enter the path of the Inventory directory and also to specify an operating system group name.

Which statement is true?

- A. The ORACLE_BASE base parameter is not set.
- B. The installation is being performed by the root user.
- C. The operating system group that is specified should have the root user as its member.
- D. The operating system group that is specified must have permission to write to the inventory directory.

Answer: D

Explanation:

Note:

Providing a UNIX Group Name

If you are installing a product on a UNIX system, the Installer will also prompt you to provide the name of the group which should own the base directory.

You must choose a UNIX group name which will have permissions to update, install, and deinstall Oracle software. Members of this group must have write permissions to the base directory chosen.

Only users who belong to this group are able to install or deinstall software on this machine.

NEW QUESTION 80

Which three features work together, to allow a SQL statement to have different cursors for the same statement based on different selectivity ranges? (Choose three.)

- A. Bind Variable Peeking
- B. SQL Plan Baselines
- C. Adaptive Cursor Sharing
- D. Bind variable used in a SQL statement
- E. Literals in a SQL statement

Answer: ACD

NEW QUESTION 85

You must track all transactions that modify certain tables in the sales schema for at least three years. Automatic undo management is enabled for the database with a retention of one day.

Which two must you do to track the transactions? (Choose two.)

- A. Enable supplemental logging for the database.
- B. Specify undo retention guarantee for the database.
- C. Create a Flashback Data Archive in the tablespace where the tables are stored.
- D. Create a Flashback Data Archive in any suitable tablespace.
- E. Enable Flashback Data Archiving for the tables that require tracking.

Answer: DE

Explanation:

E: By default, flashback archiving is disabled for any table. You can enable flashback archiving for a table if you have the FLASHBACK ARCHIVE object privilege on the Flashback Data Archive that you want to use for that table.

D: Creating a Flashback Data Archive

/ Create a Flashback Data Archive with the CREATEFLASHBACK ARCHIVE statement, specifying the following: Name of the Flashback Data Archive

Name of the first tablespace of the Flashback Data Archive

(Optional) Maximum amount of space that the Flashback Data Archive can use in the first tablespace

/ Create a Flashback Data Archive named fla2 that uses tablespace tbs2, whose data will be retained for two years: CREATEFLASHBACK ARCHIVE fla2 TABLESPACE tbs2 RETENTION 2 YEAR;

NEW QUESTION 90

You upgraded your database from pre-12c to a multitenant container database (CDB) containing pluggable databases (PDBs).

Examine the query and its output:

```
SQL> SELECT * FROM v$PWFFILE_users;

USERNAME                               SYSDB SYSOP  SYSAS  SYSBA  SYSDG  SYSKM          CON_ID
-----                               -
SYS                                     TRUE  TRUE   FALSE FALSE  FALSE  FALSE          0
```

Which two tasks must you perform to add users with SYSBACKUP, SYSDG, and SYSKM privilege to the password file? (Choose two.)

- A. Assign the appropriate operating system groups to SYSBACKUP, SYSDG, SYSKM.
- B. Grant SYSBACKUP, SYSDG, and SYSKM privileges to the intended users.
- C. Re-create the password file with SYSBACKUP, SYSDG, and SYSKM privilege and the FORCE argument set to No.
- D. Re-create the password file with SYSBACKUP, SYSDG, and SYSKM privilege, and FORCE arguments set to Yes.
- E. Re-create the password file in the Oracle Database 12c format.

Answer: BD

Explanation:

* orapwd

/ You can create a database password file using the password file creation utility, ORAPWD. The syntax of the ORAPWD command is as follows:

```
orapwd FILE=filename [ENTRIES=numusers] [FORCE={y|n}] [ASM={y|n}] [DBUNIQUENAME=dbname] [FORMAT={12|legacy}] [SYSBACKUP={y|n}]
[SYSDG={y|n}] [SYSKM={y|n}] [DELETE={y|n}]
[INPUT_FILE=input-fname]
```

force - whether to overwrite existing file (optional), * v\$PWFFILE_users

/ 12c: V\$PWFFILE_USERS lists all users in the password file, and indicates whether the user has been granted the SYSDBA, SYSOPER, SYSASM, SYSBACKUP, SYSDG, and SYSKM privileges.

/ 10c: sts users who have been granted SYSDBA and SYSOPER privileges as derived from the password file. ColumnDatatypeDescription

USERNAMEVARCHAR2(30)The name of the user that is contained in the password file

SYSDBAVARCHAR2(5)If TRUE, the user can connect with SYSDBA privileges SYSOPERVARCHAR2(5)If TRUE, the user can connect with SYSOPER privileges

Incorrect:

not E: The format of the v\$PWFFILE_users file is already in 12c format.

NEW QUESTION 94

Which three statements are true about Automatic Workload Repository (AWR)? (Choose three.)

- A. All AWR tables belong to the SYSTEM schema.
- B. The AWR data is stored in memory and in the database.
- C. The snapshots collected by AWR are used by the self-tuning components in the database
- D. AWR computes time model statistics based on time usage for activities, which are displayed in the v\$SYS time model and v\$SESS_TIME_MODEL views.
- E. AWR contains system wide tracing and logging information.

Answer: BCD

NEW QUESTION 96

You plan to install the Oracle Database 12c software on a new server. The database will use Automatic Storage Management (ASM) and Oracle Restart. Oracle Grid Infrastructure for a standalone server is already installed on the server.

You want to configure job role separation. You create the following operating system users and groups:

- The user oracle as the owner of the Oracle database installation
- The user grid as the owner of Oracle Grid Infrastructure
- The group oinstall as an Oracle Inventory group
- The group dba as the OSDBA group for Oracle database
- The group asmdba as the OSDBA group for Oracle ASM
- The group asmadmin as the administration privileges group for Oracle ASM
- The group asmoper as the group for Oracle ASM

Which two additional tasks should you perform with regard to the OS-level owners and groups? (Choose two.)

- A. creating a separate central inventory group for the Oracle Database 12c installation
- B. assigning oinstall as the primary group for the oracle user
- C. assigning asmadmin and asmoper as primary groups for the oracle user
- D. creating OS groups associated with the OSBACKUPDBA, OSDGDBA, and OSKMDBA system privileges
- E. assigning asmdba as the secondary group for the oracle user

Answer: BD

NEW QUESTION 99

You upgraded from a previous Oracle database version to Oracle Database version to Oracle Database 12c. Your database supports a mixed workload. During the day, lots of insert, update, and delete operations are performed. At night, Extract, Transform, Load (ETL) and batch reporting jobs are run. The ETL jobs perform certain database operations using two or more concurrent sessions.

After the upgrade, you notice that the performance of ETL jobs has degraded. To ascertain the cause of performance

degradation, you want to collect basic statistics such as the level of parallelism, total database time, and the number of I/O requests for the ETL jobs.

How do you accomplish this?

- A. Examine the Active Session History (ASH) reports for the time period of the ETL or batch reporting runs.
- B. Enable SQL tracing for the queries in the ETL and batch reporting queries and gather diagnostic data from the trace file.
- C. Enable real-time SQL monitoring for ETL jobs and gather diagnostic data from the V\$SQL_MONITOR view.
- D. Enable real-time database operation monitoring using the DBMS_SQL_MONITOR.BEGIN_OPERATION function, and then use the DBMS_SQL_MONITOR.REPORT_SQL_MONITOR function to view the required information.

Answer: D

Explanation:

* Monitoring database operations

Real-Time Database Operations Monitoring enables you to monitor long running database tasks such as batch jobs, scheduler jobs, and Extraction, Transformation, and Loading (ETL) jobs as a composite business operation. This feature tracks the progress of SQL and PL/SQL queries associated with the business operation being monitored. As a DBA or developer, you can define business operations for monitoring by explicitly specifying the start and end of the operation or implicitly with tags that identify the operation.

NEW QUESTION 103

The HR user executes the following query on the EMPLOYEES table but does not issue COMMIT, ROLLBACK, or any data definition language (DDL) command after that:

```
SQL> SELECT job
      FROM employees
      WHERE job='CLERK' FOR UPDATE OF empno;
```

HR then opens a second session.

Which two operations wait when executed in HR's second session? (Choose two.)

- A. LOCK TABLE employees IN EXCLUSIVE MODE;
- B. INSERT INTO employees(empno,ename) VALUES (1289, 'Dick');
- C. SELECT job FROM employees WHERE job='CLERK' FOR UPDATE OF empno;
- D. SELECT empno,ename FROM employees WHERE job='CLERK';
- E. INSERT INTO employees(empno,ename,job) VALUES (2001,'Harry','CLERK');

Answer: AC

NEW QUESTION 105

In your production database, data manipulation language (DML) operations are executed on the SALES table.

You have noticed some dubious values in the SALES table during the last few days. You are able to track users, actions taken, and the time of the action for this particular period but the changes in data are not tracked. You decide to keep track of both the old data and new data in the table long with the user information. What action would you take to achieve this task?

- A. Apply fine-grained auditing.
- B. Implement value-based auditing.
- C. Impose standard database auditing to audit object privileges.
- D. Impose standard database auditing to audit SQL statement

Answer: B

NEW QUESTION 106

Your multitenant container (CDB) containing three pluggable databases (PDBs) is running in ARCHIVELOG mode. You find that the SYSAUX tablespace is corrupted in the root container.

The steps to recover the tablespace are as follows:

1. Mount the CDB.
2. Close all the PDBs.
3. Open the database.
4. Apply the archive redo logs.
5. Restore the data file.
6. Take the SYSAUX tablespace offline.
7. Place the SYSAUX tablespace online.
8. Open all the PDBs with RESETLOGS.
9. Open the database with RESETLOGS.
10. Execute the command SHUTDOWN ABORT.

Which option identifies the correct sequence to recover the SYSAUX tablespace?

- A. 6, 5, 4, 7
- B. 10, 1, 2, 5, 8
- C. 10, 1, 2, 5, 4, 9, 8
- D. 10, 1, 5, 8, 10

Answer: A

Explanation:

```
RMAN> ALTER TABLESPACE sysaux OFFLINE IMMEDIATE; RMAN> RESTORE TABLESPACE sysaux;
RMAN> RECOVER TABLESPACE sysaux; RMAN> ALTER TABLESPACE sysaux ONLINE;
```

* Example:

While evaluating the 12c beta3 I was not able to do the recover while testing "all pdb files lost". Cannot close the pdb as the system datafile was missing...

So only option to recover was: Shutdown cdb (10) startup mount; (1)

restore pluggable database recover pluggable database alter database open; alter pluggable database name open;

Oracle support says: You should be able to close the pdb and restore/recover the system tablespace of PDB.

* Inconsistent backups are usually created by taking online database backups. You can also make an inconsistent backup by backing up data files while a database is closed, either:

/ Immediately after the crash of an Oracle instance (or, in an Oracle RAC configuration, all instances)

/ After shutting down the database using SHUTDOWN ABORT

Inconsistent backups are only useful if the database is in ARCHIVELOG mode and all archived redo logs created since the backup are available.

* Open the database with the RESETLOGS option after finishing recovery: SQL> ALTER DATABASE OPEN RESETLOGS;

NEW QUESTION 108

Which three statements are true when the listener handles connection requests to an Oracle 12c database instance with multithreaded architecture enabled in UNIX? (Choose three.)

- A. Thread creation must be routed through a dispatcher process
- B. The local listener may spawn a new process and have that new process create a thread
- C. Each Oracle process runs an SCM thread.
- D. Each multithreaded Oracle process has an SCM thread.
- E. The local listener may pass the request to an existing process which in turn will create a thread

Answer: ADE

NEW QUESTION 111

You execute this command:

```
SQL> CREATE TABLESPACE lmtbsb DATAFILE '/u02/oracle/data/lmtbsb01.dbf' SIZE 50M  
EXTENT MANAGEMENT LOCAL;
```

Which two statements are true about segment space management for segments in this tablespace? (Choose two.)

- A. Space utilization inside segments is mapped by bitmaps.
- B. Segments are automatically shrunk and compressed when rows are deleted.
- C. The PCTFREE storage parameter has no effect on segments created in this tablespace.
- D. The PCTUSED storage parameter has no effect on segments created in this tablespace.

Answer: AD

NEW QUESTION 112

Which three statements are true about SQL plan directives? (Choose three.)

- A. They are tied to a specific statement or SQL ID.
- B. They instruct the maintenance job to collect missing statistics or perform dynamic sampling to generate a more optimal plan.
- C. They are used to gather only missing statistics.
- D. They are created for a query expression where statistics are missing or the cardinality estimates by the optimizer are incorrect.
- E. They instruct the optimizer to create only column group statistics.
- F. Improve plan accuracy by persisting both compilation and execution statistics in the SYSAUX tablespace.

Answer: BDF

NEW QUESTION 116

You perform RMAN backups for your database and use a recovery catalog for managing the backups. To free space, you execute this command:

```
RMAN> DELETE OBSOLETE;
```

Which three statements are true in this scenario? (Choose three.)

- A. The backup sets marked as expired are deleted.
- B. The information related to the backups is removed from the recovery catalog and the control file.
- C. The physical files related to the backup need to be manually deleted.
- D. The physical files related to the backup are deleted automatically.
- E. The backups deleted are based on the backup retention policy.

Answer: BDE

NEW QUESTION 117

You are administering a database stored in Automatic Storage Management (ASM). You use RMAN to back up the database and the MD_BACKUP command to back up the ASM metadata regularly. You lost an ASM disk group DG1 due to hardware failure.

In which three ways can you re-create the lost disk group and restore the data? (Choose three.)

- A. Use the MD_RESTORE command to restore metadata for an existing disk group by passing the existing disk group name as an input parameter and use RMAN to restore the data.
- B. Use the MKDGM command to restore the disk group with the same configuration as the backed-up disk group and data on the disk group.
- C. Use the MD_RESTORE command to restore the disk group with the changed disk group specification, failure group specification, name, and other attributes and use RMAN to restore the data.
- D. Use the MKDGM command to restore the disk group with the same configuration as the backed-up disk group name and same set of disks and failure group configuration, and use RMAN to restore the data.
- E. Use the MD_RESTORE command to restore both the metadata and data for the failed disk group.
- F. Use the MKDGM command to add a new disk group DG1 with the same or different specifications for failure group and other attributes and use RMAN to restore the data.

Answer: ACF

Explanation:

AC (not E):

The md_restore command allows you to restore a disk group from the metadata created by the md_backup command. md_restore can't restore data, only metadata.

NEW QUESTION 119

A redaction policy was added to the SAL column of the SCOTT.EMP table:

```
BEGIN
  DBMS_REDACT.ADD_POLICY(
    OBJECT_SCHEMA => 'SCOTT',
    OBJECT_NAME   => 'EMP',
    POLICY_NAME   => 'SCOTT_EMP',
    COLUMN_NAME  => 'SAL',
    EXPRESSION    => 'SYS_CONTEXT("SYS_SESSION_ROLES", "MGR") = "FALSE"');
END;
```

All users have their default set of system privileges.
For which three situations will data not be redacted? (Choose three.)

- A. SYS sessions, regardless of the roles that are set in the session
- B. SYSTEM sessions, regardless of the roles that are set in the session
- C. SCOTT sessions, only if the MGR role is set in the session
- D. SCOTT sessions, only if the MGR role is granted to SCOTT
- E. SCOTT sessions, because he is the owner of the table
- F. SYSTEM session, only if the MGR role is set in the session

Answer: ABD

NEW QUESTION 120

You want to flash back a test database by five hours. You issue this command:
SQL > FLASHBACK DATABASE TO TIMESTAMP (SYSDATE - 5/24);
Which two statements are true about this flashback scenario? (Choose two.)

- A. The database must have multiplexed redo logs for the flashback to succeed.
- B. The database must be MOUNTED for the flashback to succeed.
- C. The database must use block change tracking for the flashback to succeed.
- D. The database must be opened in restricted mode for the flashback to succeed.
- E. The database must be opened with the RESETLOGS option after the flashback is complete.
- F. The database must be opened in read-only mode to check if the database has been flashed back to the correct SC

Answer: BE

NEW QUESTION 121

What should you do to ensure that a job stores minimal job metadata and runtime data on disk, and uses only existing PL/SQL programs?

- A. Create an event-based job.
- B. Create a lightweight job.
- C. Specify the job as a member of a job class.
- D. Use a job array.

Answer: B

Explanation:

References: https://docs.oracle.com/cd/B28359_01/server.111/b28310/schedover004.htm#BGBJGHBH

NEW QUESTION 126

Which two statements are true about the Automatic Database Diagnostic Monitor (ADDM)? (Choose two.)

- A. The ADDM requires at least four AWR snapshots for analysis
- B. The ADDM runs after each AWR snapshot is collected automatically by MMON
- C. The results of the ADDM analysis are stored in the Automatic Workload Repository (AWR)
- D. The ADDM analysis provides only diagnostics information but does not provide recommendations
- E. The ADDM calls other advisors if required, but does not provide recommendations about the advisors

Answer: BC

NEW QUESTION 127

A warehouse fact table in your Oracle 12c Database is range-partitioned by month and accessed frequently with queries that span multiple partitions
The table has a local prefixed, range partitioned index.

Some of these queries access very few rows in some partitions and all the rows in other partitions, but these queries still perform a full scan for all accessed partitions.

This commonly occurs when the range of dates begins at the end of a month or ends close to the start of a month.

You want an execution plan to be generated that uses indexed access when only a few rows are accessed from a segment, while still allowing full scans for segments where many rows are returned.

Which three methods could transparently help to achieve this result? (Choose three.)

- A. Using a partial local Index on the warehouse fact table month column with indexing disabled to the table partitions that return most of their rows to the queries.
- B. Using a partial local Index on the warehouse fact table month column with indexing disabled for the table partitions that return a few rows to the queries.
- C. Using a partitioned view that does a UNION ALL query on the partitions of the warehouse fact table, which retains the existing local partitioned column.
- D. Converting the partitioned table to a partitioned view that does a UNION ALL query on the monthly tables, which retains the existing local partitioned column.
- E. Using a partial global index on the warehouse fact table month column with indexing disabling for the table partitions that return most of their rows to the queries.

F. Using a partial global index on the warehouse fact table month column with indexing disabled for the table partitions that return a few rows to the queries.

Answer: ACE

Explanation:

Note:

* Oracle 12c now provides the ability to index a subset of partitions and to exclude the others.

Local and global indexes can now be created on a subset of the partitions of a table. Partial Global indexes provide more flexibility in index creation for partitioned tables. For example, index segments can be omitted for the most recent partitions to ensure maximum data ingest rates without impacting the overall data model and access for the partitioned object.

Partial Global Indexes save space and improve performance during loads and queries. This feature supports global indexes that include or index a certain subset of table partitions or subpartitions, and exclude the others. This operation is supported using a default table indexing property. When a table is created or altered, a default indexing property can be specified for the table or its partitions.

NEW QUESTION 131

In your database, USERS is the default permanent tablespace. Examine the commands and their outcome:

```
SQL> CREATE USER user02 identified by us123 QUOTA 10M ON users;
User created.
```

```
SQL> GRANT create session, sysdba TO user02;
Grant succeeded.
```

You plan to execute the commands:

```
SQL> CONN user02/us123 AS SYSDBA
SQL> CREATE TABLE mytab (id number, lname varchar2(20));
```

Which two statements are true? (Choose two.)

- A. The MYTAB table is created in the SYSTEM tablespace but no rows can be inserted into the table by USER02.
- B. The MYTAB table is created in the SYSTEM tablespace and rows can be inserted into the table by USER02.
- C. The MYTAB table is created in the USERS tablespace but no rows can be inserted into the table by USER02.
- D. The CREATE TABLE statement generates an error because the SYSDBA privilege does not provide any space quota on the SYSTEM tablespace by default.
- E. The MYTAB table is owned by the SYS use

Answer: BE

NEW QUESTION 132

Which three statements are true about the working of system privileges in a multitenant control database (CDB) that has pluggable databases (PDBs)? (Choose three.)

- A. System privileges apply only to the PDB in which they are used.
- B. Local users cannot use local system privileges on the schema of a common user.
- C. The granter of system privileges must possess the set container privilege.
- D. Common users connected to a PDB can exercise privileges across other PDBs.
- E. System privileges with the with grant option container all clause must be granted to a common user before the common user can grant privileges to other users.

Answer: ACE

Explanation:

A, Not D: In a CDB, PUBLIC is a common role. In a PDB, privileges granted locally to PUBLIC enable all local and common users to exercise these privileges in this PDB only.

C: A user can only perform common operations on a common role, for example, granting privileges commonly to the role, when the following criteria are met:
The user is a common user whose current container is root.

The user has the SET CONTAINER privilege granted commonly, which means that the privilege applies in all containers.

The user has privilege controlling the ability to perform the specified operation, and this privilege has been granted commonly

Incorrect: Note:

* Every privilege and role granted to Oracle-supplied users and roles is granted commonly except for system privileges granted to PUBLIC, which are granted locally.

NEW QUESTION 136

Your database is configured in ARCHIVELOG mode. Examine the RMAN configuration parameters:

```
CONFIGURE RETENTION POLICY TO REDUNDANCY 1; # default
CONFIGURE BACKUP OPTIMIZATION OFF; # default
CONFIGURE CONTROLFILE AUTOBACKUP OFF; # default
CONFIGURE DEVICE TYPE DISK PARALLELISM 1 BACKUP TYPE TO BACKUPSET;
CONFIGURE ARCHIVELOG BACKUP COPIES FOR DEVICE TYPE DISK TO 1; # default
```

Examine the command:

```
RMAN> BACKUP DATABASE PLUS ARCHIVELOG DELETE INPUT;
```

What is the outcome?

- A. It fails because the DELETE INPUT option can be used only with the BACKUP AS BACKUPSET command.
- B. It executes successfully and creates a backup set of the database along with archived log files and then deletes the original archived log files.
- C. It executes successfully and creates an image copy of the database along with archive log files and then deletes the original archived log files.

D. It fails because the DELETE INPUT option can be used only with the BACKUP AS COPY command.

Answer: B

Explanation:

References: https://docs.oracle.com/cd/B13789_01/server.101/b10734/rcmbackp.htm

NEW QUESTION 138

You enabled an audit policy by issuing the following statements:

```
SQL> AUDIT POLICY ORA_DATABASE_PARAMETER BY SCOTT;
```

```
SQL> AUDIT POLICY ORA_DATABASE_PARAMETER BY SYS, SYSTEM;
```

For which database users and for which executions is the audit policy now active? Select two.

- A. SYS, SYSTEM
- B. SCOTT
- C. Only for successful executions
- D. Only for failed executions
- E. Both successful and failed executions

Answer: AE

Explanation:

* The ORA_DATABASE_PARAMETER policy audits commonly used Oracle Database parameter settings. By default, this policy is not enabled.

NEW QUESTION 143

Which two statements are true about the use of the procedures listed in the v\$sysaux_occupants.move_procedure column? (Choose two.)

- A. The procedure may be used for some components to relocate component data to the SYSAUX tablespace from its current tablespace.
- B. The procedure may be used for some components to relocate component data from the SYSAUX tablespace to another tablespace.
- C. All the components may be moved into SYSAUX tablespace.
- D. All the components may be moved from the SYSAUX tablespace

Answer: AB

NEW QUESTION 144

You want to create a role that:

- is protected from unauthorized usage
 - does not use a password embedded in the application source code or stored in a table
 - is enabled for a user based on security policies defined in a PL/SQL package
- How would you create this role?

- A. as a secure application role
- B. with definer's rights
- C. with global authentication
- D. with external authentication

Answer: A

Explanation:

References: https://docs.oracle.com/cd/B28359_01/network.111/b28531/authorization.htm#DBSEG97973

NEW QUESTION 145

The user SCOTT owns the CUST table that is placed in the SALES tablespace. The user SCOTT opens a session and executes commands as follows:

```
SQL> INSERT INTO cust VALUES(101, 'JACK'); 1 row created. SQL> INSERT INTO cust VALUES(102, 'SMITH'); 1 row created.
```

As a DBA, you execute the following command from another session: ALTER TABLESPACE sales READ ONLY; Which statement is true regarding the effect of this command on the transaction in Scott's session?

- A. The command fails as a transaction is still pending.
- B. The transaction in Scott's session is rolled back and the tablespace becomes readonly.
- C. The command waits and the user SCOTT can execute data manipulation language (DML) statements only as part of the current transaction.
- D. The command hangs until all transactions on the objects in the tablespace commit or rollback, and then the tablespace is placed in readonly mode.

Answer: B

NEW QUESTION 146

The persistent configuration settings for RMAN have default for all parameters. Identify four RMAN commands that produce a multi-section backup.

- A. BACKUP TABLESPACE SYSTEM SECTION SIZE 100M;
- B. BACKUP AS COPY TABLESPACE SYSTEM SECTION SIZE 100M;
- C. BACKUP ARCHIVELOG ALL SECTION SIZE 25M;
- D. BACKUP TABLESPACE "TEMP" SECTION SIZE 10M;
- E. BACKUP TABLESPACE "UNDO" INCLUDE CURRENT CONTROLFILE SECTION SIZE 100M;
- F. BACKUP SPFILE SECTION SIZE 1M;
- G. BACKUP INCREMENTAL LEVEL 0 TABLESPACE SYSAUX SECTION SIZE 100M;

Answer: ABEG

NEW QUESTION 149

Which three statements are true about automated maintenance tasks? (Choose three.)

- A. They run at predefined time intervals that are intended to occur during a period of low system load.
- B. An Oracle Scheduler job is created for each maintenance task that is scheduled to run in a maintenance window.
- C. A maintenance window is automatically extended until all the maintenance tasks defined are completed.
- D. A repository is maintained in the SYSTEM tablespace to store the history of execution of all tasks.
- E. Predefined maintenance tasks consist of automatic optimizer statistics collection, running Automatic Segment Advisor, and running Automatic SQL Tuning Advisor.

Answer: ABE

Explanation:

References: https://docs.oracle.com/cd/E11882_01/server.112/e25494/tasks.htm#ADMIN12331

NEW QUESTION 150

Your database has the SRV1 service configured for an application that runs on middle-tier application server. The application has multiple modules. You enable tracing at the service level by executing the following command: SQL > exec DBMS_MONITOR.SERV_MOD_ACT_TRACE_ENABLE ('SRV1');

The possible outcome and actions to aggregate the trace files are as follows:

1. The command fails because a module name is not specified.
2. A trace file is created for each session that is running the SRV1 service.
3. An aggregated trace file is created for all the sessions that are running the SRV1 service.
4. The trace files may be aggregated by using the trcess utility.
5. The trace files be aggregated by using the tkprof utility.

Identify the correct outcome and the step to aggregate by using tkprof utility?

- A. 1
- B. 2 and 4
- C. 2 and 5
- D. 3 and 4
- E. 3 and 5

Answer: B

Explanation:

Tracing information is present in multiple trace files and you must use the trcess tool to collect it into a single file. Incorrect:

Not 1: Parameter service_name

Name of the service for which tracing is enabled. module_name

Name of the MODULE. An optional additional qualifier for the service. Note:

* The procedure enables a trace for a given combination of Service, MODULE and ACTION name. The specification is strictly hierarchical: Service Name or Service Name/MODULE, or Service Name, MODULE, and ACTION name must be specified. Omitting a qualifier behaves like a wild-card, so that not specifying an ACTION means all ACTIONS. Using the ALL_ACTIONS constant achieves the same purpose.

* SERV_MOD_ACT_TRACE_ENABLE Procedure

This procedure will enable SQL tracing for a given combination of Service Name, MODULE and ACTION globally unless an instance_name is specified.

* DBMS_MONITOR.SERV_MOD_ACT_TRACE_ENABLE(service_name IN VARCHAR2,
module_name IN VARCHAR2 DEFAULT ANY_MODULE, action_name IN VARCHAR2 DEFAULT ANY_ACTION, waits IN BOOLEAN DEFAULT TRUE,
binds IN BOOLEAN DEFAULT FALSE,
instance_name IN VARCHAR2 DEFAULT NULL);

NEW QUESTION 152

Which three statements are true about Oracle Data Pump? (Choose three.)

- A. IMPDP can be used to change target data file names, schemas, and tablespaces during import.
- B. The DBMS_DATAPUMP PL/SQL package can be used independently of Data Pump clients to perform export and import operations.
- C. EXPDP and IMPDP are the client components of Oracle Data Pump.
- D. Oracle Data Pump export and import operations can be performed only by users with the SYSDBA privilege.
- E. IMPDP always use the conventional path insert method to import data.

Answer: ABC

Explanation:

References: https://docs.oracle.com/cd/E11882_01/server.112/e22490/dp_overview.htm#SUTIL2880

NEW QUESTION 157

Your database instance is started by using a server parameter file (SPFILE). You execute the following command to change the value of the LOG_BUFFER initialization parameter:

```
ALTER SYSTEM SET LOG_BUFFER=32 M;
```

What is the outcome of this command?

- A. The parameter value is changed and it comes into effect as soon as space becomes available in the SGA.
- B. It returns an error because the value of this parameter cannot be changed dynamically.
- C. The parameter value is changed and it comes into effect at the next instance startup.
- D. It returns an error because SCOPE should be set to MEMOR

Answer: B

NEW QUESTION 159

On your Oracle 12c database, you Issue the following commands to create indexes

```
SQL > CREATE INDEX oe.ord_customer_ix1 ON oe.orders (customers_id, sales_rep_id) INVISIBLE; SQL> CREATE BITMAP INDEX oe.ord_customer_ix2 ON
```

oe.orders (customers_id, sales_rep_id); Which two statements are correct? (Choose two.)

- A. Both the indexes are created; however, only the ORD_COSTOMER index is visible.
- B. The optimizer evaluates index access from both the Indexes before deciding on which index to use for query execution plan.
- C. Only the ORD_CUSTOMER_IX1 index is created.
- D. Only the ORD_CUSTOMER_IX2 index is created.
- E. Both the indexes are updated when a new row is inserted, updated, or deleted In the orders table.

Answer: AE

Explanation:

11G has a new feature called Invisible Indexes. An invisible index is invisible to the optimizer as default. Using this feature, we can test a new index without effecting the execution plans of the existing sql statements or we can test the effect of dropping an index without dropping it.

NEW QUESTION 164

On your Oracle Database, you issue the following commands to create indexes:

SQL > CREATE INDEX oe.ord_customer_ix1 ON oe.orders (customer_id, sales_rep_id) INVISIBLE; SQL> CREATE BITMAP INDEX oe.ord_customer_ix2 ON oe.orders (customer_id, sales_rep_id); Which two statements are true? (Choose two.)

- A. Only the ORD_CUSTOMER_IX1 index created.
- B. Both the indexes are updated when a row is inserted, updated, or deleted in the ORDERS table.
- C. Both the indexes are created: however, only ORD_CUSTOMERS_IX1 is used by the optimizer for queries on the ORDERS table.
- D. The ORD_CUSTOMER_IX1 index is not used by the optimizer even when the OPTIMIZER_USE_INVISIBLE_INDEXES parameters is set to true.
- E. Both the indexes are created and used by the optimizer for queries on the ORDERS table.
- F. Both the indexes are created: however, only ORD_CUSTOMERS_IX2 is used by the optimizer for queries on the ORDERS table.

Answer: BF

Explanation:

Not A: Both indexes are created fine.

B: The invisible index ORD_CUSTOMERS_IX1 and the bitmap index are both updated by DML operations on the Orders table.

F: Since ORD_CUSTOMERS_IX1 is invisible only ORD_CUSTOMERS_IX2 is used by the query optimizer. Not C, Not D, Not E:

* ord_customer_ix1 is an invisible index and is therefore not used by the optimizer.

* VISIBLE | INVISIBLE Use this clause to specify whether the index is visible or invisible to the optimizer. An invisible index is maintained by DML operations, but it is not be used by the optimizer during queries unless you explicitly set the parameter OPTIMIZER_USE_INVISIBLE_INDEXES to TRUE at the session or system level. Note: Specify BITMAP to indicate that index is to be created with a bitmap for each distinct key, rather than indexing each row separately. Bitmap indexes store the rowids associated with a key value as a bitmap. Each bit in the bitmap corresponds to a possible rowid. If the bit is set, then it means that the row with the corresponding rowid contains the key value. The internal representation of bitmaps is best suited for applications with low levels of concurrent transactions, such as data warehousing.

NEW QUESTION 165

Which two statements are true when row archival management is enabled? (Choose two.)

- A. The ORA_ARCHIVE_STATE column visibility is controlled by the ROW ARCHIVAL VISIBILITY session parameter.
- B. The ORA_ARCHIVE_STATE column is updated manually or by a program that could reference activity tracking columns, to indicate that a row is no longer considered active.
- C. The ROW ARCHIVAL VISIBILITY session parameter defaults to active rows only.
- D. The ORA_ARCHIVE_STATE column is visible if referenced in the select list of a query.
- E. The ORA_ARCHIVE_STATE column is updated automatically by the Oracle Server based on activity tracking columns, to Indicate that a row is no longer considered active.

Answer: CD

NEW QUESTION 170

Examine these two statements:

```
SQL> CREATE BIGFILE TABLESPACE MRKT
  2 DATAFILE '/u01/app/oracle/oradata/orcl/mrkt.dbf' size 10M LOGGING
  3 EXTENT MANAGEMENT LOCAL SEGMENT SPACE MANAGEMENT AUTO;
```

Tablespace created.

```
SQL> ALTER DATABASE DEFAULT TABLESPACE MRKT;
```

Database altered.

Which three are true about the MRKT tablespace? (Choose three.)

- A. The MRKT tablespace is created as a small file tablespace, because the file size is less than the minimum required for big file files.
- B. The MRKT tablespace may be dropped if it has no contents.
- C. Users who were using the old default tablespace will have their default tablespaces changed to the MRKT tablespace.
- D. No more data files can be added to the tablespace.
- E. The relative file number of the tablespace is not stored in rowids for the table rows that are stored in the MRKT tablespace.

Answer: CDE

NEW QUESTION 175

Which activity is audited by default and recorded in the operating system audit trail irrespective of whether or not database auditing is enabled?

- A. execution of SQL statements by users connected with the SYSDBA privilege
- B. creation of a fine-grained audit policy
- C. configuration of unified auditing mode
- D. usage of the AUDIT statement

Answer: A

Explanation:

References https://docs.oracle.com/cd/B28359_01/network.111/b28531/auditing.htm#DBSEG0622

NEW QUESTION 176

Your database instance has started using an SPFILE. Examine the RMAN configuration settings:

```
CONFIGURE RETENTION POLICY TO REDUNDANCY 1; # default
CONFIGURE BACKUP OPTIMIZATION OFF; # default
CONFIGURE DEFAULT DEVICE TYPE TO DISK; # default
CONFIGURE CONTROLFILE AUTOBACKUP ON;
CONFIGURE CONTROLFILE AUTOBACKUP FORMAT FOR DEVICE TYPE DISK TO '%F'; default
```

You execute the command:

RMAN> BACKUP AS COPY TABLESPACE TEST;

Which three types of files are backed up by using this command? (Choose three.)

- A. online redo log files
- B. control file
- C. SPFILE
- D. archived redo log files
- E. data file(s)
- F. PFILE

Answer: BCE

Explanation:

References:

<http://www.juliandyke.com/Research/RMAN/BackupCommand.php>

NEW QUESTION 177

Which three statements are true about space usage alerts? (Choose three.)

- A. Alerts are issued only when the critical threshold for space available in a tablespace is breached.
- B. The sum of active extents and allocated user quotas is considered to compute space usage for an undo tablespace.
- C. Database alerts can provide warnings about low space availability at both tablespace and segment levels.
- D. Alerts are not issued for locally managed tablespaces that are offline or in read-only mode.
- E. A newly created locally managed tablespace is automatically assigned the default threshold values defined for a database.

Answer: ADE

Explanation:

References: https://docs.oracle.com/cd/B28359_01/server.111/b28310/schema001.htm#ADMIN10120

NEW QUESTION 179

Which three activities are supported by the Data Recovery Advisor? (Choose three.)

- A. Advising on block checksum failures
- B. Advising on inaccessible control files
- C. Advising on inaccessible block change tracking files
- D. Advising on empty password files
- E. Advising on invalid block header field values

Answer: ABE

Explanation:

* Data Recovery Advisor can diagnose failures such as the following:

/ (B) Components such as datafiles and control files that are not accessible because they do not exist, do not have the correct access permissions, have been taken offline, and so on

/ (A, E) Physical corruptions such as block checksum failures and invalid block header field values

/ Inconsistencies such as a datafile that is older than other database files

/ I/O failures such as hardware errors, operating system driver failures, and exceeding operating system resource limits (for example, the number of open files)

* The Data Recovery Advisor automatically diagnoses corruption or loss of persistent data on disk, determines the appropriate repair options, and executes repairs at the user's request. This reduces the complexity of recovery process, thereby reducing the Mean Time To Recover (MTTR).

NEW QUESTION 183

Flashback is enabled for your multitenant container database (CDB), which contains two pluggable database (PDBs). A local user was accidentally dropped from one of the PDBs.

You want to flash back the PDB to the time before the local user was dropped. You connect to the CDB and execute the following commands:

SQL > SHUTDOWN IMMEDIATE SQL > STARTUP MOUNT

SQL > FLASHBACK DATABASE to TIME "TO_DATE ('08/20/12' , 'MM/DD/YY)"; Examine following commands:

1. ALTER PLUGGABLE DATABASE ALL OPEN;

- 2. ALTER DATABASE OPEN;
- 3. ALTER DATABASE OPEN RESETLOGS;

Which command or commands should you execute next to allow updates to the flashback back schema?

- A. Only 1
- B. Only 2
- C. Only 3
- D. 3 and 1
- E. 1 and 2

Answer: D

NEW QUESTION 184

Which three statements are true about Oracle Restart? (Choose three.)

- A. It can be configured to automatically attempt to restart various components after a hardware or software failure.
- B. While starting any components, it automatically attempts to start all dependencies first and in proper order.
- C. It can be configured to automatically restart a database in case of normal shutdown of the database instance.
- D. It can be used to only start Oracle components.
- E. It runs periodic check operations to monitor the health of Oracle component

Answer: BDE

NEW QUESTION 187

Which statement is true about profiles?

- A. Resource limits specified in a profile assigned to a user are always enabled.
- B. A user can exist without any profile.
- C. A profile can be assigned only to one user.
- D. Password management using profiles is always enable

Answer: D

NEW QUESTION 191

Which statement is true about a database in ARCHIVELOG mode?

- A. All backups taken prior to switching to ARCHIVELOG mode can be used to perform complete recovery.
- B. Online redo log files have to be multiplexed before putting the database in ARCHIVELOG mode.
- C. A Fast Recovery Area (FRA) must be configured for the database.
- D. Full database backups can be performed when the database is opene

Answer: D

NEW QUESTION 195

You have a production Oracle 12c database running on a host.

You want to install and create databases across multiple new machines that do not have any Oracle database software installed. You also want the new databases to have the same directory structure and components as your existing 12c database.

The steps in random order:

1. Create directory structures similar to the production database on all new machines.
2. Create a response file for Oracle Universal Installer (OUI) with the same configurations as the production database.
3. Create a database clone template for the database.
4. Run the Database Configuration Assistant (DBCA) to create the database.
5. Run OUI in graphical mode on each machine.
6. Run OUI in silent mode using the OUI response file.

Identify the required steps in the correct sequence to achieve the requirement with minimal human intervention.

- A. 1, 5, and 4
- B. 3, 1, 5, and 6
- C. 2, 3, 6, and 4
- D. 2, 1, 6, and 4
- E. 2, 3, 1, and 6

Answer: E

NEW QUESTION 200

Examine the following steps:

ADBA grants the CREATE TABLE system privilege with ADMIN OPTION to the user SIDNEY. SIDNEY grants the CREATE TABLE system privilege to the HR user.

Which statement is true?

- A. SIDNEY can revoke the CREATE TABLE system privilege only from HR, to whom he granted it.
- B. HR can grant the CREATE TABLE system privilege to other users.
- C. Neither SIDNEY nor HR can create new tables if the DBA revokes the CREATE TABLE privilege from SIDNEY.
- D. HR still retains the CREATE TABLE system privilege if the DBA revokes the CREATE TABLE privilege from SIDNEY.

Answer: D

Explanation:

References:

http://www.dba-oracle.com/t_with_grant_admin_privileges.htm

NEW QUESTION 201

The HR schema exists in two databases, BOSTON and DENVER, and has the same password, HR. You have the CREATE DATABASE LINK and CREATE SESSION privileges on both the database. BOSTON is defined as a service name in the tnsnames.ora of both the databases.

You plan to use the command:

```
CREATE DATABASE LINK hr_link CONNECT to hr IDENTIFIED BY hr USING 'denver';
```

What must be done to ensure only the HR user in the BOSTON database can access the HR schema in the DENVER database?

- A. Execute this command as HR user in the BOSTON database and SYS user in the DENVER database.
- B. Execute this command as SYS user in both the databases.
- C. Execute this command as HR user in the DENVER database.
- D. Execute this command as HR user in the BOSTON databas

Answer: D

NEW QUESTION 206

The HR user owns the BONUSSES table. HR grants privileges to the user TOM by using the command: SQL> GRANT SELECT ON bonuses TO tom WITH GRANT OPTION;

TOM then executes this command to grant privileges to the user JIM: SQL> GRANT SELET ON hr.bonuses TO jim; Which statement is true?

- A. TOM cannot revoke the SELECT ON HR.BONUSSES privilege from JIM.
- B. HR can revoke the SELECT ON HR.BONUSSES privilege from JIM.
- C. JIM can grant the SELECT ON HR.BONUSSES privilege to other users, but cannot revoke the privilege from them.
- D. HR can revoke the SELECT ON HR.BONUSSES privilege from TOM, which will automatically revoke the SELECT ON HR.BONUSSES privilege from JIM.

Answer: D

NEW QUESTION 209

You create an Oracle 12c database and then import schemas that are required by an application which has not yet been developed.

You want to get advice on creation of or modifications to indexes, materialized views and partitioning in these schemas. What must you run to achieve this?

- A. SQL Access Advisor with a SQL tuning set
- B. Automatic Database Diagnostic Monitor (ADDM) report
- C. SQL Tuning Advisor
- D. SQL Access Advisor with a hypothetical workload
- E. SQL Performance Analyzer

Answer: D

NEW QUESTION 213

Which two services may you see on the My Service Dashboard page? (Choose two.)

- A. Network Cloud Service
- B. User Cloud Service
- C. Compute Cloud Service
- D. Database Cloud Service

Answer: CD

NEW QUESTION 214

You want execution of large database operations to suspend, and then resume, in the event of space allocation failures. You set the value of the initialization parameter RESUMABLE_TIMEOUT to 3600. Which two statements are true? (Choose two.)

- A. Before a statement executes in resumable mode, the ALTER SESSION ENABLE RESUMABLE statement must be issued in its session.
- B. Data Manipulation Language (DML) operations are resumable, provided that they are not embedded in a PL/SQL block.
- C. A resumable statement can be suspended and resumed only once during execution.
- D. A suspended statement will report an error if no corrective action has taken place during a timeout period.
- E. Suspending a statement automatically results in suspending a transaction and releasing all the resources held by the transaction.

Answer: AD

NEW QUESTION 217

Which three statements are true about windows? (Choose three.)

- A. Only one window can be open at any given time
- B. Consumer groups are associated with windows
- C. Windows work with job classes to control resource allocation
- D. The database service name must be provided during windows creation
- E. Windows can automatically start job or change resource allocation among jobs for various time periods

Answer: ACE

NEW QUESTION 220

Automatic Shared Memory Management is enabled for your database instance. You notice that there are SQL statements performing poorly because of repeated

parsing activity.

Which action generates recommendations to overcome the performance issues?

- A. running the Memory Advisor for the buffer cache
- B. running the Memory Advisor for the library cache
- C. running the Memory Advisor for the SGA
- D. running the Memory Advisor for the PGA

Answer: B

NEW QUESTION 222

Which files must you copy from the Oracle home of the database that is being upgraded to the new Oracle home for Oracle Database 12c? (Choose three.)

- A. the tnsnames.ora file
- B. the sqlnet.ora file
- C. the initialization parameter file
- D. the password file
- E. the listener.ora file

Answer: ABE

Explanation:

References https://docs.oracle.com/cd/E11882_01/server.112/e23633/afterup.htm#UPGRD52747

NEW QUESTION 226

Which two statements are true about Oracle Data Pump export and import operations? (Choose two.)

- A. You cannot specify how partitioned tables should be handled during an import operation.
- B. Only data can be compressed during an export operation.
- C. Existing dump files can be overwritten during an export operation.
- D. Tables cannot be renamed during an import operation.
- E. Metadata that is exported and imported can be filtered based on objects and object types.

Answer: AE

Explanation:

References https://docs.oracle.com/cd/B28359_01/server.111/b28300/expimp.htm#UPGRD12560

NEW QUESTION 230

Identify three situations in which messages are written to the alert log file. (Choose three.)

- A. Rebuilding an index using ALTER INDEX . . . REBUILD fails with an ORA-01578: ORACLE data block corrupted (file # 14, block # 50)"
- B. Creating a table returns "ORA-00955: name is already in used by an existing object"
- C. Inserting a value into a table returns "ORA-01722: invalid number"
- D. Updating a record in a table returns "ORA-00060: deadlock detected while waiting for resource"
- E. Inserting a value into a table returns "ORA-00001: unique constraint (SYS.PK_XXXX) violated"
- F. Running a query on a table returns "ORA-01578: ORACLE data block corrupted (file # 4, block # 131)"

Answer: ADF

NEW QUESTION 231

For which three requirements would you use the Database Resource Manager? (Choose three.)

- A. specifying an idle time limit that applies to sessions that are idle and blocking other sessions
- B. limiting the degree of parallelism of operations performed by user sessions in a consumer group
- C. specifying the maximum number of concurrent sessions allowed for a user
- D. limiting the CPU used per database call
- E. specifying the amount of private space a session can allocate in the shared pool of the SGA.

Answer: ABC

Explanation:

References:

http://docs.oracle.com/cd/B19306_01/server.102/b14231/dbrm.htm

NEW QUESTION 235

You want to create a test database as a replica of your production database with minimum intervention from a DBA. Which method would you use?

- A. Use DBCA to create a template from the existing database to contain the database structure and then manually copy the data by using Oracle Data Pump.
- B. Use Database Configuration Assistant (DBCA) to create a template from the existing database to contain the database structure.
- C. Create the database by using the CREATE DATABASE command.
- D. . . command and manually import data by using Data Pump.
- E. Use DBCA to create a template from the existing database to contain the database structure with data files and then use the same template to create the database in the new location.

Answer: A

NEW QUESTION 238

Which component resides in the System Global Area (SGA) of a database instance only in shared server connections?

- A. User Global Area
- B. Program Global Area
- C. SQL Query Result Cache
- D. PL/SQL Function Result Cache

Answer: A

NEW QUESTION 241

Identify the access that is initially available to connect to your Database as a Service (DBaaS) environment.

- A. Enterprise Manager on port 1158
- B. telnet on port 23
- C. Cloud Control on port 7799
- D. SSH on port 22
- E. SSL/TLS on port 443

Answer: D

NEW QUESTION 242

Your database instance has Automatic Memory Management enabled and supports shared server connections. Examine the following:

1. Parallel execution messages and control structures
2. Local variables for a process
3. Security and resource usage information
4. Runtime memory values, such as rows retrieved for a SQL statement using a serial execution plan
5. SQL execution work areas

Which option indicates what is allocated from the large pool in this instance?

- A. only 1
- B. 1, 2, and 5
- C. 1, 2, 3, and 5
- D. 1, 2, and 4

Answer: D

NEW QUESTION 247

Backup requirements for a database:

- * Level 0 backup on Sunday
 - * Cumulative incremental level 1 backup on Monday, Wednesday, and Saturday
 - * Differential incremental level 1 backup on Tuesday, Thursday, and Friday
- Which three statements are true about the strategy? (Choose three.)

- A. Level 0 backup on Sunday contains all the blocks that have been formatted.
- B. Level 0 backup on Sunday contains all the blocks that have been changed since the last level 1 backup.
- C. Level 1 backup on Tuesday, Thursday, and Friday contains all the blocks that have been changed since the last level 1 backup.
- D. Level 1 backup on Monday, Wednesday, and Saturday contains all the blocks that have been changed since the last level 0 backup.
- E. Level 1 backup on Tuesday, Thursday, and Friday contains all the blocks that have been changed since the last level 0 backup.

Answer: ACD

NEW QUESTION 252

Which two statements are true about a server parameter file (SPFILE)? (Choose two.)

- A. An SPFILE can be created from a PFILE or from memory.
- B. A PFILE can be used to start up a database instance even if an SPFILE exists.
- C. An SPFILE must reside in the ORACLE_HOME/dbs directory.
- D. An SPFILE can be created only before a database instance is started.
- E. An SPFILE contains only those dynamic parameters that can be changed without having to restart the database instance.

Answer: AB

NEW QUESTION 257

When does a database checkpoint occur?

- A. When there is an online redo log switch.
- B. When a user session terminates abnormally.
- C. When a server process terminates abnormally.
- D. When the SHUTDOWN ABORT command is issued.

Answer: A

NEW QUESTION 258

Your database instance has the following parameter setting: OS_AUTHENT_PREFIX = OPS\$

You execute the following command:

```
SQL> CREATE USER ops$guest_user  
IDENTIFIED EXTERNALLY  
DEFAULT TABLESPACE users;
```

And then grant OPS\$GUEST_USER the CREATE SESSION privilege. Which two statements are true? (Choose two.)

- A. GUEST_USER can query the tables created in the USERS tablespace by default.
- B. The authentication details for GUEST_USER are stored in the database password file.
- C. A local GUEST_USER OS account should exist before GUEST_USER can log on to the database.
- D. GUEST_USER can log on to the database without specifying a username and password.
- E. GUEST_USER is forced to change the password at the first logi

Answer: CD

NEW QUESTION 262

Your database supports an online transaction processing (OLTP) workload in which one of the applications creates a temporary table for a session and performs transactions on it. This consumes a lot of undo tablespace and generates lots of redo. Which two actions would you take to solve this problem? (Choose two.)

- A. Increase the size of the temporary tablespace.
- B. Enable Automatic Memory Management (AMM).
- C. Enable undo retention guarantee.
- D. Enable temporary undo for the database.
- E. Increase the size of the redo log buffe

Answer: AD

NEW QUESTION 267

Which statement is true about using the Database Upgrade Assistant (DBUA) to upgrade your database from Oracle Database 11g to Oracle Database 12c?

- A. It terminates if the SYSTEM tablespace in the source database is not autoextensible.
- B. It automatically makes necessary changes to Oracle environment variables.
- C. It automatically enables unified auditing in the upgraded database.
- D. It automatically adds new data files if there is not enough disk space to grow.

Answer: D

Explanation:

References: https://docs.oracle.com/cd/E18283_01/server.112/e17222/upgrade.htm#insertedID5

NEW QUESTION 268

Which two statements are true about the Database Configuration Assistant (DBCA)? (Choose two.)

- A. It can be used to create a database template from an existing database.
- B. It can be used to add a new tablespace.
- C. It can generate SQL database creation scripts.
- D. It can be used to copy an existing Oracle database to a new host and apply any patches necessary in the new host.
- E. It can configure Automatic Storage Management (ASM) diskgroups.

Answer: AC

Explanation:

References: https://docs.oracle.com/cd/E17559_01/em.111/e16599/appdx_creating_db_templates.htm#CJACEDCD

NEW QUESTION 270

You determine that database performance is sub-optimal due to hard parsing statements. Automatic Shared Memory Management (ASMM) is disabled for your database instance.

Which tool would you use to get advice on how to improve performance?

- A. Memory Advisor for the PGA
- B. SQL Access Advisor
- C. Memory Advisor for the shared pool
- D. SQL Tuning Advisor

Answer: C

Explanation:

References: http://docs.oracle.com/cd/E25178_01/server.1111/e10897/montune.htm#CHDGFJCFJ

NEW QUESTION 275

Which three statements are true about Oracle checkpoint processing? (Choose three.)

- A. Frequent thread checkpoints can degrade database performance
- B. Database Writer (DBWn) processes write checkpoint information to datafile headers and the control file
- C. It reduces the recovery time from instance failures
- D. Incremental checkpoints write some dirty buffers to the datafiles and unwritten redo to the online redo logs.
- E. Thread checkpoints ensure that all dirty buffers are written to data files during a normal shutdown

Answer: BCE

NEW QUESTION 279

Which three statements are true about the Pre-Upgrade Information Tool? (Choose three.)

- A. It clears all user recycle bins in a database and releases their storage space.
- B. It writes a list of invalid SYS and SYSTEM object to the registry\$sys_inv_objs table.
- C. It evaluates the dependencies of network utility packages.
- D. It identifies any deprecated and unsupported parameters.
- E. It generates fix-up scripts and automatically runs them to resolve issues that are flagged in the source databas

Answer: BCD

NEW QUESTION 284

You are using RMAN to back up your database. All the data files are in read/write mode. Examine the RMAN configuration parameters:

```
CONFIGURE RETENTION POLICY TO REDUNDANCY 1; # default
CONFIGURE BACKUP OPTIMIZATION OFF; # default
CONFIGURE CONTROLFILE AUTOBACKUP ON; #
CONFIGURE DEVICE TYPE DISK PARALLELISM 1 BACKUP TYPE TO COMPRESSED
BACKUPSET;
CONFIGURE ARCHIVELOG BACKUP COPIES FOR DEVICE TYPE DISK TO 1; # de-
fault
```

Which two statements are true about a whole consistent backup of a database running in ARCHIVELOG mode? (Choose two.)

- A. The backup can be used as an incremental level 0 backup.
- B. The database instance must be shut down to take the backup.
- C. The database must be in MOUNT state to take the backup.
- D. The backup consists of blocks that have been formatted.
- E. The system Change Number (SCN) is the same for all the data files in the backu

Answer: BE

NEW QUESTION 287

Examine the parameters:

Examine the parameters:

NAME	TYPE	VALUE
resource_limit	boolean	TRUE
resouce_manager_cpu_allocation	integer	2
resouce_manager_plan	string	MY_PLAN

Users complain that their sessions for certain transactions hang. You investigate and discover that some users fail to complete their transactions, causing other transactions to wait on row-level locks.

Which two actions would you take to prevent this problem? (Choose two.)

- A. Increase the maximum number of ITL slots for segments on which a blocking user performs a transaction.
- B. Decrease the SESSIONS_PER_USER limit in the profiles assigned to blocking users.
- C. Set a limit in the proles of blocking users to control the number of data blocks that can be accessed in a session.
- D. Use Database Resource Manager to automatically kill the sessions that are idle and are blocking other sessions.
- E. Decrease the IDLE_TIME resource limit in the profiles assigned to blocking user

Answer: BD

NEW QUESTION 289

Which two categories of segments are analyzed by the Automatic Segment Advisor? (Choose two.)

- A. segments in tablespaces that have exceeded a critical or warning space threshold
- B. segments that have the highest growth rate in a database
- C. segments that are sparsely populated and have more than 10% of free space below the high water mark.
- D. segments that have unusable indexes
- E. segments for tables created using ADVANCED ROW COMPRESSION

Answer: AB

Explanation:

References:

http://www.dba-oracle.com/t_segment_advisor_10g.htm

NEW QUESTION 292

Examine the command to perform a data pump export operation on a source database:

\$> expdp hr/hr DIRECTORY=dumpdir DUMPFILE=emp1.dmp VIEWS_AS_TABLE=emp_dept On the target database, you execute the data pump import command:

\$> impdp hr/hr DIRECTORY=dumpdir DUMPFILE=emp1.dmp VIEWS_AS_TABLE=emp_dept Which three statements are true? (Choose three.)

- A. The expdp operation exports data that satisfies the condition of the defining query used to create the EMP_DEPT view.
- B. The impdp operation creates the view and dependent objects.
- C. All rows from the dependent objects, along with the metadata required to create the EMP_DEPT view, are exported.
- D. Objects dependent on the EMP_DEPT view are exported.
- E. The impdp operation creates EMP_DEPT as table and populates it with the data from the export dump file

Answer: ADE

NEW QUESTION 297

You install "Oracle Grid Infrastructure for a standalone server" on a host on which the ORCL1 and ORCL2 databases both have their instances running. Which two statements are true? (Choose two.)

- A. All databases subsequently created by using the Database Configuration Assistant (DBCA) are automatically added to the Oracle Restart configuration.
- B. The srvctl add database command must be used to add ORCL1 and ORCL2 to the ORACLE Restart configuration.
- C. Both ORCL1 and ORCL2 are automatically added to the Oracle Restart configuration.
- D. All database listeners running from the database home are automatically added to the Oracle Restart configuration.
- E. The crsctl start has command must be used to start software services for Oracle Automatic Storage Management (ASM) after the "Oracle Grid Infrastructure for a standalone server" installation is complete.

Answer: AB

NEW QUESTION 301

Examine the parameters:

Your database instance is started with a PFILE.

<u>NAME</u>	<u>TYPE</u>	<u>VALUE</u>
Memory_max_target	big integer	0
Memory_target	big integer	0
Sga_max_size	big integer	2G
Sga_target	big integer	2G

You want to increase the size of the buffer cache. Free memory is available to increase the size of the buffer cache. You execute the command: SQL> ALTER SYSTEM SET DB_CACHE_SIZE=1024M; Which is the outcome?

- A. Change is applied to the current instance, but does not persist after instance restart.
- B. The value is changed only in the PFILE and takes effect at the next instance startup.
- C. The value is changed for the current instance and in the PFILE.
- D. It fails because the SCOPE clause is missing

Answer: A

NEW QUESTION 304

Examine the parameter settings in your local ORCL database:

```
DB_DOMAIN=us.example.com
DB_NAME=orcl
REMOTE_OS_AUTHENT=TRUE
GLOBAL_NAMES=TRUE
```

Examine the parameter settings for the remote SALES database:

```
DB_DOMAIN=hq.example.com
DB_NAME=sales
REMOTE_OS_AUTHENT=TRUE
GLOBAL_NAMES=TRUE
```

As the SYS user, you issue the following command on ORCL:

CREATE PUBLICDATABASE LINK sales.us.example.com USING 'sales1'; The sales1 tnsnames entry points to the sales database instance.

Which two are requirements to ensure that you can successfully connect by using this database link? (Choose two.)

- A. The GLOBAL_NAMES initialization parameter should be set to FALSE in the ORCL database.
- B. The SALES1 net service name should be known to both the local and remote databases.
- C. Local database users who use this database link should have accounts and the required privileges in the remote database.
- D. The REMOTE_OS_AUTHENT initialization parameter should be set to FALSE in the remote database.
- E. Only the user creating the database link must have an account and the required privileges in the remote database

Answer: AC

NEW QUESTION 308

The HR user updates the salary of one of the employees in the non-partitioned EMPLOYEES table, but does not commit the transaction. Which two types of lock exist in this situation? (Choose two.)

- A. exclusive lock on the EMPLOYEES table
- B. null lock on the row being updated
- C. null lock on the EMPLOYEES table
- D. row level lock on the row being updated
- E. shared lock on the EMPLOYEES table

Answer: DE

NEW QUESTION 310

Your single-instance Oracle 12c database home currently supports conventional auditing and uses Automatic Storage Management (ASM). You want to enable unified auditing by executing the command:
\$ make -fins_rdbms.mk uniaud_on ioracle ORACLE_HOME=\$ORACLE_HOME Which two steps should you perform before executing this command? (Choose two.)

- A. Ensure that the initialization parameter AUDIT_TRAIL is set to DB.
- B. Drop any existing fine-grained audit (FGA) policies.
- C. Stop the listener.
- D. Shut down the database instance.
- E. Disable auditing by setting the initialization parameter AUDIT_TRAIL to NONE.

Answer: CE

Explanation:

References: https://blogs.oracle.com/UPGRADE/entry/unified_auditing_is_it_on

NEW QUESTION 314

Your database is configured in ARCHIVELOG mode, and daily full database backups are taken. RMAN is configured to perform control file autobackups. Which statement is true about the loss of a duplexed control file?

- A. The database remains open but transactions are not permitted.
- B. The database instance aborts, and media recovery is required after restoration of the control file to open the database.
- C. The database instance remains open and the control file can be restored without shutting down the database.
- D. The database instance aborts and a control file restore operation does not require media recover

Answer: C

NEW QUESTION 319

Which two statements describe the relationship between a scheduler window, a resource manager plan, and a job class? (Choose two.)

- A. A scheduler window together with a job class, controls resource allocation for a job using that job class in that scheduler window.
- B. A job class specifies a scheduler window that will be open when that job class becomes active.
- C. A scheduler window specifies a resource manager plan that will be activated when that scheduler window becomes active.
- D. A scheduler window specifies a job class that will be activated when that scheduler window becomes active.
- E. A scheduler window can control resource allocation by itself

Answer: AC

NEW QUESTION 321

Which statement is true about unified auditing?

- A. The unified audit trail, by default, resides in a read-only table in the AUDSYS schema in the SYSAUX tablespace.
- B. Only the CREATE, ALTER, and DROP statements are audited for all users, including SYS.
- C. Unified auditing is enabled only if the AUDIT_TRAIL parameter is set to NONE.
- D. The unified audit trail contains audit records only from unified audit policies and AUDIT settings.

Answer: A

Explanation:

References: https://docs.oracle.com/database/121/DBSEG/audit_admin.htm#DBSEG370

NEW QUESTION 325

Your database is open in read/write mode and multiple users are connected to the database instance. You execute the following command:
SQL> ALTER SYSTEM ENABLE RESTRICTED SESSION; What would be the effect on current sessions?

- A. They are not terminated but may only issue queries.
- B. They are not affected.
- C. They are terminated immediately.
- D. They are terminated after completing the transactio

Answer: B

NEW QUESTION 328

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 1Z0-062 Exam with Our Prep Materials Via below:

<https://www.certleader.com/1Z0-062-dumps.html>