

AZ-300 Dumps

Microsoft Azure Architect Technologies

<https://www.certleader.com/AZ-300-dumps.html>



NEW QUESTION 1

- (Exam Topic 2)

You need to meet the scaling requirements for Policy Service. What should you store in Azure Redis Cache?

- A. ViewState
- B. HttpContext.tems
- C. Session state
- D. TempData

Answer: B

NEW QUESTION 2

- (Exam Topic 2)

You need to ensure that the solution can meet the scaling requirements for Policy Service. Which Azure Application Insights data model should you use?

- A. an Application Insights trace
- B. an Application Insights metric
- C. an Application Insights dependency
- D. an Application Insights event

Answer: B

NEW QUESTION 3

- (Exam Topic 4)

You need to configure AG1. What should you create?

- A. a basic routing rule
- B. a multi-site listener
- C. a basic listener
- D. a URL path-based routing rule

Answer: D

Explanation:

References:

<https://docs.microsoft.com/en-us/azure/application-gateway/application-gateway-create-url-route-portal>

NEW QUESTION 4

- (Exam Topic 4)

You need to prepare the New York office infrastructure for the migration of the on-premises virtual machines to Azure.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Answer Area

From VM1, deploy a virtual machine.

From the ASRV1 blade in the Azure portal, select a protection goal.

From an Azure portal, download the OVF file.

From VM1, register the configuration server.

From VM1, connect to the collector virtual machine.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/azure/site-recovery/vmware-azure-tutorial>

NEW QUESTION 5

- (Exam Topic 4)

You need to implement App2 to meet the application requirements.

What should you include in the implementation? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

App Service plan pricing tier:

Isolated

Shared

Standard

Enabled feature:

Always On

Auto Swap

Web Sockets

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://azure.microsoft.com/en-us/pricing/details/app-service/plans/> <https://docs.microsoft.com/en-us/azure/azure-functions/functions-scale>

NEW QUESTION 6

- (Exam Topic 5)

You are developing a SMS-based testing solution. The solution sends users a question by using SMS. Early responders may qualify for prizes.

Users must respond with an answer choice within 90 seconds. You must be able to track how long it takes each user to respond. You create a durable Azure Function named SendSmsQuizQuestion that uses Twilio to send messages.

You need to write the code for MessageQuiz.

How should you complete the code? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

```
[FunctionName("MessageQuiz")]
public static async Task<bool> Run([OrchestrationTrigger]
DurableOrchestrationContext context)
{
    string phoneNumber = context.GetInput<string>();
    int correctAnswerCode = await context.CallActivityAsync<int>
("SendSmsQuizQuestion", phoneNumber);
    using (var cts = new CancellationTokenSource())
    {
```

DateTime expiration = DateTime.UtcNow;
DateTime expiration = DateTime.UtcNow.AddSeconds(90);
DateTime expiration = DateTime.Now();
DateTime expiration = context.CurrentUtcDateTime.AddSeconds(90);

var timeoutTask = context.CallActivityAsync<DateTime>("timeout", expiration);
var timeoutTask = context.CreateTimer(expiration, cts.Token);
var timeoutTask = context.WaitForExternalEvent("timeout", 90000);
var timeoutTask = context.CallSubOrchestratorAsync("timeout", expiration);

```
bool isWinner = false;
for (int retryCount = 0; retryCount <= 3; retryCount++)
{
    Task<int> challengeResponseTask =
context.WaitForExternalEvent<int>("SmsQuizResponse");
    Task winner = await Task.WhenAny(challengeResponseTask,
timeoutTask);
    if (winner == challengeResponseTask)
    {
        if(challengeResponseTask.Result == correctAnswerCode)
        {
            isWinner = true;
            break;
        }
    }
    else
    {
        break;
    }
}
```

if (!timeoutTask.IsCompleted)
if (!timeoutTask.IsCanceled)
if (!context.IsReplaying)
if (!cts.IsCancellationRequested)

```
{
    cts.Cancel();
}
return isWinner;
}
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:


```
[FunctionName("MessageQuiz")]
public static async Task<bool> Run([OrchestrationTrigger]
DurableOrchestrationContext context)
{
    string phoneNumber = context.GetInput<string>();
    int correctAnswerCode = await context.CallActivityAsync<int>
("SendSmsQuizQuestion", phoneNumber);
    using (var cts = new CancellationTokenSource())
    {
        DateTime expiration = DateTime.UtcNow;
        DateTime expiration = DateTime.UtcNow.AddSeconds(90);
        DateTime expiration = DateTime.Now();
        DateTime expiration = context.CurrentUtcDateTime.AddSeconds(90);

        var timeoutTask = context.CallActivityAsync<DateTime>("timeout", expiration);
        var timeoutTask = context.CreateTimer(expiration, cts.Token);
        var timeoutTask = context.WaitForExternalEvent("timeout", 90000);
        var timeoutTask = context.CallSubOrchestratorAsync("timeout", expiration);

        bool isWinner = false;
        for (int retryCount = 0; retryCount <= 3; retryCount++)
        {
            Task<int> challengeResponseTask =
            context.WaitForExternalEvent<int>("SmsQuizResponse");
            Task winner = await Task.WhenAny(challengeResponseTask,
            timeoutTask);
            if (winner == challengeResponseTask)
            {
                if(challengeResponseTask.Result == correctAnswerCode)
                {
                    isWinner = true;
                    break;
                }
            }
            else
            {
                break;
            }
        }

        if (!timeoutTask.IsCompleted)
        if (!timeoutTask.IsCanceled)
        if (!context.IsReplaying)
        if (!cts.IsCancellationRequested)
        {
            cts.Cancel();
        }
        return isWinner;
    }
}
```

NEW QUESTION 7

- (Exam Topic 5)

You configure Azure AD Connect for Azure Active Directory Seamless Single Sign-On (Azure AD Seamless SSO) for an on-premises network.

Users report that when they attempt to access myapps.microsoft.com, they are prompted multiple times to sign in and are forced to use an account name that ends with onmicrosoft.com.

You discover that there is a UPN mismatch between Azure AD and the on-premises Active Directory. You need to ensure that the users can use single-sign on (SSO) to access Azure resources. What should you do first?

- A. From the on-premises network, deploy Active Directory Federation Services (AD FS).
- B. From the server that runs Azure AD Connect, modify the filtering options.
- C. From the on-premises network, request a new certificate that contains the Active Directory domain name.
- D. From Azure AD, add and verify a custom domain name.

Answer: D

NEW QUESTION 8

- (Exam Topic 5)

You are developing a .NET Core on –premises application that updates multiple Azure SQL Database instances. The application must log all update commands attempted to a separate Azure SQL Database instance named AuditDb.

You define an outer Transaction Scope with a loop enumerate and run the SQL commands on each customer database connection and an inner Transaction Scope to record all transactions attempted within the outer Transaction Scope to the AuditDb database

You need to develop a method to perform the updates to the databases. The solution must meet the following requirements.

- All rows written to the AuditDb database must be committed even if the outer transaction fails.
- If an error occurs writing to the AuditDb database, the outer transaction must be rolled back.
- If an error occurs writing to the Customer databases, only the outer transaction must be rolled back.
- Values for TransactionScopeOption must be specified for the customer databases.
- Values for TransactionScopeOption must be specified for the AuditDb database.

Which Transaction Scope Option values should you use?

- A. Required for Customer Tran Scope Option and Required for Audit Tran Scope Option
- B. Requires New for Customer Tran Scope Option and Suppress for Audit Tran Scope Option
- C. Suppress for Customer Tran Scope Option and Suppress for Audit Tran Scope Option
- D. Requires New for the Customer Tran Scope Option and Requires New for the Audit Tran Scope Option

Answer: A

NEW QUESTION 9

- (Exam Topic 5)

You have an Azure subscription named Subscription1 that contains an Azure virtual machine named VM1. VM1 is in a resource group named RG1.

VM1 runs services that will be used to deploy resources to RG1.

You need to ensure that a service running on VM1 can manage the resources in RG1 by using the identity of VM1.

What should you do first?

- A. From the Azure portal, modify the Access control (IAM) settings of RG1.
- B. From the Azure portal, modify the Policies settings of RG1.
- C. From the Azure portal, modify the Access control (IAM) settings of VM1.
- D. From the Azure portal, modify the value of the Managed Service Identity option for VM1.

Answer: D

Explanation:

References:

<https://docs.microsoft.com/en-us/azure/active-directory/managed-identities-azure-resources/overview>

NEW QUESTION 10

- (Exam Topic 5)

You plan to develop an Azure Stream Analytics job that ingests streaming data from legacy, SaaS, and cloud applications. The data will be u data analysis.

You need to select Azure resources to handle the data input and output for the solution Which resources should you use?

- A. Input Event Hub, output: Event Hub
- B. Input Blobs, output: IoT Hub
- C. Input IoT Hub, output: Service Bus
- D. Input Service Bus, output: lot Hub

Answer: D

NEW QUESTION 10

- (Exam Topic 5)


You have an Azure subscription that contains the following resources:

- a virtual network named VNet1
- a replication policy named RepIPoHcy1
- a Recovery Services vault named Vault1
- an Azure Storage account named Storage1

You have an Amazon Web Services (AWS) EC2 virtual machine named VM1 that runs Windows Server 2016.

You need to migrate VM1 to VNet1 by using Azure Site Recovery.


Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 13

- (Exam Topic 5)

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company backs up data to on-premises servers at their main facility. The company currently has 30 TB of archived data that infrequently used. The facility has download speeds of 100 Mbps and upload speeds of 20 Mbps.

You need to securely transfer all backups to Azure Blob Storage for long-term archival. All backup data must be sent within seven days.

Solution: Create a file share in Azure Files. Mount the file share to the server and upload the files to the file share. Transfer the files to Azure Blob Storage.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 16

- (Exam Topic 5)

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company backs up data to on-premises servers at their main facility. The company currently has 30 TB of archived data that infrequently used. The facility has download speeds of 100 Mbps and upload speeds of 20 Mbps.

You need to securely transfer all backups to Azure Blob Storage for long-term archival. All backup data must be sent within seven days.

Solution: Use the Set-AzureStorageBlobContent Azure PowerShell command to copy all backups asynchronously to Azure Blob Storage.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 20

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals.

Some question sets might have more than on correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result these questions will not appear in the review screen.

You have an Azure Active Directory (Azure AD) tenant named Adatum and an Azure Subscription1 named Subscription1. Adatum contains a group named Developers. Subscnpbon1 contains a resource group named Dev.

You need to provide the Developers group with the ability to create Azure logic apps in the Dev resource group.

Solution: On Subscription1, you assign the logic App Operator role to the Developers group. Does this meet the goal?

- A. Yes
- B. NO

Answer: B

NEW QUESTION 21

- (Exam Topic 5)

You have an Active Directory forest named contoso.com.

You install and configure AD Connect to use password hash synchronization as the single sign-on(SSO) method. Staging mode is enabled.

You review the synchronization results and discover that the Synchronization Service Manager does not display any sync jobs.

You need to ensure that the synchronization completes successfully.

What should you do?

- A. From Azure PowerShell, run Start-AdSyncSyncCycle –PolicyType Initial.

- B. Run Azure AD Connect and set the SSO method to Pass-through Authentication.
- C. From Synchronization Service Manager, run a full import.
- D. Run Azure AD Connect and disable staging mode.

Answer: D

Explanation:

References:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sync-operations>

NEW QUESTION 26

- (Exam Topic 5)

Fourth Coffee has an ASP.Net Core web app that runs in Docker. The app is mapped to the www.fourthcoffee.com domain.

Fourth Coffee is migrating this application to Azure.

You need to provision an App Service Web App to host this docker image and map the custom domain to the App Service web app.

A resource group named FourthCoffeePublicWebResourceGroup has been created in the WestUS region that contains an App Service Plan named AppServiceLinuxDockerPlan.

Which order should the CLI commands be used to develop the solution? To answer, move all of the Azure CLI commands from the list of commands to the answer area and arrange them in the correct order.

Azure CLI commands

Answer Area

```
az webapp config container set  
--docker-custom-image-name  
SdockerHubContainerPath  
--name SappName  
--resource-group  
fourthCoffeePublicWebResourceGroup
```

```
az webapp create  
--name SappName  
--plan AppServiceLinuxDockerPlan  
--resource-group  
fourthCoffeePublicWebResourceGroup
```

```
#!/bin/bash  
appName="FourthCoffeePublicWebSrandom"  
location="WestUS"  
dockerHubContainerPath="FourthCoffee/publicwe  
fqdn="http://fourthcoffee.com">www.fourth
```

```
az webapp config hostname add  
--webapp-name SappName  
--resource-group  
fourthCoffeePublicWebResourceGroup \  
--hostname Sfqn
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Azure CLI commands

Answer Area

```
az webapp config container set
--docker-custom-image-name
SdockerHubContainerPath
--name SappName
--resource-group
fourthCoffeePublicWebResourceGroup
```

```
#/bin/bash
appName="FourthCofeePublicWebSrandom"
location="WestUS"
dockerHubContainerPath="FourthCofee/publicwe
fqdn="http://fourthcofee.com">www.fourth
```

```
az webapp create
--name SappName
--plan AppServiceLinuxDockerPlan
--resource-group
fourthCoffeePublicWebResourceGroup
```

```
az webapp create
--name SappName
--plan AppServiceLinuxDockerPlan
--resource-group
fourthCoffeePublicWebResourceGroup
```

```
#/bin/bash
appName="FourthCofeePublicWebSrandom"
location="WestUS"
dockerHubContainerPath="FourthCofee/publicwe
fqdn="http://fourthcofee.com">www.fourth
```

```
az webapp config container set
--docker-custom-image-name
SdockerHubContainerPath
--name SappName
--resource-group
fourthCoffeePublicWebResourceGroup
```

```
az webapp config hostname add
--webapp-name SappName
--resource-group
fourthCoffeePublicWebResourceGroup \
--hostname Sfqn
```

```
az webapp config hostname add
--webapp-name SappName
--resource-group
fourthCoffeePublicWebResourceGroup \
--hostname Sfqn
```

NEW QUESTION 29

- (Exam Topic 5)

You have an Azure Active Directory (Azure AD) tenant that has the initial domain name. You have a domain name of contoso.com registered at a third-party registrar.

You need to ensure that you can create Azure AD users that have names containing a suffix of @contoso.com. Which three actions should you perform in sequence? To answer, move the appropriate cmdlets from the list of cmdlets to the answer area and arrange them in the correct order.

Actions	Answer Area
Add an Azure AD tenant.	
Create an Azure DNS zone.	
Verify the domain.	
Configure company branding.	
Add a record to the public contoso.com DNS zone.	
Add a custom domain name.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/azure/active-directory/fundamentals/add-custom-domain>

NEW QUESTION 34

- (Exam Topic 5)

You have a Microsoft SQL Server Always On availability group on Azure virtual machines. You need to configure an Azure internal load balancer as a listener for the availability group. What should you do?

- A. Create an HTTP health probe on port 1433.
- B. Set Session persistence to Client IP.
- C. Set Session persistence to Client IP and protocol.
- D. Enable Floating IP.

Answer: D

Explanation:

References:

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/sql/virtual-machines-windows-portal-sql-alwa>

NEW QUESTION 36

- (Exam Topic 5)

You have an on-premises network that contains a Hyper-V host named Host1. Host1 runs Windows Server 2016 and hosts 10 virtual machines that run Windows Server 2016.

You plan to replicate the virtual machines to Azure by using Azure Site Recovery. You create a Recovery Services vault named ASR1 and a Hyper-V site named Site1. You need to add Host1 to ASR1.

What should you do?

- A. Download the installation file for the Azure Site Recovery Provider.Download the storage account key.Install the Azure Site Recovery Provider on each virtual machine and register the virtual machines.
- B. Download the installation file for the Azure Site Recovery Provider.Download the vault registration key.Install the Azure Site Recovery Provider on Host1 and register the server.
- C. Download the installation file for the Azure Site Recovery Provider.Download the storage account key.Install the Azure Site Recovery Provider on Host1 and register the server.
- D. Download the installation file for the Azure Site Recovery Provider.Download the vault registration key.Install the Azure Site Recovery Provider on each virtual machine and register the virtual machines.

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/azure/site-recovery/hyper-v-azure-tutorial>

NEW QUESTION 37

- (Exam Topic 5)

You are developing a speech-enabled home automation control bot. The bot interprets some spoken words incorrectly. You need to improve the spoken word recognition for the bot. What should you implement?

- A. The Skype for Business Channel and use scorable dialogs for improving conversation flow.
- B. The Web Chat Channel and Speech priming using a Bing Speech Service and LUIS app.
- C. The Skype Channel and use scorable dialogs for improving conversation flow.
- D. The Cortana Channel and use scorable dialogs for improving conversation flow.

Answer: B

NEW QUESTION 38

- (Exam Topic 5)

You have an Azure Active Directory (Azure AD) tenant.

You have an existing Azure AD conditional access policy named Policy1. Policy1 enforces the use of Azure AD-joined devices when members of the Global Administrators group authenticate to Azure AD from untrusted locations.

You need to ensure that members of the Global Administrators group will also be forced to use multi-factor authentication when authenticating from untrusted locations.

What should you do?

- A. From the Azure portal, modify session control of Policy1.
- B. From multi-factor authentication page, modify the user settings.
- C. From multi-factor authentication page, modify the service settings.
- D. From the Azure portal, modify grant control of Policy1.

Answer: D

NEW QUESTION 43

- (Exam Topic 5)

You have an Azure subscription named Subscription1 that is used by several departments at your company. Subscription1 contains the resources in the following table.

Name	Type
Storage1	Storage account
RG1	Resource group
Container1	Blob container
Share1	File share

Another administrator deploys a virtual machine named VM1 and an Azure Storage account named Storage2 by using a single Azure Resource Manager template. You need to view the template used for the deployment.

From which blade can you view the template that was used for the deployment?

- A. Contained
- B. VM1
- C. Storage2
- D. RG1

Answer: D

NEW QUESTION 44

- (Exam Topic 5)

You have an Azure Service Bus.

You need to implement a Service Bus queue that guarantees first-in-first-out (FIFO) delivery of messages. What should you do?

- A. Enable partitioning
- B. Enable duplicate detection
- C. Set the Lock Duration setting to 10 seconds
- D. Enable sessions
- E. Set the Max Size setting of the queue to 5 GB

Answer: D

Explanation:

References:

<https://docs.microsoft.com/en-us/azure/service-bus-messaging/service-bus-azure-and-service-bus-queuescompar>

NEW QUESTION 46

- (Exam Topic 5)

You plan to deploy five virtual machines to a virtual network subnet.

Each virtual machine will have a public IP address and a private IP address. Each virtual machine requires the same inbound and outbound security rules.

What is the minimum number of network interfaces and network security groups that you require? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Minimum number of network interfaces:

	v
5	
10	
15	
20	

Minimum number of network security groups:

	v
1	
2	
5	
10	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Minimum number of network interfaces:

	v
5	
10	
15	
20	

Minimum number of network security groups:

	v
1	
2	
5	
10	

NEW QUESTION 50

- (Exam Topic 5)

You have the following resource groups:

Resource group	Comments
DevServer_WestCentralUS	This resource group is located in the West Central US region and contains a single virtual machine (VM) named DevServer. DevServer is connected to a private subnet in an Azure Virtual Network that has no internet access.
Workstation_EastUS	This resource group is located in the East US region and contains a VM named DevWorkstation. DevWorkstation is connected to a subnet in a Virtual Network and is configured with a public IP address. A network security group has been configured to allow public incoming remote desktop protocol (RDP) connections to the DevWorkstation.

Developers must connect to Dev Server only through Dev Workstation. To maintain security, DevS erver must not accept connections from the internet. You need to create a private connection between the Dev Workstation and Dev St Solution: Configure an IP address on each subnet within the same address space. Does the solution meet the goal?

- A. Yes
- B. NO

Answer: B

NEW QUESTION 55

- (Exam Topic 5)

You need to create a conditional access policy that requires all users to use multi-factor authentication when they access the Azure portal.

Which three settings should you configure? To answer, select the appropriate settings to the answer area. NOTE: Each correct selection is worth one point.

Name

Policy1 ✓

Assignments

Users and groups ⓘ
0 users and groups selected >

Cloud apps ⓘ
0 cloud apps selected >

Conditions ⓘ
0 cloud apps selected >

Access controls

Grant ⓘ
0 controls selected >

Session ⓘ
0 controls selected >

Enable Policy

ON

OFF

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Name

Policy1 ✓

Assignments

Users and groups ⓘ
0 users and groups selected >

Cloud apps ⓘ
0 cloud apps selected >

Conditions ⓘ
0 cloud apps selected >

Access controls

Grant ⓘ
0 controls selected >

Session ⓘ
0 controls selected >

Enable Policy

ON

OFF

NEW QUESTION 59

- (Exam Topic 5)

Your company develops a bot that uses QnA Maker knowledge bases and Language Understanding Intelligence Services (LUIS). You create the QnA Maker service, knowledge bases, and the LUIS app.

The bot application must use LUIS to determine which QnA Maker knowledge base to use.

You need to integrate LUIS with the QnA Maker knowledge bases and maximize the effectiveness for selecting the QnA Maker knowledge bases before testing the bot.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Configure the bot app to link LUIS app intents to the knowledge bases.	
Create utterances for the LUIS app that correspond to the knowledge bases.	
Create intents for the LUIS app that correspond to knowledge bases.	
Publish the LUIS application.	
Configure the bot app to link LUIS app entities to the knowledge bases.	
Create entities for the LUIS app that correspond to the knowledge bases.	
Train the LUIS application.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

Configure the bot app to link LUIS app intents to the knowledge bases.

Create utterances for the LUIS app that correspond to the knowledge bases.

Create intents for the LUIS app that correspond to knowledge bases.

Publish the LUIS application.

Configure the bot app to link LUIS app entities to the knowledge bases.

Create entities for the LUIS app that correspond to the knowledge bases.

Train the LUIS application.

Answer Area

Create intents for the LUIS app that correspond to knowledge bases.

Train the LUIS application.

Publish the LUIS application.

Configure the bot app to link LUIS app intents to the knowledge bases.

NEW QUESTION 60

- (Exam Topic 5)

You have an Azure subscription named Subscription1. Subscription1 contains the resources in the following table:

Name	Type
RG1	Resource group
RG2	Resource group
VNet1	Virtual network
VNet2	Virtual network

VNet1 is in RG1. VNet2 is in RG2. There is no connectivity between VNet1 and VNet2. An administrator named Admin1 creates an Azure virtual machine VM1 in RG1. VM1 uses a disk named Disk1 and connects to VNet1. Admin1 then installs a custom application in VM1.

You need to move the custom application to VNet2. The solution must minimize administrative effort. Which two actions should you perform? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

First action:

	V
Create a network interface in RG2.	
Detach a network interface.	
Delete VM1.	
Move a network interface to RG2.	

Second action:

	V
Attach a network interface.	
Create a network interface in RG2.	
Create a new virtual machine.	
Move VM1 to RG2.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

First action:

	V
Create a network interface in RG2.	
Detach a network interface.	
Delete VM1.	
Move a network interface to RG2.	

Second action:

	V
Attach a network interface.	
Create a network interface in RG2.	
Create a new virtual machine.	
Move VM1 to RG2.	

NEW QUESTION 65

- (Exam Topic 5)

You create a social media application that users can use to upload images and other content.

Users report that adult content is being posted in an area of the site that is accessible to and intended for young children.

You need to automatically detect and flag potentially offensive content. The solution must not require any custom coding other than code to scan and evaluate images.

What should you implement?

- A. Bing Visual Search
- B. Bing Image Search
- C. Custom Vision Search
- D. Computer Vision API

Answer: D

NEW QUESTION 68

- (Exam Topic 5)

You are developing an Azure web application to store and archive patient medical records in Azure. You need to configure data storage to meet the following policies:

- Ensure that you can configure a retention period for patient records.
- Archived data must be readable.
- Archived data must not be modified or deleted. Which Azure storage service should you use?

- A. Azure Tables
- B. Azure Blobs
- C. Azure Queues
- D. Azure Files

Answer: A

NEW QUESTION 71

- (Exam Topic 5)

You plan to create a Docker image that runs an ASP.NET Core application named ContosoApp. You have a setup script named setupScript.ps1 and a series of application files including ContosoApp.dll.

You need to create a Dockerfile document that meets the following requirements:

Call setupScript.ps1 when the container is built.

Run ContosoApp.dll when the container starts.

The Dockerfile document must be created in the same folder where ContosoApp.dll and setupScript.ps1 are stored.

Which four commands should you use to develop the solution? To answer, move the appropriate commands from the list of commands to the answer area and arrange them in the correct order.

Commands

Answer Area

```
RUN powershell ./setupScript.ps1  
CMD ["dotnet", "ContosoApp.dll"]
```

```
FROM microsoft/aspnetcore:2.0
```

```
CMD powershell ./setupScript.ps1  
ENTRYPOINT ["dotnet",  
"ContosoApp.dll"]
```

```
WORKDIR /apps/ContosoApp
```

```
EXPOSE ./ContosoApp/ /apps/ContosoApp
```

```
COPY ./.
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Commands	Answer Area
RUN powershell ./setupScript.ps1 CMD ["dotnet", "ContosoApp.dll"]	FROM microsoft/aspnetcore:2.0
FROM microsoft/aspnetcore:2.0	WORKDIR /apps/ContosoApp
CMD powershell ./setupScript.ps1 ENTRYPOINT ["dotnet", "ContosoApp.dll"]	COPY ./.
WORKDIR /apps/ContosoApp	RUN powershell ./setupScript.ps1 CMD ["dotnet", "ContosoApp.dll"]
EXPOSE ./ContosoApp/ /apps/ContosoApp	
COPY ./.	

NEW QUESTION 75

- (Exam Topic 5)

You have an Azure subscription named Subscription1 that contains a virtual network named VNet1. VNet1 is in a resource group named RG1. Subscription1 has a user named User1. User1 has the following roles:

Reader
Security Admin
Security Reader

You need to ensure that User1 can assign the Reader role for VNet1 to other users. What should you do?

- A. Assign User1 the Owner role for VNet1.
- B. Assign User1 the Network Contributor role for VNet1.
- C. Remove User1 from the Security Reader and Reader roles for Subscription1. Assign User1 the Contributor role for Subscription1.
- D. Remove User1 from the Security Reader and Reader roles for Subscription1.

Answer: A

NEW QUESTION 77

- (Exam Topic 5)

You set the multi-factor authentication status for a user named admin1@contoso.com to Enabled.

Admin1 accesses the Azure portal by using a web browser.

Which additional security verifications can Admin1 use when accessing the Azure portal?

- A. an app password, a text message that contains a verification code, and a verification code sent from the Microsoft Authenticator app
- B. a phone call, a text message that contains a verification code, and a notification or a verification code sent from the Microsoft Authenticator app
- C. a phone call, an email message that contains a verification code, and a text message that contains an app password
- D. an app password, a text message that contains a verification code, and a notification sent from the Microsoft Authenticator app

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/concept-authentication-methods>

NEW QUESTION 79

- (Exam Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals.

You need to meet the vendor notification requirement.

Solution: Update the Delivery API to send emails by using a Microsoft Office 365 SMTP server. Does the solution meet the goal?

A. Yes

B. No

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/azure/api-management/api-management-howto-configure-notifications>

NEW QUESTION 80

- (Exam Topic 6)

You need to debug the user greeting issue. What should you use?

- A. Azure Application Insights
- B. Bot Framework Emulator
- C. Bot Framework Channel Inspector
- D. Bot Connector service
- E. Azure Compote Emulator


Answer: A

NEW QUESTION 82

- (Exam Topic 6)

You need to update the Inventory API.

Which development tools should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.




A. Mastered

B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 85

- (Exam Topic 6)

You need to resolve the language processing issue.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them on the correct order.

Actions

Answer Area

Publish the LUIS app.

Add new utterances and entities.

Add new intents.

Create a new LUIS app.

Train the LUIS app.

Add names for Italian cuisine to
Azure Search.

Add the Azure Search provider to the bot.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
<div>Publish the LUIS app.</div>	<div>Create a new LUIS app.</div>
<div>Add new utterances and entities.</div>	
<div>Add new intents.</div>	<div>Train the LUIS app.</div>
<div>Create a new LUIS app.</div>	
<div>Train the LUIS app.</div>	<div>Publish the LUIS app.</div>
<div>Add names for Italian cuisine to Azure Search.</div>	
<div>Add the Azure Search provider to the bot.</div>	

NEW QUESTION 88

- (Exam Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals.

You need to meet the vendor notification requirement.

Solution: Update the Delivery API to send emails by using a cloud-based email service. Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/azure/api-management/api-management-howto-configure-notifications>

NEW QUESTION 93

- (Exam Topic 6)

You need to implement the purchase requirement. What should you do?

- A. Use the Bot Framework REST API conversation operations to send the user's voice and the Speech Service API to recognize intents.
- B. Use the Direct Line REST API to send the user's voice and the Speech Service API to recognize intents.
- C. Use the Speech Service API to send the user's voice and the Bot Framework REST API conversation operations to recognize intents.
- D. Use the Bot Framework REST API attachment operations to send the user's voice and the Speech Service API to recognize intents.

Answer: A

NEW QUESTION 94

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your AZ-300 Exam with Our Prep Materials Via below:

<https://www.certleader.com/AZ-300-dumps.html>