

312-50v10 Dumps

Certified Ethical Hacker v10

<https://www.certleader.com/312-50v10-dumps.html>



NEW QUESTION 1

- (Exam Topic 1)

You are a security officer of a company. You had an alert from IDS that indicates that one PC on your Intranet is connected to a blacklisted IP address (C2 Server) on the Internet. The IP address was blacklisted just before the alert. You are starting an investigation to roughly analyze the severity of the situation. Which of the following is appropriate to analyze?

- A. Event logs on the PC
- B. Internet Firewall/Proxy log
- C. IDS log
- D. Event logs on domain controller

Answer: B

NEW QUESTION 2

- (Exam Topic 1)

Chandler works as a pen-tester in an IT-firm in New York. As a part of detecting viruses in the systems, he uses a detection method where the anti-virus executes the malicious codes on a virtual machine to simulate CPU and memory activities.

Which type of virus detection method did Chandler use in this context?

- A. Heuristic Analysis
- B. Code Emulation
- C. Integrity checking
- D. Scanning

Answer: B

NEW QUESTION 3

- (Exam Topic 1)

Assume a business-critical web-site of some company that is used to sell handsets to the customers worldwide. All the developed components are reviewed by the security team on a monthly basis. In order to drive business further, the web-site developers decided to add some 3rd party marketing tools on it. The tools are written in JavaScript and can track the customer's activity on the site. These tools are located on the servers of the marketing company.

What is the main security risk associated with this scenario?

- A. External script contents could be maliciously modified without the security team knowledge
- B. External scripts have direct access to the company servers and can steal the data from there
- C. There is no risk at all as the marketing services are trustworthy
- D. External scripts increase the outbound company data traffic which leads greater financial losses

Answer: A

NEW QUESTION 4

- (Exam Topic 1)

Based on the below log, which of the following sentences are true?

```
Mar 1, 2016, 7:33:28 AM 10.240.250.23 – 54373 10.249.253.15 – 22 tcp_ip
```

- A. SSH communications are encrypted it's impossible to know who is the client or the server
- B. Application is FTP and 10.240.250.23 is the client and 10.249.253.15 is the server
- C. Application is SSH and 10.240.250.23 is the client and 10.249.253.15 is the server
- D. Application is SSH and 10.240.250.23 is the server and 10.249.253.15 is the server

Answer: C

NEW QUESTION 5

- (Exam Topic 1)

You are the Network Admin, and you get a complaint that some of the websites are no longer accessible. You try to ping the servers and find them to be reachable. Then you type the IP address and then you try on the browser, and find it to be accessible. But they are not accessible when you try using the URL. What may be the problem?

- A. Traffic is Blocked on UDP Port 53
- B. Traffic is Blocked on UDP Port 80
- C. Traffic is Blocked on UDP Port 54
- D. Traffic is Blocked on UDP Port 80

Answer: A

NEW QUESTION 6

- (Exam Topic 1)

Which protocol is used for setting up secure channels between two devices, typically in VPNs?

- A. PPP
- B. IPSEC
- C. PEM
- D. SET

Answer: B

NEW QUESTION 7

- (Exam Topic 1)

What is the minimum number of network connections in a multi homed firewall?

- A. 3
- B. 5
- C. 4
- D. 2

Answer: A

NEW QUESTION 8

- (Exam Topic 1)

Insecure direct object reference is a type of vulnerability where the application does not verify if the user is authorized to access the internal object via its name or key.

Suppose a malicious user Rob tries to get access to the account of a benign user Ned.

Which of the following requests best illustrates an attempt to exploit an insecure direct object reference vulnerability?

- A. "GET/restricted/goldtransfer?to=Rob&from=1 or 1=1' HTTP/1.1Host: westbank.com"
- B. "GET/restricted/accounts/?name=Ned HTTP/1.1 Host: westbank.com"
- C. "GET/restricted/bank.getaccount('Ned') HTTP/1.1 Host: westbank.com"
- D. "GET/restricted/\r\n%00account%00Ned%00access HTTP/1.1 Host: westbank.com"

Answer: B

NEW QUESTION 9

- (Exam Topic 1)

An attacker scans a host with the below command. Which three flags are set? (Choose three.)

#nmap -sX host.domain.com

- A. This is ACK sca
- B. ACK flag is set
- C. This is Xmas sca
- D. SYN and ACK flags are set
- E. This is Xmas sca
- F. URG, PUSH and FIN are set
- G. This is SYN sca
- H. SYN flag is set

Answer: C

NEW QUESTION 10

- (Exam Topic 1)

Which of the following types of jailbreaking allows user-level access but does not allow iboot-level access?

- A. Bootrom Exploit
- B. iBoot Exploit
- C. Sandbox Exploit
- D. Userland Exploit

Answer: D

NEW QUESTION 10

- (Exam Topic 1)

Email is transmitted across the Internet using the Simple Mail Transport Protocol. SMTP does not encrypt email, leaving the information in the message vulnerable to being read by an unauthorized person. SMTP can upgrade a connection between two mail servers to use TLS. Email transmitted by SMTP over TLS is encrypted. What is the name of the command used by SMTP to transmit email over TLS?

- A. OPPORTUNISTICTLS STARTTLS
- B. FORCETLS
- C. UPGRADETLS

Answer: B

NEW QUESTION 12

- (Exam Topic 1)

You need a tool that can do network intrusion prevention and intrusion detection, function as a network sniffer, and record network activity, what tool would you most likely select?

- A. Nmap
- B. Cain & Abel
- C. Nessus
- D. Snort

Answer: D

NEW QUESTION 17

- (Exam Topic 1)

Bob, a system administrator at TPNQM SA, concluded one day that a DMZ is not needed if he properly configures the firewall to allow access just to servers/ports, which can have direct internet access, and block the access to workstations.

Bob also concluded that DMZ makes sense just when a stateful firewall is available, which is not the case of TPNQM SA.

In this context, what can you say?

- A. Bob can be right since DMZ does not make sense when combined with stateless firewalls
- B. Bob is partially right
- C. He does not need to separate networks if he can create rules by destination IPs, one by one
- D. Bob is totally wrong
- E. DMZ is always relevant when the company has internet servers and workstations
- F. Bob is partially right
- G. DMZ does not make sense when a stateless firewall is available

Answer: C

NEW QUESTION 19

- (Exam Topic 1)

In which of the following cryptography attack methods, the attacker makes a series of interactive queries, choosing subsequent plaintexts based on the information from the previous encryptions?

- A. Chosen-plaintext attack
- B. Ciphertext-only attack
- C. Adaptive chosen-plaintext attack
- D. Known-plaintext attack

Answer: A

NEW QUESTION 20

- (Exam Topic 1)

Which Nmap option would you use if you were not concerned about being detected and wanted to perform a very fast scan?

- A. -T0
- B. -T5
- C. -O
- D. -A

Answer: B

NEW QUESTION 22

- (Exam Topic 2)

Which of the following tools will scan a network to perform vulnerability checks and compliance auditing?

- A. NMAP
- B. Metasploit
- C. Nessus
- D. BeEF

Answer: C

NEW QUESTION 25

- (Exam Topic 2)

How can a rootkit bypass Windows 7 operating system's kernel mode, code signing policy?

- A. Defeating the scanner from detecting any code change at the kernel
- B. Replacing patch system calls with its own version that hides the rootkit (attacker's) actions
- C. Performing common services for the application process and replacing real applications with fake ones
- D. Attaching itself to the master boot record in a hard drive and changing the machine's boot sequence/options

Answer: D

NEW QUESTION 29

- (Exam Topic 2)

Which property ensures that a hash function will not produce the same hashed value for two different messages?

- A. Collision resistance
- B. Bit length
- C. Key strength
- D. Entropy

Answer: A

NEW QUESTION 32

- (Exam Topic 2)

Which of the following techniques will identify if computer files have been changed?

- A. Network sniffing

- B. Permission sets
- C. Integrity checking hashes
- D. Firewall alerts

Answer: C

NEW QUESTION 33

- (Exam Topic 2)

What is a successful method for protecting a router from potential smurf attacks?

- A. Placing the router in broadcast mode
- B. Enabling port forwarding on the router
- C. Installing the router outside of the network's firewall
- D. Disabling the router from accepting broadcast ping messages

Answer: D

NEW QUESTION 37

- (Exam Topic 2)

An attacker uses a communication channel within an operating system that is neither designed nor intended to transfer information. What is the name of the communications channel?

- A. Classified
- B. Overt
- C. Encrypted
- D. Covert

Answer: D

NEW QUESTION 42

- (Exam Topic 2)

During a wireless penetration test, a tester detects an access point using WPA2 encryption. Which of the following attacks should be used to obtain the key?

- A. The tester must capture the WPA2 authentication handshake and then crack it.
- B. The tester must use the tool inSSIDer to crack it using the ESSID of the network.
- C. The tester cannot crack WPA2 because it is in full compliance with the IEEE 802.11i standard.
- D. The tester must change the MAC address of the wireless network card and then use the AirTraf tool to obtain the key.

Answer: A

NEW QUESTION 44

- (Exam Topic 2)

What is the main disadvantage of the scripting languages as opposed to compiled programming languages?

- A. Scripting languages are hard to learn.
- B. Scripting languages are not object-oriented.
- C. Scripting languages cannot be used to create graphical user interfaces.
- D. Scripting languages are slower because they require an interpreter to run the code.

Answer: D

NEW QUESTION 45

- (Exam Topic 2)

Which of the following can the administrator do to verify that a tape backup can be recovered in its entirety?

- A. Restore a random file.
- B. Perform a full restore.
- C. Read the first 512 bytes of the tape.
- D. Read the last 512 bytes of the tape.

Answer: B

Explanation:

A full restore is required.

NEW QUESTION 50

- (Exam Topic 2)

While conducting a penetration test, the tester determines that there is a firewall between the tester's machine and the target machine. The firewall is only monitoring TCP handshaking of packets at the session layer of the OSI model. Which type of firewall is the tester trying to traverse?

- A. Packet filtering firewall
- B. Application-level firewall
- C. Circuit-level gateway firewall
- D. Stateful multilayer inspection firewall

Answer: C

NEW QUESTION 51

- (Exam Topic 2)

Smart cards use which protocol to transfer the certificate in a secure manner?

- A. Extensible Authentication Protocol (EAP)
- B. Point to Point Protocol (PPP)
- C. Point to Point Tunneling Protocol (PPTP)
- D. Layer 2 Tunneling Protocol (L2TP)

Answer: A

NEW QUESTION 54

- (Exam Topic 2)

Which of the following techniques does a vulnerability scanner use in order to detect a vulnerability on a target service?

- A. Port scanning
- B. Banner grabbing
- C. Injecting arbitrary data
- D. Analyzing service response

Answer: D

NEW QUESTION 57

- (Exam Topic 2)

Which of the following lists are valid data-gathering activities associated with a risk assessment?

- A. Threat identification, vulnerability identification, control analysis
- B. Threat identification, response identification, mitigation identification
- C. Attack profile, defense profile, loss profile
- D. System profile, vulnerability identification, security determination

Answer: A

NEW QUESTION 60

- (Exam Topic 2)

Which of the following describes the characteristics of a Boot Sector Virus?

- A. Moves the MBR to another location on the RAM and copies itself to the original location of the MBR
- B. Moves the MBR to another location on the hard disk and copies itself to the original location of the MBR
- C. Modifies directory table entries so that directory entries point to the virus code instead of the actual program
- D. Overwrites the original MBR and only executes the new virus code

Answer: B

Explanation:

A boot sector virus is a computer virus that infects a storage device's master boot record (MBR). The virus moves the boot sector to another location on the hard drive.

References: <https://www.techopedia.com/definition/26655/boot-sector-virus>

NEW QUESTION 65

- (Exam Topic 2)

While checking the settings on the internet browser, a technician finds that the proxy server settings have been checked and a computer is trying to use itself as a proxy server. What specific octet within the subnet does the technician see?

- A. 10.10.10.10
- B. 127.0.0.1
- C. 192.168.1.1
- D. 192.168.168.168

Answer: B

NEW QUESTION 66

- (Exam Topic 2)

Which of the following is used to indicate a single-line comment in structured query language (SQL)?

- A. --
- B. ||
- C. %%
- D. "

Answer: A

NEW QUESTION 68

- (Exam Topic 2)

In the software security development life cycle process, threat modeling occurs in which phase?

- A. Design
- B. Requirements
- C. Verification
- D. Implementation

Answer: A

NEW QUESTION 71

- (Exam Topic 2)

Which NMAP command combination would let a tester scan every TCP port from a class C network that is blocking ICMP with fingerprinting and service detection?

- A. NMAP -PN -A -O -sS 192.168.2.0/24
- B. NMAP -P0 -A -O -p1-65535 192.168.0/24
- C. NMAP -P0 -A -sT -p0-65535 192.168.0/16
- D. NMAP -PN -O -sS -p 1-1024 192.168.0/8

Answer: B

NEW QUESTION 72

- (Exam Topic 2)

How is sniffing broadly categorized?

- A. Active and passive
- B. Broadcast and unicast
- C. Unmanaged and managed
- D. Filtered and unfiltered

Answer: A

NEW QUESTION 73

- (Exam Topic 2)

An NMAP scan of a server shows port 25 is open. What risk could this pose?

- A. Open printer sharing
- B. Web portal data leak
- C. Clear text authentication
- D. Active mail relay

Answer: D

NEW QUESTION 74

- (Exam Topic 2)

Which of the following does proper basic configuration of snort as a network intrusion detection system require?

- A. Limit the packets captured to the snort configuration file.
- B. Capture every packet on the network segment.
- C. Limit the packets captured to a single segment.
- D. Limit the packets captured to the /var/log/snort directory.

Answer: A

NEW QUESTION 75

- (Exam Topic 2)

What results will the following command yield: 'NMAP -sS -O -p 123-153 192.168.100.3'?

- A. A stealth scan, opening port 123 and 153
- B. A stealth scan, checking open ports 123 to 153
- C. A stealth scan, checking all open ports excluding ports 123 to 153
- D. A stealth scan, determine operating system, and scanning ports 123 to 153

Answer: D

NEW QUESTION 78

- (Exam Topic 2)

During a penetration test, the tester conducts an ACK scan using NMAP against the external interface of the DMZ firewall. NMAP reports that port 80 is unfiltered. Based on this response, which type of packet inspection is the firewall conducting?

- A. Host
- B. Stateful
- C. Stateless
- D. Application

Answer: C

NEW QUESTION 79

- (Exam Topic 2)

John the Ripper is a technical assessment tool used to test the weakness of which of the following?

- A. Usernames
- B. File permissions
- C. Firewall rulesets
- D. Passwords

Answer: D

NEW QUESTION 84

- (Exam Topic 2)

How can rainbow tables be defeated?

- A. Password salting
- B. Use of non-dictionary words
- C. All uppercase character passwords
- D. Lockout accounts under brute force password cracking attempts

Answer: A

NEW QUESTION 86

- (Exam Topic 2)

Which command line switch would be used in NMAP to perform operating system detection?

- A. -OS
- B. -sO
- C. -sP
- D. -O

Answer: D

NEW QUESTION 91

- (Exam Topic 2)

What is the main difference between a "Normal" SQL Injection and a "Blind" SQL Injection vulnerability?

- A. The request to the web server is not visible to the administrator of the vulnerable application.
- B. The attack is called "Blind" because, although the application properly filters user input, it is still vulnerable to code injection.
- C. The successful attack does not show an error message to the administrator of the affected application.
- D. The vulnerable application does not display errors with information about the injection results to the attacker.

Answer: D

NEW QUESTION 95

- (Exam Topic 2)

Which of the following programming languages is most vulnerable to buffer overflow attacks?

- A. Perl
- B. C++
- C. Python
- D. Java

Answer: B

NEW QUESTION 100

- (Exam Topic 2)

Which tool is used to automate SQL injections and exploit a database by forcing a given web application to connect to another database controlled by a hacker?

- A. DataThief
- B. NetCat
- C. Cain and Abel
- D. SQLInjector

Answer: A

NEW QUESTION 105

- (Exam Topic 2)

Which of the following is a component of a risk assessment?

- A. Physical security
- B. Administrative safeguards
- C. DMZ
- D. Logical interface

Answer: B

NEW QUESTION 109

- (Exam Topic 2)

Pentest results indicate that voice over IP traffic is traversing a network. Which of the following tools will decode a packet capture and extract the voice conversations?

- A. Cain
- B. John the Ripper
- C. Nikto
- D. Hping

Answer: A

NEW QUESTION 111

- (Exam Topic 2)

ICMP ping and ping sweeps are used to check for active systems and to check

- A. if ICMP ping traverses a firewall.
- B. the route that the ICMP ping took.
- C. the location of the switchport in relation to the ICMP ping.
- D. the number of hops an ICMP ping takes to reach a destination.

Answer: A

NEW QUESTION 113

- (Exam Topic 2)

During a penetration test, a tester finds that the web application being analyzed is vulnerable to Cross Site Scripting (XSS). Which of the following conditions must be met to exploit this vulnerability?

- A. The web application does not have the secure flag set.
- B. The session cookies do not have the HttpOnly flag set.
- C. The victim user should not have an endpoint security solution.
- D. The victim's browser must have ActiveX technology enabled.

Answer: B

NEW QUESTION 115

- (Exam Topic 2)

What is the correct PCAP filter to capture all TCP traffic going to or from host 192.168.0.125 on port 25?

- A. tcp.src == 25 and ip.host == 192.168.0.125
- B. host 192.168.0.125:25
- C. port 25 and host 192.168.0.125
- D. tcp.port == 25 and ip.host == 192.168.0.125

Answer: D

NEW QUESTION 120

- (Exam Topic 2)

A penetration tester is hired to do a risk assessment of a company's DMZ. The rules of engagement states that the penetration test be done from an external IP address with no prior knowledge of the internal IT systems. What kind of test is being performed?

- A. white box
- B. grey box
- C. red box
- D. black box

Answer: D

NEW QUESTION 123

- (Exam Topic 2)

Which of the following items of a computer system will an anti-virus program scan for viruses?

- A. Boot Sector
- B. Deleted Files
- C. Windows Process List
- D. Password Protected Files

Answer: A

NEW QUESTION 125

- (Exam Topic 2)

Which of the following is an example of two factor authentication?

- A. PIN Number and Birth Date
- B. Username and Password
- C. Digital Certificate and Hardware Token
- D. Fingerprint and Smartcard ID

Answer: D

NEW QUESTION 126

- (Exam Topic 2)

What is the broadcast address for the subnet 190.86.168.0/22?

- A. 190.86.168.255
- B. 190.86.255.255
- C. 190.86.171.255
- D. 190.86.169.255

Answer: C

NEW QUESTION 130

- (Exam Topic 2)

A large company intends to use Blackberry for corporate mobile phones and a security analyst is assigned to evaluate the possible threats. The analyst will use the Blackjacking attack method to demonstrate how an attacker could circumvent perimeter defenses and gain access to the corporate network. What tool should the analyst use to perform a Blackjacking attack?

- A. Paros Proxy
- B. BBProxy
- C. BBCrack
- D. Blooover

Answer: B

Explanation:

Blackberry users warned of hacking tool threat.

Users have been warned that the security of Blackberry wireless e-mail devices is at risk due to the availability this week of a new hacking tool. Secure Computing Corporation said businesses that have installed Blackberry servers behind their gateway security devices could be vulnerable to a hacking attack from a tool call BBProxy.

References:

<http://www.computerweekly.com/news/2240062112/Technology-news-in-brief>

NEW QUESTION 132

- (Exam Topic 3)

When does the Payment Card Industry Data Security Standard (PCI-DSS) require organizations to perform external and internal penetration testing?

- A. At least once a year and after any significant upgrade or modification
- B. At least once every three years or after any significant upgrade or modification
- C. At least twice a year or after any significant upgrade or modification
- D. At least once every two years and after any significant upgrade or modification

Answer: A

NEW QUESTION 137

- (Exam Topic 3)

To reduce the attack surface of a system, administrators should perform which of the following processes to remove unnecessary software, services, and insecure configuration settings?

- A. Harvesting
- B. Windowing
- C. Hardening
- D. Stealthing

Answer: C

NEW QUESTION 140

- (Exam Topic 3)

Some passwords are stored using specialized encryption algorithms known as hashes. Why is this an appropriate method?

- A. It is impossible to crack hashed user passwords unless the key used to encrypt them is obtained.
- B. If a user forgets the password, it can be easily retrieved using the hash key stored by administrators.
- C. Hashing is faster compared to more traditional encryption algorithms.
- D. Passwords stored using hashes are non-reversible, making finding the password much more difficult.

Answer: D

NEW QUESTION 142

- (Exam Topic 3)

Which of the following is a characteristic of Public Key Infrastructure (PKI)?

- A. Public-key cryptosystems are faster than symmetric-key cryptosystems.
- B. Public-key cryptosystems distribute public-keys within digital signatures.
- C. Public-key cryptosystems do not require a secure key distribution channel.
- D. Public-key cryptosystems do not provide technical non-repudiation via digital signatures.

Answer: B

NEW QUESTION 144

- (Exam Topic 3)

An attacker has captured a target file that is encrypted with public key cryptography. Which of the attacks below is likely to be used to crack the target file?

- A. Timing attack
- B. Replay attack
- C. Memory trade-off attack
- D. Chosen plain-text attack

Answer: D

NEW QUESTION 148

- (Exam Topic 3)

A technician is resolving an issue where a computer is unable to connect to the Internet using a wireless access point. The computer is able to transfer files locally to other machines, but cannot successfully reach the Internet. When the technician examines the IP address and default gateway they are both on the 192.168.1.0/24. Which of the following has occurred?

- A. The gateway is not routing to a public IP address.
- B. The computer is using an invalid IP address.
- C. The gateway and the computer are not on the same network.
- D. The computer is not using a private IP address.

Answer: A

NEW QUESTION 151

- (Exam Topic 3)

Which of the following ensures that updates to policies, procedures, and configurations are made in a controlled and documented fashion?

- A. Regulatory compliance
- B. Peer review
- C. Change management
- D. Penetration testing

Answer: C

NEW QUESTION 155

- (Exam Topic 3)

Which NMAP feature can a tester implement or adjust while scanning for open ports to avoid detection by the network's IDS?

- A. Timing options to slow the speed that the port scan is conducted
- B. Fingerprinting to identify which operating systems are running on the network
- C. ICMP ping sweep to determine which hosts on the network are not available
- D. Traceroute to control the path of the packets sent during the scan

Answer: A

NEW QUESTION 158

- (Exam Topic 3)

Which of the following is optimized for confidential communications, such as bidirectional voice and video?

- A. RC4
- B. RC5
- C. MD4
- D. MD5

Answer: A

NEW QUESTION 160

- (Exam Topic 3)

Which of the following network attacks takes advantage of weaknesses in the fragment reassembly functionality of the TCP/IP protocol stack?

- A. Teardrop
- B. SYN flood
- C. Smurf attack
- D. Ping of death

Answer: A

NEW QUESTION 161

- (Exam Topic 3)

Which of the following items is unique to the N-tier architecture method of designing software applications?

- A. Application layers can be separated, allowing each layer to be upgraded independently from other layers.

- B. It is compatible with various databases including Access, Oracle, and SQL.
- C. Data security is tied into each layer and must be updated for all layers when any upgrade is performed.
- D. Application layers can be written in C, ASP.NET, or Delphi without any performance loss.

Answer: A

NEW QUESTION 162

- (Exam Topic 3)

What is the primary drawback to using advanced encryption standard (AES) algorithm with a 256 bit key to share sensitive data?

- A. Due to the key size, the time it will take to encrypt and decrypt the message hinders efficient communication.
- B. To get messaging programs to function with this algorithm requires complex configurations.
- C. It has been proven to be a weak cipher; therefore, should not be trusted to protect sensitive data.
- D. It is a symmetric key algorithm, meaning each recipient must receive the key through a different channel than the message.

Answer: D

NEW QUESTION 166

- (Exam Topic 3)

A certified ethical hacker (CEH) completed a penetration test of the main headquarters of a company almost two months ago, but has yet to get paid. The customer is suffering from financial problems, and the CEH is worried that the company will go out of business and end up not paying. What actions should the CEH take?

- A. Threaten to publish the penetration test results if not paid.
- B. Follow proper legal procedures against the company to request payment.
- C. Tell other customers of the financial problems with payments from this company.
- D. Exploit some of the vulnerabilities found on the company webserver to deface it.

Answer: B

NEW QUESTION 168

- (Exam Topic 4)

Perspective clients want to see sample reports from previous penetration tests. What should you do next?

- A. Decline but, provide references.
- B. Share full reports, not redacted.
- C. Share full reports with redactions.
- D. Share reports, after NDA is signed.

Answer: A

Explanation:

Penetration tests data should not be disclosed to third parties.

NEW QUESTION 173

- (Exam Topic 4)

You have successfully gained access to your client's internal network and successfully comprised a Linux server which is part of the internal IP network. You want to know which Microsoft Windows workstations have file sharing enabled.

Which port would you see listening on these Windows machines in the network?

- A. 445
- B. 3389
- C. 161
- D. 1433

Answer: A

Explanation:

The following ports are associated with file sharing and server message block (SMB) communications: References: <https://support.microsoft.com/en-us/kb/298804>

NEW QUESTION 178

- (Exam Topic 4)

You have successfully gained access to a linux server and would like to ensure that the succeeding outgoing traffic from this server will not be caught by a Network Based Intrusion Detection Systems (NIDS).

What is the best way to evade the NIDS?

- A. Encryption
- B. Protocol Isolation
- C. Alternate Data Streams
- D. Out of band signalling

Answer: A

Explanation:

When the NIDS encounters encrypted traffic, the only analysis it can perform is packet level analysis, since the application layer contents are inaccessible. Given that exploits against today's networks are primarily targeted against network services (application layer entities), packet level analysis ends up doing very little to protect our core business assets.

References:

<http://www.techrepublic.com/article/avoid-these-five-common-ids-implementation-errors/>

NEW QUESTION 180

- (Exam Topic 4)

What is a "Collision attack" in cryptography?

- A. Collision attacks try to find two inputs producing the same hash.
- B. Collision attacks try to break the hash into two parts, with the same bytes in each part to get the private key.
- C. Collision attacks try to get the public key.
- D. Collision attacks try to break the hash into three parts to get the plaintext value.

Answer: A

Explanation:

A Collision Attack is an attempt to find two input strings of a hash function that produce the same hash result. References: <https://learncryptography.com/hash-functions/hash-collision-attack>

NEW QUESTION 183

- (Exam Topic 4)

How does the Address Resolution Protocol (ARP) work?

- A. It sends a request packet to all the network elements, asking for the MAC address from a specific IP.
- B. It sends a reply packet to all the network elements, asking for the MAC address from a specific IP.
- C. It sends a reply packet for a specific IP, asking for the MAC address.
- D. It sends a request packet to all the network elements, asking for the domain name from a specific IP.

Answer: A

Explanation:

When an incoming packet destined for a host machine on a particular local area network arrives at a gateway, the gateway asks the ARP program to find a physical host or MAC address that matches the IP address. The ARP program looks in the ARP cache and, if it finds the address, provides it so that the packet can be converted to the right packet length and format and sent to the machine. If no entry is found for the IP address, ARP broadcasts a request packet in a special format to all the machines on the LAN to see if one machine knows that it has that IP address associated with it. A machine that recognizes the IP address as its own returns a reply so indicating. ARP updates the ARP cache for future reference and then sends the packet to the MAC address that replied.

References:

<http://searchnetworking.techtarget.com/definition/Address-Resolution-Protocol-ARP>

NEW QUESTION 187

- (Exam Topic 4)

The Heartbleed bug was discovered in 2014 and is widely referred to under MITRE's Common Vulnerabilities and Exposures (CVE) as CVE-2014-0160. This bug affects the OpenSSL implementation of the transport layer security (TLS) protocols defined in RFC6520.

What type of key does this bug leave exposed to the Internet making exploitation of any compromised system very easy?

- A. Private
- B. Public
- C. Shared
- D. Root

Answer: A

Explanation:

The data obtained by a Heartbleed attack may include unencrypted exchanges between TLS parties likely to be confidential, including any form post data in users' requests. Moreover, the confidential data exposed could include authentication secrets such as session cookies and passwords, which might allow attackers to impersonate a user of the service.

An attack may also reveal private keys of compromised parties. References: <https://en.wikipedia.org/wiki/Heartbleed>

NEW QUESTION 190

- (Exam Topic 4)

Which of the following is an extremely common IDS evasion technique in the web world?

- A. unicode characters
- B. spyware
- C. port knocking
- D. subnetting

Answer: A

Explanation:

Unicode attacks can be effective against applications that understand it. Unicode is the international standard whose goal is to represent every character needed by every written human language as a single integer number. What is known as Unicode evasion should more correctly be referenced as UTF-8 evasion. Unicode characters are normally represented with two bytes, but this is impractical in real life.

One aspect of UTF-8 encoding causes problems: non-Unicode characters can be represented encoded. What is worse is multiple representations of each character can exist. Non-Unicode character encodings are known as overlong characters, and may be signs of attempted attack.

References:

<http://books.gigatux.nl/mirror/apacheseconomy/0596007248/apachesc-chp-10-sect-8.html>

NEW QUESTION 195

- (Exam Topic 4)

As a Certified Ethical Hacker, you were contracted by a private firm to conduct an external security assessment through penetration testing. What document describes the specifics of the testing, the associated violations, and essentially protects both the organization's interest and your liabilities as a tester?

- A. Terms of Engagement
- B. Project Scope
- C. Non-Disclosure Agreement
- D. Service Level Agreement

Answer: A

NEW QUESTION 197

- (Exam Topic 4)

When you are getting information about a web server, it is very important to know the HTTP Methods (GET, POST, HEAD, PUT, DELETE, TRACE) that are available because there are two critical methods (PUT and DELETE). PUT can upload a file to the server and DELETE can delete a file from the server. You can detect all these methods (GET, POST, HEAD, PUT, DELETE, TRACE) using NMAP script engine.

What nmap script will help you with this task?

- A. http-methods
- B. http_enum
- C. http-headers
- D. http-git

Answer: A

Explanation:

You can check HTTP method vulnerability using NMAP. Example: `#nmap -script=http-methods.nse 192.168.0.25` References: <http://solutionsatexperts.com/http-method-vulnerability-check-using-nmap/>

NEW QUESTION 198

- (Exam Topic 4)

This phase will increase the odds of success in later phases of the penetration test. It is also the very first step in Information Gathering, and it will tell you what the "landscape" looks like.

What is the most important phase of ethical hacking in which you need to spend a considerable amount of time?

- A. footprinting
- B. network mapping
- C. gaining access
- D. escalating privileges

Answer: A

Explanation:

Footprinting is a first step that a penetration tester used to evaluate the security of any IT infrastructure, footprinting means to gather the maximum information about the computer system or a network and about the devices that are attached to this network.

References:

<http://www.ehacking.net/2011/02/footprinting-first-step-of-ethical.html>

NEW QUESTION 200

- (Exam Topic 4)

You are logged in as a local admin on a Windows 7 system and you need to launch the Computer Management Console from command line. Which command would you use?

- A. `c:\compmgmt.msc`
- B. `c:\services.msc`
- C. `c:\ncpa.cp`
- D. `c:\gpedit`

Answer: A

Explanation:

To start the Computer Management Console from command line just type `compmgmt.msc`

`/computer:computername` in your run box or at the command line and it should automatically open the Computer Management console.

References:

<http://www.waynezim.com/tag/compmgmtmsc/>

NEW QUESTION 201

- (Exam Topic 4)

Which of the following statements is TRUE?

- A. Sniffers operate on Layer 2 of the OSI model
- B. Sniffers operate on Layer 3 of the OSI model
- C. Sniffers operate on both Layer 2 & Layer 3 of the OSI model.
- D. Sniffers operate on the Layer 1 of the OSI model.

Answer: A

Explanation:

The OSI layer 2 is where packet sniffers collect their data. References: https://en.wikipedia.org/wiki/Ethernet_frame

NEW QUESTION 202

- (Exam Topic 4)

Nation-state threat actors often discover vulnerabilities and hold on to them until they want to launch a sophisticated attack. The Stuxnet attack was an unprecedented style of attack because it used four types of vulnerability.

What is this style of attack called?

- A. zero-day
- B. zero-hour
- C. zero-sum
- D. no-day

Answer: A

Explanation:

Stuxnet is a malicious computer worm believed to be a jointly built American-Israeli cyber weapon. Exploiting four zero-day flaws, Stuxnet functions by targeting machines using the Microsoft Windows operating system and networks, then seeking out Siemens Step7 software.

References: <https://en.wikipedia.org/wiki/Stuxnet>

NEW QUESTION 207

- (Exam Topic 4)

Your team has won a contract to infiltrate an organization. The company wants to have the attack be as realistic as possible; therefore, they did not provide any information besides the company name.

What should be the first step in security testing the client?

- A. Reconnaissance
- B. Enumeration
- C. Scanning
- D. Escalation

Answer: A

Explanation:

Phases of hacking

Phase 1—Reconnaissance Phase 2—Scanning

Phase 3—Gaining Access Phase 4—Maintaining Access Phase 5—Covering Tracks

Phase 1: Passive and Active Reconnaissance

References:

<http://hack-o-crack.blogspot.se/2010/12/five-stages-of-ethical-hacking.html>

NEW QUESTION 208

- (Exam Topic 4)

Which of the following is assured by the use of a hash?

- A. Integrity
- B. Confidentiality
- C. Authentication
- D. Availability

Answer: A

Explanation:

An important application of secure hashes is verification of message integrity. Determining whether any changes have been made to a message (or a file), for example, can be accomplished by comparing message digests calculated before, and after, transmission (or any other event).

References: https://en.wikipedia.org/wiki/Cryptographic_hash_function#Verifying_the_integrity_of_files_or_messages

NEW QUESTION 211

- (Exam Topic 4)

Initiating an attack against targeted businesses and organizations, threat actors compromise a carefully selected website by inserting an exploit resulting in malware infection. The attackers run exploits on well-known and trusted sites likely to be visited by their targeted victims. Aside from carefully choosing sites to compromise, these attacks are known to incorporate zero-day exploits that target unpatched vulnerabilities. Thus, the targeted entities are left with little or no defense against these exploits.

What type of attack is outlined in the scenario?

- A. Watering Hole Attack
- B. Heartbleed Attack
- C. Shellshock Attack
- D. Spear Phishing Attack

Answer: A

Explanation:

Watering Hole is a computer attack strategy, in which the victim is a particular group (organization, industry, or region). In this attack, the attacker guesses or observes which websites the group often uses and infects one or more of them with malware. Eventually, some member of the targeted group gets infected.

NEW QUESTION 215

- (Exam Topic 4)

Which of the following is the greatest threat posed by backups?

- A. A backup is the source of Malware or illicit information.
- B. A backup is unavailable during disaster recovery.
- C. A backup is incomplete because no verification was performed.
- D. An un-encrypted backup can be misplaced or stolen.

Answer: D

Explanation:

If the data written on the backup media is properly encrypted, it will be useless for anyone without the key.

References:

<http://resources.infosecinstitute.com/backup-media-encryption/>

NEW QUESTION 216

- (Exam Topic 4)

It is an entity or event with the potential to adversely impact a system through unauthorized access, destruction, disclosure, denial of service or modification of data.

Which of the following terms best matches the definition?

- A. Threat
- B. Attack
- C. Vulnerability
- D. Risk

Answer: A

Explanation:

A threat is at any circumstance or event with the potential to adversely impact organizational operations (including mission, functions, image, or reputation), organizational assets, or individuals through an information system via unauthorized access, destruction, disclosure, modification of information, and/or denial of service. Also, the potential for a threat-source to successfully exploit a particular information system vulnerability.

References: [https://en.wikipedia.org/wiki/Threat_\(computer\)](https://en.wikipedia.org/wiki/Threat_(computer))

NEW QUESTION 220

- (Exam Topic 4)

While using your bank's online servicing you notice the following string in the URL bar: "http://www.MyPersonalBank.com/account?id=368940911028389&Damount=10980&Camount=21"

You observe that if you modify the Damount & Camount values and submit the request, that data on the web page reflect the changes.

Which type of vulnerability is present on this site?

- A. Web Parameter Tampering
- B. Cookie Tampering
- C. XSS Reflection
- D. SQL injection

Answer: A

Explanation:

The Web Parameter Tampering attack is based on the manipulation of parameters exchanged between client and server in order to modify application data, such as user credentials and permissions, price and quantity of products, etc. Usually, this information is stored in cookies, hidden form fields, or URL Query Strings, and is used to increase application functionality and control.

References: https://www.owasp.org/index.php/Web_Parameter_Tampering

NEW QUESTION 222

- (Exam Topic 4)

Your company was hired by a small healthcare provider to perform a technical assessment on the network. What is the best approach for discovering vulnerabilities on a Windows-based computer?

- A. Use a scan tool like Nessus
- B. Use the built-in Windows Update tool
- C. Check MITRE.org for the latest list of CVE findings
- D. Create a disk image of a clean Windows installation

Answer: A

Explanation:

Nessus is an open-source network vulnerability scanner that uses the Common Vulnerabilities and Exposures architecture for easy cross-linking between compliant security tools.

The Nessus server is currently available for Unix, Linux and FreeBSD. The client is available for Unix- or Windows-based operating systems.

Note: Significant capabilities of Nessus include: References: <http://searchnetworking.techtarget.com/definition/Nessus>

NEW QUESTION 226

- (Exam Topic 5)

A new wireless client is configured to join a 802.11 network. This client uses the same hardware and software as many of the other clients on the network. The client can see the network, but cannot connect. A wireless packet sniffer shows that the Wireless Access Point (WAP) is not responding to the association requests being sent by the wireless client.

What is a possible source of this problem?

- A. The WAP does not recognize the client's MAC address

- B. The client cannot see the SSID of the wireless network
- C. Client is configured for the wrong channel
- D. The wireless client is not configured to use DHCP

Answer: A

Explanation:

MAC Filtering (or GUI filtering, or layer 2 address filtering) refers to a security access control method whereby the 48-bit address assigned to each network card is used to determine access to the network. MAC Filtering is often used on wireless networks.

References: https://en.wikipedia.org/wiki/MAC_filtering

NEW QUESTION 228

- (Exam Topic 5)

An attacker with access to the inside network of a small company launches a successful STP manipulation attack. What will he do next?

- A. He will create a SPAN entry on the spoofed root bridge and redirect traffic to his computer.
- B. He will activate OSPF on the spoofed root bridge.
- C. He will repeat the same attack against all L2 switches of the network.
- D. He will repeat this action so that it escalates to a DoS attack.

Answer: A

NEW QUESTION 232

- (Exam Topic 5)

Which of the following is a protocol specifically designed for transporting event messages?

- A. SYSLOG
- B. SMS
- C. SNMP
- D. ICMP

Answer: A

Explanation:

syslog is a standard for message logging. It permits separation of the software that generates messages, the system that stores them, and the software that reports and analyzes them. Each message is labeled with a facility code, indicating the software type generating the message, and assigned a severity label.

References: https://en.wikipedia.org/wiki/Syslog#Network_protocol

NEW QUESTION 234

- (Exam Topic 5)

Internet Protocol Security IPSec is actually a suite of protocols. Each protocol within the suite provides different functionality. Collective IPSec does everything except.

- A. Protect the payload and the headers
- B. Authenticate
- C. Encrypt
- D. Work at the Data Link Layer

Answer: D

NEW QUESTION 236

- (Exam Topic 5)

In cryptanalysis and computer security, 'pass the hash' is a hacking technique that allows an attacker to authenticate to a remote server/service by using the underlying NTLM and/or LanMan hash of a user's password, instead of requiring the associated plaintext password as is normally the case.

Metasploit Framework has a module for this technique: psexec. The psexec module is often used by penetration testers to obtain access to a given system that you already know the credentials for. It was written by sysinternals and has been integrated within the framework. Often as penetration testers, successfully gain access to a system through some exploit, use meterpreter to grab the passwords or other methods like fgdump, pwdump, or cachedump and then utilize rainbowtables to crack those hash values.

Which of the following is true hash type and sort order that is using in the psexec module's 'smbpass'?

- A. NT:LM
- B. LM:NT
- C. LM:NTLM
- D. NTLM:LM

Answer: B

NEW QUESTION 237

- (Exam Topic 5)

You are an Ethical Hacker who is auditing the ABC company. When you verify the NOC one of the machines has 2 connections, one wired and the other wireless. When you verify the configuration of this Windows system you find two static routes.

```
route add 10.0.0.0 mask 255.0.0.0 10.0.0.1
```

```
route add 0.0.0.0 mask 255.0.0.0 199.168.0.1
```

What is the main purpose of those static routes?

- A. Both static routes indicate that the traffic is external with different gateway.
- B. The first static route indicates that the internal traffic will use an external gateway and the second static route indicates that the traffic will be rerouted.
- C. Both static routes indicate that the traffic is internal with different gateway.
- D. The first static route indicates that the internal addresses are using the internal gateway and the second static route indicates that all the traffic that is not

internal must go to an external gateway.

Answer: D

NEW QUESTION 240

- (Exam Topic 5)

Seth is starting a penetration test from inside the network. He hasn't been given any information about the network. What type of test is he conducting?

- A. Internal Whitebox
- B. External, Whitebox
- C. Internal, Blackbox
- D. External, Blackbox

Answer: C

NEW QUESTION 243

- (Exam Topic 5)

Which of the following tools is used to analyze the files produced by several packet-capture programs such as tcpdump, WinDump, Wireshark, and EtherPeek?

- A. tcptrace
- B. tcptraceroute
- C. Nessus
- D. OpenVAS

Answer: A

Explanation:

tcptrace is a tool for analysis of TCP dump files. It can take as input the files produced by several popular packet-capture programs, including tcpdump/WinDump/Wireshark, snoop, EtherPeek, and Agilent NetMetrix.

References: <https://en.wikipedia.org/wiki/Tcptrace>

NEW QUESTION 248

- (Exam Topic 5)

Which of the following statements regarding ethical hacking is incorrect?

- A. Ethical hackers should never use tools or methods that have the potential of exploiting vulnerabilities in an organization's systems.
- B. Testing should be remotely performed offsite.
- C. An organization should use ethical hackers who do not sell vendor hardware/software or other consulting services.
- D. Ethical hacking should not involve writing to or modifying the target systems.

Answer: A

Explanation:

Ethical hackers use the same methods and techniques, including those that have the potential of exploiting vulnerabilities, to test and bypass a system's defenses as their less-principled counterparts, but rather than taking advantage of any vulnerabilities found, they document them and provide actionable advice on how to fix them so the organization can improve its overall security.

References:

<http://searchsecurity.techtarget.com/definition/ethical-hacker>

NEW QUESTION 250

- (Exam Topic 5)

Bob learned that his username and password for a popular game has been compromised. He contacts the company and resets all the information. The company suggests he use two-factor authentication, which option below offers that?

- A. A new username and password
- B. A fingerprint scanner and his username and password.
- C. Disable his username and use just a fingerprint scanner.
- D. His username and a stronger password.

Answer: B

NEW QUESTION 255

- (Exam Topic 5)

Which of the following is considered the best way to protect Personally Identifiable Information (PII) from Web application vulnerabilities?

- A. Use cryptographic storage to store all PII
- B. Use encrypted communications protocols to transmit PII
- C. Use full disk encryption on all hard drives to protect PII
- D. Use a security token to log into all Web applications that use PII

Answer: A

Explanation:

As a matter of good practice any PII should be protected with strong encryption.

References: <https://cuit.columbia.edu/cuit/it-security-practices/handling-personally-identifying-information>

NEW QUESTION 257

- (Exam Topic 5)

In order to have an anonymous Internet surf, which of the following is best choice?

- A. Use SSL sites when entering personal information
- B. Use Tor network with multi-node
- C. Use shared WiFi
- D. Use public VPN

Answer: B

NEW QUESTION 259

- (Exam Topic 5)

What is correct about digital signatures?

- A. A digital signature cannot be moved from one signed document to another because it is the hash of the original document encrypted with the private key of the signing party.
- B. Digital signatures may be used in different documents of the same type.
- C. A digital signature cannot be moved from one signed document to another because it is a plain hash of the document content.
- D. Digital signatures are issued once for each user and can be used everywhere until they expire.

Answer: A

NEW QUESTION 264

- (Exam Topic 5)

In many states sending spam is illegal. Thus, the spammers have techniques to try and ensure that no one knows they sent the spam out to thousands of users at a time. Which of the following best describes what spammers use to hide the origin of these types of e-mails?

- A. A blacklist of companies that have their mail server relays configured to allow traffic only to their specific domain name.
- B. Mail relaying, which is a technique of bouncing e-mail from internal to external mails servers continuously.
- C. A blacklist of companies that have their mail server relays configured to be wide open.
- D. Tools that will reconfigure a mail server's relay component to send the e-mail back to the spammers occasionally.

Answer: B

NEW QUESTION 265

- (Exam Topic 5)

You're doing an internal security audit and you want to find out what ports are open on all the servers. What is the best way to find out?

- A. Scan servers with Nmap
- B. Physically go to each server
- C. Scan servers with MBSA
- D. Telnet to every port on each server

Answer: A

NEW QUESTION 270

- (Exam Topic 5)

Which of the following is one of the most effective ways to prevent Cross-site Scripting (XSS) flaws in software applications?

- A. Validate and escape all information sent to a server
- B. Use security policies and procedures to define and implement proper security settings
- C. Verify access right before allowing access to protected information and UI controls
- D. Use digital certificates to authenticate a server prior to sending data

Answer: A

Explanation:

Contextual output encoding/escaping could be used as the primary defense mechanism to stop Cross-site Scripting (XSS) attacks.

References:

https://en.wikipedia.org/wiki/Cross-site_scripting#Contextual_output_encoding.2Fescaping_of_string_input

NEW QUESTION 271

- (Exam Topic 6)

Matthew received an email with an attachment named "YouWon\$10Grand.zip." The zip file contains a file named "HowToClaimYourPrize.docx.exe." Out of excitement and curiosity, Matthew opened the said file. Without his knowledge, the file copies itself to Matthew's APPDATA\local directory and begins to beacon to a Command-and-control server to download additional malicious binaries. What type of malware has Matthew encountered?

- A. Key-logger
- B. Trojan
- C. Worm
- D. Macro Virus

Answer: B

NEW QUESTION 273

- (Exam Topic 6)

Which type of security feature stops vehicles from crashing through the doors of a building?

- A. Turnstile
- B. Bollards
- C. Mantrap
- D. Receptionist

Answer: B

NEW QUESTION 277

- (Exam Topic 6)

Shellshock had the potential for an unauthorized user to gain access to a server. It affected many internet-facing services, which OS did it not directly affect?

- A. Windows
- B. Unix
- C. Linux
- D. OS X

Answer: A

NEW QUESTION 279

- (Exam Topic 6)

Neil notices that a single address is generating traffic from its port 500 to port 500 of several other machines on the network. This scan is eating up most of the network bandwidth and Neil is concerned. As a security professional, what would you infer from this scan?

- A. It is a network fault and the originating machine is in a network loop
- B. It is a worm that is malfunctioning or hardcoded to scan on port 500
- C. The attacker is trying to detect machines on the network which have SSL enabled
- D. The attacker is trying to determine the type of VPN implementation and checking for IPSec

Answer: D

NEW QUESTION 284

- (Exam Topic 6)

A server has been infected by a certain type of Trojan. The hacker intended to utilize it to send and host junk mails. What type of Trojan did the hacker use?

- A. Turtle Trojans
- B. Ransomware Trojans
- C. Botnet Trojan
- D. Banking Trojans

Answer: C

NEW QUESTION 288

- (Exam Topic 6)

A hacker was able to easily gain access to a website. He was able to log in via the frontend user login form of the website using default or commonly used credentials. This exploitation is an example of what Software design flaw?

- A. Insufficient security management
- B. Insufficient database hardening
- C. Insufficient input validation
- D. Insufficient exception handling

Answer: B

NEW QUESTION 292

- (Exam Topic 6)

Which of the following commands runs snort in packet logger mode?

- A. `./snort -dev -h ./log`
- B. `./snort -dev -l ./log`
- C. `./snort -dev -o ./log`
- D. `./snort -dev -p ./log`

Answer: B

NEW QUESTION 293

- (Exam Topic 6)

The chance of a hard drive failure is known to be once every four years. The cost of a new hard drive is \$500. EF (Exposure Factor) is about 0.5. Calculate for the Annualized Loss Expectancy (ALE).

- A. \$62.5
- B. \$250
- C. \$125
- D. \$65.2

Answer: A

NEW QUESTION 296

- (Exam Topic 6)

The practical realities facing organizations today make risk response strategies essential. Which of the following is NOT one of the five basic responses to risk?

- A. Accept
- B. Mitigate
- C. Delegate
- D. Avoid

Answer: C

NEW QUESTION 297

- (Exam Topic 6)

Which of the following is a form of penetration testing that relies heavily on human interaction and often involves tricking people into breaking normal security procedures?

- A. Social Engineering
- B. Piggybacking
- C. Tailgating
- D. Eavesdropping

Answer: A

NEW QUESTION 299

- (Exam Topic 6)

Which of the following is a restriction being enforced in "white box testing?"

- A. Only the internal operation of a system is known to the tester
- B. The internal operation of a system is completely known to the tester
- C. The internal operation of a system is only partly accessible to the tester
- D. Only the external operation of a system is accessible to the tester

Answer: B

NEW QUESTION 303

- (Exam Topic 6)

A distributed port scan operates by:

- A. Blocking access to the scanning clients by the targeted host
- B. Using denial-of-service software against a range of TCP ports
- C. Blocking access to the targeted host by each of the distributed scanning clients
- D. Having multiple computers each scan a small number of ports, then correlating the results

Answer: D

NEW QUESTION 307

- (Exam Topic 6)

Which type of cryptography does SSL, IKE and PGP belongs to?

- A. Secret Key
- B. Hash Algorithm
- C. Digest
- D. Public Key

Answer: D

NEW QUESTION 310

- (Exam Topic 6)

What does a type 3 code 13 represent? (Choose two.)

- A. Echo request
- B. Destination unreachable
- C. Network unreachable
- D. Administratively prohibited
- E. Port unreachable
- F. Time exceeded

Answer: BD

NEW QUESTION 314

- (Exam Topic 6)

What tool should you use when you need to analyze extracted metadata from files you collected when you were in the initial stage of penetration test (information gathering)?

- A. Armitage
- B. Dimitry
- C. Metagoofil
- D. cdpsnarf

Answer: C

NEW QUESTION 318

- (Exam Topic 6)

The following are types of Bluetooth attack EXCEPT ?

- A. Bluejacking
- B. Bluesmaking
- C. Bluesnarfing
- D. Bluedriving

Answer: D

NEW QUESTION 321

- (Exam Topic 6)

Which of the following tools is used by pen testers and analysts specifically to analyze links between data using link analysis and graphs?

- A. Metasploit
- B. Wireshark
- C. Maltego
- D. Cain & Abel

Answer: C

NEW QUESTION 323

- (Exam Topic 6)

Jack was attempting to fingerprint all machines in the network using the following Nmap syntax: `invictus@victim_server:~$ nmap -T4 -O 10.10.0.0/24`
TCP/IP fingerprinting (for OS scan) xxxxxxx xxxxxx xxxxxxxxx. QUITTING! Obviously, it is not going through. What is the issue here?

- A. OS Scan requires root privileges
- B. The nmap syntax is wrong.
- C. The outgoing TCP/IP fingerprinting is blocked by the host firewall
- D. This is a common behavior for a corrupted nmap application

Answer: A

NEW QUESTION 324

- (Exam Topic 6)

Which of the following is a vulnerability in GNU's bash shell (discovered in September of 2014) that gives attackers access to run remote commands on a vulnerable system?

- A. Shellshock
- B. Rootshell
- C. Rootshock
- D. Shellbash

Answer: A

NEW QUESTION 325

- (Exam Topic 6)

A big company, who wanted to test their security infrastructure, wants to hire elite pen testers like you. During the interview, they asked you to show sample reports from previous penetration tests. What should you do?

- A. Share reports, after NDA is signed
- B. Share full reports, not redacted
- C. Decline but, provide references
- D. Share full reports with redactions

Answer: C

NEW QUESTION 327

- (Exam Topic 6)

What is the best Nmap command to use when you want to list all devices in the same network quickly after you successfully identified a server whose IP address is 10.10.0.5?

- A. `nmap -T4 -F 10.10.0.0/24`
- B. `nmap -T4 -q 10.10.0.0/24`
- C. `nmap -T4 -O 10.10.0.0/24`
- D. `nmap -T4 -r 10.10.1.0/24`

Answer: A

NEW QUESTION 328

- (Exam Topic 7)

Every company needs a formal written document which spells out to employees precisely what they are allowed to use the company's systems for, what is prohibited, and what will happen to them if they break the rules. Two printed copies of the policy should be given to every employee as soon as possible after they join the organization. The employee should be asked to sign one copy, which should be safely filed by the company. No one should be allowed to use the company's computer systems until they have signed the policy in acceptance of its terms.

What is this document called?

- A. Information Audit Policy (IAP)
- B. Information Security Policy (ISP)
- C. Penetration Testing Policy (PTP)
- D. Company Compliance Policy (CCP)

Answer: B

NEW QUESTION 333

- (Exam Topic 7)

What is the proper response for a NULL scan if the port is open?

- A. SYN
- B. ACK
- C. FIN
- D. PSH
- E. RST
- F. No response

Answer: F

NEW QUESTION 337

- (Exam Topic 7)

Bob is doing a password assessment for one of his clients. Bob suspects that security policies are not in place. He also suspects that weak passwords are probably the norm throughout the company he is evaluating. Bob is familiar with password weaknesses and key loggers.

Which of the following options best represents the means that Bob can adopt to retrieve passwords from his clients hosts and servers?

- A. Hardware, Software, and Sniffing.
- B. Hardware and Software Keyloggers.
- C. Passwords are always best obtained using Hardware key loggers.
- D. Software only, they are the most effective.

Answer: A

NEW QUESTION 340

- (Exam Topic 7)

How can you determine if an LM hash you extracted contains a password that is less than 8 characters long?

- A. There is no way to tell because a hash cannot be reversed
- B. The right most portion of the hash is always the same
- C. The hash always starts with AB923D
- D. The left most portion of the hash is always the same
- E. A portion of the hash will be all 0's

Answer: B

NEW QUESTION 341

- (Exam Topic 7)

What is the proper response for a NULL scan if the port is closed?

- A. SYN
- B. ACK
- C. FIN
- D. PSH
- E. RST
- F. No response

Answer: E

NEW QUESTION 345

- (Exam Topic 7)

Take a look at the following attack on a Web Server using obstructed URL:

```
http://www.certifiedhacker.com/script.ext?  
template=%2e%2e%2f%2e%2e%2f%2e%2e%2f%65%74%63%2f%70%61%73%73%77%64  
This request is made up of:  
%2e%2e%2f%2e%2e%2f = ../ ../ ../  
%65%74%63 = etc  
%2f = /  
%70%61%73%73%77%64 = passwd
```

How would you protect from these attacks?

- A. Configure the Web Server to deny requests involving "hex encoded" characters
- B. Create rules in IDS to alert on strange Unicode requests
- C. Use SSL authentication on Web Servers
- D. Enable Active Scripts Detection at the firewall and routers

Answer: B

NEW QUESTION 347

- (Exam Topic 7)

If a token and 4-digit personal identification number (PIN) are used to access a computer system and the token performs off-line checking for the correct PIN, what type of attack is possible?

- A. Birthday
- B. Brute force
- C. Man-in-the-middle
- D. Smurf

Answer: B

NEW QUESTION 350

- (Exam Topic 7)

Bob is going to perform an active session hijack against Brownies Inc. He has found a target that allows session oriented connections (Telnet) and performs the sequence prediction on the target operating system. He manages to find an active session due to the high level of traffic on the network. What is Bob supposed to do next?

- A. Take over the session
- B. Reverse sequence prediction
- C. Guess the sequence numbers
- D. Take one of the parties offline

Answer: C

NEW QUESTION 354

- (Exam Topic 7)

Study the following log extract and identify the attack.

```

12/26-07:06:22:31.167035 207.219.207.240:1882 -> 172.16.1.106:80
TCP TTL:13 TTL:50 TOS:0x0 IP:53476 DFF
***AP*** Seq: 0x2BDC107 Ack: 0x1CB9F186 Win: 0x2238 TcpLen: 20
47 45 54 20 2F 6D 73 61 64 63 2F 2E 2E C0 AF 2E GET /msadc/.....
2E 2F 2E 2E C0 AF 2E 2E 2F 2E 2E C0 AF 2E 2E 2F ./...../...../
77 69 6E 6E 74 2F 73 79 73 74 65 6D 33 32 2F 63 winnt/system32/c
6D 64 2E 65 78 65 3F 2F 63 2B 64 69 72 2B 63 3A md.exe?/c+dir+c:
5C 20 48 54 54 50 2F 31 2E 31 0D 0A 41 63 63 65 \ HTTP/1.1..Acce
70 74 3A 20 69 6D 61 67 65 2F 67 69 66 2C 20 69 pt: image/gif, i
6D 61 67 65 2F 78 2D 78 62 69 74 6D 61 70 2C 20 mage/x-xbitmap
69 6D 61 67 65 2F 6A 70 65 67 2C 20 69 6D 61 67 image/jpeg, imag
65 2F 70 6A 70 65 67 2C 20 61 70 70 6C 69 63 61 e/pjpeg, applica
74 69 6F 6E 2F 76 6E 64 2E 6D 73 2D 65 78 63 65 tion/vnd.ms-exce
6C 2C 20 61 70 70 6C 69 63 61 74 69 6F 6E 2F 6D l, application/m
73 77 6F 72 64 2C 20 61 70 70 6C 69 63 61 74 69 sword, applicati
6F 6E 2F 76 6E 64 2E 6D 73 2D 70 6F 77 65 72 70 on/vnd.ms-powerp
6F 69 6E 74 2C 20 2A 2F 2A 0D 0A 41 63 63 65 70 oint, =/=..Accep
74 2D 4C 6C 6C 61 2F 34 2E 30 20 28 63 6F 6D 70 ozilla/age: en-u
73 0D 0A 62 6C 65 3B 20 4D 53 49 45 20 35 2E 30 atible;pt-EncodD
6E 67 3A 57 69 6E 64 6F 77 73 20 39 35 29 0D 0A l; Windo, deflat
65 0D 0A 55 73 65 72 2D 41 67 65 6E 74 3A 20 4D e..User-Agent: M
6F 7A 69 6C 6C 61 2F 34 2E 30 20 28 63 6F 6D 70 ozilla/4.0 (comp
61 74 69 62 6C 65 3B 20 4D 53 49 45 20 35 2E 30 atible; MSIE 5.0
31 3B 20 57 69 6E 64 6F 77 73 20 39 35 29 0D 0A l; Windows 95)..
48 6F 73 74 3A 20 6C 61 62 2E 77 69 72 65 74 72 Host: lib.bvxttr
69 70 2E 6E 65 74 0D 0A 43 6F 6E 6E 65 63 74 69 ip.org..Connecti
6F 6E 3A 20 4B 65 65 70 2D 41 6C 69 76 65 0D 0A on: Keep-Alive..
43 6F 6F 68 69 65 3A 20 41 53 50 53 45 53 53 49 Cookie: ASPSESSI
4F 4E 49 44 47 51 51 51 51 51 5A 55 3D 4B 4E 4F ONIDGQQQQZU=KNO
48 4D 4F 4A 41 4B 50 46 4F 50 48 4D 4C 41 50 4E HMOJAKPFOPHMLAPN
49 46 49 46 42 0D 0A 0D 0A 41 50 4E 49 46 49 46 IFIFB....APNIFIF
42 0D 0A 0D 0A B....

```

- A. Hexcode Attack
- B. Cross Site Scripting
- C. Multiple Domain Traversal Attack
- D. Unicode Directory Traversal Attack

Answer: D

NEW QUESTION 359

- (Exam Topic 7)

You have retrieved the raw hash values from a Windows 2000 Domain Controller. Using social engineering, you come to know that they are enforcing strong passwords. You understand that all users are required to use passwords that are at least 8 characters in length. All passwords must also use 3 of the 4 following categories: lower case letters, capital letters, numbers and special characters. With your existing knowledge of users, likely user account names and the possibility that they will choose the easiest passwords possible, what would be the fastest type of password cracking attack you can run against these hash values and still get results?

- A. Online Attack
- B. Dictionary Attack
- C. Brute Force Attack
- D. Hybrid Attack

Answer: D

NEW QUESTION 364

- (Exam Topic 7)

You are tasked to configure the DHCP server to lease the last 100 usable IP addresses in subnet to. 1.4.0/23. Which of the following IP addresses could be teased as a result of the new configuration?

- A. 210.1.55.200
- B. 10.1.4.254
- C. 10.1.5.200
- D. 10.1.4.156

Answer: C

NEW QUESTION 366

- (Exam Topic 7)

As a securing consultant, what are some of the things you would recommend to a company to ensure DNS security?

- A. Use the same machines for DNS and other applications
- B. Harden DNS servers
- C. Use split-horizon operation for DNS servers
- D. Restrict Zone transfers
- E. Have subnet diversity between DNS servers

Answer: BCDE

NEW QUESTION 369

- (Exam Topic 7)

Which definition among those given below best describes a covert channel?

- A. A server program using a port that is not well known.
- B. Making use of a protocol in a way it is not intended to be used.
- C. It is the multiplexing taking place on a communication link.
- D. It is one of the weak channels used by WEP which makes it insecure

Answer: B

NEW QUESTION 370

- (Exam Topic 7)

Which of the following represents the initial two commands that an IRC client sends to join an IRC network?

- A. USER, NICK
- B. LOGIN, NICK
- C. USER, PASS
- D. LOGIN, USER

Answer: A

NEW QUESTION 374

- (Exam Topic 7)

The network administrator at Spears Technology, Inc has configured the default gateway Cisco router's access-list as below:

You are hired to conduct security testing on their network.

You successfully brute-force the SNMP community string using a SNMP crack tool.

The access-list configured at the router prevents you from establishing a successful connection.

You want to retrieve the Cisco configuration from the router. How would you proceed?

- A. Use the Cisco's TFTP default password to connect and download the configuration file
- B. Run a network sniffer and capture the returned traffic with the configuration file from the router
- C. Run Generic Routing Encapsulation (GRE) tunneling protocol from your computer to the router masking your IP address
- D. Send a customized SNMP set request with a spoofed source IP address in the range -192.168.1.0

Answer: BD

NEW QUESTION 379

- (Exam Topic 7)

Which of the following are well known password-cracking programs?

- A. L0phtcrack
- B. NetCat
- C. Jack the Ripper
- D. Netbus
- E. John the Ripper

Answer: AE

NEW QUESTION 383

- (Exam Topic 7)

Which of the following statements is FALSE with respect to Intrusion Detection Systems?

- A. Intrusion Detection Systems can be configured to distinguish specific content in network packets
- B. Intrusion Detection Systems can easily distinguish a malicious payload in an encrypted traffic
- C. Intrusion Detection Systems require constant update of the signature library
- D. Intrusion Detection Systems can examine the contents of the data n context of the network protocol

Answer: B

NEW QUESTION 387

- (Exam Topic 7)

While scanning with Nmap, Patin found several hosts which have the IP ID of incremental sequences. He then decided to conduct: `nmap -Pn -p- -si kiosk.adobe.com www.riaa.com. kiosk.adobe.com` is the host with incremental IP ID sequence. What is the purpose of using "-si" with Nmap?

- A. Conduct stealth scan
- B. Conduct ICMP scan
- C. Conduct IDLE scan
- D. Conduct silent scan

Answer: A

NEW QUESTION 391

- (Exam Topic 7)

OpenSSL on Linux servers includes a command line tool for testing TLS. What is the name of the tool and the correct syntax to connect to a web server?

- A. openssl s_client -site www.website.com:443
- B. openssl_client -site www.website.com:443
- C. openssl s_client -connect www.website.com:443
- D. openssl_client -connect www.website.com:443

Answer: C

NEW QUESTION 395

- (Exam Topic 7)

You went to great lengths to install all the necessary technologies to prevent hacking attacks, such as expensive firewalls, antivirus software, anti-spam systems and intrusion detection/prevention tools in your company's network. You have configured the most secure policies and tightened every device on your network. You are confident that hackers will never be able to gain access to your network with complex security system in place.

Your peer, Peter Smith who works at the same department disagrees with you.

He says even the best network security technologies cannot prevent hackers gaining access to the network because of presence of "weakest link" in the security chain.

What is Peter Smith talking about?

- A. Untrained staff or ignorant computer users who inadvertently become the weakest link in your security chain
- B. "zero-day" exploits are the weakest link in the security chain since the IDS will not be able to detect these attacks
- C. "Polymorphic viruses" are the weakest link in the security chain since the Anti-Virus scanners will not be able to detect these attacks
- D. Continuous Spam e-mails cannot be blocked by your security system since spammers use different techniques to bypass the filters in your gateway

Answer: A

NEW QUESTION 397

- (Exam Topic 7)

What do Trinoo, TFN2k, WinTrinoo, T-Sight, and Stracheldraht have in common?

- A. All are hacking tools developed by the legion of doom
- B. All are tools that can be used not only by hackers, but also security personnel
- C. All are DDOS tools
- D. All are tools that are only effective against Windows
- E. All are tools that are only effective against Linux

Answer: C

NEW QUESTION 401

- (Exam Topic 7)

John is an incident handler at a financial institution. His steps in a recent incident are not up to the standards of the company. John frequently forgets some steps and procedures while handling responses as they are very stressful to perform. Which of the following actions should John take to overcome this problem with the least administrative effort?

- A. Create an incident checklist.
- B. Select someone else to check the procedures.
- C. Increase his technical skills.
- D. Read the incident manual every time it occurs.

Answer: C

NEW QUESTION 404

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 312-50v10 Exam with Our Prep Materials Via below:

<https://www.certleader.com/312-50v10-dumps.html>