

HPE2-T36 Dumps

Using HPE OneView

<https://www.certleader.com/HPE2-T36-dumps.html>



NEW QUESTION 1

What are Benefits of using HPE OneView along with 3rd Party integrations? (Select two)

- A. Standardized templates to optimize industry standard applications
- B. Faster application development
- C. Simplified Infrastructure lifecycle operations
- D. Integrated management of 3rd Party software licenses
- E. Extensive management of 3rd Party server and storage devices

Answer: BE

NEW QUESTION 2


When deploying the HPE OneView virtual appliance in a VMware ESXi environment, what disk format does HPE recommend to use?

- A. Thick Provision Lazy Zeroed
- B. Full Provision
- C. Thick Provision Eager Zeroed
- D. Thin Provision

Answer: C

NEW QUESTION 3

A server administrator needs to expand a VMware vSphere farm and use an already existing server profile as a baseline. Click the area where new server profile templates can be created from a selected server profile.



The screenshot shows the HPE OneView web interface. At the top, there's a navigation bar with the 'OneView' logo, a search bar, and icons for notifications, user profile, and help. Below the navigation bar, there's a breadcrumb trail: 'Server Profiles 5' > 'All statuses' > 'All tables' > 'All resources'. The main content area is divided into two columns. The left column contains a list of server profiles: 'ESX 3', 'ESX 4' (selected), 'HYPERV 1', 'HYPERV 2', and 'HYPERV FARM_D'. The right column shows the details for the selected 'ESX 4' profile, including a 'General' tab and a table of attributes like Description, Server profile template, Server hardware, etc.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

The screenshot shows the HPE OneView interface. At the top, there's a navigation bar with the OneView logo, a search bar, and icons for notifications, user, and help. Below the navigation bar, there are tabs for 'Server Profiles 5', 'All statuses', 'All tables', and 'All resources'. A search filter indicates '5 matches out of 5'. On the left, there's a sidebar with a '+ Create profile' button and a list of profiles: ESX 3, ESX 4 (selected), HYPERV 1, HYPERV 2, and HYPERV FARM_D. The main content area shows the details for 'ESX 4' in 'Overview' mode. A green dashed box highlights the 'Actions' button in the top right corner of the details panel.

General	
Description	not set
Server profile template	none
Server hardware	Encl1, bay 4
Server hardware type	BL460c Gen10.1
Enclosure group	default
Affinity	Device bay
Server power	Off
Serial number (v)	VCG0EEI001
UUID (v)	51ad0a7b-ad5c-44d8-83c6-f2acf42ce8e3
ISCSI initiator name (v)	iqn.2015-02.com.hpe:oneview-vcgoeei001

NEW QUESTION 4

Where would a user click to get a Map View that will easily allow them to see the objects within HPE OneView that are associated with a specific enclosure?

The screenshot shows the HPE OneView interface for the 'Enclosures' section. The left sidebar shows a list of enclosures: Enc1 (selected) and Enc2. The main content area shows the details for 'Enc1' in 'Overview' mode. A green dashed box highlights the 'Actions' button in the top right corner of the details panel. The details panel is divided into several sections: 'General >', 'Utilization >', and 'Hardware >'. The 'General >' section shows the state as 'Configured', the model as 'BladeSystem c7000 Enclosure G3', and the logical enclosure as 'Enc1'. The 'Utilization >' section shows power usage as '0.4 kW of 1.7 kW' and temperature as '73°F'. The 'Hardware >' section shows the OA as 'Primary', the location as 'Standby', and the rack as 'Rack-221'. On the right side of the details panel, there are four map views: 'Front View', 'Devices', 'Power Supplies', and 'Rear View'. The 'Front View' and 'Rear View' maps show the physical layout of the enclosure with green dots representing components. The 'Devices' and 'Power Supplies' maps show the logical connections and power distribution.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 5

What is required when creating an Ethernet Network in HPE OneView? (Choose two.)

- A. Network Name
- B. VLAN Type
- C. CHAP Password
- D. association with subnet ID
- E. WWPN

Answer: AB

NEW QUESTION 6

Your customer is planning to use HPE OneView to manage the following environment:

- > 4 HPE BladeSystem c7000 enclosures with BL460c Gen10 and Virtual Connect modules
- > 20 HPE ProLiant DL380 Gen10 servers
- > 1 HPE 3PAR StoreServ array

Which components will need an HPE OneView license? (Choose two.)

- A. 3PAR array
- B. DL380 Gen10 servers
- C. BL460c Gen10 server blades
- D. c7000 enclosures
- E. Virtual Connect modules

Answer: BC

NEW QUESTION 7

Which HPE OneView feature enables the detection of lost Ethernet connectivity on interconnect uplink ports?

- A. QoS
- B. M-LAG
- C. Smart Link
- D. VxLAN

Answer: C

NEW QUESTION 8

Synergy Composer enables remote support of which components? (Choose two.)

- A. HPE Onboard Administrator
- B. HPE Virtual Connect FlexFabric-20/40 F8 Module
- C. HPE Synergy D3940 storage module
- D. HPE Synergy 12000 frames
- E. HPE Synergy compute modules

Answer: CE

NEW QUESTION 9

You want to create a Support Dump file using REST: How would you accomplish this?

- A. POST /rest/backups/support-dumps
- B. PUT /rest/appliance/support-dumps
- C. GET /rest/appliance/support-dumps
- D. POST /rest/appliance/support-dumps

Answer: D

NEW QUESTION 10

A systems administrator needs to add a VLAN to a network set to support a new application. They have added the network to the upstream switch and the Logical Interconnect Group in HPE OneView but traffic is not passing. What is the most likely cause of the problem?

- A. Intelligent Management Center (IMG) has not been updated via REST.
- B. The administrator failed to update the state change message bus.
- C. The administrator needs to update the Logical Interconnects from the Logical Interconnect Group.
- D. The upstream switch doesn't have the VLAN enabled.

Answer: D

NEW QUESTION 10

What unique identifier does HPE OneView use to interact with each resource individually?

- A. WWN
- B. URI
- C. MAC address
- D. serial number

Answer: B

NEW QUESTION 11

Which HPE and VMware integration are you licensed to use with the HPE OneView Advanced license? (Choose two.)

- A. VMware vRealize Log Insight
- B. VMware vRealize Operations Manager
- C. VMware vRealize Network Insight
- D. VMware ACE
- E. VMware NSX

Answer: AB

NEW QUESTION 16

Match the HPE OneView interconnect module state to its definition.

State	Definition
Configuring	The interconnect module is actively passing traffic.
Unsupported	
Inventory	A module is found within an interconnect bay that is supposed to be empty.
Unmanaged	
Configured	The interconnect module configuration is being applied.
Maintenance	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

State	Definition
Configuring	The interconnect module is actively passing traffic.
Unsupported	
Inventory	A module is found within an interconnect bay that is supposed to be empty.
Unmanaged	
Configured	The interconnect module configuration is being applied.
Maintenance	

NEW QUESTION 17

What type of default certificate is automatically generated in an HPE OneView appliance?

- A. no certificate is pre-installed
- B. CA generated
- C. self signed
- D. PKI

Answer: C

NEW QUESTION 19

Match the minimum HPE OneView license required to each function. (Matches may be used more than once.)

Answer Area

HPE OneView Standard	HPE OneView Advanced	HPE OneView License	Function
			Partner Integrations
			Storage provisioning
			Firmware Management
			Inventory
			Health Monitoring
			Remote Support

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Partner integration – HPE OneView Advanced
Storage provisioning – HPE OneView Advanced
Firmware management – HPE OneView Advanced
Inventory – HPE OneView Standard
Health monitoring – HPE OneView Standard
Remote support – HPE OneView Advanced

NEW QUESTION 24

What mechanism does HPE OneView use to get status data from devices as a fail-safe approach to SNMP traps?

- A. SNMP trap storms
- B. Dashboard charts
- C. REST API
- D. Periodic Polling

Answer: A

NEW QUESTION 25

Refer to the exhibit.

The screenshot shows the HPE OneView interface. At the top, there is a search bar and filters for 'Server Hardware', 'All statuses', 'All scopes', and 'All labels'. Below this, there is a table of server hardware. The table has columns for Name, Server Name, Server Profile, and Model. The server '172.18.6.16' is selected, and its details are shown on the right. The details include Server name (not set), State (No Profile Applied), Server profile (Create profile), Server power (On), Model (ProLiant DL380p Gen8), Server hardware type (DL380p Gen8 1), Product ID (603718-G21), Serial number (MXQ1000307), License (HPE OneView Advanced), and UUID (37333036-3831-584D-5131-303030333037). The iLO section shows Host name (172.18.6.16), IPv4 (172.18.6.16), and IPv6 (fe80:0:0:2::fe03:10 Link-local).

Name	Server Name	Server Profile	Model
172.18.6.15	not set	n/a	DL360p Gen8
172.18.6.16	not set	none	DL380p Gen8
172.18.6.31	not set	n/a	DL360 Gen9
172.18.6.32	not set	none	DL380p Gen8
Enc1, bay1	not set	Splunk 1	BL660c Gen9
Enc1, bay2	not set	Splunk 2	BL660c Gen9
Enc1, bay3	not set	none	BL460c Gen8
Enc1, bay4	not set	none	BL460c Gen8
Enc1, bay5	not set	none	BL460c Gen8

Hardware	
Server name	not set
State	No Profile Applied
Server profile	Create profile
Server power	On
Model	ProLiant DL380p Gen8
Server hardware type	DL380p Gen8 1
Product ID	603718-G21
Serial number	MXQ1000307
License	HPE OneView Advanced
UUID	37333036-3831-584D-5131-303030333037
iLO	
Host name	172.18.6.16
IPv4	172.18.6.16
IPv6	fe80:0:0:2::fe03:10 Link-local

A customer is having issues assigning a server profile to a DL380 Gen8. Using the following figure, what is the most likely cause preventing the server profile from being assigned?

- A. The server name is not set.
- B. The server is in monitored mode.
- C. Server Profiles are not supported on DL servers.
- D. The server is powered on.

Answer: D

NEW QUESTION 27

Which HPE OneView integration points are available within System Center with the HPE OneView Advanced License? (Choose two.)

- A. Service Manager
- B. Azure Resource Manager
- C. Operations Manager
- D. Data Protection Manager
- E. Virtual Machine Manager

Answer: CE

NEW QUESTION 31

Which HPE product would you recommend to a customer who is running multiple HPE OneView appliances and Hyper Converged Systems to monitor their entire environment in a single application?

- A. Insight Control
- B. Central Management Console
- C. iLO Amplifier Pack
- D. Global Dashboard

Answer: D

NEW QUESTION 33

What does HPE OneView use for device authentication?

- A. server SSL certificate
- B. scope based access control
- C. two-factor authentication
- D. SSH

Answer: C

NEW QUESTION 37

Refer to the exhibit.

A solution architect is setting up a Synergy configuration for a customer. The customer wants their redundancy level to be Highly Available. What is preventing this option from being available for the customer?

- A. Synergy doesn't support an HA fabric configuration on the Virtual Connect SE 40GB F8 module for Synergy.
- B. HA is not supported in Interconnect Bay set 3.
- C. HA requires multiple frames in the fabric domain.
- D. HA is only supported in mixed speed environments.

Answer: C

NEW QUESTION 40

Your customer has multiple c7000 enclosures that will be managed using HPE OneView. At what stage is the license type selected for the enclosures?

- A. after enclosure is updated to the selected firmware baseline
- B. when adding the enclosure to the HPE OneView
- C. when at least one profile is created for this enclosure
- D. after all components are properly discovered in HPE OneView

Answer: D

NEW QUESTION 44

If a SAN Manager is properly added to HPE OneView and a managed storage pool is available, which storage management task can be completed using HPE OneView?

- A. volume attachment
- B. CPG configuration
- C. data replication

D. Virtual Domain creation

Answer: A

NEW QUESTION 46

Your customer is running ESXi on an HPE BladeSystem managed by HPE OneView. They want to be able to add networks to the ESXi system without modifying the Virtual Connect configuration. Which type of network should be used?

- A. mapped
- B. tagged
- C. tunnel
- D. untagged

Answer: C

NEW QUESTION 47


Click the area where you find WWN's and MAC addresses that are pre-configured or user-defined from the settings menu.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 49

What does HPE OneView use to define the network connectivity for an Enclosure Group?

- A. Logical Switch Group
- B. Logical Interconnect Group
- C. Smart Link
- D. network set

Answer: B

NEW QUESTION 50

A customer is preparing their environment for a new two frame Synergy configuration. They have deployed an HPE OneView virtual appliance on ESXi and are not able to discover the new Synergy frames. What is preventing the discovery of the Synergy frames?

- A. Synergy isn't supported with the HPE OneView appliance.
- B. The IPv6 address of the Frame Link module is entered incorrectly.
- C. The x.509 certificates aren't authenticating with the HPE OneView appliance.
- D. The management ring isn't cabled properly.

Answer: A

NEW QUESTION 52

Which HPE tool can be integrated with HPE OneView to provision ToR switch ports automatically for newly added BladeSystem enclosures?

- A. StoreServ Management Console
- B. Synergy Composer
- C. Onboard Administrator
- D. Global Dashboard
- E. Intelligent Management Console

Answer: E

NEW QUESTION 54

Your customer needs to downgrade the firmware on a number of blades because they experienced issues with the current firmware. The customer modifies the server profile to the required firmware baseline and selects update, but the firmware downgrade is not successful.

What step needs to be taken to ensure the firmware downgrade is applied?

- A. Set the firmware baseline to "Managed Manually"
- B. Select the "Force installation" option to downgrade the firmware
- C. Create and assign a new server profile for the affected servers
- D. Contact HPE support to obtain a one-time password to enable firmware downgrade

Answer: B

NEW QUESTION 56

Refer to the exhibit.

Add Alert Email Filter ?

As alerts arrive, if they match the filter search criteria, they are sent to the destination email addresses.

Name

Alert email **Enabled**

Alert criteria ☒ Pre-defined ☐ Guided ☐ Advanced

Resource scope

☒ Match any ☐ Match all

Email addresses

Changed: Email addresses to "admin-dayshift..." **Add** **Add +** **Cancel**

A server administrator wants to receive all the critical and warning alerts related to server using the profile “APPSRV 2”. What needs to be entered into the “Alert criteria” textbox to receive the right email alerts?

- A. status: critical or status: warning profile:”APPSRV 2”
- B. status:critical status:warning “APPSRV 2”
- C. status: critical or warning “APPSRV 2”
- D. “APPSRV 2”:” needs attention”

Answer: B

NEW QUESTION 58

What can be used to query the server hardware portion of the HPE OneView appliance database?

- A. SQL Connect Client
- B. REST API
- C. JSON reader
- D. OpenSource Editor

Answer: B

NEW QUESTION 60

An administrator needs to add multiple BladeSystem c7000 enclosures to a new instance of HPE OneView. The enclosures are currently being monitored by a different instance of HPE OneView. What must the administrator do before beginning importing the enclosure to the new HPE OneView appliance?

- A. Delete the enclosure from the current OneView Appliance
- B. Edit the Enclosure license to be OneView Advanced
- C. Add Frame Link Module
- D. Add enclosure for management

Answer: C

NEW QUESTION 63

What permissions are included with the user role: "Server profile operator"?

- A. update server profile templates
- B. delete server profiles
- C. create new server profiles
- D. update server profiles

Answer: D

NEW QUESTION 68

A server administrator needs to expand a VMware vSphere farm and use an already existing server profile as a baseline. Click the area where new server profile templates can be created from a selected server profile.

The screenshot shows the HPE OneView web interface. At the top, there's a navigation bar with the 'OneView' logo, a search bar, and icons for settings, notifications (3), user profile, and help. Below the navigation bar, the 'Server Profiles' section is active, showing a list of profiles: ESX 3, ESX 4 (selected), HYPERV 1, HYPERV 2, and HYPERV FARM_D 5. The 'ESX 4' profile is highlighted in blue. To the right of the profile list, there's a 'Create profile' button and an 'Actions' dropdown menu. The 'Actions' menu is open, showing a '+' icon, which is the area where new server profile templates can be created from the selected server profile.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

The screenshot shows the HPE OneView interface for managing server profiles. At the top, there's a navigation bar with the 'OneView' logo, a search bar, and user icons. Below this, the 'Server Profiles' section is active, showing 5 profiles. A red box highlights the '+ Create profile' button. The list of profiles includes ESX 3, ESX 4 (selected), HYPERV 1, HYPERV 2, and HYPERV FARM_D 5. The right pane displays the 'Overview' for the selected 'ESX 4' profile. It includes a 'General' tab with details like Description (not set), Server profile template (none), Server hardware (Enc1, bay 4), Server hardware type (BL460c Gen10 1), Enclosure group (default), Affinity (Device bay), Server power (Off), Serial number (V) (VCGOEEI001), UUID (v) (51ad0a7b-ad5c-44d8-83c6-f2acf42ce8e3), and iSCSI initiator name (v) (iqn.2015-02.com.hpe:oneview-vcgoeei001). There are also expandable sections for 'Firmware' and 'Actions'.

NEW QUESTION 69

How can a server administrator present a 3PAR volume to the server managed by HPE OneView?

- A. in the volume properties
- B. in the CPG configuration
- C. through supported SAN manager
- D. using a server profile

Answer: D

NEW QUESTION 72

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your HPE2-T36 Exam with Our Prep Materials Via below:

<https://www.certleader.com/HPE2-T36-dumps.html>