

Exam Questions 1z0-083

Oracle Database Administration II

<https://www.2passeasy.com/dumps/1z0-083/>



NEW QUESTION 1

Which two are true about data movement between a non-CDB and a PDB using Data Pump? (Choose two.)

- A. Tablespaces are automatically created as needed while importing full exports in either a non-CDB or a PDB.
- B. Oracle attempts to convert conventional database users to local users when moving schemas from a non-CDB to a PDB.
- C. A new PDB is automatically created when importing a non-CDB into a CDB.
- D. Oracle attempts to convert common users to conventional users when moving schemas from a PDB to a non-CDB.
- E. Moving data from a PDB to a non-CDB is only possible by using transportable tablespace export and import.
- F. Moving data from a non-CDB to a PDB is only possible by using conventional export and import.

Answer: DE

NEW QUESTION 2

Which two are true about gathering optimizer statistics? (Choose two.)

- A. Executing DBMS_STATS.GATHER_DATABASE_STATS while connected to CDB\$ROOT gathers object statistics in all open PDBs except PDB\$SEED.
- B. Executing DBMS_STATS.GATHER_DATABASE_STATS while connected to a PDB opened in read/write mode gathers object statistics for that PDB.
- C. Executing DBMS_STATS.GATHER_DATABASE_STATS while connected to CDB\$ROOT gathers object statistics only in CDB\$ROOT.
- D. System statistics can be gathered only while connected to CDB\$ROOT.
- E. Executing DBMS_STATS.GATHER_DATABASE_STATS while connected to CDB\$ROOT gathers object statistics in all open pluggable databases (PDBs)

Answer: BE

Explanation:

[https://mikedietrichde.com/2016/10/21/gather-fixed-objects-stats-in-pdbs-as-well/#:~:text=Yes%2C%20you'll%](https://mikedietrichde.com/2016/10/21/gather-fixed-objects-stats-in-pdbs-as-well/#:~:text=Yes%2C%20you'll%20).

NEW QUESTION 3

A database is configured in ARCHIVELOG mode.

Full RMAN backups are taken and no backup to trace has been taken of the control file. A media failure has occurred.

In which two scenarios is complete recovery possible? (Choose two.)

- A. when any archived log from, before, or after the most recent backup is corrupt.
- B. after losing all copies of the control file
- C. after losing an archived log from after the most recent backup
- D. after losing an archived log from before the most recent backup
- E. after losing the SYSTEM tablespace

Answer: DE

NEW QUESTION 4

Which three are true about backup, restore, and recovery operations done without using Recovery Manager (RMAN)? (Choose three.)

- A. Backing up a database in NOARCHIVELOG mode using O/S utilities requires that the database instance be started and the database be in the MOUNT state.
- B. Backing up a database in ARCHIVELOG mode using O/S utilities requires that the database instance be started and the database be in MOUNT state.
- C. An Oracle database can be restored from backup files copied using O/S utilities.
- D. Oracle data file backups, copied using an O/S utility, can be added to the RMAN catalog as IMAGE COPIES.
- E. Backing up a database in NOARCHIVELOG mode using O/S utilities requires that the database instance be shut down.
- F. Oracle archive log backups, copied using an O/S utility, can be added to the RMAN catalog as a backup set.
- G. Backing up a database in ARCHIVELOG mode using O/S utilities requires that the database instance be started and the database be in OPEN state.

Answer: BDE

NEW QUESTION 5

A container database called CDB1 is OMF-enabled.

PDB_FILE_NAME_CONVERT is not configured in CDB1. PDB1 was unplugged from CDB1 earlier in the week. Examine this command, which will be executed in CDB1:

```
CREATE PLUGGABLE DATABASE pdb1  
USING '/u01/app/oracle/oradata/pdb1.xml' SOURCE_FILE_NAME_CONVERT =  
('/u01/app/oracle/oradata/', '/u02/app/oracle/oradata/');
```

Which two are true? (Choose two.)

- A. PDB1 data files already exist in the correct location.
- B. DBMS_PDB.CHECK_PLUG_COMPATIBILITY must be run in CDB1 before executing the command.
- C. PDB_FILE_NAME_CONVERT must be set before executing the command.
- D. /u01/app/oracle/oradata/pdb1.xml does not contain the current locations of data files for PDB1.
- E. PDB1 must be dropped from CDB1.

Answer: AE

NEW QUESTION 6

Which three are true in Oracle 19c and later releases? (Choose three.)

- A. If the password file location changes, then the new location is used automatically by the Oracle Server.
- B. Schema Only accounts can be granted administrator privileges.
- C. All the Oracle-supplied accounts are Schema Only accounts.
- D. Privilege Analysis is included in Oracle Enterprise Edition and no longer requires Database Vault.
- E. Unified Auditing can be configured to audit only events that are issued indirectly by an audited user.

F. Unified Auditing can be configured to audit only events that are issued directly by an audited user.

Answer: BCD

NEW QUESTION 7

Which three are true about Recovery Manager (RMAN) in Oracle Database 19c and later releases? (Choose three.)

- A. It is only possible for RMAN to connect to a pluggable database as a target if an RMAN Virtual Private Catalog is used.
- B. It is always possible for RMAN to connect to a pluggable database as a target if any RMAN Catalog is used.
- C. A Virtual Private Catalog used to register a container database must be created in a pluggable database.
- D. A Virtual Private Catalog used to register a container database can be created in a pluggable database.
- E. It is always possible for RMAN to connect to a pluggable database as a target.
- F. A Virtual Private Catalog used to register a container database can be created in a non-container database.

Answer: DEF

NEW QUESTION 8

Which three can be done using Oracle Database Configuration Assistant (DBCA) starting from Oracle Database 19c? (Choose three.)

- A. cloning a remote container database in interactive mode
- B. cloning a remote pluggable database in silent mode
- C. relocating a remote pluggable database in interactive mode
- D. relocating a remote container database in silent mode
- E. cloning a remote container database in silent mode
- F. relocating a remote pluggable database in silent mode
- G. relocating a remote container database in interactive mode

Answer: BEF

NEW QUESTION 9

Which three are true about managing memory components in an Oracle database instance? (Choose three.)

- A. With Automatic Shared Memory Management, the database instance can increase the Large Pool size by reducing the Shared Pool size.
- B. With Automatic Memory Management, the database instance can increase the System Global Area size by reducing the Program Global Area size.
- C. Automatically tuned and resized System Global Area components will always revert to their initial sizes after an instance restart.
- D. Automatic Memory Management must be used together with locking the System Global Area into physical memory.
- E. With Automatic Shared Memory Management, the database instance can increase the Program Global Area size by reducing the System Global Area size.
- F. On Line Transaction Processing systems often use less Program Global Area than Decision Support Systems.

Answer: AEF

NEW QUESTION 10

Which three are true about an application container?

- A. It must have an application root PDB.
- B. It can contain multiple applications.
- C. An application PDB can belong to multiple application containers.
- D. Two application containers can share an application seed PDB.
- E. It can contain a single application.
- F. It must have an application seed PDB.

Answer: BDE

NEW QUESTION 10

Which three are true about opatchauto? (Choose three.)

- A. It performs a shutdown and then a restart of all processes in both Oracle Grid Infrastructure and Oracle Database home during the patching process.
- B. It must be invoked by a user with root user privileges.
- C. Patches are applied via opatchauto.
- D. Users must always input patch plans to opatchauto.
- E. It requires the Oracle Grid Infrastructure and Oracle Database instances to be shut down before being invoked.
- F. It applies patches in nonrolling mode by default.
- G. It is used to apply interim patches to Oracle Grid Infrastructure and Oracle Database home combinations.

Answer: ABC

NEW QUESTION 11

On the 10th of August, you implement an incremental database backup strategy and configure a recovery window of five days.

Level 0 backups are taken on the 10th, 17th, and 24th of August.

Differential level 1 incremental backups are taken daily between the level 0 backups. Today is the 26th of August.

Which backups will be obsolete?

- A. all backups prior to 10th of August
- B. all backups prior to 22nd of August
- C. all backups prior to 24th of August
- D. all backups prior to 20th of August
- E. all backups prior to 17th of August

Answer: C

NEW QUESTION 16

Examine these queries and their output:

```
SQL> select pdb_name, name, pdb_restore_point, clean_pdb_restore_point
2 from v$restore_point natural join dba_pdbs;
```

PDB_NAME	NAME	PDB_RESTORE_POINT	CLEAN_PDB_RESTORE_POINT
PDB1	R1	YES	NO

```
SQL> select property_name, property_value
2 from database_properties where property_name like '%UNDO%';
```

PROPERTY_NAME	PROPERTY_VALUE
LOCAL_UNDO_ENABLED	FALSE

An online RMAN backup of the CDB was taken an hour before Restore Point R1 was created. You want to recover PDB1 to Restore Point R1. How do you achieve this?

- A. Execute FLASHBACK PLUGGABLE DATABASE PDB1 TO RESTORE POINT R1 by using RMAN while connected to PDB1.
- B. Execute FLASHBACK PLUGGABLE DATABASE PDB1 TO RESTORE POINT R1 by using SQL while connected to PDB1.
- C. Execute FLASHBACK PLUGGABLE DATABASE PDB1 TO RESTORE POINT R1 by using SQL while connected to CDB\$ROOT.
- D. Execute FLASHBACK PLUGGABLE DATABASE PDB1 TO RESTORE POINT R1 by using RMAN while connected to CDB\$ROOT.
- E. This cannot be done due to the lack of a clean restore point.

Answer: B

NEW QUESTION 18

Which two are true about Rapid Home Provisioning (RHP), which has been available since Oracle 18c? (Choose two.)

- A. It is an Oracle Database service
- B. It cannot be used to upgrade Oracle Database homes.
- C. It can be used to provision applications.
- D. It can be used to patch Grid Infrastructure homes containing Oracle Restart.
- E. It can be used to provision middleware.

Answer: DE

NEW QUESTION 22

Examine this output:

```
SQL> select pluggable_database, shares, parallel_server_limit
2 from dba_cdb_rsrc_plan_directives where plan = 'MY_PLAN'
3 order by pluggable_database;
```

PLUGGABLE_DATABASE	SHARES	PARALLEL_SERVER_LIMIT
ORA\$AUTOTASK		100
ORA\$DEFAULT_PDB_DIRECTIVE	1	0
PDB1	2	100
PDB2	2	25
PDB3	1	

```
SQL> select name, value from v$parameter
2 where name = 'resource_manager_plan';
```

NAME	VALUE
resource_manager_plan	MY_PLAN

Which two are true? (Choose two.)

- A. Any PDB not specified in the plan will be unable to execute statements in parallel.
- B. PDB3 can use all available parallel execution processes at times.
- C. PDB1 is always limited to 40% of the available system resources regardless of demand.
- D. Any PDB not specified in the plan will be able to use a maximum of 16.5% of the available system resources.
- E. PDB3 is guaranteed to receive at least 20% of the available system resources if there is enough demand.
- F. PDB2 is guaranteed at least 25% of the available parallel execution processes if there is enough demand.

Answer: AE

NEW QUESTION 23

Which three actions are performed by Database Upgrade Assistant (DBUA)? (Choose three.)

- A. It recompiles all stored PL/SQL code by using utlrp.sql.
- B. It empties the RECYCLE BIN.
- C. It performs prerequisite checks to verify if the Oracle database is ready for upgrade.
- D. It sets all user tablespaces to “read-only” before starting the upgrade.
- E. It removes the AUDSYS schema and the AUDIT_ADMIN and AUDIT_VIEWER roles
- F. It increases tablespace size, if required, to meet upgrade requirements.

Answer: ACF

NEW QUESTION 27

Which two are true about Oracle Flashback features? (Choose two.)

- A. FLASHBACK QUERY can retrieve REDO records from ONLINE and ARCHIVED REDO LOG files.
- B. FLASHBACKVERSION QUERY can retrieve REDO records from ONLINE and ARCHIVED REDOLOG files.
- C. FLASHBACK TABLE can undrop a column.
- D. FLASHBACK DROP can undrop an index when undropping a table.
- E. After a database is restored from flashback logs using the FLASHBACKDATABASE command, it is sometimes rolled forward using redo logs.

Answer: DE

NEW QUESTION 31

Which two are true about creating pluggable databases (PDBs) using snapshots in Oracle 19c and later releases? (Choose two.)

- A. A PDB snapshot is always a full copy of the source PDB.
- B. A PDB snapshot is always a sparse copy of the source PDB.
- C. A snapshot copy PDB depends on a storage snapshot which can only be stored on specific file systems.
- D. A PDB snapshot depends on a storage snapshot which can be stored on any file system.
- E. A PDB snapshot depends on a storage snapshot which can only be stored on specific file systems.
- F. A snapshot copy PDB depends on a storage snapshot which can be stored on any file system.
- G. A snapshot copy PDB can be created from a stand-alone clone PDB.

Answer: AE

NEW QUESTION 32

Examine this command:

\$ rhpctl move database –sourcehome Oracle_home_path –destinationhome Oracle_home_path For which two purposes can you use this command? (Choose two.)

- A. to switch an existing Oracle Database home to a newer release of Oracle software on the same server
- B. to switch to a read-only Oracle home
- C. to switch back to the previous Oracle home as part of a rollback operation
- D. to switch the Oracle Database home when using a centralized Rapid Home Provisioning server
- E. to switch to a patched Oracle Database home

Answer: CE

Explanation:

You can use rhpctl move gihome command with the same syntax to switch from the current Oracle Grid Infrastructure home to a patched home. The rhpctl command enables you to switch from your current Oracle Grid Infrastructure or Oracle Database home to patched Oracle home so that you can provision the new Oracle home as gold image. You can also use the rhpctl command to switch back to the old Oracle home, if you want to roll back the operation.

NEW QUESTION 35

Which two are true about the character sets used in an Oracle database? (Choose two.)

- A. Single-byte character sets provide better performance than multibyte character sets.
- B. Unicode enables information from any language to be stored using a single character set.
- C. Unicode is the only supported character set for Oracle databases created using Database Configuration Assistant (DBCA).
- D. Single-byte character sets always use 7-bit encoding schemes.
- E. Multibyte character sets allow more efficient space utilization than single byte character sets.
- F. Single-byte character sets always use 8-bit encoding schemes.

Answer: AB

NEW QUESTION 38

Which three are true about thresholds, metrics, and server-generated alerts? (Choose three.)

- A. All metrics are instance related.
- B. Cleared stateful alerts are displayed by querying DBA_ALERT_HISTORY.
- C. A space usage management alert is automatically cleared after the underlying problem is resolved.
- D. They are generated by SMON when a tablespace is 97% full.
- E. Metrics are statistical counts for a specific unit.
- F. STATISTICS_LEVEL must be set to ALL to generate alerts.

Answer: BCE

NEW QUESTION 40

Which two are true about RMAN encryption? (Choose two.)

- A. RMAN encryption keys are stored in a database keystore.
- B. RMAN can encrypt the Oracle Database password file.
- C. Dual-mode encrypted backups can be restored only if both the password and the keystore used for encryption are available.
- D. The SET ENCRYPTION command overrides encryption settings specified by the CONFIGURE ENCRYPTION command.
- E. Password encryption can be persistently configured using the CONFIGURE ENCRYPTION command.

Answer: CD

NEW QUESTION 45

Which two are true about RMAN duplexed backup sets? (Choose two.)

- A. A duplexed backup set uses the same number of SBT channels as a non-duplexed backup set for the same number of files.
- B. A non-duplexed backup set written to disk can be duplexed to disk by backing up the backup set that is already on disk.
- C. A non-duplexed backup set written to SBT can be duplexed to tape by backing up the backup set that is already on tape.
- D. A non-duplexed backup set written to disk can be duplexed to tape by backing up the backup set that is already on disk.
- E. A non-duplexed backup set written to SBT can be duplexed to disk by backing up the backup set that is already on tape.
- F. A duplexed backup set always uses twice as many SBT channels as a non-duplexed backup set for the same number of files.

Answer: DF

NEW QUESTION 46

Which two are true about common objects? (Choose two.)

- A. They can be created only in CDB\$ROOT.
- B. They can be only metadata-linked in an application container.
- C. They can exist in user-defined schemas only in application containers.
- D. They can exist in CDB\$ROOT and an application root.
- E. They can be extended data-linked in CDB\$ROOT.
- F. They can be created only in an application root.

Answer: CF

NEW QUESTION 48

Which four are true about performing Tablespace Point -In-Time Recovery (TSPITR) using Recovery Manager (RMAN)?

- A. It can be performed using an auxiliary instance managed by a DBA.
- B. It can be used to recover a truncated table.
- C. RMAN automatically adds any required tablespaces to the recovery set to make it self-contained.
- D. RMAN always includes tablespaces containing undo segments in the recovery set.
- E. It can be performed repeatedly until the correct time is found without using an RMAN catalog.
- F. flashback database must be enabled for it to work.
- G. It can be used to recover a dropped tablespace.
- H. It can be performed using an auxiliary instance managed by RMAN.

Answer: AEFH

NEW QUESTION 51

Which three are true about requirements for various FLASHBACK operations? (Choose three.)

- A. FLASHBACK transaction query requires undo to retrieve all versions of a row that existed between two points in time.
- B. FLASHBACK drop requires that the RECYCLEBIN parameter be set to ON.
- C. FLASHBACK version query requires that the RECYCLEBIN parameter be set to ON.
- D. FLASHBACK DATA ARCHIVE requires undo to store all versions of all rows of a table being tracked.
- E. FLASHBACK drop requires undo to retrieve all versions of a row that existed between two points in time.
- F. FLASHBACK version query requires undo to retrieve all versions of a row that existed between two points in time.

Answer: ABF

NEW QUESTION 52

Which two are true about OS groups and users for Oracle Grid Infrastructure and the Oracle Relational Database Management System (RDBMS)? (Choose two.)

- A. By default, members of the OSASM group can access Automatic Storage Management and RDBMS instances.
- B. The primary group for the Oracle Grid Infrastructure and Oracle Database owners must be the Oracle Inventory group.
- C. The Oracle Grid Infrastructure installation must be owned by the grid user.
- D. The Oracle Grid Infrastructure owner owns Oracle Restart and Oracle Automatic Storage Management binaries.
- E. The Oracle Grid Infrastructure owner must have OSOPER, OSBACKUPDBA, and OSKMDBA as secondary groups.
- F. The same OSDBA group must be used for Automatic Storage Management and the Oracle Database.

Answer: EF

NEW QUESTION 54

Oracle Managed Files (OMF) is enabled in a CDB and this command is successfully executed:

```
CREATE PLUGGABLE DATABASE app1
  AS APPLICATION CONTAINER
  ADMIN USER admin1 IDENTIFIED BY app_123 ROLES=(CONNECT);
```

Which three are true? (Choose three.)

- A. Application PDBs that are subsequently created in the APP1 application container will be cloned from APP1\$SEED.
- B. An application seed PDB is created for APP1.
- C. An application root PDB is created for APP1.
- D. A default service is created for the application root APP1.
- E. Application PDBs that are subsequently created in the APP1 application container will be cloned from PDB\$SEED.
- F. APP1 can never be unplugged.

Answer: ABE

NEW QUESTION 56

Examine the command for creating pluggable database PDB2 in container database CDB2.

```
CREATE PLUGGABLE DATABASE pdb2
  ADMIN USER pdb2_adm
  IDENTIFIED BY 123pdb
  ROLES= (CONNECT) ;
```

Select three options, any one of which is required for it to execute successfully. (Choose three.)

- A. Add the FILE_NAME_CONVERT clause to the statement and set the PDB_FILE_NAME_CONVERT parameter.
- B. Add only the CREATE_FILE_DEST clause to the statement.
- C. Set only the PDB_FILE_NAME_CONVERT parameter.
- D. Set the PDB_FILE_NAME_CONVERT parameter and enable OMF.
- E. Enable only OMF.
- F. Add the FILE_NAME_CONVERT clause to the statement and enable OracleManaged Files (OMF)

Answer: BDE

NEW QUESTION 59

Examine this configuration:

* 1.The ORCL database data files are in Automatic Storage Management (Oracle ASM) disk group +DATA. * 2.ORCL uses disk group +FRAfor the Fast Recovery Area.

* 3. LISTENER is the listener for ORCL.

* 4. The database, listener, ASM instance, and ASM disk groups are managed by Oracle Restart. 5.All components are currently shut down.

You execute this command:

```
$ srvctl start database -d ORCL
```

What is the outcome?

- A. The ORCL database, the Oracle ASM instances, the +DATA and +FRA disk groups, and the LISTENERare started.
- B. Only the ORCL database instance is started.
- C. Only the ORCL database and the ASM instances are started.
- D. Only the ORCL database instance, the Oracle ASM instance, and the +DATA and +FRA disk groups are started.
- E. Only the ORCL database instance and the +DATA and +FRA disk groups are started.

Answer: D

NEW QUESTION 64

Which two are facets of performance planning that should always be considered or implemented for an Oracle Database environment? (Choose two.)

- A. defining primary keys for all tables to speed up all queries
- B. using check constraints to speed upupdates
- C. defining foreign keys for all tables to speed up joins
- D. the physical data model
- E. the configuration of storage arrays

Answer: AE

NEW QUESTION 65

Which three are true about monitoring waits for sessions and services? (Choose three.)

- A. V\$SESSION_EVENT displays all waits for all past and existing sessions if the wait has occurred at least once for a session.
- B. V\$SERVICE_EVENT displays all waits for all services if the wait has occurred at least once for a service.
- C. V\$SESSION_WAIT_CLASS displays waits broken down by wait class only for waiting sessions.
- D. V\$SESSION_WAIT and V\$SESSION both contain details of the event on which a non-waiting session last waited.
- E. V\$SESSION_EVENT displays all waits for all past sessions if the wait has occurred at least once for a session.
- F. V\$SESSION_WAIT and V\$SESSION both contain details of the event on which a session is currently waiting.

Answer: BDE

NEW QUESTION 66

Which two are true about unplugging an application container from a container database and plugging it into a different container database?

- A. It requires local undo mode in both container databases.
- B. It requires only local undo mode in the database where the application container will be unplugged.
- C. Plugging the application root into a different CDB plugs In all its application PDBs.
- D. Application PDBs In the application container must beunplugged before the application root Is unplugged.
- E. Unplugging the application root from a CDB unplugs all its application PDBs.
- F. The application root of an application container should be plugged Into the other CDB before Its application PDBs are plugged in.

Answer: DE

NEW QUESTION 71

Which three are true In Oracle 19c and later releases?

- A. Tablespaces always remain In read/write mode during transportable tablespace operations.
- B. Simultaneous data pump jobs can be limited at thepluggable database (PDB) level.
- C. Tablespaces never remain In read/write mode during transportable tablespace operations.
- D. An ordinary data pump export of a table with encrypted columns will always encrypt the same columns when imported.
- E. A transportable data pump import can leave a plugged-in tablespace in read-only mode.
- F. A transportable data pump import can leave a plugged-in tablespace In read/write mode.

Answer: ADE

NEW QUESTION 72

Which three are true about upgrading Oracle Grid Infrastructure? (Choose three.)

- A. A direct upgrade can be performed only from the immediately preceding Oracle Grid Infrastructure version.
- B. The newer version is installed in a separate Oracle Grid Infrastructure home on the same server as the existing version.
- C. An existing Oracle base can be used.
- D. The upgrade process will automatically install all mandatory patches for the current version of Oracle Grid Infrastructure.
- E. Existing Oracle Database instances must be shut down before starting the upgrade.
- F. Only the grid user can perform the upgrade.

Answer: DEF

NEW QUESTION 73

Which three are true about an application seed pluggable database (PDB)? (Choose three.)

- A. It is automatically synchronized with its application root PDB when an application is upgraded.
- B. It cannot be added to an application container after the application container has already been created.
- C. A new application PDB created by cloning an application seed PDB can have an old version of the application installed after cloning completes.
- D. It is automatically synchronized with its application root PDB when an application is installed.
- E. It cannot be dropped from its application container.
- F. A new application PDB created by cloning an application seed PDB canhave an up-to-date version of the application installed after cloning completes.
- G. It is not required in an application container.

Answer: DFG

NEW QUESTION 77

For which two requirements can you use the USER_TABLESPACE clause with the CREATE PLUGGABLE DATABASE command? (Choose two.)

- A. to specify a default tablespace in a PDB cloned from another PDB in the same CDB.
- B. to exclude all tablespaces except SYSTEM, SYSAUX, and TEMPwhen plugging in a PDB
- C. to include specific user tablespaces only when relocating a PDB
- D. to specify the list of user tablespaces to include when moving a non-CDB to a PDB
- E. to exclude a temp tablespace when plugging in a PDB
- F. to specify the list oftablespaces to include when creating a PDB from the CDB seed

Answer: BD

NEW QUESTION 81

Which two are true about automatic block repair? (Choose two.)

- A. Automatic block repair can repair blocks with no standby database if DB_BLOCK_CHECKING = TRUE.
- B. Real-Time Query must be enabled on a physical standby database for automatic block repair to be done on that physical standby database.
- C. Real-Time Query must be enabled on a primary database for automatic block repair to be done on any of its physical standby databases.
- D. It is not possible for media corrupt blocks.
- E. Real-Time Query must be enabled on a physical standby database for automatic block repair to be done on its primary database.

Answer: BC

NEW QUESTION 83

You have configured RMAN SBT channels to write backups to media. You then take an RMAN backup by using this command:

```
RMAN> BACKUP AS COMPRESSED BACKUPSET
        DATABASE
        KEEP UNTIL TIME 'SYSDATE + 730'
        RESTORE POINT 'OLD_CONFIGURATION';
```

Which three are true? (Choose three.)

- A. The restore point is a label for the system change number (SCN) that will be savedtwo years after the archival backup was taken.
- B. The data file backups in the self-contained archive backup are not considered obsolete for two years regardless of the retention policy.
- C. All archive logs created after this backup are kept for two years.
- D. The SPFILE is included in the self-contaied archival backup.
- E. The control file is included in the self-contained archival backup.

F. The restore point is a label for the system change number (SCN) before the archival backup was taken.

Answer: CDE

NEW QUESTION 85

While backing up to an SBT channel, you determine that the read phase of your compressed Recovery Manager (RMAN) incremental level 0 backup is a bottleneck.

FORCE LOGGING is enabled for the database.

Which two could improve read performance? (Choose two.)

- A. Increase the size of tape I/O buffers.
- B. Disable FORCE LOGGING for the database.
- C. Increase the size of the database buffer cache.
- D. Enable asynchronous disk I/O.
- E. Increase the level of RMAN multiplexing.

Answer: DE

NEW QUESTION 88

Which two are true about diagnosing Oracle Database failure situations using Data Recovery Advisor? (Choose two.)

- A. Using the Data Recovery Advisor LIST FAILURE command always requires that the database for which failures are to be listed is in MOUNT state.
- B. A failure can be closed only when it has been repaired.
- C. Data Recovery Advisor can be used if a database is closed.
- D. The Data Recovery Advisor CHANGE FAILURE command can be used only to change failure priorities.
- E. Data Recovery Advisor can proactively check for failures.

Answer: DE

NEW QUESTION 89

Which two are true about Oracle Optimizer Statistics, their use, and their collection? (Choose two.)

- A. The number of table rows is considered when evaluating the cost of accessing a table using an index.
- B. Index balanced B*Tree height is considered when evaluating the cost of using an index.
- C. The Statistics Advisor can help recommend the best way to gather statistics.
- D. Statistics collected using DBMS_STATS always yield the best optimizer result.
- E. The Statistics Advisor generates actions for all recommendations.

Answer: CD

NEW QUESTION 91

Which three are true about performing an Oracle Database install on Linux? (Choose three.)

- A. The runfixup.sh script can install missing RPMs.
- B. The Oracle Preinstallation RPM must be used to configure the Oracle database installation owner, the Oracle Inventory group, and an Oracle administrative privileges group.
- C. It allows you to select the languages supported by the Oracle database server.
- D. It can be done before installing Grid Infrastructure for a Standalone Server.
- E. The Oracle Preinstallation RPM can be used to configure the Oracle database installation owner, the Oracle Inventory group, and an Oracle administrative privileges group.
- F. It can be done after installing Grid Infrastructure for a Standalone Server.
- G. The Oracle database administrator must be granted access to the root operating system account to run root privileged scripts.

Answer: CEG

NEW QUESTION 93

Your container database, CDB1, has an application container, HR_ROOT, with an application PDB, HR_PDB1.

You have the required privilege to clone HR_PDB1 to container database CDB2, which does not contain HR_ROOT.

Which two are always true? (Choose two.)

- A. CDB1 and CDB2 must be in shared undo mode.
- B. A common user must exist in CDB2 with the CREATE PLUGGABLE DATABASE privilege.
- C. All transactions in HR_PDB1 of CDB1 must commit before the cloning process starts.
- D. Cloning HR_ROOT automatically clones HR_PDB1.
- E. The HR_PDB1 clone created in CDB2 will be in mount state when cloning ends.

Answer: BD

NEW QUESTION 98

Application PDBs, SALES_APP1 and SALES_APP2, must be created and they must access common tables of the SALES_APP application.

Examine these steps:

- * 1. Install the SALES_APP application, including the common tables, in the application root.
- * 2. Install the SALES_APP application in the application root and the common tables in both the CDB root and the application root.
- * 3. Create an application seed.
- * 4. Install the SALES_APP application in the application seed.
- * 5. Create the SALES_APP1 and SALES_APP2 application PDBs.
- * 6. Sync the SALES_APP1 and SALES_APP2 application PDBs with the application root.

* 7. Sync the SALES_APP1 and SALES_APP2 application PDBs with the application seed.

* 8. Sync the application seed with the application root.

Which are the minimum required steps in the correct sequence?

- A. 3,4,1,6,8
- B. 1,5,6
- C. 1,3,5,6,7
- D. 1,3,5,7
- E. 2,5,6

Answer: B

NEW QUESTION 102

Which three methods can be used for heap table data migration after upgrading a database? (Choose three.)

- A. using Database Replay
- B. using SQL Developer
- C. using Oracle Data Pump
- D. using operating system file copy utilities
- E. using Database Upgrade Assistant
- F. using the CREATE TABLE AS SELECT SQL statement

Answer: DEF

NEW QUESTION 105

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 1z0-083 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 1z0-083 Product From:

<https://www.2passeasy.com/dumps/1z0-083/>

Money Back Guarantee

1z0-083 Practice Exam Features:

- * 1z0-083 Questions and Answers Updated Frequently
- * 1z0-083 Practice Questions Verified by Expert Senior Certified Staff
- * 1z0-083 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 1z0-083 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year