

Google

Exam Questions Professional-Machine-Learning-Engineer

Google Professional Machine Learning Engineer



NEW QUESTION 1

You are an ML engineer at a large grocery retailer with stores in multiple regions. You have been asked to create an inventory prediction model. Your models features include region, location, historical demand, and seasonal popularity. You want the algorithm to learn from new inventory data on a daily basis. Which algorithms should you use to build the model?

- A. Classification
- B. Reinforcement Learning
- C. Recurrent Neural Networks (RNN)
- D. Convolutional Neural Networks (CNN)

Answer: B

NEW QUESTION 2

You need to design a customized deep neural network in Keras that will predict customer purchases based on their purchase history. You want to explore model performance using multiple model architectures, store training data, and be able to compare the evaluation metrics in the same dashboard. What should you do?

- A. Create multiple models using AutoML Tables
- B. Automate multiple training runs using Cloud Composer
- C. Run multiple training jobs on AI Platform with similar job names
- D. Create an experiment in Kubeflow Pipelines to organize multiple runs

Answer: C

NEW QUESTION 3

Your team has been tasked with creating an ML solution in Google Cloud to classify support requests for one of your platforms. You analyzed the requirements and decided to use TensorFlow to build the classifier so that you have full control of the model's code, serving, and deployment. You will use Kubeflow pipelines for the ML platform. To save time, you want to build on existing resources and use managed services instead of building a completely new model. How should you build the classifier?

- A. Use the Natural Language API to classify support requests
- B. Use AutoML Natural Language to build the support requests classifier
- C. Use an established text classification model on AI Platform to perform transfer learning
- D. Use an established text classification model on AI Platform as-is to classify support requests

Answer: D

NEW QUESTION 4

You are going to train a DNN regression model with Keras APIs using this code:

How many trainable weights does your model have? (The arithmetic below is correct.)

- A. $501 * 256 + 257 * 128 + 2 = 161154$
- B. $500 * 256 + 256 * 128 + 128 * 2 = 161024$
- C. $501 * 256 + 257 * 128 + 128 * 2 = 161408$
- D. $500 * 256 * 0.25 + 256 * 128 * 0.25 + 128 * 2 = 40448$

Answer: D

NEW QUESTION 5

During batch training of a neural network, you notice that there is an oscillation in the loss. How should you adjust your model to ensure that it converges?

- A. Increase the size of the training batch
- B. Decrease the size of the training batch
- C. Increase the learning rate hyperparameter
- D. Decrease the learning rate hyperparameter

Answer: C

NEW QUESTION 6

You are developing a Kubeflow pipeline on Google Kubernetes Engine. The first step in the pipeline is to issue a query against BigQuery. You plan to use the results of that query as the input to the next step in your pipeline. You want to achieve this in the easiest way possible. What should you do?

- A. Use the BigQuery console to execute your query and then save the query results into a new BigQuery table.
- B. Write a Python script that uses the BigQuery API to execute queries against BigQuery. Execute this script as the first step in your Kubeflow pipeline.
- C. Use the Kubeflow Pipelines domain-specific language to create a custom component that uses the Python BigQuery client library to execute queries.
- D. Locate the Kubeflow Pipelines repository on GitHub. Find the BigQuery Query Component, copy that component's URL, and use it to load the component into your pipeline.
- E. Use the component to execute queries against BigQuery.

Answer: A

NEW QUESTION 7

You developed an ML model with AI Platform, and you want to move it to production. You serve a few thousand queries per second and are experiencing latency issues. Incoming requests are served by a load balancer that distributes them across multiple Kubeflow CPU-only pods running on Google Kubernetes Engine (GKE). Your goal is to improve the serving latency without changing the underlying infrastructure. What should you do?

- A. Significantly increase the max_batch_size TensorFlow Serving parameter
- B. Switch to the tensorflow-model-server-universal version of TensorFlow Serving
- C. Significantly increase the max_enqueued_batches TensorFlow Serving parameter
- D. Recompile TensorFlow Serving using the source to support CPU-specific optimizations Instruct GKE to choose an appropriate baseline minimum CPU platform for serving nodes

Answer: A

NEW QUESTION 8

You are building a linear regression model on BigQuery ML to predict a customer's likelihood of purchasing your company's products. Your model uses a city name variable as a key predictive component. In order to train and serve the model, your data must be organized in columns. You want to prepare your data using the least amount of coding while maintaining the predictable variables. What should you do?

- A. Create a new view with BigQuery that does not include a column with city information
- B. Use Dataprep to transform the state column using a one-hot encoding method, and make each city a column with binary values.
- C. Use Cloud Data Fusion to assign each city to a region labeled as 1, 2, 3, 4, or 5r and then use that number to represent the city in the model.
- D. Use TensorFlow to create a categorical variable with a vocabulary list Create the vocabulary file, and upload it as part of your model to BigQuery ML.

Answer: C

NEW QUESTION 9

You are developing models to classify customer support emails. You created models with TensorFlow Estimators using small datasets on your on-premises system, but you now need to train the models using large datasets to ensure high performance. You will port your models to Google Cloud and want to minimize code refactoring and infrastructure overhead for easier migration from on-prem to cloud. What should you do?

- A. Use AI Platform for distributed training
- B. Create a cluster on Dataproc for training
- C. Create a Managed Instance Group with autoscaling
- D. Use Kubeflow Pipelines to train on a Google Kubernetes Engine cluster.

Answer: D

NEW QUESTION 10

You have trained a deep neural network model on Google Cloud. The model has low loss on the training data, but is performing worse on the validation data. You want the model to be resilient to overfitting. Which strategy should you use when retraining the model?

- A. Apply a dropout parameter of 0.2, and decrease the learning rate by a factor of 10
- B. Apply a L2 regularization parameter of 0.4, and decrease the learning rate by a factor of 10.
- C. Run a hyperparameter tuning job on AI Platform to optimize for the L2 regularization and dropout parameters
- D. Run a hyperparameter tuning job on AI Platform to optimize for the learning rate, and increase the number of neurons by a factor of 2.

Answer: A

NEW QUESTION 10

Your team trained and tested a DNN regression model with good results. Six months after deployment, the model is performing poorly due to a change in the distribution of the input data. How should you address the input differences in production?

- A. Create alerts to monitor for skew, and retrain the model.
- B. Perform feature selection on the model, and retrain the model with fewer features
- C. Retrain the model, and select an L2 regularization parameter with a hyperparameter tuning service
- D. Perform feature selection on the model, and retrain the model on a monthly basis with fewer features

Answer: C

NEW QUESTION 15

You are building a model to predict daily temperatures. You split the data randomly and then transformed the training and test datasets. Temperature data for model training is uploaded hourly. During testing, your model performed with 97% accuracy; however, after deploying to production, the model's accuracy dropped to 66%. How can you make your production model more accurate?

- A. Normalize the data for the training, and test datasets as two separate steps.
- B. Split the training and test data based on time rather than a random split to avoid leakage
- C. Add more data to your test set to ensure that you have a fair distribution and sample for testing
- D. Apply data transformations before splitting, and cross-validate to make sure that the transformations are applied to both the training and test sets.

Answer: C

NEW QUESTION 17

You trained a text classification model. You have the following SignatureDefs:

What is the correct way to write the predict request?

- A. data = json.dumps({"signature_name": "serving_default", "instances": [{"fab", "be1", "cd"}]})
- B. data = json.dumps({"signature_name": "serving_default", "instances": [{"a", "b", "c", "d", "e", "f"}]})
- C. data = json.dumps({"signature_name": "serving_default", "instances": [{"a", "b", "c", "d", "e", "f"}]})
- D. data = json.dumps({"signature_name": "serving_default", "instances": [{"a", "b", "c", "d", "e", "f"}]})

Answer: B

NEW QUESTION 19

Your team is working on an NLP research project to predict political affiliation of authors based on articles they have written. You have a large training dataset that is structured like this:

- A)
- B)
- C)
- D)

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: D

NEW QUESTION 20

You have a demand forecasting pipeline in production that uses Dataflow to preprocess raw data prior to model training and prediction. During preprocessing, you employ Z-score normalization on data stored in BigQuery and write it back to BigQuery. New training data is added every week. You want to make the process more efficient by minimizing computation time and manual intervention. What should you do?

- A. Normalize the data using Google Kubernetes Engine
- B. Translate the normalization algorithm into SQL for use with BigQuery
- C. Use the `normalizer_fn` argument in TensorFlow's Feature Column API
- D. Normalize the data with Apache Spark using the Dataproc connector for BigQuery

Answer: B

NEW QUESTION 21

You need to build classification workflows over several structured datasets currently stored in BigQuery.

Because you will be performing the classification several times, you want to complete the following steps without writing code: exploratory data analysis, feature selection, model building, training, and hyperparameter tuning and serving. What should you do?

- A. Configure AutoML Tables to perform the classification task
- B. Run a BigQuery ML task to perform logistic regression for the classification
- C. Use AI Platform Notebooks to run the classification model with pandas library
- D. Use AI Platform to run the classification model job configured for hyperparameter tuning

Answer: C

NEW QUESTION 22

You work for a public transportation company and need to build a model to estimate delay times for multiple transportation routes. Predictions are served directly to users in an app in real time. Because different seasons and population increases impact the data relevance, you will retrain the model every month. You want to follow Google-recommended best practices. How should you configure the end-to-end architecture of the predictive model?

- A. Configure Kubeflow Pipelines to schedule your multi-step workflow from training to deploying your model.
- B. Use a model trained and deployed on BigQuery ML and trigger retraining with the scheduled query feature in BigQuery
- C. Write a Cloud Functions script that launches a training and deploying job on AI Platform that is triggered by Cloud Scheduler
- D. Use Cloud Composer to programmatically schedule a Dataflow job that executes the workflow from training to deploying your model

Answer: B

NEW QUESTION 25

You are building a linear model with over 100 input features, all with values between -1 and 1. You suspect that many features are non-informative. You want to remove the non-informative features from your model while keeping the informative ones in their original form. Which technique should you use?

- A. Use Principal Component Analysis to eliminate the least informative features.
- B. Use L1 regularization to reduce the coefficients of uninformative features to 0.
- C. After building your model, use Shapley values to determine which features are the most informative.
- D. Use an iterative dropout technique to identify which features do not degrade the model when removed.

Answer: C

NEW QUESTION 30

You built and manage a production system that is responsible for predicting sales numbers. Model accuracy is crucial, because the production model is required to keep up with market changes. Since being deployed to production, the model hasn't changed; however the accuracy of the model has steadily deteriorated. What issue is most likely causing the steady decline in model accuracy?

- A. Poor data quality
- B. Lack of model retraining
- C. Too few layers in the model for capturing information
- D. Incorrect data split ratio during model training, evaluation, validation, and test

Answer: D

NEW QUESTION 32

You are an ML engineer at a global shoe store. You manage the ML models for the company's website. You are asked to build a model that will recommend new products to the user based on their purchase behavior and similarity with other users. What should you do?

- A. Build a classification model
- B. Build a knowledge-based filtering model
- C. Build a collaborative-based filtering model
- D. Build a regression model using the features as predictors

Answer: C

NEW QUESTION 34

You manage a team of data scientists who use a cloud-based backend system to submit training jobs. This system has become very difficult to administer, and you want to use a managed service instead. The data scientists you work with use many different frameworks, including Keras, PyTorch, theano. Scikit-team, and custom libraries. What should you do?

- A. Use the AI Platform custom containers feature to receive training jobs using any framework
- B. Configure Kubeflow to run on Google Kubernetes Engine and receive training jobs through TFJob
- C. Create a library of VM images on Compute Engine; and publish these images on a centralized repository
- D. Set up Slurm workload manager to receive jobs that can be scheduled to run on your cloud infrastructure.

Answer: D

NEW QUESTION 36

You have trained a model on a dataset that required computationally expensive preprocessing operations. You need to execute the same preprocessing at prediction time. You deployed the model on AI Platform for high-throughput online prediction. Which architecture should you use?

- A. • Validate the accuracy of the model that you trained on preprocessed data• Create a new model that uses the raw data and is available in real time• Deploy the new model onto AI Platform for online prediction
- B. • Send incoming prediction requests to a Pub/Sub topic• Transform the incoming data using a Dataflow job• Submit a prediction request to AI Platform using the transformed data• Write the predictions to an outbound Pub/Sub queue
- C. • Stream incoming prediction request data into Cloud Spanner• Create a view to abstract your preprocessing logic.• Query the view every second for new records• Submit a prediction request to AI Platform using the transformed data• Write the predictions to an outbound Pub/Sub queue.
- D. • Send incoming prediction requests to a Pub/Sub topic• Set up a Cloud Function that is triggered when messages are published to the Pub/Sub topic.• Implement your preprocessing logic in the Cloud Function• Submit a prediction request to AI Platform using the transformed data• Write the predictions to an outbound Pub/Sub queue

Answer: D

NEW QUESTION 41

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

Professional-Machine-Learning-Engineer Practice Exam Features:

- * Professional-Machine-Learning-Engineer Questions and Answers Updated Frequently
- * Professional-Machine-Learning-Engineer Practice Questions Verified by Expert Senior Certified Staff
- * Professional-Machine-Learning-Engineer Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * Professional-Machine-Learning-Engineer Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The Professional-Machine-Learning-Engineer Practice Test Here](#)