



Salesforce

Exam Questions JavaScript-Developer-I

Salesforce Certified JavaScript Developer I

NEW QUESTION 1

A developer is wondering whether to use, Promise.then or Promise.catch, especially when a Promise throws an error? Which two promises are rejected? Which 2 are correct?

- A. Promise.reject('cool error here').then(error => console.error(error));
- B. Promise.reject('cool error here').catch(error => console.error(error));
- C. New Promise((resolve, reject) => (throw 'cool error here')).catch(error => console.error(error)) ;
- D. New Promise(() => (throw 'cool error here')).then(null, error => console.error(error));

Answer: BC

NEW QUESTION 2

Refer to the code below:

What value can a developer expect when referencing o.js.secondCity?

- A. Undefined
- B. ' new york '
- C. ' New York '
- D. An error

Answer: B

NEW QUESTION 3

Refer to code below:

```
Function muFunction(reassign){  
  Let x = 1;  
  var y = 1;  
  if( reassign ) {  
    Let x= 2;  
    Var y = 2;  
    console.log(x);  
    console.log(y);}  
  console.log(x);  
  console.log(y);}
What is displayed when myFunction(true) is called?
```

- A. 2 2 1 1
- B. 2 2 undefined undefined
- C. 2 2 1 2
- D. 2 2 2 2

Answer: C

NEW QUESTION 4

Which function should a developer use to repeatedly execute code at a fixed interval ?

- A. setInterval
- B. setTimeout
- C. setPeriod
- D. setInteria

Answer: A

NEW QUESTION 5

developer is trying to convince management that their team will benefit from using

Node.js for a backend server that they are going to create. The server will be a web server that handles API requests from a website that the team has already built using HTML, CSS, and JavaScript.

Which three benefits of Node.js can the developer use to persuade their manager? Choose 3 answers:

- A. I nstalls with its own package manager toinstall and manage third-party libraries.
- B. Ensures stability with one major release every few years.
- C. Performs a static analysis on code before execution to look for runtime errors.
- D. Executes server-side JavaScript code to avoid learning a new language.
- E. User non blocking functionality for performant request handling .

Answer: ACE

NEW QUESTION 6

Refer to the code below:

```
1 let car1 = new promise( (_, reject) =>  
2 setTimeout(reject, 2000, "Car 1 crashed in");  
3 let car2 = new Promise(resolve => setTimeout(resolve, 1500, "Car 2 completed"));  
4 let car3 = new Promise(resolve => setTimeout (resolve, 3000, "Car 3 Completed"));
```

```
5 Promise.race([car1, car2, car3]) 06 .then(value => (  
07 let result = $(value) the race. `; 08 ))  
9 catch( arr => (  
10 console.log("Race is cancelled.", err); 11 ));  
What is the value of result when Promise.race executes?
```

- A. Car 3 completed the race.
- B. Car 1 crashed in the race.
- C. Car 2 completed the race.
- D. Race is cancelled.

Answer: C

NEW QUESTION 7

A developer wants to iterate through an array of objects and count the objects and count the objects whose property value, name, starts with the letter N.
Const arrObj = [{"name": "Zach"}, {"name": "Kate"}, {"name": "Alise"}, {"name": "Bob"}, {"name": "Natham"}, {"name": "nathaniel"}]
Refer to the code snippet below: 01 arrObj.reduce((acc, curr) => { 02 //missing line 02
2 //missing line 03
04 }.0);
Which missing lines 02 and 03 return the correct count?

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Explanation

NEW QUESTION 8

Which three actions can be using the JavaScript browser console? Choose 3 answers:

- A. View and change DOM the page.
- B. Display a report showing the performance of a page.
- C. Run code that is not related to page.
- D. view , change, and debug the JavaScript code of the page.
- E. View and change security cookies.

Answer: ACD

NEW QUESTION 9

Refer to code below:
Const objBook = { Title: 'Javascript',
};
Object.preventExtensions(objBook); ConstnewObjBook = objBook; newObjectBook.author = 'Robert';
What are the values of objBook and newObjBook respectively ?

- A. [title: "javaScript"] [title: "javaScript"]
- B. {author: "Robert", title: "javaScript} Undefined
- C. {author: "Robert", title: "javaScript}{author: "Robert", title: "javaScript}
- D. {author: "Robert"}{author: "Robert", title: "javaScript}

Answer: A

NEW QUESTION 10

Refer to HTML below:
<div id ="main">
<div id = " card-00">This card is smaller.</div>
<div id = "card-01">The width and height of this card is determined by its contents.</div>
</div>
Which expression outputs the screen width of the element with the ID card-01?

- A. document.getElementById(' card-01 ').getBoundingClientRect().width
- B. document.getElementById(' card-01 ').style.width
- C. document.getElementById(' card-01 ').width
- D. document.getElementById(' card-01 ').innerHTML.lenght*e

Answer: A

NEW QUESTION 10

A developer wrote the following code: 01 let X = object.value;
02
3 try {
4 handleObjectValue(X); 05 } catch (error) {
6 handleError(error);
7 }
The developer has a getNextValue function to execute after handleObjectValue(), but does not want to execute getNextValue() if an error occurs.
How can the developer change the code to ensure thisbehavior?

- A. 03 try{4 handleObjectValue(x);5 } catch(error){6 handleError(error); 07 } then {8 getNextValue();9 }
B. 03 try{4 handleObjectValue(x);5 } catch(error){6 handleError(error); 07 } finally {08 getNextValue();10 }
C. 03 try{04handleObjectValue(x); 05 } catch(error){6 handleError(error);7 }8 getNextValue();
D. 03 try {04 handleObjectValue(x)05

Answer: D

NEW QUESTION 14

Given the code below:

const copy = JSON.stringify([new String(' false '), new Boolean(false), undefined]); What is the value of copy?

- A. -- [\"false\", { }]-
B. -- [false, { }]-
C. -- [\"false\", false, undefined]-
D. -- [\"false\", false, null]-

Answer: D

NEW QUESTION 18

Refer to the code below: Let textValue = '1984';

Which code assignment shows a correct way to convert this string to an integer?

- A. let numberValue = Number(textValue);
B. Let numberValue = (Number)textValue;
C. Let numberValue = textValue.toInteger();
D. Let numberValue = Integer(textValue);

Answer: A

NEW QUESTION 23

A developer wants to use a module named universalContainersLib and then call functions from it.

How should a developer import every function from the module and then call the functions foo and bar?

- A. import * from '/path/universalContainersLib.js'; universalContainersLi
B. foo ()7 universalContainersLib.bar ();
C. import {foo,bar} from '/path/universalCcontainersLib.js'; foo():bar()?
D. import all from '/path/universalContainersLib.js'; universalContainersLib.foo(); universalContainersLib.bar ();
E. import * as lib from '/path/universalContainersLib.js'; lib.foo();li
F. bar ();

Answer: D

NEW QUESTION 28

Refer to the following code:

What is the output line 11?

- A. [1,2]
B. [“bar”,“foo”]
C. [“foo”,“bar”]
D. [“foo:1”,“bar:2”]

Answer: C

NEW QUESTION 31

Given the following code:

```
document.body.addEventListener(' click ', (event) => { if (/* CODE REPLACEMENT HERE */) {  
  console.log('button clicked!');  
}  
});
```

Which replacement for the conditional statement on line 02 allows a developer to correctly determine that a button on page is clicked?

- A. Event.clicked
B. e.nodeTarget ==this
C. event.target.nodeName == 'BUTTON'
D. button.addEventListener('click')

Answer: C

NEW QUESTION 35

Refer to code below: console.log(0);

setTimeout(() => (console.log(1);

));

console.log(2); setTimeout(() => { console.log(3);

), 0);

console.log(4);

In which sequence will the numbers be logged?

- A. 01234
- B. 02431
- C. 02413
- D. 13024

Answer: C

NEW QUESTION 36

Considering type coercion, what does the following expression evaluate to? True + '13' + NaN

- A. '113Nan '
- B. 14
- C. 'true13 '
- D. 'true13NaN '

Answer: D

NEW QUESTION 37

Refer to the code:

Given the code above, which three properties are set pet1? Choose 3answers:

- A. Name
- B. canTalk
- C. Type
- D. Owner
- E. Size

Answer: BCE

NEW QUESTION 38

Refer to code below:

Let productSKU = '8675309' ;

A developer has a requirement to generate SKU numbers that are always 19 characters lon, starting with 'sku',and padded with zeros.

Which statement assigns the values sku0000000008675309 ?

- A. productSKU = productSKU .padStart (19. '0').padstart('sku');
- B. productSKU = productSKU .padEnd (16. '0').padstart('sku');
- C. productSKU = productSKU .padEnd (16. '0').padstart(19, 'sku');
- D. productSKU = productSKU .padStart (16. '0').padstart(19, 'sku');

Answer: D

NEW QUESTION 39

The developer wants to test the array shown: const arr = Array(5).fill(0)

Which two tests are the most accurate for this array ? Choose 2 answers:

- A. console.assert(arr.length === 5);
- B. arr.forEach(elem => console.assert(elem === 0)) ;
- C. console.assert(arr[0] === 0 && arr[arr.length] === 0);
- D. console.assert (arr.length >0);

Answer: AB

NEW QUESTION 43

Refer to the code below: console.log("start);

```
Promise.resolve('Success') .then(function(value){  
  console.log('Success');  
});
```

```
console.log('End');
```

What is the output after the code executes successfully?

- A. EndStart Success
- B. StartSuccess End
- C. StartEnd Success
- D. Success Start End

Answer: C

NEW QUESTION 48

Refer to the code below:

```
01 const server = require('server');
```

```
02 /* Insert code here */
```

A developer imports a library that creates a web server.The imported library uses events and callbacks to start the servers

Which code should be inserted at the line 03 to set up an event and start the web server ?

- A. Server.start ();

B. server.on(' connect ', (port) => { console.log('Listening on ', port);})
C. server()
D. serve((port) => (
E. console.log('Listening on ', port) ;

Answer: B

NEW QUESTION 53

Refer to the code below:

Why does the function bar have access to variable a ?

A. Inner function's scope
B. Hoisting
C. Outer function's scope
D. Prototype chain

Answer: C

NEW QUESTION 57

is below:

```
<input type="file" onchange="previewFile()">
<img src="" height="200" alt="Image Preview..." /> The JavaScript portion is:
1 function previewFile(){
2 const preview = document.querySelector('img');
3 const file = document.querySelector('input[type=file]').files[0]; 04 //line 4 code
05 reader.addEventListener("load", () =>{ 06 preview.src = reader.result;
7 },false);
8 //line 8 code
9 }
```

In lines 04 and 08, which code allows the user to select an image from their local computer , and to display the image in the browser?

A. 04 const reader = new File();08 if (file) URL.createObjectURL(file);
B. 04 const reader = new FileReader();08 if (file) URL.createObjectURL(file);
C. 04 const reader = new File();08 if (file) reader.readAsDataURL(file);
D. 04 const reader = new FileReader();08 if (file) reader.readAsDataURL(file);

Answer: D

NEW QUESTION 58

Refer to the code below:

Let inArray =[[1, 2] , [3, 4, 5]];

Which two statements result in the array [1, 2, 3, 4, 5] ?

Choose 2 answers

A. []. Concat.apply ([], inArray);
B. []. Concat (... inArray);
C. []. concat.apply(inArray, []);
D. []. concat ([....inArray]);

Answer: AB

NEW QUESTION 63

A developer creates a generic function to log custom messages in the console. To do this, the function below is implemented.

Which three console logging methods allow the use of string substitution in line 02?

A. Assert
B. Log
C. Message
D. Info
E. Error

Answer: AD

NEW QUESTION 66

A developer wants to create an object from a function in the browser using the code below:

```
Function Monster() { this.name ='hello' }; Const z = Monster();
```

What happens due to lack of the new keyword on line 02?

- A. The z variable is assigned the correct object.
- B. The z variable is assigned the correct object but this.name remains undefined.
- C. Window.name is assigned to 'hello' and the variable z remains undefined.
- D. Window.m is assigned the correct object.

Answer: C

NEW QUESTION 70

A developer creates a simple webpage with an input field. When a user enters text in the input field and clicks the button, the actual value of the field must be displayed in the console.

Here is the HTML file content:

```
<input type =" text" value="Hello" name ="input">
```

```
<button type ="button" >Display </button>
```

 The developer wrote the javascript code below:

```
Const button = document.querySelector('button'); button.addEvenListener('click', () => (
```

```
Const input = document.querySelector('input'); console.log(input.getAttribute('value'));
```

When the user clicks the button, the output is always "Hello". What needs to be done make this code work as expected?

- A. Replace line 04 with console.log(input .value);
- B. Replace line 03 with const input = document.getElementById('input');
- C. Replace line 02 with button.addEventListener("onclick", function() {
- D. Replace line 02 with button.addCallback("click", function() {

Answer: A

NEW QUESTION 74

Which two console logs output NaN? Choose 2 answers | |

- A. console.log(10 / Number('5')) ;
- B. console.log(parseInt ' ("two')) ;
- C. console.log(10 / 0);
- D. console.loeg(10 / 'five');

Answer: BD

NEW QUESTION 76

Refer to the code below:

```
Const resolveAfterMilliseconds = (ms) => Promise.resolve ( setTimeout (( => console.log(ms), ms ));
```

```
Const aPromise = await resolveAfterMilliseconds(500); Const bPromise = await resolveAfterMilliseconds(500); Await aPromise, wait bPromise;
```

What is the result of running line 05?

- A. aPromise and bPromise run sequentially.
- B. Neither aPromise or bPromise runs.
- C. aPromise and bPromise run in parallel.
- D. Only aPromise runs.

Answer: B

NEW QUESTION 81

Which statement accurately describes an aspect of promises?

- A. Arguments for the callback function passed to .then() are optional.
- B. In a.then() function, returning results is not necessary since callbacks will catch the result of a previous promise.
- C. .then() cannot be added after a catch.
- D. .then() manipulates and returns the original promise.

Answer: A

NEW QUESTION 84

A developer is debugging a web server that uses Node.js The server hits a runtimeerror every third request to an important endpoint on the web server.

The developer added a break point to the start script, that is at index.js at the root of the server's source code. The developer wants to make use of chrome DevTools to debug. Which command can be run to access DevTools and make sure the breakdown is hit ?

- A. node -i index.js
- B. Node --inspect-brk index.js
- C. Node inspect index.js
- D. Node --inspect index.js

Answer: D

NEW QUESTION 86

Which statement phrases successfully?

- A. JSON.parse (' foo ');
- B. JSON.parse (" foo ");
- C. JSON.parse(" ' foo ' ");
- D. JSON.parse(' " foo " ');

Answer: D

NEW QUESTION 88

A developer is leading the creation of a new browser application that will serve a single page application. The team wants to use a new web framework Minimalsit.js. The Lead developer wants to advocate for a more seasoned web framework that already has a community around it. Which two frameworks should the lead developer advocate for? Choose 2 answers

- A. Vue
- B. Angular
- C. Koa
- D. Express

Answer: BD

NEW QUESTION 90

Refer to the code below:

```
Async function functionUnderTest(isOK) {  
  If (isOK) return 'OK' ;  
  Throw new Error('not OK');  
}
```

Which assertion accurately tests the above code?

- A. `Console.assert (await functionUnderTest(true), ' OK ')`
- B. `Console.assert (await functionUnderTest(true), ' not OK ')`
- C. `Console.assert (awaitfunctionUnderTest(true), ' not OK ')`
- D. `Console.assert (await functionUnderTest(true), 'OK')`

Answer: D

NEW QUESTION 94

Refer to the code snippet below: Let array = [1, 2, 3, 4, 4, 5, 4, 4];

```
For (let i =0; i < array.length; i++) if (array[i] === 4) {  
  array.splice(i, 1);  
}  
}
```

What is the value of array after the code executes?

- A. [1, 2, 3, 4, 5, 4, 4]
- B. [1, 2, 3, 4, 4, 5, 4]
- C. [1, 2, 3, 5]
- D. [1, 2, 3, 4, 5, 4]

Answer: B

NEW QUESTION 97

What is the result of the code block?

- A. The console logs only 'flag'.
- B. The console logs 'flag' and another flag.
- C. An error is thrown.
- D. The console logs 'flag' and then an error is thrown.

Answer: D

NEW QUESTION 99

Given the JavaScript below:

```
1 function filterDOM (searchString) {  
2   const parsedSearchString = searchString && searchString.toLowerCase() ;  
3   document.querySelectorAll(' .account' ) .forEach(account => (  
4     const accountName = account.innerHTML.toLowerCase();  
5     account. Style.display = accountName.includes(parsedSearchString) ? /*Insert code*/;  
6   ));  
7 }
```

Which code should replace the placeholder comment on line 05 to hide accounts that do not match the search string?

- A. ' name ' : ' block '
- B. ' Block ' : ' none '
- C. ' visible ' : ' hidden '
- D. ' hidden ' : ' visible '

Answer: B

NEW QUESTION 100

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

JavaScript-Developer-I Practice Exam Features:

- * JavaScript-Developer-I Questions and Answers Updated Frequently
- * JavaScript-Developer-I Practice Questions Verified by Expert Senior Certified Staff
- * JavaScript-Developer-I Most Realistic Questions that Guarantee you a Pass on Your First Try
- * JavaScript-Developer-I Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The JavaScript-Developer-I Practice Test Here](#)