

Exam Questions HPE6-A70

Implementing Aruba WLAN (IAW) 8.4

<https://www.2passeasy.com/dumps/HPE6-A70/>



NEW QUESTION 1

An Aruba solution has a WLAN that uses WPA2-Enterprise security. How are encryption keys dynamically managed for the wireless users?

- A. The MM generates and distributes keys to clients and access points (APs).
- B. Administrators configure identical key strings on the Mobility Controllers (MCs) and wireless client 802.1X settings.
- C. Keys are generated and distributed securely during each wireless user authentication process.
- D. Keys are derived from the preshared key configured on the WLAN and on each wireless client.

Answer: C

NEW QUESTION 2

Refer to the exhibits. Exhibit 1

Exhibit 2

Network administrators use the Aruba Mobility Master (MM) wizard to create a WLAN and do not manually alter any of the profiles for that WLAN. The exhibits show some of the settings for the WLAN. Some wireless users cannot successfully connect to the WLAN. Network administrators attempt to connect on their own machines with a test account, and the connection is successful. They attempt to connect with the same account on user clients, and the connection fails. Which issue could prevent authentication from completing correctly?

- A. The user clients have unauthorized MAC addresses, so the RADIUS server rejects the authentication even though the username and password are correct.
- B. The user clients do not trust the RADIUS server certificate and are configured not to prompt users to trust new certificates.
- C. Some access points (APs) are not configured as clients on the RADIUS server, so user clients connected to them cannot authenticate.
- D. The RADIUS server has reached the maximum number of RADIUS clients that it can support, so it rejects new wireless clients.

Answer: B

NEW QUESTION 3

A company has an Aruba solution. The company wants to support a guest WLAN with the internal captive portal, but the company also wants to develop their own custom portal pages.

What correctly describes the level of customization that the internal captive portal supports?

- A. The internal captive portal must use the default pages without modification, but administrators can upload pages developed externally.
- B. Administrators can modify the default internal captive portal pages, but cannot upload pages developed externally.
- C. Administrators can modify the default internal captive portal pages or upload pages developed externally.
- D. The internal captive portal must use the default pages without modification, and administrators cannot upload pages developed externally.

Answer: C

NEW QUESTION 4

Which authentication server option would the network administrator choose to authenticate a wireless user directly against an Active Directory (AD) domain controller without NPS or IAS?

- A. LDAP server
- B. RFC 3576 server
- C. TACACS server
- D. RADIUS server

Answer: D

NEW QUESTION 5

A network administrator wants to assign an authentication server group to the WPA2-Enterprise WLAN. Which profile should the administrator modify?

- A. Virtual AP
- B. SSID
- C. AAA
- D. L2 Authentication

Answer: C

NEW QUESTION 6

Which IEEE standard provides the highest transmission rates in the 2.4GHz frequency band?

- A. 802.11a
- B. 802.11ac
- C. 802.11g
- D. 802.11n

Answer: D

NEW QUESTION 7

Which task can an Aruba Spectrum Monitor (SM) perform?

- A. Analyze wireless traffic patterns at the application level.
- B. Optimize RF through the AP channel and transmit power plans.
- C. Analyze RF signals to determine the cause of non-802.11 interference.
- D. Help to detect rogue APs in the environment.

Answer: C

NEW QUESTION 8

An Aruba solution runs ArubaOS 8 and uses a mobility master architecture. Which feature can network administrators use to balance wireless devices across APs on different channels?

- A. AirMatch
- B. Client Match
- C. AppRF
- D. ARM

Answer: B

NEW QUESTION 9

A company has an Aruba Mobility Master (MM)-based solution. Where can network administrators look to monitor the health status of all controllers, APs, and clients?

- A. the top banner
- B. the MM Maintenance pages
- C. the Performance dashboard
- D. the Potential Issues dashboard

Answer: A

NEW QUESTION 10

Which deployment option for Aruba Controllers is new to ArubaOS 8?

- A. deployment as virtual appliances
- B. deployment in standalone mode
- C. deployment in master-local mode
- D. deployment as branch office controller

Answer: A

NEW QUESTION 10

A company has an Aruba Mobility Master (MM)-based solution. A network administrator wants to collect and analyze information about clients and access points (APs) over extended periods of time.

What should the administrator do to achieve this goal?

- A. Add Aruba AirWave to the solution.
- B. Run a Traffic Analysis report on the MM.
- C. Make sure that MM has sufficient AppRF licenses.
- D. Enable archival from the MM interface Maintenance windows.

Answer: A

NEW QUESTION 14

Which type of authentication server should administrators select to authenticate users to a ClearPass server?

- A. Windows
- B. RADIUS
- C. TACACS+
- D. LDAP

Answer: B

NEW QUESTION 15

Refer to the exhibits.
Exhibit 1

Exhibit 2

A company has an Aruba Mobility Master (MM)-based solution and needs a new WLAN for the corporate campus. A network administrator completes the creation of this WLAN, as shown in Exhibit 1. When the administrator tries to test a connection to the WLAN in various locations, the WLAN sometimes shows up in the list of WLANs on the client but sometimes does not. The administrator can see the WLAN in the list, as shown in Exhibit 2. What is the error?

- A. The Mobility Master (MM) does not have an active PEFNG license.
- B. The WLAN is configured as a hidden SSID.
- C. The configuration is not deployed to the Mobility Controller (MC).
- D. The WLAN is configured at a lower level in the Managed Network hierarchy.

Answer: D

NEW QUESTION 16

A customer has a large campus that requires 400 Aruba 335 APs to support a total of 10,000 wireless users and 12Gbps of traffic. Although the customer wants two controllers for redundancy, each controller must be able to support all of the APs and users on its own. Which Aruba Mobility Controller models meet the customer requirements and DO NOT unnecessarily exceed them?

- A. Aruba 7024 controllers
- B. Aruba 7210 controllers
- C. Aruba 7240 controllers
- D. Aruba 7030 controllers

Answer: B

NEW QUESTION 18

A company has a Mobility Master (MM)-based solution. A network administrator wants to monitor the types of applications in use in the wireless network. Which dashboard page in the MM interface should the administrator visit?

- A. Security
- B. Performance
- C. Traffic Analysis
- D. Network

Answer: C

NEW QUESTION 22

Refer to the exhibit.

What describes the behavior for this WLAN?

- A. APs in the default group broadcast the SSI
- B. Clients can connect to the WLAN on APs in the default group only.
- C. No APs broadcast the SSI
- D. Clients cannot connect to the WLAN until administrators activate it.
- E. No APs broadcast the SSI
- F. Clients can connect to the WLAN on APs in the default group only.
- G. APs in the default group broadcast the SSI
- H. Clients can connect to the WLAN on APs in any group.

Answer: C

NEW QUESTION 27

A network administrator creates an employee WLAN on an Aruba solution that uses WLAN WPA2-Enterprise security and an external RADIUS server. When the administrator tests the WLAN, the test client receives limited connectivity and cannot access any resources, but the RADIUS server shows that the user authenticated successfully. What should the administrator check as a possible source of this issue?

- A. the connectivity between the AP that the client is associated to and the MC
- B. the firewall role and policy that apply to this user
- C. the certificate on the RADIUS server
- D. the connectivity between the Master Controller (MC) for the client and the RADIUS server

Answer: B

NEW QUESTION 29

Which settings can a Mobility Master (MM) deploy to Mobility Controllers (MCs) but master controllers CANNOT deploy to local controllers?

- A. radio profiles
- B. WLAN settings
- C. Interface settings
- D. AAA profiles

Answer: C

NEW QUESTION 32

What is required for a WLAN that uses WPA2-Enterprise security?

- A. a Web server to host a login portal
- B. a shared password to secure access to the WLAN
- C. RADIUS server or servers
- D. a policy to allow unauthenticated users to receive RADIUS

Answer: C

NEW QUESTION 36

What does an Aruba Mobility Master (MM) do before it deploys a configuration to a Mobility Controller (MC)?

- A. It encrypts the configuration to be deployed and backs it up to a secure archive.
- B. It obtains the current configuration, encrypts it, and backs it up to a secure archive.
- C. It synchronizes the configuration with templates on Aruba AirWave.
- D. It removes any commands that are not supported on that MC or have dependency errors.

Answer: D

NEW QUESTION 38

An AP operates on channel 6. Which device causes the most significant and consistent interference with the signal?

- A. cellular phone
- B. weather radar
- C. wireless security camera operating on channel 8
- D. AP operating on channel 11

Answer: C

NEW QUESTION 43

A company plans to deploy a Mobility Master (MM) solution with two MM nodes. The MM solution will manage 10 Mobility Controller (MC) appliances that will control a total of 400 APs.

How should the network administrator install the AP licenses?

- A. 40 AP licenses on the MM and no licenses on the MC
- B. 400 AP licenses on the MM and no licenses on the MC
- C. 800 AP licenses on each MC and no licenses on the MC
- D. 800 AP licenses on the MM and 40 AP licenses on each MC

Answer: B

NEW QUESTION 47

Refer to the exhibit.

Based on the exhibit, what is the maximum number of APs that this Mobility Master (MM) solution can support?

- A. 1
- B. 32
- C. 500

Answer: C

NEW QUESTION 51

Refer to the exhibit.

What is a valid way to help the APs discover devices that can control them?

- A. Set up an Aruba Central subscription, and ensure that APs can reach the Internet.
- B. Enable CPSec, and ensure the Mobility Master (MM) and Mobility Controllers (MCs) trust the Aruba certificates installed on the APs at the factory.
- C. Specify the Mobility Master (MM) IP address in DHCP option 43 on the network DHCP server.
- D. Map the Mobility Controller (MC) IP addresses to the aruba-master name on the network DNS server.

Answer: D

NEW QUESTION 52

A company has a Mobility Master (MM) solution that manages Mobility Controllers (MCs) in several groups. The company has several WebCC licenses and wants to reserve these licenses for MCs in the Sunnyvale group only.

How can a network administrator achieve this goal?

- A. Associate the MAC addresses for the Sunnyvale MCs with the licenses when they are generated.
- B. Make sure to be at the Managed Network > Sunnyvale level in the MM Interface when the licenses are installed.
- C. Install the licenses on the MM, and allocate them to a dedicated local pool for the Sunnyvale group.
- D. Install the licenses directly on the MCs in the Sunnyvale group, and activate the licenses locally.

Answer: C

NEW QUESTION 54

A company has an Aruba Mobility Master (MM)-based solution. Under which circumstance will an AP radio change channel without the use of the Mobility Master (MM)?

- A. when the MM detects that a different channel has significantly better quality
- B. when the Mobility Controller (MC) detects a rogue AP on the channel
- C. when the AP detects a large amount of interference on its channel
- D. when the Client Match rules indicate that nearby clients do not support the current channel

Answer: C

NEW QUESTION 59

Refer to the exhibit.

Which role must AP 1 play?

- A. Remote AP (RAP)
- B. Mesh Portal AP
- C. Instant AP (IAP)
- D. Mesh Point AP

Answer: B

NEW QUESTION 60

What is one difference between captive portal authentication and 802.1X authentication?

- A. 802.1X authentication always authenticates the wireless client, while captive portal authentication always authenticates the wireless user.
- B. 802.1X authentication occurs at Layer 2, while captive portal authentication occurs at Layer 3.
- C. 802.1X authentication must use an LDAP server, while captive portal authentication can use a RADIUS server or an LDAP server.
- D. 802.1X authentication is typically implemented without encryption, while captive authentication is often combined with WPA or WPA2.

Answer: B

NEW QUESTION 65

What is one networking setting that a network administrator can configure for roles in an Aruba solution?

- A. DHCP pool
- B. ClientMatch rules
- C. source NAT
- D. bandwidth limit

Answer: D

NEW QUESTION 66

Refer to the exhibit.

A company has a Mobility Master (MM)-based solution with a guest WLAN. During the captive portal redirection, users who access a non-HTTPS Website see the error shown in the exhibit.

How can a network administrator prevent this error?

- A. Enable automatic CPsec certificate deployment.
- B. Replace the default Mobility Master certificate with a certificate that has the correct hostname.

- C. Replace the default server certificate for mobility controllers with a certificate signed by a trusted CA.
- D. Reconfigure the guest WLAN to use EAP methods that rely on passwords rather than certificates.

Answer: C

NEW QUESTION 68

A company has an Aruba solution with a guest WLAN named exam_guest. A network administrator creates the guest WLAN with the wizard and does not change any of the default roles. The authentication server does not send particular role assignments for authorized users. The company wants to deny guest access to specific IP ranges after the guests authenticate.

For which role should the administrator create the rule to deny this traffic?

- A. exam_guest-guest-logon
- B. authorized
- C. guest-logon
- D. guest

Answer: D

NEW QUESTION 73

What is one setting that a network administrator can configure for user roles in an Aruba solution?

- A. DHCP pool
- B. ClientMatch rules
- C. source NAT
- D. Maximum session

Answer: D

NEW QUESTION 74

What is a key difference between an Aruba Air Monitor (AM) and an Aruba Spectrum Analyzer (SA)?

- A. An AM detects threats such as rogue APs, while an SA analyzes RF conditions.
- B. An AM detects rogue APs and provides data services to clients, while an SA only detects rogue APs.
- C. An AM scans on only one 802.11 frequency band, while an SA scans on both 802.11 frequency bands.
- D. An AM both detects wireless intrusion attempts and mitigates them, while an SA only detects wireless intrusion attempts.

Answer: A

NEW QUESTION 79

A network administrator configures an Aruba Mobility Master (MM)-based solution to provide wireless access to employees. The solution must meet these criteria:

Authenticate users to a network RADIUS server

Enforce different Aruba firewall rules based on the user department

How can the administrator meet these criteria in the simplest way?

- A. Have the RADIUS server assign users in different departments to different VLAN
- B. Apply firewall policies based on IP ranges.
- C. Have the RADIUS server send different roles for users in different department
- D. Apply role-based firewall policies.
- E. Create multiple zones on the M
- F. Assign different departments and sets of firewall policies to different zones.
- G. Create a different WLAN and SSID for each department
- H. Apply different firewall policies to each WLAN.

Answer: B

NEW QUESTION 80

A company has an Aruba Mobility Master (MM)-based solution. Where can a network administrator look to find a list of alerts about a variety of issues on the MM or managed devices?

- A. the Potential Issues dashboard
- B. the top banner
- C. the MM Maintenance pages
- D. the Performance dashboard

Answer: B

NEW QUESTION 84

A network administrator needs to create an Aruba firewall rule that permits wireless users to receive DHCP settings when they first connect to the Aruba solution.

What are the correct source and destination aliases for the rule?

- A. source = any and destination = user
- B. source = any and destination = any
- C. source = user and destination = user
- D. source = user and destination = any

Answer: A

NEW QUESTION 87

What is one reason for a network administrator to visit the Dashboard > Usage window on an Aruba Mobility Master (MM)?

- A. to check license usage and determine the need for additional licenses
- B. to analyze short terms trends in network usage by client, AP, and application
- C. to view system usage statistics for the MM and troubleshoot potential issues
- D. to generate reports about traffic patterns and network usage over the past several months

Answer: B

NEW QUESTION 92

A company has an Aruba solution. The company wants to host a guest login portal with this solution, and the login portal must gie guests the option to create their own login accounts.

How can a network administrator help meet these criteria?

- A. Choose the Internal captive portal with email registration option for the guest WLAN.
- B. Make sure to create a guest provisioning account for the guest WLAN.
- C. Disable authentication in the captive portal profile for the guest WLAN.
- D. Choose ClearPass or the other external captive portal option for the guest WLAN.

Answer: D

NEW QUESTION 94

A network manager wants to implement an Aruba wireless solution that accommodates 802.1X with EAP-TLS. All wireless users will utilize Active Directory (AD) accounts to authenticate.

Which device will the authenticator forward the authentication requests to in this type of solution?

- A. APs
- B. RADIUS server
- C. Mobility Controller (MC)
- D. Mobility Master (MM)

Answer: B

NEW QUESTION 99

Refer to the exhibit.

A network administrator needs to specify a RADIUS server for an employee WLAN on an Aruba solution. What must the administrator enter in the Shared key field?

- A. the password defined as the preshared key for the WLAN on the Mobility Master (MM) and on authorized wireless clients
- B. the password configured in a user account with administrative rights on the RADIUS server
- C. the password configured for RADIUS clients on the RADIUS server
- D. the password defined for authorized wireless clients on the RADIUS server and also distributed to authorized wireless clients

Answer: C

NEW QUESTION 103

How does a high-gain omni-directional antenna compare to a typical omni-directional antenna?

- A. it provides more multi-user spatial streams.
- B. it provides more coverage in the horizontal direction than in the vertical direction.
- C. it provides more single-user spatial streams.
- D. it provides more coverage in both the horizontal and vertical directions.

Answer: B

NEW QUESTION 106

Which improvement does ArubaOS 8 offer for the Client Match feature?

- A. It checks the compliance posture for Bring Your Own Device (BYOD) endpoints to improve security.
- B. It enables the application of unique CM rules for specific client types.
- C. It checks client behavior against a wider array of rules to detect more DoS attacks and intrusion attempts.
- D. It offloads client load balancing decisions to local controllers.

Answer: D

NEW QUESTION 108

A company has an Aruba solution that is monitored by AirWave. Several users have recurring connectivity and performance issues with their wireless clients.

How can network administrators use AirWave to minitor these clients more easily?

- A. Specify the clients as Watched Cliesnts and view the tables and graphs for these clients.
- B. Click the Down icon in the Airwave banner to quickly see a list of issues with client connections.
- C. Use the Client > Tags windows to tag the client for periodic checks and analysis.
- D. Run Device Summary reports and filter for the client MAC addresses within the report.

Answer: B

NEW QUESTION 112

A network administrator uses a wireless intrusion detection system (WIDS) to detect 802.11 association floods. At which layer do these attacks occur?

- A. Layer 1
- B. Layer 2
- C. Layer 3
- D. Layer 7

Answer: B

NEW QUESTION 114

A company deploys a wireless network in a typical office environment with many surfaces where the signal can bounce. Which 802.11 technology uses the characteristics of this environment to increase wireless speeds?

- A. Channel bonding
- B. Multiple Input Multiple Output (MIMO)
- C. Transmit Power Control (TPC)
- D. QAM modulation

Answer: B

NEW QUESTION 118

A company plans to deploy a Mobility Master (MM) solution with two MM nodes. The MM solution will manage 20 Mobility Controller (MC) appliances that will control a total of 800 APs.

How should the network administrator install the AP licenses?

- A. 40 AP licenses on the MM
- B. 400 AP licenses on the MM
- C. 800 AP licenses on each MC
- D. 800 AP licenses on the MM and 40 AP licenses on each MC

Answer: A

NEW QUESTION 123

When an Aruba solution uses AirMatch, which device generates the channel and power plan for an AP?

- A. the AirWave Management Platform
- B. the Mobility Master (MM)
- C. the Mobility Controller (MC) for the AP
- D. the AP itself

Answer: B

NEW QUESTION 126

Which IEEE standard provides the highest transmission rates in the 5.0GHz frequency band?

- A. 802.11a
- B. 802.11ac
- C. 802.11g
- D. 802.11n

Answer: D

NEW QUESTION 128

How can network administrators upgrade AirMatch on an Aruba Mobility Master (MM)?

- A. Upgrade Client Match as part of a global software upgrade, and upgrade AirMatch separately as a loadable service module (LSM).
- B. Upgrade Client Match and AirMatch separately as loadable service modules (LSMs).
- C. Upgrade AirMatch and Client Match through a global software upgrade.
- D. Upgrade AirMatch as part of a global software upgrade, and upgrade Client Match separately as a loadable service module (LSM).

Answer: B

NEW QUESTION 133

Refer to the exhibit.

The exhibit shows output from a Mobility Master (MM) dashboard. What is a valid reason for the administrator to click the akamai square under applications?

- A. to see the break down for only the roles, destinations, WLANs, and devices that use this application
- B. to download a report about the usage of this application over time
- C. to create filter rules in order to control wireless user access to this application
- D. to set up bandwidth rule in order to control wireless user access to this application

Answer: A

NEW QUESTION 138

An Aruba Mobility Master (MM)-based solution has a WLAN that uses WPA2-Enterprise security. A test login on a wireless client fails. How can a network administrator determine whether the RADIUS server rejected the credentials or another issue occurred?

- A. View Technical Support information for the MM.
- B. Ping the IP address configured as the RADIUS server.
- C. Use the MM AAA Server Test Diagnostic tool.
- D. Use the tools in the MM Dashboard > Security window.

Answer: C

NEW QUESTION 140

A company has an Aruba solution. A network administrator wants to prevent wireless users from accessing shopping web sites with a bad reputation. What should the administrator set up to deny such traffic?

- A. an AppRF engine
- B. application filters in the Traffic Analysis dashboard
- C. firewall access control rules that specify HTTP and HTTPS services
- D. firewall application rules

Answer: D

NEW QUESTION 143

A network administrator wants to implement MAC filtering for the wireless network of a local financial firm to ensure that only employees can access the wireless network. What is a potential weakness of this solution?

- A. MAC filters cannot be applied with WPA2 encryption.
- B. Authorized MAC addresses are visible in plaintext in the air and can be easily spoofed.
- C. Many popular clients do not have the capability to connect to WLANs that use MAC filters.
- D. MAC filters offer no protection against authorized users who try to connect unauthorized devices.

Answer: B

NEW QUESTION 148

What is a reason for a company to choose to deploy an Aruba 7024 Mobility Controller (MC) rather than an Aruba 7010 MC?

- A. to support 802.11ac Aps rather than only 802.11n APs
- B. to support more wireless users
- C. to support more POE devices directly connected to the MC
- D. to support a faster firewall throughput rate

Answer: C

NEW QUESTION 153

What is one difference between how administrators can use the Mobility Master (MM) Interface as compared to the AirWave Management Platform?

- A. AirWave shows trends for the past several minutes, while MM shows historical data.
- B. MM shows trends for the past several minutes, while AirWave shows historical data.
- C. AirWave shows the current signal level for the client connection, while MM does not show RF statistics.
- D. MM shows user and role information associated with clients, while AirWave does not.

Answer: B

NEW QUESTION 155

Refer to the exhibit.

An Aruba solution uses AirMatch with the default AirMatch profile settings. A network administrator sees that a scheduled optimization was completed, but a plan was not deployed.

Based on the exhibit, why did this occur?

- A. The cost of the new plan exceeds the amount allowed by the feature license
- B. The new plan did not offer significantly improved quality
- C. The solution uses master-local mode
- D. ARM is disabled in the radio profile, so AP radios are considered frozen

Answer: B

NEW QUESTION 158

Which pre-defined role allows DHCP, DNS, and internal captive portal redirection for a guest WLAN?

- A. exam_guest-guest-logon
- B. authorized
- C. guest-logon

D. guest

Answer: C

NEW QUESTION 159

Which feature is unique to 802.11ac Wave 2 access points?

- A. band steering
- B. multiple spatial streams
- C. 40MHz channel bonding
- D. multi-user MIMO (MU-MIMO)

Answer: D

NEW QUESTION 160

A company has many 7220 controllers in its Aruba wireless architecture. A network administrator wants to use the Traffic Analysis dashboard in order to monitor which type of applications is being used by wireless users. What is required for this implementation?

- A. Airmatch and ClientMatch must be enabled.
- B. The solution must have active PEFNG licenses.
- C. Firewall policies must include application filtering rules.
- D. WLANs must use the decrypt-tunnel forwarding option.

Answer: B

NEW QUESTION 161

A Mobility Controller (MC) runs ArubaOS 8. What is a valid reason for an administrator to set the MC to master-local mode?

- A. The company already has a partially hierarchical deployment based on the 6.x code and wants to keep the current architecture.
- B. The company needs to manage third-party network infrastructure devices with the use of the master controller interface.
- C. The company wants a deployment architecture that allows administrators to configure all MC settings from a single location.
- D. The company requires a centralized licensing architecture that provides global license pools.

Answer: A

NEW QUESTION 162

What is the difference between WPA and WPA2 encryption?

- A. WPA encryption uses symmetric keys, and WPA2 encryption uses asymmetric keys.
- B. WPA encryption acts at Layer 3, and WPA2 encryption acts at Layer 2.
- C. WPA encryption works only with preshared key (PSK) authentication, and WPA2 encryption works with both PSK and 802.1X.
- D. WPA encryption uses TKIP by default, and WPA2 encryption uses AES by default.

Answer: D

NEW QUESTION 165

Refer to the exhibits. Exhibit 1

Exhibit 2

A company has a Mobility Master (MM)-based solution with a guest WLAN. Users can connect to the WLAN, but they receive the error shown browser rather than see login page. Exhibit 2 shows the status for one of the guest clients.

What is one issue that could cause the errors described?

- A. The firewall blocks DHCP traffic between the guest clients and the DHCP server.
- B. The DHCP pool for guests does not assign users a DNS server address.
- C. The MM and Mobility Controllers (MCs) have invalid certificates.
- D. The Captive Portal is not enabled for the role to which these clients are assigned.

Answer: B

NEW QUESTION 169

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual HPE6-A70 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the HPE6-A70 Product From:

<https://www.2passeasy.com/dumps/HPE6-A70/>

Money Back Guarantee

HPE6-A70 Practice Exam Features:

- * HPE6-A70 Questions and Answers Updated Frequently
- * HPE6-A70 Practice Questions Verified by Expert Senior Certified Staff
- * HPE6-A70 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * HPE6-A70 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year