

Exam Questions 2V0-41.20

Professional VMware NSX-T Data Center

<https://www.2passeasy.com/dumps/2V0-41.20/>



NEW QUESTION 1

Which CLI command on NSX Manager and NSX Edge is used to change NTP settings?

- A. set time-server
- B. get timezone
- C. set ntp-server
- D. set timezone

Answer: C

NEW QUESTION 2

What are two types of supported IPsec VPNs in NSX-T Data Center? (Choose two.)

- A. policy-based IPsec VPN
- B. Layer-7 based IPsec VPN
- C. route-based IPsec VPN
- D. Open source based IPsec VPN
- E. SSL based IPsec VPN

Answer: AC

NEW QUESTION 3

An NSX Administrator has created a segment named WEB-LS from the NSX UI and noticed the segment is not realized on the KVM Transport node. What are two possible causes for this issue? (Choose two.)

- A. The KVM Transport node has hardware issues and will not realize the WEB-LS Segment.
- B. Since the Compute Manager is disconnected in NSX UI, the WEB-LS segment will not be realized on the KVM Transport Node.
- C. The virtual machines running on the KVM Transport Node are connected to the WEB-LS segment, but are in Powered Off state.
- D. The virtual machines running on the KVM Transport Node are not connected to the VDS.
- E. The virtual machines running on the KVM Transport Node are not connected to the WEB-LS Segment.

Answer: BE

NEW QUESTION 4

A user is assigned these two roles in NSX Manager:

- > LB Admin
- > Network Engineer

What privileges does this user have in the system?

- A. read permissions on all networking services and full access permissions on load balancing features
- B. full access permissions on all networking services and full access permissions on load balancing features
- C. full access permissions on all networking services and read permissions on load balancing features
- D. read permissions on all networking services and read permissions on load balancing features

Answer: B

NEW QUESTION 5

Which three services are compatible with VRF Lite? (Choose three.)

- A. VPN
- B. Intrusion Detection
- C. NAT
- D. Load Balancer
- E. DHCP

Answer: BCE

Explanation:

VRF Lite is not compatible with the following services:

- VPN
- Load Balancer

Taken from NSX-T ICM 3.0 Lecture Manual.

NEW QUESTION 6

Which CLI command should be executed on a KVM hypervisor to retrieve the VM interface UUID?

- A. virsh dumpxml <VM Name> | grep interfaceid
- B. virsh get-interface <VM Name>
- C. virsh show <VM Name> | grep interfaceid
- D. virsh list-interface <VM Name>

Answer: A

Explanation:

https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/nsxt_30_admin.pdf

NEW QUESTION 7

Which TraceFlow traffic type should an NSX administrator use for validating connectivity between App and DB virtual machines that reside on different segments?

- A. Multicast
- B. Anycast
- C. Unicast
- D. Broadcast

Answer: C

NEW QUESTION 8

Which three protocols could an NSX administrator use to transfer log messages to a remote log server? (Choose three.)

- A. SSL
- B. HTTPS
- C. TLS
- D. UDP
- E. SSH
- F. TCP

Answer: CDF

Explanation:

<https://www.vmware.com/content/dam/digitalmarketing/vmware/en/pdf/certification/vmware-2vo-41.20-exam-p>

NEW QUESTION 9

Which network virtualization technologies can be used with an Ethernet VPN (EVPN) deployment in NSX-T Data Center? (Choose two.)

- A. Virtual Extensible Local Area Network (VXLAN)
- B. Multiprotocol Border Gateway Protocol (MP-BGP)
- C. Open Shortest Path First (OSPF)
- D. Multiprotocol Label Switching (MPLS)
- E. Virtual Routing and Forwarding (VRF)

Answer: AE

NEW QUESTION 10

Which command is used to display the network configuration of the Tunnel Endpoint (TEP) IP on a bare metal transport node?

- A. ifconfig
- B. tcpdump
- C. debug
- D. ipconfig

Answer: A

Explanation:

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/installation/GUID-B7E7371E-A9F6-4880-B184>

NEW QUESTION 10

An NSX administrator noticed that the nsxcli command times out after 600 secs of idle time. Which CLI command disables the nsxcli time out value on NSX Manager?

- A. set cli-timeout 0
- B. set cli-timeout enabled
- C. set cli-timeout disabled
- D. set cli-timeout 1

Answer: A

Explanation:

"<https://vdc-download.vmware.com/vmwb-repository/dcr-public/cc42e3c1-eb34-4567-a916-147e79798957/8264>
<https://www.virtten.net/2020/06/quick-tip-remove-nsx-t-ssh-and-http-session-timeout/>

NEW QUESTION 13

Which two BGP configuration parameters can be configured in the VRF Lite gateways? (Choose two.)

- A. Route Aggregation
- B. Route Distribution
- C. Graceful Restart
- D. BGP Neighbors
- E. Local AS

Answer: AD

Explanation:

The following parameters are inherited from the default Tier-0 gateway and cannot be modified at the VRF level:

- Local AS
- Graceful restart
- Graceful restart timer
- Graceful restart stale timer
- Multipath relax

Inter-SR iBGP is not supported in VRF gateways. BGP can be enabled or disabled per VRF gateway.

Route aggregation and BGP neighbors are local configurations per VRF.

NEW QUESTION 16

An NSX administrator is creating a NAT rule on a Tier-0 Gateway configured in active-standby high availability mode.

Which two NAT rule types are supported for this configuration? (Choose two.)

- A. Port NAT
- B. Source NAT
- C. Destination NAT
- D. 1:1 NAT
- E. Reflexive NAT

Answer: BC

NEW QUESTION 20

An NSX administrator is planning to deploy a multi-tier routing topology in their NSX-T Data Center environment to provide north-south connectivity for the VMs.

Which routing component must be deployed?

- A. Tier-1 Gateway
- B. Edge Services Gateway
- C. Tier-0 Gateway
- D. Layer 2 Gateway

Answer: C

NEW QUESTION 25

Which two steps must an NSX administrator take to integrate VMware Identity Manager in NSX-T to support role-based access control? (Choose two.)

- A. Create a SAML authentication in VMware Identity Manager using the NSX Manager FQDN.
- B. Add NSX Manager as a Service Provider (SP) in VMware Identity Manager.
- C. Create an OAuth 2.0 client in VMware Identity Manager.
- D. Enter the Identity Provider (IdP) metadata URL in NSX Manager.
- E. Enter the service URL, Client Secret, and SSL thumbprint in NSX Manager.

Answer: CE

NEW QUESTION 28

A DevOps user has deployed a Kubernetes Pod in vSphere. What does the term ClusterIP represent within NSX-T?

- A. Deployment of T1 with NLB service.
- B. Deployment of Distributed Router.
- C. Deployment of Distributed Load Balancing service.
- D. Deployment of T0 and T1

Answer: C

NEW QUESTION 33

Which two statements are true for a Tier-1 Gateway? (Choose two.)

- A. owned and configured by the Tenant
- B. connects to physical networks
- C. owned and configured by Service Provider
- D. always configured in active-standby mode
- E. supports ECMP

Answer: BD

NEW QUESTION 35

Which two choices are use cases for Distributed Intrusion Detection? (Choose two.)

- A. Identify security vulnerabilities in the workloads.
- B. Use agentless antivirus with Guest Introspection.
- C. Quarantine workloads based on vulnerabilities.
- D. Identify risk and reputation of accessed websites.
- E. Gain insight about micro-segmentation traffic flows.

Answer: AC

NEW QUESTION 37

A customer is preparing to deploy VMware Kubernetes on an NSX-T Data Center. What is the minimum MTU size for the UPLINK profile?

- A. 1500
- B. 1650
- C. 1550
- D. 1600

Answer: D

NEW QUESTION 41

Which CLI command does an NSX administrator run on the NSX Manager to generate support bundle logs if the NSX UI is inaccessible?

- A. get support-bundle file vcpnv.tgz
- B. set support-bundle file vcpnv.tgz
- C. vm-support
- D. esxcli system syslog config logger set --id=nsxmanager

Answer: A

Explanation:

<https://vdc-download.vmware.com/vmwb-repository/dcr-public/cc42e3c1-eb34-4567-a916-147e79798957/8264>

NEW QUESTION 42

The NSX Control Plane is responsible for which two functions? (Choose two.)

- A. receive and validate configuration from NSX Policy
- B. host API services
- C. propagate topology information
- D. push stateless configurations to forwarding engines
- E. maintain packet-level statistics

Answer: CD

NEW QUESTION 45

Which tool injects packets and provides various observation points along the packet's path between two NSX-T managed objects?

- A. SPAN mirrors
- B. Port Mirroring
- C. Traceflow
- D. IPFIX

Answer: C

NEW QUESTION 47

Which Network and Security virtualization solution provides network hybridity and mobility?

- A. VMware HCX
- B. VMware Tanzu Service Mesh
- C. NSX Advanced Load Balancer
- D. NSX Intelligence

Answer: A

NEW QUESTION 48

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 2V0-41.20 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 2V0-41.20 Product From:

<https://www.2passeasy.com/dumps/2V0-41.20/>

Money Back Guarantee

2V0-41.20 Practice Exam Features:

- * 2V0-41.20 Questions and Answers Updated Frequently
- * 2V0-41.20 Practice Questions Verified by Expert Senior Certified Staff
- * 2V0-41.20 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 2V0-41.20 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year