

# Amazon-Web-Services

## Exam Questions DBS-C01

AWS Certified Database - Specialty



#### NEW QUESTION 1

A company is concerned about the cost of a large-scale, transactional application using Amazon DynamoDB that only needs to store data for 2 days before it is deleted. In looking at the tables, a Database Specialist notices that much of the data is months old, and goes back to when the application was first deployed. What can the Database Specialist do to reduce the overall cost?

- A. Create a new attribute in each table to track the expiration time and create an AWS Glue transformation to delete entries more than 2 days old.
- B. Create a new attribute in each table to track the expiration time and enable DynamoDB Streams on each table.
- C. Create a new attribute in each table to track the expiration time and enable time to live (TTL) on each table.
- D. Create an Amazon CloudWatch Events event to export the data to Amazon S3 daily using AWS Data Pipeline and then truncate the Amazon DynamoDB table.

**Answer: A**

#### NEW QUESTION 2

A company has deployed an e-commerce web application in a new AWS account. An Amazon RDS for MySQL Multi-AZ DB instance is part of this deployment with a database-1.xxxxxxxxxxx.us-east-1.rds.amazonaws.com endpoint listening on port 3306. The company's Database Specialist is able to log in to MySQL and run queries from the bastion host using these details.

When users try to utilize the application hosted in the AWS account, they are presented with a generic error message. The application servers are logging a "could not connect to server: Connection times out" error message to Amazon CloudWatch Logs.

What is the cause of this error?

- A. The user name and password the application is using are incorrect.
- B. The security group assigned to the application servers does not have the necessary rules to allow inbound connections from the DB instance.
- C. The security group assigned to the DB instance does not have the necessary rules to allow inbound connections from the application servers.
- D. The user name and password are correct, but the user is not authorized to use the DB instance.

**Answer: C**

#### NEW QUESTION 3

A company is writing a new survey application to be used with a weekly televised game show. The application will be available for 2 hours each week. The company expects to receive over 500,000 entries every week, with each survey asking 2-3 multiple choice questions of each user. A Database Specialist needs to select a platform that is highly scalable for a large number of concurrent writes to handle the anticipated volume.

Which AWS services should the Database Specialist consider? (Choose two.)

- A. Amazon DynamoDB
- B. Amazon Redshift
- C. Amazon Neptune
- D. Amazon Elasticsearch Service
- E. Amazon ElastiCache

**Answer: AE**

#### NEW QUESTION 4

A team of Database Specialists is currently investigating performance issues on an Amazon RDS for MySQL DB instance and is reviewing related metrics. The team wants to narrow the possibilities down to specific database wait events to better understand the situation.

How can the Database Specialists accomplish this?

- A. Enable the option to push all database logs to Amazon CloudWatch for advanced analysis
- B. Create appropriate Amazon CloudWatch dashboards to contain specific periods of time
- C. Enable Amazon RDS Performance Insights and review the appropriate dashboard
- D. Enable Enhanced Monitoring with the appropriate settings

**Answer: C**

#### NEW QUESTION 5

A Database Specialist is troubleshooting an application connection failure on an Amazon Aurora DB cluster with multiple Aurora Replicas that had been running with no issues for the past 2 months. The connection failure lasted for 5 minutes and corrected itself after that. The Database Specialist reviewed the Amazon RDS events and determined a failover event occurred at that time. The failover process took around 15 seconds to complete.

What is the MOST likely cause of the 5-minute connection outage?

- A. After a database crash, Aurora needed to replay the redo log from the last database checkpoint
- B. The client-side application is caching the DNS data and its TTL is set too high
- C. After failover, the Aurora DB cluster needs time to warm up before accepting client connections
- D. There were no active Aurora Replicas in the Aurora DB cluster

**Answer: C**

#### NEW QUESTION 6

An AWS CloudFormation stack that included an Amazon RDS DB instance was accidentally deleted and recent data was lost. A Database Specialist needs to add RDS settings to the CloudFormation template to reduce the chance of accidental instance data loss in the future.

Which settings will meet this requirement? (Choose three.)

- A. Set DeletionProtection to True
- B. Set MultiAZ to True
- C. Set TerminationProtection to True
- D. Set DeleteAutomatedBackups to False

- E. Set DeletionPolicy to Delete
- F. Set DeletionPolicy to Retain

**Answer:** ACF

#### NEW QUESTION 7

A Database Specialist needs to define a database migration strategy to migrate an on-premises Oracle database to an Amazon Aurora MySQL DB cluster. The company requires near-zero downtime for the data migration. The solution must also be cost-effective. Which approach should the Database Specialist take?

- A. Dump all the tables from the Oracle database into an Amazon S3 bucket using datapump (expdp).Run data transformations in AWS Glue
- B. Load the data from the S3 bucket to the Aurora DB cluster.
- C. Order an AWS Snowball appliance and copy the Oracle backup to the Snowball appliance
- D. Once the Snowball data is delivered to Amazon S3, create a new Aurora DB cluster
- E. Enable the S3 integration to migrate the data directly from Amazon S3 to Amazon RDS.
- F. Use the AWS Schema Conversion Tool (AWS SCT) to help rewrite database objects to MySQL during the schema migration
- G. Use AWS DMS to perform the full load and change data capture (CDC) tasks.
- H. Use AWS Server Migration Service (AWS SMS) to import the Oracle virtual machine image as an Amazon EC2 instance
- I. Use the Oracle Logical Dump utility to migrate the Oracle data from Amazon EC2 to an Aurora DB cluster.

**Answer:** D

#### NEW QUESTION 8

A company has a production Amazon Aurora DB cluster that serves both online transaction processing (OLTP) transactions and compute-intensive reports. The reports run for 10% of the total cluster uptime while the OLTP transactions run all the time. The company has benchmarked its workload and determined that a six-node Aurora DB cluster is appropriate for the peak workload.

The company is now looking at cutting costs for this DB cluster, but needs to have a sufficient number of nodes in the cluster to support the workload at different times. The workload has not changed since the previous benchmarking exercise.

How can a Database Specialist address these requirements with minimal user involvement?

- A. Split up the DB cluster into two different clusters: one for OLTP and the other for reporting
- B. Monitor and set up replication between the two clusters to keep data consistent.
- C. Review and evaluate the peak combined workload
- D. Ensure that utilization of the DB cluster node is at an acceptable level
- E. Adjust the number of instances, if necessary.
- F. Use the stop cluster functionality to stop all the nodes of the DB cluster during times of minimal workload
- G. The cluster can be restarted again depending on the workload at the time.
- H. Set up automatic scaling on the DB cluster
- I. This will allow the number of reader nodes to adjust automatically to the reporting workload, when needed.

**Answer:** D

#### NEW QUESTION 9

An IT consulting company wants to reduce costs when operating its development environment databases. The company's workflow creates multiple Amazon Aurora MySQL DB clusters for each development group. The Aurora DB clusters are only used for 8 hours a day. The DB clusters can then be deleted at the end of the development cycle, which lasts 2 weeks.

Which of the following provides the MOST cost-effective solution?

- A. Use AWS CloudFormation template
- B. Deploy a stack with the DB cluster for each development group. Delete the stack at the end of the development cycle.
- C. Use the Aurora DB cloning feature
- D. Deploy a single development and test Aurora DB instance, and create clone instances for the development group
- E. Delete the clones at the end of the development cycle.
- F. Use Aurora Replica
- G. From the master automatic pause compute capacity option, create replicas for each development group, and promote each replica to master
- H. Delete the replicas at the end of the development cycle.
- I. Use Aurora Serverless
- J. Restore current Aurora snapshot and deploy to a serverless cluster for each development group
- K. Enable the option to pause the compute capacity on the cluster and set an appropriate timeout.

**Answer:** D

#### NEW QUESTION 10

A company just migrated to Amazon Aurora PostgreSQL from an on-premises Oracle database. After the migration, the company discovered there is a period of time every day around 3:00 PM where the response time of the application is noticeably slower. The company has narrowed down the cause of this issue to the database and not the application.

Which set of steps should the Database Specialist take to most efficiently find the problematic PostgreSQL query?

- A. Create an Amazon CloudWatch dashboard to show the number of connections, CPU usage, and disk space consumption
- B. Watch these dashboards during the next slow period.
- C. Launch an Amazon EC2 instance, and install and configure an open-source PostgreSQL monitoring tool that will run reports based on the output error logs.
- D. Modify the logging database parameter to log all the queries related to locking in the database and then check the logs after the next slow period for this information.
- E. Enable Amazon RDS Performance Insights on the PostgreSQL database
- F. Use the metrics to identify any queries that are related to spikes in the graph during the next slow period.

**Answer:** D

#### NEW QUESTION 10

After restoring an Amazon RDS snapshot from 3 days ago, a company's Development team cannot connect to the restored RDS DB instance. What is the likely cause of this problem?

- A. The restored DB instance does not have Enhanced Monitoring enabled
- B. The production DB instance is using a custom parameter group
- C. The restored DB instance is using the default security group
- D. The production DB instance is using a custom option group

**Answer: B**

#### NEW QUESTION 12

A large financial services company requires that all data be encrypted in transit. A Developer is attempting to connect to an Amazon RDS DB instance using the company VPC for the first time with credentials provided by a Database Specialist. Other members of the Development team can connect, but this user is consistently receiving an error indicating a communications link failure. The Developer asked the Database Specialist to reset the password a number of times, but the error persists.

Which step should be taken to troubleshoot this issue?

- A. Ensure that the database option group for the RDS DB instance allows ingress from the Developer machine's IP address
- B. Ensure that the RDS DB instance's subnet group includes a public subnet to allow the Developer to connect
- C. Ensure that the RDS DB instance has not reached its maximum connections limit
- D. Ensure that the connection is using SSL and is addressing the port where the RDS DB instance is listening for encrypted connections

**Answer: B**

#### NEW QUESTION 15

A Database Specialist modified an existing parameter group currently associated with a production Amazon RDS for SQL Server Multi-AZ DB instance. The change is associated with a static parameter type, which controls the number of user connections allowed on the most critical RDS SQL Server DB instance for the company. This change has been approved for a specific maintenance window to help minimize the impact on users.

How should the Database Specialist apply the parameter group change for the DB instance?

- A. Select the option to apply the change immediately
- B. Allow the preconfigured RDS maintenance window for the given DB instance to control when the change is applied
- C. Apply the change manually by rebooting the DB instance during the approved maintenance window
- D. Reboot the secondary Multi-AZ DB instance

**Answer: D**

#### NEW QUESTION 20

A company is closing one of its remote data centers. This site runs a 100 TB on-premises data warehouse solution. The company plans to use the AWS Schema Conversion Tool (AWS SCT) and AWS DMS for the migration to AWS. The site network bandwidth is 500 Mbps. A Database Specialist wants to migrate the on-premises data using Amazon S3 as the data lake and Amazon Redshift as the data warehouse. This move must take place during a 2-week period when source systems are shut down for maintenance. The data should stay encrypted at rest and in transit.

Which approach has the least risk and the highest likelihood of a successful data transfer?

- A. Set up a VPN tunnel for encrypting data over the network from the data center to AWS
- B. Leverage AWS SCT and apply the converted schema to Amazon Redshift
- C. Once complete, start an AWS DMS task to move the data from the source to Amazon S3. Use AWS Glue to load the data from Amazon S3 to Amazon Redshift.
- D. Leverage AWS SCT and apply the converted schema to Amazon Redshift
- E. Start an AWS DMS task with two AWS Snowball Edge devices to copy data from on-premises to Amazon S3 with AWS KMS encryption. Use AWS DMS to finish copying data to Amazon Redshift.
- F. Leverage AWS SCT and apply the converted schema to Amazon Redshift
- G. Once complete, use a fleet of 10 TB dedicated encrypted drives using the AWS Import/Export feature to copy data from on-premises to Amazon S3 with AWS KMS encryption
- H. Use AWS Glue to load the data to Amazon Redshift.
- I. Set up a VPN tunnel for encrypting data over the network from the data center to AWS
- J. Leverage a native database export feature to export the data and compress the file
- K. Use the aws s3 cp multi-port upload command to upload these files to Amazon S3 with AWS KMS encryption
- L. Once complete, load the data to Amazon Redshift using AWS Glue.

**Answer: C**

#### NEW QUESTION 21

A company has an on-premises system that tracks various database operations that occur over the lifetime of a database, including database shutdown, deletion, creation, and backup.

The company recently moved two databases to Amazon RDS and is looking at a solution that would satisfy these requirements. The data could be used by other systems within the company.

Which solution will meet these requirements with minimal effort?

- A. Create an Amazon Cloudwatch Events rule with the operations that need to be tracked on Amazon RDS
- B. Create an AWS Lambda function to act on these rules and write the output to the tracking systems.
- C. Create an AWS Lambda function to trigger on AWS CloudTrail API call
- D. Filter on specific RDS API calls and write the output to the tracking systems.
- E. Create RDS event subscription
- F. Have the tracking systems subscribe to specific RDS event system notifications.
- G. Write RDS logs to Amazon Kinesis Data Firehose
- H. Create an AWS Lambda function to act on these rules and write the output to the tracking systems.

**Answer: C**



**NEW QUESTION 26**

A global digital advertising company captures browsing metadata to contextually display relevant images, pages, and links to targeted users. A single page load can generate multiple events that need to be stored individually. The maximum size of an event is 200 KB and the average size is 10 KB. Each page load must query the user's browsing history to provide targeting recommendations. The advertising company expects over 1 billion page visits per day from users in the United States, Europe, Hong Kong, and India. The structure of the metadata varies depending on the event. Additionally, the browsing metadata must be written and read with very low latency to ensure a good viewing experience for the users.

Which database solution meets these requirements?

- A. Amazon DocumentDB
- B. Amazon RDS Multi-AZ deployment
- C. Amazon DynamoDB global table
- D. Amazon Aurora Global Database

**Answer: C**

**NEW QUESTION 28**

A financial company wants to store sensitive user data in an Amazon Aurora PostgreSQL DB cluster. The database will be accessed by multiple applications across the company. The company has mandated that all communications to the database be encrypted and the server identity must be validated. Any non-SSL-based connections should be disallowed access to the database.

Which solution addresses these requirements?

- A. Set the `rds.force_ssl=0` parameter in DB parameter group
- B. Download and use the Amazon RDS certificate bundle and configure the PostgreSQL connection string with `sslmode=allow`.
- C. Set the `rds.force_ssl=1` parameter in DB parameter group
- D. Download and use the Amazon RDS certificate bundle and configure the PostgreSQL connection string with `sslmode=disable`.
- E. Set the `rds.force_ssl=0` parameter in DB parameter group
- F. Download and use the Amazon RDS certificate bundle and configure the PostgreSQL connection string with `sslmode=verify-ca`.
- G. Set the `rds.force_ssl=1` parameter in DB parameter group
- H. Download and use the Amazon RDS certificate bundle and configure the PostgreSQL connection string with `sslmode=verify-full`.

**Answer: D**

**NEW QUESTION 33**

A company is using 5 TB Amazon RDS DB instances and needs to maintain 5 years of monthly database backups for compliance purposes. A Database Administrator must provide Auditors with data within 24 hours.

Which solution will meet these requirements and is the MOST operationally efficient?

- A. Create an AWS Lambda function to run on the first day of every month to take a manual RDS snapshot. Move the snapshot to the company's Amazon S3 bucket.
- B. Create an AWS Lambda function to run on the first day of every month to take a manual RDS snapshot.
- C. Create an RDS snapshot schedule from the AWS Management Console to take a snapshot every 30 days.
- D. Create an AWS Lambda function to run on the first day of every month to create an automated RDS snapshot.

**Answer: B**

**NEW QUESTION 37**

A company is looking to move an on-premises IBM Db2 database running AIX on an IBM POWER7 server. Due to escalating support and maintenance costs, the company is exploring the option of moving the workload to an Amazon Aurora PostgreSQL DB cluster.

What is the quickest way for the company to gather data on the migration compatibility?

- A. Perform a logical dump from the Db2 database and restore it to an Aurora DB cluster
- B. Identify the gaps and compatibility of the objects migrated by comparing row counts from source and target tables.
- C. Run AWS DMS from the Db2 database to an Aurora DB cluster
- D. Identify the gaps and compatibility of the objects migrated by comparing the row counts from source and target tables.
- E. Run native PostgreSQL logical replication from the Db2 database to an Aurora DB cluster to evaluate the migration compatibility.
- F. Run the AWS Schema Conversion Tool (AWS SCT) from the Db2 database to an Aurora DB cluster. Create a migration assessment report to evaluate the migration compatibility.

**Answer: D**

**NEW QUESTION 38**

A large ecommerce company uses Amazon DynamoDB to handle the transactions on its web portal. Traffic patterns throughout the year are usually stable; however, a large event is planned. The company knows that traffic will increase by up to 10 times the normal load over the 3-day event. When sale prices are published during the event, traffic will spike rapidly.

How should a Database Specialist ensure DynamoDB can handle the increased traffic?

- A. Ensure the table is always provisioned to meet peak needs
- B. Allow burst capacity to handle the additional load
- C. Set an AWS Application Auto Scaling policy for the table to handle the increase in traffic
- D. Preprovision additional capacity for the known peaks and then reduce the capacity after the event

**Answer: B**

**NEW QUESTION 42**

A retail company with its main office in New York and another office in Tokyo plans to build a database solution on AWS. The company's main workload consists of a mission-critical application that updates its application data in a data store. The team at the Tokyo office is building dashboards with complex analytical queries using the application data. The dashboards will be used to make buying decisions, so they need to have access to the application data in less than 1 second.

Which solution meets these requirements?

- A. Use an Amazon RDS DB instance deployed in the us-east-1 Region with a read replica instance in the ap-northeast-1 Region
- B. Create an Amazon ElastiCache cluster in the ap-northeast-1 Region to cache application data from the replica to generate the dashboards.
- C. Use an Amazon DynamoDB global table in the us-east-1 Region with replication into the ap-northeast-1 Region
- D. Use Amazon QuickSight for displaying dashboard results.
- E. Use an Amazon RDS for MySQL DB instance deployed in the us-east-1 Region with a read replica instance in the ap-northeast-1 Region
- F. Have the dashboard application read from the read replica.
- G. Use an Amazon Aurora global database
- H. Deploy the writer instance in the us-east-1 Region and the replica in the ap-northeast-1 Region
- I. Have the dashboard application read from the replica in the ap-northeast-1 Region.

**Answer: D**

#### NEW QUESTION 46

A company wants to automate the creation of secure test databases with random credentials to be stored safely for later use. The credentials should have sufficient information about each test database to initiate a connection and perform automated credential rotations. The credentials should not be logged or stored anywhere in an unencrypted form.

Which steps should a Database Specialist take to meet these requirements using an AWS CloudFormation template?

- A. Create the database with the MasterUserName and MasterUserPassword properties set to the default value
- B. Then, create the secret with the user name and password set to the same default value
- C. Add a SecretTargetAttachment resource with the SecretId and TargetId properties set to the Amazon Resource Names (ARNs) of the secret and the database
- D. Finally, update the secret's password value with a randomly generated string set by the GenerateSecretString property.
- E. Add a Mapping property from the database Amazon Resource Name (ARN) to the secret AR
- F. Then, create the secret with a chosen user name and a randomly generated password set by the GenerateSecretString property
- G. Add the database with the MasterUserName and MasterUserPassword properties set to the user name of the secret.
- H. Add a resource of type AWS::SecretsManager::Secret and specify the GenerateSecretString property. Then, define the database user name in the SecureStringTemplate template
- I. Create a resource for the database and reference the secret string for the MasterUserName and MasterUserPassword properties
- J. Then, add a resource of type AWS::SecretsManager::SecretTargetAttachment with the SecretId and TargetId properties set to the Amazon Resource Names (ARNs) of the secret and the database.
- K. Create the secret with a chosen user name and a randomly generated password set by the GenerateSecretString property
- L. Add a SecretTargetAttachment resource with the SecretId property set to the Amazon Resource Name (ARN) of the secret and the TargetId property set to a parameter value matching the desired database AR
- M. Then, create a database with the MasterUserName and MasterUserPassword properties set to the previously created values in the secret.

**Answer: C**

#### NEW QUESTION 51

A company is developing a multi-tier web application hosted on AWS using Amazon Aurora as the database.

The application needs to be deployed to production and other non-production environments. A Database Specialist needs to specify different MasterUsername and MasterUserPassword properties in the AWS CloudFormation templates used for automated deployment. The CloudFormation templates are version controlled in the company's code repository. The company also needs to meet compliance requirements by routinely rotating its database master password for production.

What is the most secure solution to store the master password?

- A. Store the master password in a parameter file in each environment
- B. Reference the environment-specific parameter file in the CloudFormation template.
- C. Encrypt the master password using an AWS KMS key
- D. Store the encrypted master password in the CloudFormation template.
- E. Use the secretsmanager dynamic reference to retrieve the master password stored in AWS SecretsManager and enable automatic rotation.
- F. Use the ssm dynamic reference to retrieve the master password stored in the AWS Systems Manager Parameter Store and enable automatic rotation.

**Answer: C**

#### NEW QUESTION 56

A Database Specialist is designing a new database infrastructure for a ride-hailing application. The application data includes a ride-tracking system that stores GPS coordinates for all rides. Real-time statistics and metadata lookups must be performed with high throughput and microsecond latency. The database should be fault-tolerant with minimal operational overhead and development effort.

Which solution meets these requirements in the MOST efficient way?

- A. Use Amazon RDS for MySQL as the database and use Amazon ElastiCache
- B. Use Amazon DynamoDB as the database and use DynamoDB Accelerator
- C. Use Amazon Aurora MySQL as the database and use Aurora's buffer cache
- D. Use Amazon DynamoDB as the database and use Amazon API Gateway

**Answer: D**

#### NEW QUESTION 59

The Security team for a finance company was notified of an internal security breach that happened 3 weeks ago. A Database Specialist must start producing audit logs out of the production Amazon Aurora PostgreSQL cluster for the Security team to use for monitoring and alerting. The Security team is required to perform real-time alerting and monitoring outside the Aurora DB cluster and wants to have the cluster push encrypted files to the chosen solution.

Which approach will meet these requirements?

- A. Use pg\_audit to generate audit logs and send the logs to the Security team.
- B. Use AWS CloudTrail to audit the DB cluster and the Security team will get data from Amazon S3.
- C. Set up database activity streams and connect the data stream from Amazon Kinesis to consumer applications.
- D. Turn on verbose logging and set up a schedule for the logs to be dumped out for the Security team.

**Answer:** B

#### NEW QUESTION 63

A user has a non-relational key-value database. The user is looking for a fully managed AWS service that will offload the administrative burdens of operating and scaling distributed databases. The solution must be cost-effective and able to handle unpredictable application traffic. What should a Database Specialist recommend for this user?

- A. Create an Amazon DynamoDB table with provisioned capacity mode
- B. Create an Amazon DocumentDB cluster
- C. Create an Amazon DynamoDB table with on-demand capacity mode
- D. Create an Amazon Aurora Serverless DB cluster

**Answer:** C

#### NEW QUESTION 68

A company has an Amazon RDS Multi-AZ DB instances that is 200 GB in size with an RPO of 6 hours. To meet the company's disaster recovery policies, the database backup needs to be copied into another Region. The company requires the solution to be cost-effective and operationally efficient. What should a Database Specialist do to copy the database backup into a different Region?

- A. Use Amazon RDS automated snapshots and use AWS Lambda to copy the snapshot into another Region
- B. Use Amazon RDS automated snapshots every 6 hours and use Amazon S3 cross-Region replication to copy the snapshot into another Region
- C. Create an AWS Lambda function to take an Amazon RDS snapshot every 6 hours and use a second Lambda function to copy the snapshot into another Region
- D. Create a cross-Region read replica for Amazon RDS in another Region and take an automated snapshot of the read replica

**Answer:** D

#### NEW QUESTION 72

A company is running a finance application on an Amazon RDS for MySQL DB instance. The application is governed by multiple financial regulatory agencies. The RDS DB instance is set up with security groups to allow access to certain Amazon EC2 servers only. AWS KMS is used for encryption at rest. Which step will provide additional security?

- A. Set up NACLs that allow the entire EC2 subnet to access the DB instance
- B. Disable the master user account
- C. Set up a security group that blocks SSH to the DB instance
- D. Set up RDS to use SSL for data in transit

**Answer:** D

#### NEW QUESTION 75

A financial company has allocated an Amazon RDS MariaDB DB instance with large storage capacity to accommodate migration efforts. Post-migration, the company purged unwanted data from the instance. The company now want to downsize storage to save money. The solution must have the least impact on production and near-zero downtime. Which solution would meet these requirements?

- A. Create a snapshot of the old databases and restore the snapshot with the required storage
- B. Create a new RDS DB instance with the required storage and move the databases from the old instance to the new instance using AWS DMS
- C. Create a new database using native backup and restore
- D. Create a new read replica and make it the primary by terminating the existing primary

**Answer:** A

#### NEW QUESTION 78

A company needs a data warehouse solution that keeps data in a consistent, highly structured format. The company requires fast responses for end-user queries when looking at data from the current year, and users must have access to the full 15-year dataset, when needed. This solution also needs to handle a fluctuating number of incoming queries. Storage costs for the 100 TB of data must be kept low. Which solution meets these requirements?

- A. Leverage an Amazon Redshift data warehouse solution using a dense storage instance type while keeping all the data on local Amazon Redshift storage
- B. Provision enough instances to support high demand.
- C. Leverage an Amazon Redshift data warehouse solution using a dense storage instance to store the most recent data
- D. Keep historical data on Amazon S3 and access it using the Amazon Redshift Spectrum layer
- E. Provision enough instances to support high demand.
- F. Leverage an Amazon Redshift data warehouse solution using a dense storage instance to store the most recent data
- G. Keep historical data on Amazon S3 and access it using the Amazon Redshift Spectrum layer
- H. Enable Amazon Redshift Concurrency Scaling.
- I. Leverage an Amazon Redshift data warehouse solution using a dense storage instance to store the most recent data
- J. Keep historical data on Amazon S3 and access it using the Amazon Redshift Spectrum layer
- K. Leverage Amazon Redshift elastic resize.

**Answer:** C

#### NEW QUESTION 79

A gaming company has implemented a leaderboard in AWS using a Sorted Set data structure within Amazon ElastiCache for Redis. The ElastiCache cluster has been deployed with cluster mode disabled and has a replication group deployed with two additional replicas. The company is planning for a worldwide gaming event and is anticipating a higher write load than what the current cluster can handle. Which method should a Database Specialist use to scale the ElastiCache cluster ahead of the upcoming event?

- A. Enable cluster mode on the existing ElastiCache cluster and configure separate shards for the Sorted Set across all nodes in the cluster.



- B. Increase the size of the ElastiCache cluster nodes to a larger instance size.
- C. Create an additional ElastiCache cluster and load-balance traffic between the two clusters.
- D. Use the EXPIRE command and set a higher time to live (TTL) after each call to increment a given key.

**Answer:** B

#### NEW QUESTION 81

A Database Specialist is working with a company to launch a new website built on Amazon Aurora with several Aurora Replicas. This new website will replace an on-premises website connected to a legacy relational database. Due to stability issues in the legacy database, the company would like to test the resiliency of Aurora.

Which action can the Database Specialist take to test the resiliency of the Aurora DB cluster?

- A. Stop the DB cluster and analyze how the website responds
- B. Use Aurora fault injection to crash the master DB instance
- C. Remove the DB cluster endpoint to simulate a master DB instance failure
- D. Use Aurora Backtrack to crash the DB cluster

**Answer:** B

#### NEW QUESTION 83

A company is running Amazon RDS for MySQL for its workloads. There is downtime when AWS operating system patches are applied during the Amazon RDS-specified maintenance window.

What is the MOST cost-effective action that should be taken to avoid downtime?

- A. Migrate the workloads from Amazon RDS for MySQL to Amazon DynamoDB
- B. Enable cross-Region read replicas and direct read traffic to them when Amazon RDS is down
- C. Enable a read replicas and direct read traffic to it when Amazon RDS is down
- D. Enable an Amazon RDS for MySQL Multi-AZ configuration

**Answer:** C

#### NEW QUESTION 86

An Amazon RDS EBS-optimized instance with Provisioned IOPS (PIOPS) storage is using less than half of its allocated IOPS over the course of several hours under constant load. The RDS instance exhibits multi-second read and write latency, and uses all of its maximum bandwidth for read throughput, yet the instance uses less than half of its CPU and RAM resources.

What should a Database Specialist do in this situation to increase performance and return latency to sub-second levels?

- A. Increase the size of the DB instance storage
- B. Change the underlying EBS storage type to General Purpose SSD (gp2)
- C. Disable EBS optimization on the DB instance
- D. Change the DB instance to an instance class with a higher maximum bandwidth

**Answer:** B

#### NEW QUESTION 87

A gaming company wants to deploy a game in multiple Regions. The company plans to save local high scores in Amazon DynamoDB tables in each Region. A Database Specialist needs to design a solution to automate the deployment of the database with identical configurations in additional Regions, as needed. The solution should also automate configuration changes across all Regions.

Which solution would meet these requirements and deploy the DynamoDB tables?

- A. Create an AWS CLI command to deploy the DynamoDB table to all the Regions and save it for future deployments.
- B. Create an AWS CloudFormation template and deploy the template to all the Regions.
- C. Create an AWS CloudFormation template and use a stack set to deploy the template to all the Regions.
- D. Create DynamoDB tables using the AWS Management Console in all the Regions and create a step-bystep guide for future deployments.

**Answer:** B

#### NEW QUESTION 90

A company is load testing its three-tier production web application deployed with an AWS CloudFormation template on AWS. The Application team is making changes to deploy additional Amazon EC2 and AWS Lambda resources to expand the load testing capacity. A Database Specialist wants to ensure that the changes made by the Application team will not change the Amazon RDS database resources already deployed.

Which combination of steps would allow the Database Specialist to accomplish this? (Choose two.)

- A. Review the stack drift before modifying the template
- B. Create and review a change set before applying it
- C. Export the database resources as stack outputs
- D. Define the database resources in a nested stack
- E. Set a stack policy for the database resources

**Answer:** AD

#### NEW QUESTION 92

A company is running an Amazon RDS for PostgreSQL DB instance and wants to migrate it to an Amazon Aurora PostgreSQL DB cluster. The current database is 1 TB in size. The migration needs to have minimal downtime.

What is the FASTEST way to accomplish this?

- A. Create an Aurora PostgreSQL DB cluster



- B. Set up replication from the source RDS for PostgreSQL DB instance using AWS DMS to the target DB cluster.
- C. Use the pg\_dump and pg\_restore utilities to extract and restore the RDS for PostgreSQL DB instance to the Aurora PostgreSQL DB cluster.
- D. Create a database snapshot of the RDS for PostgreSQL DB instance and use this snapshot to create the Aurora PostgreSQL DB cluster.
- E. Migrate data from the RDS for PostgreSQL DB instance to an Aurora PostgreSQL DB cluster using an Aurora Replic
- F. Promote the replica during the cutover.

**Answer:** C

#### NEW QUESTION 96

A company has a web-based survey application that uses Amazon DynamoDB. During peak usage, when survey responses are being collected, a Database Specialist sees the ProvisionedThroughputExceededException error. What can the Database Specialist do to resolve this error? (Choose two.)

- A. Change the table to use Amazon DynamoDB Streams
- B. Purchase DynamoDB reserved capacity in the affected Region
- C. Increase the write capacity units for the specific table
- D. Change the table capacity mode to on-demand
- E. Change the table type to throughput optimized

**Answer:** CE

#### NEW QUESTION 100

A financial services company is developing a shared data service that supports different applications from throughout the company. A Database Specialist designed a solution to leverage Amazon ElastiCache for Redis with cluster mode enabled to enhance performance and scalability. The cluster is configured to listen on port 6379.

Which combination of steps should the Database Specialist take to secure the cache data and protect it from unauthorized access? (Choose three.)

- A. Enable in-transit and at-rest encryption on the ElastiCache cluster.
- B. Ensure that Amazon CloudWatch metrics are configured in the ElastiCache cluster.
- C. Ensure the security group for the ElastiCache cluster allows all inbound traffic from itself and inbound traffic on TCP port 6379 from trusted clients only.
- D. Create an IAM policy to allow the application service roles to access all ElastiCache API actions.
- E. Ensure the security group for the ElastiCache clients authorize inbound TCP port 6379 and port 22 traffic from the trusted ElastiCache cluster's security group.
- F. Ensure the cluster is created with the auth-token parameter and that the parameter is used in all subsequent commands.

**Answer:** ABE

#### NEW QUESTION 102

A company is using Amazon with Aurora Replicas for read-only workload scaling. A Database Specialist needs to split up two read-only applications so each application always connects to a dedicated replica. The Database Specialist wants to implement load balancing and high availability for the read-only applications. Which solution meets these requirements?

- A. Use a specific instance endpoint for each replica and add the instance endpoint to each read-only application connection string.
- B. Use reader endpoints for both the read-only workload applications.
- C. Use a reader endpoint for one read-only application and use an instance endpoint for the other read-only application.
- D. Use custom endpoints for the two read-only applications.

**Answer:** B

#### NEW QUESTION 105

.....

## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### DBS-C01 Practice Exam Features:

- \* DBS-C01 Questions and Answers Updated Frequently
- \* DBS-C01 Practice Questions Verified by Expert Senior Certified Staff
- \* DBS-C01 Most Realistic Questions that Guarantee you a Pass on Your First Try
- \* DBS-C01 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The DBS-C01 Practice Test Here](#)**