

Exam Questions HPE2-T37

Using HPE OneView

<https://www.2passeasy.com/dumps/HPE2-T37/>



NEW QUESTION 1

You Just downloaded a logical enclosure support dump, but you cannot extract files from the downloaded support dump. What is a likely cause of the issue?

- A. The support dump for Logical Enclosure can be analyzed only using special tool.
- B. The support dump is encrypted and cannot be unpacked
- C. The support dump does not have a valid HPE OneView certificate
- D. The backup user role must be used to extract the support dump

Answer: A

NEW QUESTION 2

Refer to the exhibit.

After adding SAN Manager to HPE OneView, you noticed that all SANs are in the discovered state. How will this affect HPE OneView storage management capabilities?

- A. Snapshot functionality will be limited only to the volumes not using these SANs.
- B. Volume presentation through server profile will work with the discovered state.
- C. Auto-zoning functionality will not work until SANs are associated with networks.
- D. Volume provisioning will only work for arrays that are accessible through these SANs.

Answer: B

NEW QUESTION 3

Which statement about HPE OneView Global Dashboard is true?

- A. It is an application that can be installed on Windows or Linux system that will provide automated discovery of HPE OneView instances
- B. It is a plugin to HPE Oneview that will allow integration of HPE oneView with VMware management and monitoring components
- C. It is a virtual appliance that can aggregate health and inventory information from multiple HPE OneView appliances or HPE Composers
- D. It is a plugin to vCenter Server that will allow management of the components added to HPE Oneview from vCenter server interface

Answer: C

NEW QUESTION 4

Your customer plans to use HPE OneView to manage a small environment based on HPE ProLiant servers that includes G7 and Gen 10 systems. What should you explain to this customer?

- A. HPE Management Agent must be installed for HPE ProLiant Gen 10 servers.
- B. HPE ProLiant G7 and Gen10 cannot be managed using the same appliance.
- C. Not all of the features will be available for HPE ProLiant G7 systems.
- D. HPE ProLiant Gen 10 servers do not need an HPE OneView license.

Answer: C

NEW QUESTION 5

You are creating a Logical Interconnect Group for a three-frame HPE Synergy solution with HPE Virtual Connect SE100Gb F32 Modules for Synergy. In which scenario should you set redundancy for master modules to be highly available?

- A. When storm control or loop protection will be enabled for Virtual Connect modules
- B. When each of the frames has two Virtual Connect modules installed
- C. When each Virtual Connect module is installed in different frame

D. When each Virtual Connect module is installed in different fabric

Answer: A

NEW QUESTION 6

You try to add a new connection within a server profile, but an operation fails when you try to commit the changes. What is a possible reason?

- A. You tried to add additional connection above the limit
- B. The server is powered on
- C. The server does not have an HPE OneView license applied
- D. The server is powered off

Answer: B

NEW QUESTION 7

Click the option that must be configured for an HPE OneView when an HPE storage system is connected directly to an HPE Synergy frame.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Fabric Type

NEW QUESTION 8

How can your customer implement HPE OneView so that it can be used to manage an HPE ProLiant server and HPE BladeSystem?

- A. As an application running on the server with Windows system.
- B. As a physical appliance based on HPE ProLiant 360 Gen 10.
- C. As an application running on the server with CentOS Linux system
- D. As a virtual appliance running on the supported hypervisor.

Answer: D

NEW QUESTION 9

You originally configured boot mode for HPE ProLiant Gen10 server to 'Legacy BIOS' in an HPE OneView server profile and deployed an operating system. A few weeks later, you change the boot mode to the 'UEFI optimized' to leverage some features provided by this mode. What must you do next?

- A. reset an il_0 management processor to activate the new boot mode for the server
- B. reinstall an operating system, as UEFI is using different drive format than Legacy BIOS
- C. reset BIOS settings to the defaults so UEFI settings can be applied
- D. reset BIOS settings to the defaults through the server profile after changing the boot mode

Answer: A

NEW QUESTION 10

Click the option that will allow you to disable virtual MAC addresses or generate a new pool of virtual Worldwide Names.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Networks

NEW QUESTION 10

Within HPE OneView you can configure SNMPv1 read community string. What is the purpose of this feature?

- A. This is an SNMP community string that will be used when traps are forwarded to a WBEM Provider
- B. This is an SNMP community string that will be used when traps are forwarded to other SNMP applications
- C. This is an SNMP community string that will be used to receive a trap's SNMP Agent
- D. This is an SNMP community string that will be used to receive traps from HPE Onboard Administrators

Answer: C

NEW QUESTION 15

Which licenses are optional to be purchased separately for HPE Synergy?

- A. Global Dashboard licenses
- B. FC Upgrade licenses
- C. HPE OneView licenses
- D. Virtual Connect licenses

Answer: B

Explanation:
Licenses were not purchased in the original order for the modules and were ordered separately.

NEW QUESTION 17

Refer to the exhibit.

Which statement about the storage pools shown is true?

- A. Volumes created on the first storage pool cannot use data reduction technologies
- B. Both storage pools are in a managed state and can be used for volume provisioning
- C. HPE OneView can be used to configure volume replication between these pools
- D. Both storage pools have a license applied that enables management of these pools

Answer: A

NEW QUESTION 18

Your customer plans to monitor HPE ProLiant DL systems and HPE BladeSystem using HPE OneView Which license is required to accomplish this task?

- A. HPE One View Global Dashboard license
- B. HPE OneView Advanced license
- C. HPE composer 2 license
- D. HPE OneView standard license

Answer: D

NEW QUESTION 23

A customer wants to estimate the cost of the licenses required to manage HPE Synergy and some external components When component includes an HPE OneView license for management?

- A. Compute Module
- B. Storage Array
- C. Master Module
- D. Logical Enclosure

Answer: A

NEW QUESTION 27

As a part of troubleshooting, you have to reinstall the same version of the firmware on an HPE Synergy Compute Module. Click the area within the Firmware section of the server profile that will allow you to install the same firmware version.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 28

Which statement about managing an HPE BioeSystem sever is true?

- A. A multi-enclosure Vrtuai Connect domain can be imported to HPE OneView without disrupting servers
- B. An HPE server blade can be removed from HPE OneView by deleting the server from the Server Hardware section
- C. An HPE server blade cannot be deleted from HPE OneView It must be physically removed from the enclosure
- D. Both c3000 and C7000 HPE BladeSystems enclosures can be imported to HPE Oneview for monitoring

Answer: B

NEW QUESTION 29

Which types of support dump can be created using HPE OneView? (Select two.)

- A. Enclosure group support dump
- B. Appliance support dump
- C. Firmware deployment support dump
- D. Logical enclosure support dump
- E. Maintenance console support dump

Answer: BD

NEW QUESTION 34

You are deploying HPE OneView to manage a customer's HPE ProLiant servers Is this statement about appliance availability true?

- A. HA features for HPE OneView are enabled only if the appliance is deployed on an HPE SimpliVity cluster
- B. HPE OneView has a built-in HA feature that can be activated with an additional license
- C. HPE OneView availability relies on HA features provoed by the hypervisor
- D. During hpe oneView deployment customer may select configure proprietary HA mode.

Answer: C

NEW QUESTION 37

Click option that will allow you to select a FlexNIC function for the specified connection.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface Description automatically generated

NEW QUESTION 40

You are implementing an HPE Synergy solution with multiple frames in one management ring. Image Streamer is not a part of this solution. How can an IPv4 address pool defined by the administrator be used in HPE OneView?

- A. to provide static IP addresses to iLO and interconnect modules if applicable
- B. to provide static IP addresses for an operating system running on a Compute Module
- C. to provide static IP addresses for Logical Interconnects and Logical Enclosures
- D. to provide static IP addresses for storage systems managed in HPE OneView

Answer: A

NEW QUESTION 41

Refer to the exhibit.

Your customer wants to define a Logical Interconnect Group (UG) and set the redundancy of the master modules to highly available, but this option is not available. What is a possible reason?

- A. There are not sufficient frames for highly available setup.
- B. Some master modules only support a redundant setup.
- C. Firmware on the master modules is too low to support highly available setup.
- D. A dedicated license must be added to HPE OneView to enable this feature.

Answer: B

NEW QUESTION 45

Which statement about the volume template is true?

- A. Users will be able to change sharing type and volume capacity
- B. A volume created using this template will not support deduplication
- C. A volume created using this template will not support snapshots
- D. Users will be able to select storage pool during volume creation

Answer: A

NEW QUESTION 50

Which components require an HPE OneView license for management?

- A. HPE Virtual Connect modules
- B. HPE Apollo XL 170r

- C. Brocade and Cisco SAN Manager
- D. HPE Primera and HPE 3PAR

Answer: A

NEW QUESTION 54

Which statement about access to HPE Onboard Administrator is true when an HPE BladeSystem enclosure is added to HPE OneView?

- A. It is blocked when an HPE BladeSystem enclosure is managed using HPE OneView.
- B. It is enabled only when an HPE BladeSystem enclosure is monitored using HPE OneView.
- C. It is enabled when an HPE BladeSystem is either managed or monitored using HPE OneView.
- D. It is blocked when HPE BladeSystem enclosure is monitored using HPE OneView.

Answer: B

NEW QUESTION 55

You plan to update HPE OneView to the latest version. What should you do before starting HPE OneView update?

- A. Disable HPE Remote Support at the HPE OneView appliance level
- B. Put all servers managed through HPE OneView to maintenance state
- C. Run the Update Readiness checker tool to evaluate HPE OneView health status
- D. Create a support dump for the appliance and for all managed logical interconnects

Answer: C

NEW QUESTION 58

You have created volumes using array management tools and imported the volumes to HPE OneView. Which statement about these volumes is true?

- A. Imported volumes are treated as private volumes and can be only used as boot volumes
- B. Volumes imported to HPE OneView is managed just like a volume created using HPE OneView
- C. Volumes imported to HPE OneView cannot be removed using the HPE OneView interface
- D. A snapshot for imported volumes can be created only by using array management tools

Answer: A

NEW QUESTION 60

What step must be taken to add an HPE SuperDome Flex to an existing OneView environment?

- A. A Rack Management Controller must be added to HPE OneView.
- B. HPE Superdome Flex can be added to HPE OneView after at least one nPAR is created.
- C. Each HPE Superdome Flex chassis must be added individually using BMC IP.
- D. HPE Superdome Flex complex can be added by adding base chassis of this complex.

Answer: A

NEW QUESTION 61

Which statement about the presented storage pools is true?

- A. Storage pools in discovered state can be removed from HPE OneView.
- B. HPE OneView can be used to configure replication only between managed storage pools
- C. All storage pools from the system named ThreePAR-1 can be used for volume provisioning
- D. All storage pools in managed state have a valid HPE OneView license applied

Answer: C

NEW QUESTION 65

Which statement about server hardware types is true?

- A. Once selected in the server profile, the server hardware type cannot be changed, and a server profile can be moved only between the same type of servers
- B. Server hardware type can be defined only for HPE Synergy and HPE BladeSystem, but it cannot be defined for HPE ProLiant or Apollo systems
- C. Administrator has to manually define the server hardware type for any unique server architecture and mezzanine card combination
- D. The server hardware type is automatically created when a server with unique architecture and mezzanine card configuration is added to HPE OneView

Answer: A

NEW QUESTION 69

Your customer has an environment with five HPE Synergy Composers and 15 HPE OneView appliances managing servers that run VMware. The customer is having a hard time managing their servers.

What can the customer do to simplify management of this complex environment?

- A. deploy HPE OneView for VMware vCenter Server
- B. deploy HPE OneView Global Dashboard
- C. use an Ansible playbook
- D. integrate all HPE OneView appliances and HPE Composers with Active Directory

Answer: A

NEW QUESTION 71

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual HPE2-T37 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the HPE2-T37 Product From:

<https://www.2passeasy.com/dumps/HPE2-T37/>

Money Back Guarantee

HPE2-T37 Practice Exam Features:

- * HPE2-T37 Questions and Answers Updated Frequently
- * HPE2-T37 Practice Questions Verified by Expert Senior Certified Staff
- * HPE2-T37 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * HPE2-T37 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year