

## Exam Questions MS-600

Building Applications and Solutions with Microsoft 365 Core Services

<https://www.2passeasy.com/dumps/MS-600/>



### NEW QUESTION 1

- (Exam Topic 1)

You need to configure the initial login request in the access token JavaScript script. Which code segment should you insert at line 01?

- A. `const scopes = ['https://graph.microsoft.com/.default'];`
- B. `const accessTokenRequest = {};`
- C. `const scopes = ['https://graph.microsoft.com/Files.Read.All', 'https://graph.microsoft.com/Mail.Send.All'];`
- D. `const accessTokenRequest = {scopes: ['https://graph.microsoft.com/Files.ReadWrite', 'https://graph.microsoft.com/Mail.Send']}`

**Answer:** D

#### **Explanation:**

Scenario: ADatum identifies the following technical requirements for the planned E-invoicing capabilities:

Ensure that all operations performed by E-invoicing against Office 365 are initiated by a user. Require that the user authorize E-invoicing to access the Office 365 data the first time the application attempts to access Office 365 data on the user's behalf.

Reference: <https://docs.microsoft.com/en-us/graph/permissions-reference>

### NEW QUESTION 2

- (Exam Topic 1)

You need to implement the role functionality for the backend web service calls.

Which three actions should you perform in sequence? To answer, move the actions from the list of actions to the answer area and arrange them in the correct order.

- A. Mastered
- B. Not Mastered

**Answer:** A

#### **Explanation:**

### NEW QUESTION 3

- (Exam Topic 2)

You have an application that has the code shown in the exhibits. (Click the JavaScript Version tab or the C# Version tab.)

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

JavaScript Version

C# Version

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: No

Box 2: No

Box 3: Yes

A file is downloaded from OneDrive and saved locally.

Drive/Root is the drive resource is the top level object representing a user's OneDrive or a document library in SharePoint.

Reference: <https://docs.microsoft.com/en-us/graph/api/resources/drive>

### NEW QUESTION 4

- (Exam Topic 2)

You are developing a front end web app.

You want to display the current username as part of the user interface.

You need to retrieve the current username from Microsoft Graph by using a REST request. The solution must minimize the amount of information returned.

To which URI should you send the request?

- A. Option A
- B. Option B
- C. Option C
- D. Option D

**Answer:** A

#### NEW QUESTION 5

- (Exam Topic 2)

You need to develop a SharePoint Framework (SPFx) solution that interacts with Microsoft SharePoint and Teams. The solution must share the same code base. What should you include in the solution?

- A. Include the Microsoft Authentication Library for .NET (MSALNET) in the solution.
- B. Grant admin consent to the Teams API.
- C. Make the code aware of the Teams context and the SharePoint context.
- D. Publish the solution to an Azure App Service.

**Answer:** A

#### NEW QUESTION 6

- (Exam Topic 2)

You use Azure Active Directory (Azure AD) to store user identities. The user profile information is inconsistently populated.

You need to develop a web app that will provide users with a page where they can enter their interests, skill, and description. When the user click the submit button, the app will use Microsoft graph to send the data to Azure AD.

Which HTTP method should you use against the Microsoft graph endpoint?

- A. PUT
- B. POST
- C. PATCH
- D. GET

**Answer:** A

#### NEW QUESTION 7

- (Exam Topic 2)

You are developing a human resources application that will show users where they are in their company's organization chart.

You are adding a new feature that will display the name of a user's manager inside the application.

You need to create a REST query to retrieve the information. The solution must minimize the amount of data retrieved.

Which query should you use?

- A. GET [https://graph.microsoft.com/v1.0/users/{UserPrincipalName}/manager?\\$select=displayName](https://graph.microsoft.com/v1.0/users/{UserPrincipalName}/manager?$select=displayName)
- B. GET [https://graph.microsoft.com/v1.0/users/{UserPrincipalName}/people?\\$filter=jobTitle eq 'manager'&\\$select=displayName](https://graph.microsoft.com/v1.0/users/{UserPrincipalName}/people?$filter=jobTitle eq 'manager'&$select=displayName)
- C. GET [https://graph.microsoft.com/v1.0/users/{UserPrincipalName}/contacts?\\$filter=jobTitle eq 'manager'](https://graph.microsoft.com/v1.0/users/{UserPrincipalName}/contacts?$filter=jobTitle eq 'manager')
- D. GET <https://graph.microsoft.com/v1.0/users/{UserPrincipalName}/manager>

**Answer:** A

#### Explanation:

Get user's manager. Returns the user or organizational contact assigned as the user's manager. Syntax:

GET /me/manager

GET /users/{id | userPrincipalName}/manager

Only the name of the user's manager should be displayed so we use ?select=displayname

To specify a different set of properties to return than the default set provided by the Graph, use the \$select query option. The \$select option allows for choosing a subset or superset of the default set returned.

References: <https://docs.microsoft.com/en-us/graph/api/user-list-manager> [https://developer.microsoft.com/en-us/graph/docs/overview/query\\_parameters](https://developer.microsoft.com/en-us/graph/docs/overview/query_parameters)

#### NEW QUESTION 8

- (Exam Topic 2)

You are developing an Azure function to provision a team in Microsoft Teams.

You need to create a group named Project A, add a classification of Private to the group, and then convert Project A to a team group.

How should you complete the REST requests? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: post

You need to create a group named Project A.

The following example creates an Office 365 group. POST <https://graph.microsoft.com/v1.0/groups> Content-type: application/json

Content-length: 244

```
{
"description": "Self help community for library", "displayName": "Library Assist",
"groupTypes": [ "Unified"
],
"mailEnabled": true, "mailNickname": "library", "securityEnabled": false
}
```

Box 2: PATCH

Add a classification of Private to the group.

You can set the classification property in a PATCH request for the group, if do not set it in the initial POST request that creates the group.

Box 3: put

Then convert Project A to a team group. Syntax: PUT [/groups/{id}/team](#)

References: <https://docs.microsoft.com/en-us/graph/api/group-post-groups> <https://docs.microsoft.com/en-us/graph/api/resources/group>

<https://docs.microsoft.com/en-us/graph/api/team-put-teams>

**NEW QUESTION 9**

- (Exam Topic 2)

You are developing a new Microsoft Office Add-in to integrate a corporate invoicing system and Microsoft Excel.

You need to add a new button to the Office ribbon. What should you add to the add-in?

- A. a task pane
- B. a dialog
- C. a custom function
- D. a command

**Answer:** D

**Explanation:**

Add commands to a custom group

\* 1. In the Customize the Ribbon window under the Customize the Ribbon list, click the custom group that you want to add a command to.

\* 2. In the Choose commands from list, click the list you want to add commands from, for example, Popular Commands or All Commands.

\* 3. Click a command in the list that you choose.

\* 4. Click Add.

\* 5. To see and save your changes, click OK. Reference:

<https://support.office.com/en-us/article/customize-the-ribbon-in-office-00f24ca7-6021-48d3-9514-a31a460ecb3>

**NEW QUESTION 10**

- (Exam Topic 2)

You plan to deploy a SharePoint Framework (SPFx) solution to the tenant app catalog.

Which attribute should you configure in the package-solution.json file to ensure that the solution is available immediately to all site collections?

- A. skipFeatureDeployment
- B. zippedPackage
- C. ClientSideComponentId
- D. isDomainIsolated

**Answer:** A

**Explanation:**

You can configure your SharePoint Framework components to be immediately available across the tenant when the solution package is installed to the tenant app catalog. This can be configured by using the skipFeatureDeployment attribute in the package-solution.json file.

Reference: <https://docs.microsoft.com/en-us/sharepoint/dev/spfx/tenant-scoped-deployment>

**NEW QUESTION 10**

- (Exam Topic 2)

This question requires that you evaluate the underlined text to determine if it is correct.

In Microsoft Word on Windows, before you can sideload a Microsoft Office Add-in. you must first upload the manifest to Microsoft\_pnePrivc.

Instructions: Review the underlined text. If it makes the statement correct, select "No change is needed." If the statement is incorrect, select the answer choice that makes the statement correct.

- A. No change is needed.
- B. deploy the manifest to an Azure website
- C. publish the manifest to a trusted network location
- D. set Microsoft Edge to Developer Mode

**Answer:** A

**NEW QUESTION 12**

- (Exam Topic 2)

You have an application that employees use to schedule vacations. The application sets an automatic reply and an out-of-office event in the employees' Microsoft 365 calendar.

Employees who access the application from a mobile device report that the application is slow to make changes.

You need to replace the application calls to use batched request. Automatic reply must be set only if an out-of-office event is set successfully.

How should you complete the batch request? To answer, select the appropriate options in the answer area.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

#### NEW QUESTION 14

- (Exam Topic 2)

You are building a Microsoft Outlook add-in.

Which object should you use to save a user's preferences between sessions and devices?

- A. localStorage
- B. RoamingSettings
- C. CustomXMLParts
- D. CustomProperties

**Answer:** D

#### NEW QUESTION 18

- (Exam Topic 2)

You are developing a SharePoint Framework (SPFx) web part. The web part will call a backed API that is secured by using Azure Active Directory (Azure AD). The web part will be on a page that has many other web parts.

Which type of web part should you use ensure that access to the exclusive to the web part?

- A. Provider-hosted
- B. SharePoint-hosted
- C. Domain isolated
- D. Connected

Answer: A

#### NEW QUESTION 19

- (Exam Topic 2)

You are developing a Microsoft Teams application. To host a webpage in a Teams tab, the manifest file must include the `contentUrl` property within the `staticTabs` property.

Instructions: Review the underline text. If the makes the statement correct, select " No change is needed. " If the statement is incorrect, select the answer choice that makes the statement correct.

- A. No change is needed.
- B. `websiteUrl` property within the `configurableTabs` property
- C. `ValidDomain` property within the `configurableTabs` property
- D. `ValidDomain` property within the `staticTabs` property

Answer: B

#### NEW QUESTION 24

- (Exam Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are developing a new application named App1 that uses the Microsoft identity platform to authenticate to Azure Active Directory (Azure AD).

Currently, App1 can read user profile information. You need to allow App1 to read the user's calendar.

Solution: Add `https://graph.windows.net/user.read` to the list of scopes during the initial login request. Does this meet the goal?

- A. Yes
- B. No

Answer: B

#### Explanation:

Microsoft Graph Calendars.Read allows the app to read events in user calendars.

For your app to access data in Microsoft Graph, the user or administrator must grant it the correct permissions via a consent process.

Application permissions are used by apps that run without a signed-in user present; for example, apps that run as background services or daemons. Application permissions can only be consented by an administrator.

References: <https://docs.microsoft.com/en-us/azure/active-directory/develop/v2-permissions-and-consent> <https://docs.microsoft.com/en-us/graph/permissions-reference>

#### NEW QUESTION 28

- (Exam Topic 2)

You have a single-page application (SPA) named `ToDoListSPA` and a server-based web app named `ToDoListService`.

The permissions for the `ToDoList SPA` API are configured as shown in the `ToDoList SPA` exhibit. (Click the `ToDoListSPA` tab.)

The permissions for the `ToDoListService` API are configured as shown in the `ToDoListService` exhibit. (Click the `ToDoListService` tab.)

You need to ensure that `ToDoListService` can access a Microsoft OneDrive file of the signed-in user. The solution must use the principle of least privilege. Which permission should to grant?

- A. the `Sites.Read.All` delegated permission for `ToDoListService`
- B. the `Sites.Read.All` delegated permission for `ToDoListSpa`
- C. the `Sites.Read.All` application permission for `ToDoListSPA`
- D. the `Sites.Read.All` application permission for `ToDoListService`

Answer: A

#### Explanation:

A client application gains access to a resource server by declaring permission requests. Two types are available:

"Delegated" permissions, which specify scope-based access using delegated authorization from the signed-in resource owner, are presented to the resource at run-time as "scp" claims in the client's access token.

"Application" permissions, which specify role-based access using the client application's credentials/identity, are presented to the resource at run-time as "roles" claims in the client's access token.

Reference: <https://docs.microsoft.com/en-us/azure/active-directory/develop/developer-glossary#permissions>

#### NEW QUESTION 30

- (Exam Topic 2)

You are evaluating the SharePoint Framework (SPFx) `ListView` Command Set extension. For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: Yes

Extensions are client-side components that run inside the context of a SharePoint page. Box 2: Yes

ClientSideExtension.ListViewCommandSet.CommandBar: The top command set menu in a list or library.

Box 3: Yes

ClientSideExtension.ListViewCommandSet.ContextMenu: The context menu of the item(s). Reference:

<https://docs.microsoft.com/en-us/sharepoint/dev/spfx/extensions/get-started/building-simple-cmdset-with-dialog>

**NEW QUESTION 34**

.....

## THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual MS-600 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the MS-600 Product From:

<https://www.2passeasy.com/dumps/MS-600/>

## Money Back Guarantee

### **MS-600 Practice Exam Features:**

- \* MS-600 Questions and Answers Updated Frequently
- \* MS-600 Practice Questions Verified by Expert Senior Certified Staff
- \* MS-600 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* MS-600 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year