Exam Questions 300-435

Automating and Programming Cisco Enterprise Solutions (ENAUTO)

https://www.2passeasy.com/dumps/300-435/

NEW QUESTION 1
What are two characteristics of synchronous calls to APIs? (Choose two.)

A. They can be used only with certain programming languages.
B. They make your application less portable, so asynchronous calls are preferred.
C. They can add perceived latency to your application if data is not received.
D. They block until a response is returned from the servers.
E. They do not block while waiting for the API to be processed.

Answer: CE

NEW QUESTION 2

Refer to the exhibit. What is the result when running the Python scripts?

A. s1
B. s2
C. s1, s2, s3
D. s3

Answer: B

NEW QUESTION 3
Which statement describe the difference between OpenConfig and native YANG data models?

A. Native models are designed to be independent of the underlying platform and are developed by vendors and standards bodies, such as the IETF.
B. Native models are developed by individual developers and designed to apply configurations on platforms.
C. OpenConfig models are developed by vendors and designed to integrate to features or configurations that are relevant only to that platform.
D. Native models are developed by vendors and designed to integrate to features or configurations that are relevant only to that platform.

Answer: A

NEW QUESTION 4
Which two statements are benefits of YANG-push telemetry data over traditional data collection methods? (Choose two.)

A. The subscription requests use less bandwidth than SNMP polls.
B. It uses UDP rather than TCP.
C. You can precisely define data subscriptions.
D. It scales better than SNMP.
E. It is supported on more devices than SNMP.

Answer: BC

NEW QUESTION 5
FILL BLANK
Fill in the blank to complete the statement.

A. Mastered
B. Not Mastered

Answer: A

Explanation:
Zero touch provisioning (ZTP)

NEW QUESTION 6
When a Grafana dashboard is built to receive network events from Cisco DNA Center, which integration bundle is enabled to send notifications?

A. Basic ITSM CMDB Synchronization
B. DNA Center Rest API
C. Network Events for REST API Endpoint
D. Network Issue Monitor and Enrichment for ITSM

Answer: B

NEW QUESTION 7
Which two API calls are used to trigger a device configuration sync in Cisco DNA Center? (Choose two.)

A. PUT /dna/intent/api/v1/network-device
B. PUT /dna/intent/api/v1/network-device/sync-all
C. PUT /dna/intent/api/v1/network- device/{networkDeviceId}/sync
D. PUT /dna/intent/api/v1/network-device/sync
E. POST /dna/intent/api/v1/network- device/{networkDeviceId}/sync

Answer: CE

NEW QUESTION 8
Which two network assurance features are provided by the Cisco DNA Center API? (Choose two.)

A. site health
B. license compliance health
C. client health
D. Cisco APIC appliance health
E. Cisco DNA Center appliance health

Answer: AC

NEW QUESTION 9
FILL BLANK

Information about a rebooted device needs to be displayed with an ID of 260faff9-2d31-4312-cf96-143b46db0211 using the Cisco SD-WAN vManage Administration APIs. The API documentation states that deviceId is a required request parameter. Fill in the blank to create the REST call.

A. Mastered
B. Not Mastered

Answer: A

Explanation:
"deviceid":

NEW QUESTION 10
What is the purpose of using the Cisco SD-WAN vManage Certificate Management API?

A. to generate a CSR
B. to allocate resources to the certificate server
C. to request a certificate from the certificate server
D. to enable vManage Center

Answer: A

NEW QUESTION 10
A configuration has been made to add to every switch port a new port description. The script worked initially, but after a few seconds, an HTTP 429 status code was received. What causes this error message from the Meraki cloud?

A. The wrong API key is used to query the data.
B. The rate limit of the Cisco Meraki API is exceeded.
C. The API key has expired.
D. The device goes offline while you poll the API dashboard.

Answer: B

NEW QUESTION 13
Which two types of solution are built with the Meraki Location Scanning API? (Choose two.)

A. networking automation
B. mapping
C. guest Wi-Fi
D. Sense
E. wayfinder

Answer: BE

NEW QUESTION 15
Which URI with the request body of Request body: {"name":"Test","organizationId":<org_id>,"type":"appliance"} creates a new Meraki network called "Test", when using APIs?

A. PUT https://api.meraki.com/api/v0/organizations/<org_id>/networks
B. POST https://api.meraki.com/api/v0/networks
C. POST https://api.meraki.com/api/v0/organizations/<org_id>/networks/<net_id>
D. POST https://api.meraki.com/api/v0/organizations/<org_id>/networks

Answer: D

NEW QUESTION 16
With the MV Sense API, which REST endpoint provides LUX level?

A. /merakimv/XXXX-XXXX-XXXX/light
B. /merakimv/XXXX-XXXX-XXXX/raw_detections
C. /merakimv/XXXX-XXXX-XXXX/0
D. /merakimv/XXXX-XXXX-XXXX/zones

Answer: A

NEW QUESTION 19
......