

AZ-801 Dumps

Configuring Windows Server Hybrid Advanced Services

<https://www.certleader.com/AZ-801-dumps.html>



NEW QUESTION 1

You are remediating the firewall security risks to meet the security requirements.
What should you configure to reduce the risks?

- A. a Group Policy Object (GPO)
- B. adaptive network hardening in Microsoft Defender for Cloud
- C. a network security group (NSG) in Sub1
- D. an Azure Firewall policy

Answer: A

Explanation:

Firewall rules configured in a Group Policy Object cannot be modified by local server administrators.
Reference: <https://docs.microsoft.com/en-us/windows/security/threat-protection/windows-firewall/create-an-inbound-port-rule>

NEW QUESTION 2

You are planning the deployment of Microsoft Sentinel.
Which type of Microsoft Sentinel data connector should you use to meet the security requirements?

- A. Threat Intelligence - TAXII
- B. Azure Active Directory
- C. Microsoft Defender for Cloud
- D. Microsoft Defender for Identity

Answer: D

Explanation:

Reference:
<https://docs.microsoft.com/en-us/defender-for-identity/cas-isp-legacy-protocols>

NEW QUESTION 3

HOTSPOT

What is the effective minimum password length for User1 and Admin1? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.
Hot Area:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: 9
When multiple PSOs apply to a user, the PSO with the highest precedence (lowest precedence number) applies which in this case is PSO1.
Box 2: 8
There are no PSOs applied to Admin1 so the password policy from the Default Domain GPO applies.
The Minimum password length setting in GPO1 would only apply to local user accounts on computers in OU1. It does not apply to domain user accounts.

NEW QUESTION 4

HOTSPOT

With which servers can Server1 and Server3 communicate? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.
Hot Area:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 5

DRAG DROP

You need to meet the technical requirements for Cluster2.

Which four actions should you perform in sequence before you can enable replication? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/site-recovery/hyper-v-azure-tutorial>

NEW QUESTION 6

You are planning the data share migration to support the on-premises migration plan.

What should you use to perform the migration?

- A. Storage Migration Service
- B. Microsoft File Server Migration Toolkit
- C. File Server Resource Manager (FSRM)
- D. Windows Server Migration Tools

Answer: A

Explanation:

Reference: <https://docs.microsoft.com/en-us/windows-server/storage/storage-migration-service/migrate-data>

NEW QUESTION 7

HOTSPOT

You need to implement alerts for the domain controllers. The solution must meet the technical requirements.

What should you do on the domain controllers, and what should you create on Azure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference: <https://docs.microsoft.com/en-us/azure/azure-monitor/agents/azure-monitor-agentoverview?tabs=PowerShellWindows>

NEW QUESTION 8

HOTSPOT

The Default Domain Policy Group Policy Object (GPO) is shown in the GPO exhibit. (Click the GPO tab.)

The members of a group named Service Accounts are shown in the Group exhibit. (Click the Group tab.)

An organizational unit (OU) named ServiceAccounts is shown in the OU exhibit. (Click the OU tab.)

You create a Password Settings Object (PSO) as shown in the PSO exhibit. (Click the PSO tab.)

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference: https://docs.microsoft.com/en-us/windows-server/identity/ad-ds/get-started/adac/introduction-to-active-directoryadministrativecenterenhancements--level-100-#fine_grained_pswd_policy_mgmt

NEW QUESTION 9

DRAG DROP

Your network contains an Active Directory Domain Services (AD DS) domain.

You need to implement a solution that meets the following requirements:

Ensures that the members of the Domain Admins group are allowed to sign in only to domain controllers Ensures that the lifetime of Kerberos

Ticket Granting Ticket (TGT) for the members of the Domain Admins group is limited to one hour Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference: <https://docs.microsoft.com/en-us/windows-server/identity/ad-ds/manage/how-to-configure-protected-accounts>

NEW QUESTION 10

HOTSPOT

Your network contains an Active Directory Domain Services (AD DS) domain named contoso.com. The domain contains the organizational units (OUs) shown in the following table.

In the domain, you create the Group Policy Objects (GPOs) shown in the following table.

You need to implement IPsec authentication to ensure that only authenticated computer accounts can connect to the members in the domain.

The solution must minimize administrative effort.

Which GPOs should you apply to the Domain Controllers OU and the Domain Servers OU? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference: <https://docs.microsoft.com/en-us/windows/security/threat-protection/windows-firewall/configure-authenticationmethods>

NEW QUESTION 10

You have 100 Azure virtual machines that run Windows Server. The virtual machines are onboarded to Microsoft Defender for Cloud. You need to shut down a virtual machine automatically if Microsoft Defender for Cloud generates the "Antimalware disabled in the virtual machine" alert for the virtual machine. What should you use in Microsoft Defender for Cloud?

- A. a logic app
- B. a workbook
- C. a security policy
- D. adaptive network hardening

Answer: A

Explanation:

Reference: <https://docs.microsoft.com/en-us/azure/defender-for-cloud/managing-and-responding-alerts>

NEW QUESTION 13

You have a Microsoft Sentinel deployment and 100 Azure Arc-enabled on-premises servers. All the Azure Arc-enabled resources are in the same resource group. You need to onboard the servers to Microsoft Sentinel. The solution must minimize administrative effort. What should you use to onboard the servers to Microsoft Sentinel?

- A. Azure Automation
- B. Azure Policy
- C. Azure virtual machine extensions
- D. Microsoft Defender for Cloud

Answer: B

Explanation:

Reference: <https://docs.microsoft.com/en-us/azure/cloud-adoption-framework/manage/hybrid/server/best-practices/arcpolicies-mma>

NEW QUESTION 17

You have an Azure subscription that has Microsoft Defender for Cloud enabled. You have 50 Azure virtual machines that run Windows Server. You need to ensure that any security exploits detected on the virtual machines are forwarded to Defender for Cloud. Which extension should you enable on the virtual machines?

- A. Vulnerability assessment for machines
- B. Microsoft Dependency agent
- C. Log Analytics agent for Azure VMs
- D. Guest Configuration agent

Answer: A

Explanation:

Reference: <https://docs.microsoft.com/en-us/azure/defender-for-cloud/deploy-vulnerability-assessment-vm>

NEW QUESTION 22

You have an Azure virtual machine named VM1 that runs Windows Server. You need to encrypt the contents of the disks on VM1 by using Azure Disk Encryption. What is a prerequisite for implementing Azure Disk Encryption?

- A. Customer Lockbox for Microsoft Azure
- B. an Azure key vault
- C. a BitLocker recovery key
- D. data-link layer encryption in Azure

Answer: B

Explanation:

Reference: <https://docs.microsoft.com/en-us/azure/virtual-machines/windows/disk-encryption-overview>

NEW QUESTION 27

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You have a failover cluster named Cluster1 that hosts an application named App1. The General tab in App1 Properties is shown in the General exhibit. (Click the General tab.)

The Failover tab in App1 Properties is shown in the Failover exhibit. (Click the Failover tab.)

Server1 shuts down unexpectedly.
You need to ensure that when you start Server1, App1 continues to run on Server2.
Solution: From the Failover settings, you select Prevent failback.
Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

The Prevent failback setting will prevent the cluster failing back to Server1.

NEW QUESTION 31

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a failover cluster named Cluster1 that hosts an application named App1.

The General tab in App1 Properties is shown in the General exhibit. (Click the General tab.)

The Failover tab in App1 Properties is shown in the Failover exhibit. (Click the Failover tab.)

Server1 shuts down unexpectedly.
You need to ensure that when you start Server1, App1 continues to run on Server2.
Solution: You increase Maximum failures in the specified period for the App1 cluster role.
Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

The Maximum failures setting is used to determine when the cluster determines that a node is offline. It does not affect whether a cluster will fail back when a node comes online.

NEW QUESTION 35

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a failover cluster named Cluster1 that hosts an application named App1.

The General tab in App1 Properties is shown in the General exhibit. (Click the General tab.)

The Failover tab in App1 Properties is shown in the Failover exhibit. (Click the Failover tab.)

Server1 shuts down unexpectedly.

You need to ensure that when you start Server1, App1 continues to run on Server2.

Solution: From the General settings, you move Server2 up.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Server1 and Server2 are both unticked so the order they are listed in has no effect on whether the cluster will fail back.

NEW QUESTION 38

You have a failover cluster named Cluster1 that has the following configurations:

Number of nodes: 6

Quorum: Dynamic quorum

Witness: File share, Dynamic witness

What is the maximum number of nodes that can fail simultaneously while maintaining quorum?

- A. 1
- B. 2
- C. 3
- D. 4
- E. 5

Answer: C

Explanation:

Note this question is asking about nodes failing 'simultaneously', not nodes failing one after the other.

With six nodes and one witness, there are seven votes. To maintain quorum there needs to be four votes available (four votes is the majority of seven). This

means that a minimum of three nodes plus the witness need to remain online for the cluster to function. Therefore, the maximum number of simultaneous failures is three.

Reference: <https://docs.microsoft.com/en-us/windows-server/storage/storage-spaces/understand-quorum>

NEW QUESTION 40**HOTSPOT**

You have a failover cluster named FC1 that contains two nodes named Server1 and Server2. FC1 is configured to use a file share witness.

You plan to configure FC1 to use a cloud witness.

You need to configure Azure Storage accounts for the cloud witness.

Which storage account type and authorization method should you configure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference: <https://docs.microsoft.com/en-us/windows-server/failover-clustering/deploy-cloud-witness>

NEW QUESTION 43

You have a Storage Spaces Direct configuration that has persistent memory and contains the data volumes shown in the following table.

You plan to add data volumes to Storage Spaces Direct as shown in the following table.

On which volumes can you use direct access (DAX)?

- A. Volume3 only
- B. Volume4 only
- C. Volume1 and Volume3 only
- D. Volume2 and Volume4 only
- E. Volume3 and Volume4 only

Answer: A

Explanation:

DAX can only be used on one volume and the volume has to be NTFS. You could configure DAX on Volume1 (although that would require reformatting the volume) or Volume3. However, 'Volume1 only' isn't an answer option so Volume3 is the correct answer.

'Volume1 and Volume3' is incorrect because of the single volume limitation.

Reference: <https://docs.microsoft.com/en-us/windows-server/storage/storage-spaces/persistent-memory-direct-access>

NEW QUESTION 47

HOTSPOT

You have a failover cluster named Cluster1 that contains three nodes.

You plan to add two file server cluster roles named File1 and File2 to Cluster1. File1 will use the File Server for general use role. File2 will use the Scale-Out File Server for application data role.

What is the maximum number of nodes for File1 and File2 that can concurrently serve client connections? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/windows-server/failover-clustering/sofs-overview>

NEW QUESTION 52**DRAG DROP**

You have two physical servers named AppSrv1 and AppSrv2 and an unconfigured server named Server1. All the servers run Windows Server.

Only Server1 can access the internet.

You plan to use Azure Site Recovery to replicate AppSrv1 and AppSrv2 to Azure.

You need to deploy the required components to AppSrv1, AppSrv2, and Server1.

Which components should you deploy? To answer, drag the appropriate components to the correct servers. Each component may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference: <https://docs.microsoft.com/en-us/azure/site-recovery/physical-azure-architecture>
<https://docs.microsoft.com/enus/azure/siterecovery/physical-azure-set-up-source>

NEW QUESTION 57

DRAG DROP

You have an Azure subscription that contains an Azure Recovery Services vault.

You have an on-premises physical server that runs Windows Server.

You need to back up the server daily to Azure.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference: <https://docs.microsoft.com/en-us/azure/backup/tutorial-backup-windows-server-to-azure>

NEW QUESTION 60

DRAG DROP

Your network contains an Active Directory Domain Services (AD DS) domain that has the Active Directory Recycle Bin enabled. The domain contains two domain controllers named DC1 and DC2. The system state of the domain controllers is backed up daily at 23:00 by using Windows Server Backup.

You have an organizational unit (OU) named ParisUsers that contains 1,000 users.

At 08:00, DC1 shuts down for hardware maintenance. The maintenance completes, but DC1 remains shut down.

At 09:00, an administrative error causes the manager attribute of each user in ParisUsers to be deleted.

You need to recover the user account details as quickly as possible. The solution must minimize data loss.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 61

You have a server named Server1 that runs Windows Server and has the Hyper-V server role installed. You have a Hyper-V failover cluster named Cluster1. All servers are members of the same domain.

You need to ensure that you use Hyper-V Replica with Kerberos authentication on the default port to replicate virtual machines from Cluster1 to Server1. What should you do on Server1?

- A. Add primary servers to the Hyper-V Replica Broker configuration.
- B. From Hyper-V Settings, select Enable incoming and outgoing live migrations.
- C. From Windows Defender Firewall with Advanced Security, enable the Hyper-V Replica HTTPS Listener (TCP-In) rule.
- D. From Windows Defender Firewall with Advanced Security, enable the Hyper-V Replica HTTP Listener (TCP-In) rule.

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/windows-server/virtualization/hyper-v/manage/set-up-hyper-v-replica>

NEW QUESTION 65

DRAG DROP

You manage 200 physical servers that run Windows Server.

You plan to migrate the servers to Azure.

You need to prepare for discovery of the servers by using Azure Migrate.

Which three actions should you perform in sequence on a physical server? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference: <https://docs.microsoft.com/en-us/azure/migrate/tutorial-discover-physical>

NEW QUESTION 69

You have an on-premises server that runs Windows Server and has the Web Server (IIS) server role installed. The server hosts a web app that connects to an on-premises Microsoft SQL Server database.

You plan to migrate the web app to an Azure App Services web app. The database will remain on-premises.

You need to ensure that the migrated web app can access the database.

What should you configure in Azure?

- A. an Azure SQL managed instance
- B. an on-premises data gateway
- C. Azure Extended Network
- D. a Hybrid Connection

Answer: D

Explanation:

Reference: <https://docs.microsoft.com/en-us/azure/app-service/app-service-hybrid-connections>

NEW QUESTION 72

HOTSPOT

Your network contains an Active Directory Domain Services (AD DS) domain. The domain contains the servers shown in the following table.

Server3 contains a share named Share1.

On Server1, DHCP has the following configurations:

Conflict detection attempts: 3

An IPv4 scope named Scope1 that has the following settings: 1. Address Pool: 172.16.10.100

- 172.16.10.130 2. Address Leases:

- 172.16.10.100 computer1.contoso.com

- 172.16.10.101 computer2.contoso.com

Reservations: 172.16.10.101 computer2.contoso.com Policies: Policy1

You perform the following actions:

On Server1, you run

Export-DhcpServer -File \\Server3\Share1\File1.xml.

On Server2, you run

Import-DhcpServer -File \\Server3\Share1\File1.xml -BackupPath \\Server3\Share1.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference: <https://docs.microsoft.com/en-us/powershell/module/dhcpserver/export-dhcpserver?view=windowsserver2022-ps>
<https://docs.microsoft.com/en-us/powershell/module/dhcpserver/import-dhcpserver?view=windowsserver2022-ps>

NEW QUESTION 77

DRAG DROP

You have a server named Server1 that runs Windows Server and has the Web Server (IIS) server role installed. Server1 hosts an ASP.NET Core web app named WebApp1 and the app's source files.

You install Docker on Server1.

You need to ensure that you can deploy WebApp1 to an Azure App Service web app from the Azure Container Registry.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Create a Dockerfile. This file contains instructions for the build process.

Step 2: Run the docker build command to create a container image.

Step 3: Run the docker push command to upload the image to Azure Container Registry.

NEW QUESTION 78

HOTSPOT

You have two servers that have the Web Server (IIS) server role installed. The servers are configured as shown in the following table.

Both servers are configured to enable website deployment by using the Web Deployment Tool. Server1 hosts a website named Site1 that has Web Deploy Publishing configured.

You plan to migrate Site1 to Server2.

You need to perform a pull synchronization of Site1 by using the Web Deployment Agent Service.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference: <https://docs.microsoft.com/en-us/iis/publish/using-web-deploy/synchronize-iis>

NEW QUESTION 81

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains a single-domain Active Directory Domain Services (AD DS) forest named contoso.com. The functional level of the forest is Windows Server 2012 R2. All domain controllers run Windows Server 2012 R2.

Sysvol replicates by using the File Replication Service (FRS).

You plan to replace the existing domain controllers with new domain controllers that will run Windows Server 2022.

You need to ensure that you can add the first domain controller that runs Windows Server 2022.

Solution: You migrate sysvol from FRS to Distributed File System (DFS) Replication.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:

<https://www.rebeladmin.com/2021/09/step-by-step-guide-active-directory-migration-from-windows-server-2008-r2-towindows-server-2022/>

NEW QUESTION 84

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains a single-domain Active Directory Domain Services (AD DS) forest named contoso.com. The functional level of the forest is Windows Server 2012 R2. All domain controllers run Windows Server 2012 R2.

Sysvol replicates by using the File Replication Service (FRS).

You plan to replace the existing domain controllers with new domain controllers that will run Windows Server 2022.

You need to ensure that you can add the first domain controller that runs Windows Server 2022.

Solution: You run the Active Directory Migration Tool (ADMT).

Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 89

You have an on-premises network and an Azure virtual network.

You establish a Site-to-Site VPN connection from the on-premises network to the Azure virtual network, but the connection frequently disconnects.

You need to debug the IPsec tunnel from Azure.

Which Azure VPN Gateway diagnostic log should you review?

- A. GatewayDiagnosticLog
- B. RouteDiagnosticLog
- C. IKEDiagnosticLog
- D. TunnelDiagnosticLog

Answer: D

Explanation:

Reference: <https://docs.microsoft.com/en-us/azure/vpn-gateway/troubleshoot-vpn-with-azure-diagnostics>

NEW QUESTION 94

You have an Azure virtual machine named VM1 that has the Web Server (IIS) server role installed. VM1 hosts a critical lineof- business (LOB) application.

After the security team at your company deploys a new security baseline to VM1, users begin reporting that the application is unresponsive.

You suspect that the security baseline has caused networking issues.

You need to perform a network trace on VM1.

What should you do?

- A. From VM1, run netstat.
- B. From Performance Monitor on VM1, create a Data Collector Set.
- C. From the Azure portal, configure the Diagnostics settings for VM1.
- D. From the Azure portal, configure the Performance diagnostics settings for VM1.

Answer: D

Explanation:

Reference: <https://docs.microsoft.com/en-us/troubleshoot/azure/virtual-machines/performance-diagnostics>

NEW QUESTION 96

You have a server named Server1 that runs the Remote Desktop Session Host role service. Server1 has five custom applications installed.

Users who sign in to Server1 report that the server is slow. Task Manager shows that the average CPU usage on Server1 is above 90 percent. You suspect that a custom application on Server1 is consuming excessive processor capacity.

You plan to create a Data Collector Set in Performance Monitor to gather performance statistics from Server1.

You need to view the resources used by each of the five applications.

Which object should you add to the Data Collector Set?

- A. Processor information
- B. Processor
- C. Process
- D. Processor performance

Answer: C

NEW QUESTION 100

HOTSPOT

You have a server named Server1 that runs Windows Server.

On Server1, you create a Data Collector Set named CollectorSet1 based on the Basic template.

You need to configure CollectorSet1 to meet the following requirements:

Older performance counter logs must be overwritten by new ones.

Performance counter logging must stop if there is less than 500 MB of free disk space.

What should you configure for each requirement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 101

DRAG DROP

You have an Azure virtual machine named VM1 that runs Windows Server. VM1 has boot diagnostics configured to use a managed storage account.

You are troubleshooting connectivity issue on VM1.

You need to run a PowerShell cmdlet on VM1 by using the Azure Serial Console.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/troubleshoot/azure/virtual-machines/serial-console-overview> <https://docs.microsoft.com/enus/troubleshoot/azure/virtual-machines/serial-console-windows>

NEW QUESTION 104

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your AZ-801 Exam with Our Prep Materials Via below:

<https://www.certleader.com/AZ-801-dumps.html>