

Fortinet

Exam Questions NSE7_SDW-6.4

Fortinet NSE 7 - SD-WAN 6.4



NEW QUESTION 1

An administrator is troubleshooting VoIP quality issues that occur when calling external phone numbers. The SD-WAN interface on the edge FortiGate is configured with the default settings, and is using two upstream links. One link has random jitter and latency issues and is based on a wireless connection. Which two actions must the administrator apply simultaneously on the edge FortiGate to improve VoIP quality using SD-WAN rules?

- A. Select the corresponding SD-WAN balancing strategy in the SD-WAN rule.
- B. Choose the suitable interface based on the interface cost and weight.
- C. Use the performance SLA targets to detect latency and jitter instantly.
- D. Place the troublesome link at the top of the interface preference list.
- E. Configure an SD-WAN rule to load balance all traffic without VoIP.

Answer: AC

NEW QUESTION 2

What would best describe the SD-WAN traffic shaping mode that bases itself on a percentage of available bandwidth?

- A. Per-IP shaping mode
- B. Reverse policy shaping mode
- C. Interface-based shaping mode
- D. Shared policy shaping mode

Answer: D

NEW QUESTION 3

Refer to exhibits.

Exhibit A		Exhibit B			
ID	Name	Source	Destination	Criteria	Members
IPv4 3					
1	Google.ICMP	all	Google-ICMP	Latency	port1 port2
2	Vimeo	all	Vimeo		port2
3	All_Access_Rules	all	all		port1
Implicit 1					
	sd-wan	all	all	Source-Destination IP	any

Exhibit A		Exhibit B				
Date/Time	Source	Destination	Application Name	Result	Policy	Destination Interface
2020/10/15 11:12:27	10.0.1.10	151.101.250.109 (i.vimeocdn.com)	Vimeo	UTM Allowed	Internet Access (1)	port2
2020/10/15 11:12:22	10.0.1.10	34.120.15.67 (fresnel-events.vimeocdn.com)	Vimeo	2.00 kB / 4.33 kB	Internet Access (1)	port1
2020/10/15 11:12:20	10.0.1.10	172.217.13.227 (ocsp.pki.goog)	OCSP	1.28 kB / 1.49 kB	Internet Access (1)	port1
2020/10/15 11:12:07	10.0.1.10	23.47.205.151 (detectportal.firefox.com)	HTTP.BROWSER_Firefox	1.44 kB / 1.55 kB	Internet Access (1)	port1
2020/10/15 11:12:07	10.0.1.10	23.47.205.151 (detectportal.firefox.com)	HTTP.BROWSER_Firefox	1.43 kB / 1.60 kB	Internet Access (1)	port1
2020/10/15 11:12:04	10.0.1.10	99.84.221.62 (snippets.cdn.mozilla.net)	HTTPS.BROWSER	2.08 kB / 13.44 kB	Internet Access (1)	port1

Exhibit A shows the SD-WAN rules and exhibit B shows the traffic logs. The SD-WAN traffic logs reflect how FortiGate processed traffic. Which two statements about how the configured SD-WAN rules are processing traffic are true? (Choose two.)

- A. The implicit rule overrides all other rules because parameters widely cover sources and destinations.
- B. SD-WAN rules are evaluated in the same way as firewall policies: from top to bottom.
- C. The All_Access_Rules rule load balances Vimeo application traffic among SD-WAN member interfaces.
- D. The initial session of an application goes through a learning phase in order to apply the correct rule.

Answer: AB

NEW QUESTION 4

Refer to the exhibit.

```
config vpn ipsec phase1-interface
edit Hub
    set add-route enable
    set net-device disable
    set tunnel-search nexthop
next
end

diagnose vpn tunnel list name Hub
list ipsec tunnel by names in vd 0
-----
name=Hub ver=1 serial=1 100.64.1.1:0->0.0.0.0:0 dst_mtu=0
bound_if=3 lgwy=static/1 tun=intf/0 mode=dialup/2 encap=none/512 options[0200]=search-
nexthop frag-rfc accept_traffic=1
proxyid_num=0 child_num=2 refcnt=20 ilast=176 olast=176 ad=/0
stat: rxp=22 txp=18 rxb=2992 txb=1752
dpd: mode=on-idle on=0 idle=20000ms retry=3 count=0 seqno=0
natt: mode=none draft=0 interval=0 remote_port=0
run_tally=2
ipv4 route tree:
100.64.3.1 1
100.64.5.1 0
172.16.1.2 1
172.16.1.3 0
```

Which two statements about the status of the VPN tunnel are true? <Choose two >

- A. There are separate virtual interfaces for each dial-up client.
- B. VPN static routes are prevented from populating the FortiGate routing table.
- C. FortiGate created a single IPsec virtual interface that is shared by all clients.
- D. 100.64.3.1 is one of the remote IP address that comes through index interface 1.

Answer: CD

NEW QUESTION 5

Refer to exhibits.

Exhibit A	Exhibit B					
Name ↕	Detect Server ↕	Packet Loss	Latency	Jitter	Failure Threshold ↕	Recovery Threshold ↕
DC_PBX_SLA	4.2.2.2	port1: 🟢 0.00%	port1: 🟢 32.80ms	port1: 🟢 8.58ms	5	5
	4.2.2.1	port2: 🟢 0.00%	port2: 🟢 55.36ms	port2: 🟢 8.37ms		

Exhibit A	Exhibit B
<pre>NGFW-1 # diagnose sys virtual-wan-link health-check Health Check(DC_PBX_SLA): Seq(1 port1): state(dead), packet-loss(75.000%) sla_map=0x0 Seq(2 port2): state(alive), packet-loss(0.000%) latency(50.477), jitter(3.699) sla_map=0x1 NGFW -1 # diagnose sys virtual-wan-link service Service(1): Address Mode(IPV4) flags=0x0 Gen(3), TOS(0x0/0x0), Protocol(0: 1->65535), Mode(priority), link-cost- factor(latency), link-cost-threshold(10), heath-check(DC_PBX_SLA) Members: 1: Seq_num(2 port2), alive, latency: 50.233, selected 2: Seq_num(1 port1), dead Internet Service: Microsoft-Skype_Teams(327781,0,0,0) Src address: 0.0.0.0-255.255.255.255</pre>	

Exhibit A shows the performance SLA exhibit B shows the SD-WAN diagnostics output. Based on the exhibits, which statement is correct?

- A. Both SD-WAN member interfaces have used separate SLA targets.
- B. The SLA state of port1 is dead after five unanswered requests by the SLA servers.
- C. Port1 became dead because no traffic was offload through the egress of port1.
- D. SD-WAN member interfaces are affected by the SLA state of the inactive interface

Answer: B

NEW QUESTION 6

Refer to the exhibit.

```
id=20085 trace_id=5087 func=print_pkt_detail line=5588 msg="vd-root:0 received a
packet(proto=6, 10.1.10.1:41370->31.13.80.12:443) from port3. flag [.] , seq 1213725680,
ack 1169005655, win 65535"
id=20085 trace_id=5087 func=resolve_ip_tuple_fast line=5669 msg="Find an existing
session, id-00001ca4, original direction"
id=20085 trace_id=5087 func=fw_forward_dirty_handler line=447 msg="blocked by quota
check, drop"
```

Which statement about the trace evaluation by FomGate is true?

- A. Packets exceeding the configured maximum concurrent connection limit are denied by the per-IP shaper.
- B. The packet exceeded the configured bandwidth and was dropped based on the priority configuration.
- C. The packet exceeded the configured maximum bandwidth and was dropped by the shared shaper.
- D. Packets exceeding the configured concurrent connection limit are dropped based on the priority configuration.

Answer: A

NEW QUESTION 7

Which statement about using BGP routes in SD-WAN is true?

- A. Adding static routes must be enabled on all ADVPN interfaces.
- B. VPN topologies must be form using only BGP dynamic routing with SD-WAN
- C. Learned routes can be used as dynamic destinations in SD-WAN rules
- D. Dynamic routing protocols can be used only with non-encrypted traffic

Answer: C

NEW QUESTION 10

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

NSE7_SDW-6.4 Practice Exam Features:

- * NSE7_SDW-6.4 Questions and Answers Updated Frequently
- * NSE7_SDW-6.4 Practice Questions Verified by Expert Senior Certified Staff
- * NSE7_SDW-6.4 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * NSE7_SDW-6.4 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The NSE7_SDW-6.4 Practice Test Here](#)