

## Sharing-and-Visibility-Designer Dumps

### Salesforce Certified Sharing and Visibility Designer (SP19)

<https://www.certleader.com/Sharing-and-Visibility-Designer-dumps.html>



**NEW QUESTION 1**

Which two access grants are stored in the Group Maintenance tables? Choose 2 answers

- A. Inherited access grants
- B. Explicit grants
- C. Group Membership grants
- D. Implicit grants

**Answer:** AC

**NEW QUESTION 2**

Universal Containers uses person accounts to represent retail customers and business accounts to represent commercial customers. The Retail Sales team should not have access to commercial customers but have access to ALL retail customers.

With organization-wide default on Account set to Private, how might the architect meet these requirements?

- A. Give View All access for Accounts to the Retail Sales profile.
- B. Update Retail Sales profile to grant access to Person Account record type.
- C. Create an owner-based sharing rule on AccountContactRelation to grant access to at account contact roles records owned by sales reps.
- D. Create a criteria-based sharing rule giving Retail Sales role access to Accounts of type PersonAccount.

**Answer:** D

**NEW QUESTION 3**

What is the best practice for testing sharing and visibility changes?

- A. Use Administrative and User reports to view the Active Users.
- B. Use the Login As feature for a sample user in each role and profile.
- C. Use Field Audit Trail to audit the field meta-data and visibility.
- D. Use the Sharing button to test Profile and Permission set changes.

**Answer:** B

**NEW QUESTION 4**

Sales managers at Universal Containers (UC) have requested viewing customer invoices in Salesforce .. system. The architect at UC decided to surface the customer invoices in Salesforce using external objects a.. Configured an external object called Invoice.

Created a lookup relationship between account and the invoice

How can the architect grant the sales managers access to the customer invoices data?

- A. By creating a sharing set a share invoice with users in a sales manager role.
- B. By using manual sharing to share invoices with relevant sales managers.
- C. By creating sharing rules to share the invoice records with users in sales manager roles.
- D. By controlling the invoices object permission on the sales manager's profile.

**Answer:** D

**NEW QUESTION 5**

Universal Containers has developed an AppExchange managed package for their distribution partners, which required a private key to be generated for each partner and used by the code. Universal Containers support representatives must be able to access the private key value to debug connection issues, but it must not be possible for the partner to access the value.

How can the Architect best support this requirement?

- A. Store the value in a text field on a protected custom setting in the package.
- B. Store the value in a static variable in a class included in the managed package.
- C. Store the value in the text field on a list custom setting in the managed package.
- D. Store the value in an encrypted field on a custom object in the package.

**Answer:** C

**NEW QUESTION 6**

Universal Containers has requirement for the Architect to develop Apex Managed Sharing code for the custom Job object. The sharing settings for the Job object are set to Private.

When assigning access level for the record, which two lines of code will cause a DML exception on insert to the database?

Choose 2 answers

- A. Objectname.AccessLevel='Edit'
- B. Objectname.AccessLevel='All'
- C. Objectname.AccessLevel='None'
- D. Objectname.AccessLevel='Read'

**Answer:** BC

**NEW QUESTION 7**

Susan posts a file to the Chatter feed for a record of an object.

Which two statements accurately describe who can view the file by default?

- A. Susan and users with a shared Chatter post for the file.
- B. Susan and users with the View all Data permission.
- C. Susan and users with access to the record.
- D. Susan only

**Answer:** BC

#### NEW QUESTION 8

Universal Containers (UC) implemented Sales Cloud and requested that sales agents have access to products the company sells and be able to create opportunities for its customers.

What should the Organization-Wide Defaults (OWD) be for pricebook?

- A. Public Read Only
- B. Public Read Write
- C. View
- D. Use

**Answer:** D

#### NEW QUESTION 9

After testing and deploying a new trigger that does creates a related order when a opportunity is closed, the .. complaints of permission error messages appearing when closing an opportunity.

How did this error occur?

- A. The trigger should be using RunAs() when creating the order.
- B. Trigger is using IsCreateable() Apex method and the user doesn't have create permission on the Oder object.
- C. The trigger handlers class does not use any sharing keywords and the user not have access to the orders related to the opportunity.
- D. The trigger handler class is using "with sharing" and the user does not have access to the orders related to the opportunity.

**Answer:** B

#### NEW QUESTION 10

Universal Containers wants to create a way to store sensitive Invoice Data in Salesforce. A User who owns an Account should not see every Invoice, but only invoices that they or their subordinates own. Which two features should be considered during this solution implementation?

Choose 2 answers.

- A. Deploy the Relationship between Accounts and the Invoices Object as Master-Detail.
- B. Ensure that the Organization-Wide Default sharing for Invoices is set to Private.
- C. Create a Workflow that populates the Invoice sharing object upon Insert.
- D. Deploy the Relationship between Accounts and the Invoices Object as Lookup.

**Answer:** AB

#### NEW QUESTION 10

Universal Containers has the following requirements:

- \* The Commercial Account and Consumer Account support departments should not collaborate.
- \* The Commercial and Consumer sales users roll up to the same VP of Sales, but there should be no collaboration between sales departments.
- \* The Commercial sales department should share its customers with the Commercial support department.
- \* The Consumer sales department shares its customers with the Consumer support department.
- \* The Commercial and Consumer support departments roll up to the same Support Director.
- \* The sales departments will remain the Account Owner for the Accounts that they sell to. What is the recommended Org-Wide Sharing Default for Accounts, and how would the Architect enable proper Commercial and Consumer Sales to Support Account Sharing for this scenario?

- A. Private Account Sharing with Sharing Rules from Commercial Sales Role(s) to Consumer Support Role(s) and Consumer Sales Role(s) to Commercial Support Role(s).
- B. Private Account Sharing with Sharing Rules from Commercial support Role(s) to Commercial Support Role(s) and Consumer Sales Role(s) to Consumer Support Role(s).
- C. Read-Only Account Sharing with Sharing Rules from Commercial Sales Role(s) to Consumer Support Group(s) and Consumer Sales Role(s) to Commercial Support Groups(s).
- D. Private Account Sharing with Sharing Rules from Commercial Sales Group(s) to Commercial Support Groups(s) and Consumer Sales Group(s) to Consumer Support Group(s).

**Answer:** D

#### NEW QUESTION 14

What advanced tool can Salesforce enable for Large-scale role hierarchy realignments?

- A. Set external organization-wide default to public read only
- B. Skinny Table Indexing
- C. Granular locking
- D. Partitioning by Divisions

**Answer:** C

#### NEW QUESTION 18

The sales manager in Japan have asked the sales manager in Australia to assist them with closing the .. How are these requirements achieved?

- A. Use sharing set to give the sales manager access to the deals.
- B. Create ownership-based sharing rule.
- C. Use opportunity teams to automatically add the sales manager as a team member.
- D. Assign the sales manager View All on the opportunity object.

**Answer:** B

#### NEW QUESTION 23

By Viewer Access you can see the data in a report or dashboard, but you can't make any changes, except by cloning it into a new report or dashboard.

- A. True
- B. False

**Answer:** A

#### NEW QUESTION 25

Assuming granular locking is enabled, what activity can happen in parallel to changing a community account owner without risking group membership lock errors?

- A. Deletion of a Role
- B. Creation of a Role
- C. Creation of a Territory
- D. Deletion of a Territory

**Answer:** C

#### NEW QUESTION 26

Universal Containers has the following Sharing Settings for their Org:

Account = Private

Contact = Controlled by Parent

Opportunity = Private

Case = Private

They have enabled "Default Account Teams" and have trained users to set up their Default Team. Which three access levels can be set on the Account Team Member?

Choose 3 answers

- A. Opportunity Access
- B. Case Access
- C. Contact Access
- D. Contract Access
- E. Account Access

**Answer:** ABE

#### NEW QUESTION 27

Universal Containers has a large network of partners, who each have seasonal workers that need .. How might the Architect design the solution to federate user setup to the Partners?

Choose 2 answers

- A. Assign delegated external administrators at each partner.
- B. Grant the Modify Users permission to the partner managers.
- C. Allow external users to self register.
- D. Create a permission set giving Read/Write to the User object to partner manager.

**Answer:** AC

#### NEW QUESTION 32

In order to allow community users to collaborate on Opportunities, which license type must the users.

- A. Sales Community
- B. Customer Community
- C. Partner Community
- D. Customer Community plus

**Answer:** C

#### NEW QUESTION 33

Sales reps at Universal Containers (UC) complain about the manual activities they need to perform in order to grant access to supporting internal users (legal, engineering, finance, and so forth) for customer records when they need help. In general, the sales reps involved in the deals will not change.

How can a Salesforce architect help IK to Improve sales reps productivity?

- A. Create a permission set with "view all data" and assign to supporting users.
- B. Create a public group and replace the account ownership with it.
- C. Create a criteria-based sharing rule to grant access to other users.
- D. Leverage default Account team.

**Answer:** CD

**NEW QUESTION 35**

Universal Containers uses 75,000 distributors that have close to 1 million total users. Distributors need opportunities assigned to the distributor for delivery. What license recommendation will meet distributor needs?

- A. Sales Cloud
- B. Customer Community Plus
- C. Partner Community
- D. Customer Community

**Answer:** C

**NEW QUESTION 40**

Universal Containers, a global corporation of 50,000 users, has a 24x7 call center operated by 20,000 users that includes employees and contractors. Their sales organization is 10,000 strong and they started processing about 100,000 updates to opportunity custom fields called Priority and NextStep. They also started processing 20,000 updates to a highly nested territory hierarchy. There was a third mass update on a Next Step field on the Action Plan custom object that has Case as a lookup field. Users started seeing a Group membership lock error in the system. What is a probable cause for this error?

- A. Lock contention due to system-initiated sharing rule recalculation
- B. Lock contention on Case records because of Action Plan custom object updates.
- C. Lock contention on Territory object because of Territory object updates.
- D. Lock contention on Account records because of Opportunity object updates.

**Answer:** A

**NEW QUESTION 41**

How would you make sure Visualforce page is security proof? Choose 3 answers

- A. Manually check for cross site
- B. Manually check for sql injection
- C. Submit to force security scanner
- D. Use web application tool for security
- E. Use debug to check hijacked requests

**Answer:** CDE

**NEW QUESTION 44**

Universal Containers (UC) has a requirement to expose a web service to their business partners. The web service will be used to allow each business partner to query UC's Salesforce instance to retrieve the status of orders. The business partner should only be allowed access to orders for which the business partner is the fulfillment vendor. The Architect does not want the business partners to utilize the standard APIs and would prefer a custom API be developed. Which three design elements should the Architect consider in order to ensure the data security of the solution?

Choose 3 answers

- A. Query the Orders object with Dynamic SOQL based upon the fulfillment ID.
- B. Set the Orders object's sharing settings to Private in the Org-Wide Defaults
- C. Provide each partner with their own Salesforce login set to API Enabled on the profile.
- D. Develop a custom Apex web service with a fulfillment ID input attribute
- E. Develop a custom Apex web service using the "With Sharing" keyword.

**Answer:** ABE

**NEW QUESTION 46**

Universal Containers has developed an AppExchange managed package for their distribution partners, which required a private key to be generated for each partner and used by the code. Universal Containers support representatives must be able to access the private key value to debug connection issues, but it must not be possible for the partner to access the value.

How can the Architect best support this requirement?

- A. Store the value in a text field on a protected custom setting in the package.
- B. Store the value in a static variable in a class included in the managed package.
- C. Store the value in the text field on a list custom setting in the managed package.
- D. Store the value in an encrypted field on a custom object in the package.

**Answer:** C

**NEW QUESTION 51**

What should a Salesforce architect recommend to make sure that users that gained access to a custom of sharing do not lose access to it when its owner is changed?

- A. Create a specific Sharing Reason for the custom object.
- B. Use "runAS" system method in Apex classes to enforce record visibility.
- C. Create a new record in \_Share object with RowCause "Manual"
- D. Use "With Sharing" keyword to make sure record visibility will be considered

**Answer:** A

**NEW QUESTION 53**

Universal Containers (UC) has Affiliates who sell containers in countries' where UC does not have a local office Community to manage the sales cycle. One of their affiliates has exponentially grown in the last years and .. with the following structure:



Sales VP ..> Direct of Sales .. > Sales Manager ..> Sales Reps

UC would like to have the ability to open up access to the sales opportunities according to the above structure. What is the main problem a Salesforce Architect will face to provide a solution?

- A. Super User does not work in Partner Community.
- B. Partner Community does not support Role Hierarchy.
- C. The Channel manager Role can not be shared with Partner Community.
- D. Partner User Roles are limited to three levels.

**Answer:** D

#### NEW QUESTION 58

Universal Containers has created a custom object to store highly confidential client relationship data with Private sharing settings. Which two options would an Architect choose to ensure access only to the record owner and the administrator? Choose 2 answers.

- A. Disable "Grant Access Using Hierarchies."
- B. Disable the "Create" permission on all other profiles.
- C. Disable the "Read" permission on all other profiles.
- D. Disable the "View All" permission on all other profiles.

**Answer:** AD

#### NEW QUESTION 62

The Finance team at Universal Containers usually does not need access to Account and Contract records A .. given Opportunity access for a big deal to help with tax calculation. She can now also access Account and C..

Which two reasons could be causing this issue? Choose 2 answers

- A. Contact records can be accessed due to implicit sharing from Account.
- B. Account records can be accessed due to implicit sharing from Opportunity.
- C. Contact records can be accessed due to implicit sharing from Opportunity.
- D. Account records can be access due to role hierarchy.

**Answer:** AB

#### NEW QUESTION 66

Universal Containers (UC) is implementing Sales Cloud. During the last quarter of the financial of the financial year, .. They requested a solution in Salesforce to allow them to specify an assistance agent on the opportunity.. the assistance field. The system should automatically remove access from the previous assistant and ..

What is the optimum solution to meet the requirements?

- A. Use share group to share opportunities with the assistant agent.
- B. Use opportunity team and create an assistant field, use apex to share opportunities with the assistant
- C. Use sharing rule to share opportunities with the assistant agent.
- D. Use apex sharing to share and unicast opportunities with the assistant agent.

**Answer:** D

#### NEW QUESTION 71

A Visualforce controller has a requirement to be written with "Without Sharing" at the top level; however, certain methods within the page still need to enforce the user permissions for creating records and accessing certain fields. Which two methods below would be used to enforce this requirements? Choose 2 answers.

- A. Schema.DescribeFieldResult
- B. Schema.getGlobalDescribe
- C. UserInfo.getProfileID
- D. Schema.DescribeSObjectResult

**Answer:** AD

#### NEW QUESTION 75

What should the Architect do to ensure Field-Level Security is enforced on a custom Visualforce page using the Standard Lead Controller?

- A. Use the "With Sharing" keyword on the Standard Lead Controller.
- B. Nothing; Field-Level Security will automatically be enforced.
- C. Use the `{!Schema.sObjectType.Lead.fields.isAccessible()}` expression
- D. Use the `Schema.SObject.Lead.isAccessible()` method.

**Answer:** B

#### Explanation:

```
<apex:outputText value="{!contactName}" rendered="{!$ObjectType.Contact.fields.Name.Accessible}" />
```

#### NEW QUESTION 79

The System Administrator at Universal Containers has created two list views called ListV1 and ListV2. One group of users should only see ListV1 and the second group of users should only see ListV2. Two public groups were created to restrict visibility to the respective list views. However, users in both groups are able to see both list views. What system permission in their profile enabled the users to see all list views?

- A. Manage Custom List Views
- B. Manage Private List Views
- C. Manage Public List Views
- D. Manage Custom Permissions

**Answer:** C

#### NEW QUESTION 80

Universal Containers has a custom object to maintain Job information with a private sharing model. The Delivery group is distributed through the Role Hierarchy based on geography. As the Delivery group often collaborates on Jobs, all users in the Delivery profile required View access to all Job records. In special case, the Delivery user who owns a job must be able to grant a Product Development user access to a Job record. Which two platform features can be used to support these requirements?

Choose 2 answers

- A. Criteria-based Sharing Rules
- B. "View All" Profile settings
- C. Owner-based Sharing Rules
- D. Manual Sharing

**Answer:** BD

#### NEW QUESTION 82

Universal Containers has a Private Sharing Model for the Opportunity object. Sales Rep A at Universal Containers created the Opportunity record and then transferred ownership of the Opportunity record to Sales Rep B. Both Sales Rep A and B have the same role in the Role Hierarchy.

What access will Sales Rep A have to the Opportunity after the transfer?

- A. Full Access
- B. No Access
- C. Read/Write
- D. Read Only

**Answer:** B

#### NEW QUESTION 87

Universal Containers (UC) has a custom Apex class that enforces a business process and updates opportunities. UC has noticed that fields with field level security permission of read only on certain users' profiles are being updated by this class.

How should the architect fix this problem?

- A. Add With Sharing keyword to the class,
- B. Put the code in an inner class that uses the With Sharing keyword.
- C. Use the IsUpdateable() Apex method to test each field prior to allowing update.
- D. Use the WITH SECURITY\_ENFORCED keyword in the SOQL statement.

**Answer:** D

#### NEW QUESTION 91

Universal Containers has set Account Sharing to Private with Account Teams enabled. Which two user groups can add team members on the Account? Choose 2 answers

- A. The current Account Owner can add team members.
- B. The user specified as the Manager on the Owner's User record
- C. Someone above the Account Owner in the Role Hierarchy with read access
- D. Any Account Team Member with read access on the Account

**Answer:** C

#### NEW QUESTION 94

User A at Universal Containers is in the default account team for User B. User B owns the ACME account and changed User A's team member access to the account. What is the impact of this change?

- A. Changes affect the default Opportunity team.
- B. Changes affect only the ACME Account
- C. Changes affect the default Account team.
- D. Changes affect all child ACME Accounts.

**Answer:** B

#### NEW QUESTION 96

To grant Universal Containers sales manager access to shipment records properly, it was necessary to leverage Apex managed sharing. The IT team is worried about improper access to records.

Which two features and best practices should a Salesforce architect recommend to mitigate this risk?

- A. Use runAs system method in test classes to test using different users and profiles.
- B. Use with Sharing keyword in Apex classes to assure record visibility will be followed.
- C. Use isShareable in Apex classes to assure record visibility will be followed.
- D. Use isAccessible keyword in Apex classes to assure record visibility will be followed

**Answer:** BD

**NEW QUESTION 97**

At Universal Containers there is a team of auditors distributed through the organization that all need access to high-value Opportunities. With a private sharing model, which two option should an architect recommend when designing a solution for this requirement? Choose 2 answers

- A. Put the auditors as the highest level of the role hierarchy.
- B. Add the auditors to the default Opportunity Team.
- C. Create a criteria-based sharing rule to give access to the public group for high-value Opportunities.
- D. Create a public group and assign the Auditors to the group.

**Answer:** AD

**NEW QUESTION 102**

Sales managers want their team members to help each other close Opportunities. The Opportunity and Account organization-wide defaults are private. To grant Opportunity access to sales reps on the same team, owner ship-based sharing rules were created for each team. What is the side effect of this approach?

- A. All sales reps will have Read access to Accounts for all Opportunities.
- B. Sales Reps on the same team will have Edit access to the Accounts for Opportunities owned by then team members.
- C. Sales reps on the same team will have Read access to the Accounts for Opportunities owned by their team members.
- D. All sales reps will have Read access to all Accounts.

**Answer:** A

**NEW QUESTION 106**

Universal Containers has implemented a strict software architecture for their custom Apex code. One of the requirements is that all SOQL queries are contained within reusable classes. Depending on the context of the Apex transaction, the queries should be able to run either "With Sharing" or "Without Sharing". Which two ways allow the Architect to meet these requirements? Choose 2 answers.

- A. Create a reusable SOQLQueries class; do not specify "With" or "Without Sharing" on the SOQLQueries class.
- B. Create a reusable SOQLQueries class; do not specify "With" or "Without Sharing" on the SOQLQueries class and use the runAs() method to dynamically set the context.
- C. Create a reusable SOQLQueries class; specify "With Sharing" on the methods that require user context and "Without Sharing" on the methods requiring system context.
- D. Create a SystemSOQLQueries class and a UserSOQLQueries class; set the "With Sharing" keyword on the User SOQLQueries class and "Without Sharing" on the SystemSOQLQueries class.

**Answer:** CD

**NEW QUESTION 110**

Universal Containers (UC) uses a custom Visualforce page to display shipment tracking information (custom object, private OWD) to field manager and agents. The IT team wants to make sure that users have access to only the information that is allowed. Which Apex method must be used to make sure only allowed fields are shown to the users'

- A. isReadable()
- B. isShowable()
- C. isAccessible()
- D. isViewable()

**Answer:** C

**NEW QUESTION 114**

Universal Containers is implementing a community of High-Volume Community users. Community users should be able to see records associated to their Account or Contact record. The Architect is planning to use a Sharing Set to provide access to the records. When setting up the Sharing Set, certain objects are not available in the list of Available Objects. Which two reasons explain why an object is excluded from the list of Available Objects in a Sharing Set?

- A. The object is a custom object, and therefore not available for a sharing set.
- B. The object's Organization-Wide sharing setting is set to Public Read/Write.
- C. The object's Organization-Wide sharing setting is set to Private.
- D. The custom object does not have a lookup to Accounts or Contacts.

**Answer:** BD

**NEW QUESTION 118**

Which two settings are available in profiles, but not permission sets? Choose 2 answers.

- A. Tab Settings
- B. Record Types
- C. Page Layout Assignments
- D. Login Hours

**Answer:** CD



**NEW QUESTION 120**

After setting up Customer Community and enable collaboration, the architect realizes that customers are only Chatter posts from other customers in their account. What should the architect do to allow viewing chatter posts from all customers?

- A. Enable Community User Visibility.
- B. Set View All for Chatter posts.
- C. Enable Chatter Super User.
- D. Enable Internal Users Visibility.

**Answer:** B

**NEW QUESTION 121**

Universal Containers' organization wide-defaults model is private for the Account object. A sales rep wants to opportunity records. Which level of access will the sales rep have to the related account record?

- A. No access
- B. Read/Create/Edit access
- C. Read/Create access
- D. Read-only access

**Answer:** D

**NEW QUESTION 122**

The Corporate Identity and Access Team needs to audit User setup in the Salesforce .. What two permissions should be granted to this team so they can perform their audit? Choose 2 answers

- A. View permission on the User object
- B. View Setup and Configuration
- C. View All Users
- D. View All Data

**Answer:** B

**NEW QUESTION 124**

Universal Containers (UC) operates worldwide with offices in more than 100 regions in 10 different countries role hierarchy to control data visibility. In the new fiscal year, UC is planned to reorganize the roles and re.. Which two points should an Architect consider in this situation? Choose 2 answers

- A. Using a temporary parking lot account to improve performance.
- B. Changing complex role hierarchy can cause a high level of sharing recalculation.
- C. Restricting the organization-sharing configurations to private.
- D. Replacing Account records ownerships massively can cause data skew.

**Answer:** BD

**NEW QUESTION 129**

Universal Containers has recently activated an integration that synchronizes customer information and orders into their CRM of choice: Salesforce.com. One of their largest customers, United Air, has over 12,000 unique contacts. Since the integration was activated, sales reps are having trouble adding contacts to the United Air account. When a sales rep adds a contact, they get the following error message:UNABLE\_TO\_LOCK\_ROW, This issue seems to affect the United Air account and several other large customers. The sales rep can usually save the contact by trying again later in the evening. What should the Architect recommend as a possible solution?

- A. Add a role-based sharing rule so all sales team members have Read/Write access to contacts.
- B. Remove sharing rules and replace them with Apex sharing for United Air and the other large accounts.
- C. Implement an account hierarchy and redistribute the contacts evenly under the child accounts.
- D. Create a permission set for the sales team to grant them Read/Write access to all account fields.

**Answer:** C

**NEW QUESTION 130**

Universal Containers has just deployed a change to its role hierarchy. A manager is reporting that their staff can now see Accounts that they do not own and should not have access to. How should the Architect troubleshoot?

- A. While logged in as the System Administrator, use the Field Accessibility Viewer to view a matrix of who has access to Accounts.
- B. While logged in as the one of the Staff members, navigate to a sample account and use the Sharing button to determine who has access.
- C. While logged in as the one of the Staff members, navigate to their user record and inspect their profile and role membership.
- D. While logged in as the System Administrator, use the Field Accessibility Viewer to view a matrix of who has access to Accounts.

**Answer:** B

**NEW QUESTION 134**

What should a Salesforce architect recommend to make sure that users that gained access to a custom object record through Apex managed sharing do not lose access to it when its owner is changed?

- A. Create specific Apex Sharing Reason for the custom object.
- B. Use "runAs" system method in Apex classes to enforce record visibility.
- C. Use "With Sharing" keyword to make sure record visibility will be considered.

D. Create a new record in \_Share object with RowCause 'Manual'.

**Answer:** A

#### NEW QUESTION 136

Universal Container is creating a custom VF page to allow user to edit contact records. The developer has used an apex:outputField for the Phone field on the contact obj. What is the expected behavior if a user without FLS accesses the VF page?

- A. The user encounters an error while saving the record
- B. The field is automatically removed from the page
- C. The output field is visible to user
- D. The user is able to enter a value into the phone field

**Answer:** B

#### NEW QUESTION 139

Universal Containers (UC) has a custom object to track the internal net promoter score (NPS) for all .. How can UC ensure that NPS records cannot be accessed by an individual employee's manager?

- A. Create a criteria-based sharing rule to remove access to Manager role and above in the Role ..
- B. Remove Create, Read, Edit and Delete from Manager Profiles and Permission sets.
- C. Use Apex Sharing to remove NPS object share records for Manager profiles.
- D. Set organization-wide default to Private and uncheck the Access Using Hierarchies Option for ..

**Answer:** D

#### NEW QUESTION 143

Universal Container has a set of Account management users that should only see accounts once the account becomes a customer. The type field on the Account identifies whether the account is a prospect, customer, partner, or other. Which two methods could an Architect use to enable this sharing requirement, assuming a private sharing model for accounts? Choose two:

- A. Create a public list view, where accounts of type customer are included and share the list view with account management public group
- B. Institute a business process that calls for the account manager to be added to the account team once the account becomes a customer
- C. Create an account sharing rule that shares all accounts owned by sales to be shared with account management roles and subordinates
- D. Create a criteria-based sharing rule that shares the account to the account management group when the type is customer

**Answer:** BD

#### NEW QUESTION 145

Universal Containers has Controlled by Parent sharing settings on the Contact object and Public Read Only sharing settings on Account, Opportunity, and Case objects. Which two options can the user see while adding Account team members to the Account?

- A. Case Access
- B. Opportunity Access
- C. Contact Access
- D. Activity Access

**Answer:** AB

#### NEW QUESTION 150

Which three advanced tools can Salesforce enable for large-scale role hierarchy realignments in organizations with large data volumes? Choose 3 answers.

- A. Partitioning by Divisions
- B. Granular Locking
- C. Parallel Sharing Rule Recalculation
- D. Deferred Sharing Calculation
- E. Skinny Table Indexing

**Answer:** ADE

#### NEW QUESTION 153

Besides their own team accounts, sales managers at Universal Container need to have READ access to all other countries. Role hierarchy was implemented accordingly (based on countries) but a Sales manager in the US comp records of the same segment in Canada. What should be done to grant access in a proper way?

- A. Create criteria-based sharing rule to grant access to account records that have the same segment.
- B. Create owner-based sharing rule to grant access to account records that have the same segment.
- C. Create a public group and include all accounts of the same segment and grant access through.
- D. Change the role hierarchy and put all the sales managers in the US and Canada as the same role.

**Answer:** A

#### NEW QUESTION 155

Universal Containers has created a custom Sales Operations profile with read and edit access to the Category field on a custom object. There is a new

requirement that 3 of the 100 users assigned to the Sales Operations Profile should have read-only access to the Category field. How can the Architect support this request? Choose one

- A. Create a permission set in the Category field to read-only and assign it to the users.
- B. Create a new profile without edit access to Category and assign it to the users.
- C. Create a new page layout with the Category Field set to read-only for these users.
- D. Create a custom permission to grant read-only access to Category and assign it to the users.

**Answer:** B

#### NEW QUESTION 160

Universal Containers (UC) has Affiliates who sell containers in countries where UC does not have a local office. UC has leveraged the Partner Community to manage the sales cycle. One of their affiliates has exponentially grown in the last years and restructured its internal sales team with the following structure: Sales VP ...> Direct of sales ..> Sales Manager ..> Sales Reps  
What is the main problem a Salesforce Architect will face to provide a solution?

- A. Partner Community does not support Role Hierarchy.
- B. Partner User Roles are limited to three levels.
- C. The Channel manager Role can not be shared with Partner Community.
- D. Super User does not work in Partner Community

**Answer:** B

#### NEW QUESTION 165

Universal Containers is updating its Organization-Wide Sharing Settings for the Account Object from a "Public Read/Write" model to a "Private" model, so that they can hide certain national accounts from sales reps and sales managers. These national accounts should only be accessible by sales directors and above. Universal Container's Role Hierarchy matches its organizational hierarchy. Which two options should the Architect consider when designing the solution? Choose 2 answers

- A. Sales directors will need a sharing rule created so that they can see accounts owned by Sales Users.
- B. National accounts must be owned by a user who is above the sales managers in the Role Hierarchy.
- C. Apex managed sharing will have to be disabled for the account object to protect the national accounts.
- D. If a sales rep is added to the Opportunity Team for a national account, they will gain access to account data.

**Answer:** BD

#### NEW QUESTION 169

Universal containers (UC) has a partner community for its 200 distributors. UC customer accounts are .. organization-wide default setting for the custom Delivery object is private.  
How can an architect advise UC to grant all users at a distributor access to delivery records for all customer distributor?

- A. Create a Sharing set for the Distributor profile to grant access to the Delivery object.
- B. Create a criteria-based sharing rule that shares delivery records matching the Distributor to user distributor.
- C. Give ownership of the delivery record to a distributor user.
- D. Create a criteria-based sharing rule that shares delivery record matching a distributor to the ...

**Answer:** A

#### NEW QUESTION 173

When writing test methods, what functionality is verified by the system method "runAs()"?

- A. Enforcement of a user's record sharing.
- B. Enforcement of user permissions.
- C. Enforcement of a user's field-level security.
- D. Enforcement of user's public group assignments.

**Answer:** A

#### NEW QUESTION 178

Universal Containers has created a Reimbursement Custom Object to capture requests for reimbursement of expenses related to office supplies. The Reimbursement requests are sometimes sensitive and the Team Leads should not have access to the Reimbursement records submitted by the Users in the Call Center Agent role. The Director of Support will require access to all Reimbursement records. The role hierarchy is set as follows: Call Center Agent role reports to Team Lead role, which Reports to the Director of Support. Which steps would the Architect take to ensure proper sharing in this Role Hierarchy structure assuming Private Sharing Setting for the Reimbursement Object?

- A. Leave the Reimbursement Object in "Deployed" Status and set the Director of Supports Profile to "View All" in the object permissions.
- B. Use an Approval Process to change the owner of the Reimbursement record upon submission to the Director of Support
- C. Disable Grant Access Using Hierarchies for the Object and create a Sharing Rule to enable sharing to the Director of Support
- D. The sharing scenario described will occur without any special configuration choices being made by the Architect

**Answer:** C

#### NEW QUESTION 179

Which two are potential vulnerabilities in the following code snippet? <apex:page> <apex:form>

```
<apex:outputText value="Enter Name"/> <apex:inputText value="{!name}" /> <apex:commandButton value="Query" action="{!query}" /> </apex:form>
```

```
</apex:page> public class SOQLController { public String name { get { return name;} set {name=value;} } public PageReference query() { String
```

```
qryString='SELECT Id FROM Contact WHERE '+ '(IsDeleted = false and Name like \'' + name + '\')'; queryResult = Database.query(qryString); return null; } }
```

Choose 2 answers

- A. FLS check
- B. SOQL Injection
- C. Data Access Control
- D. Arbitrary Redirects

**Answer:** BC

#### NEW QUESTION 181

In order to comply with regulatory requirements, Universal Health must encrypt all Personally Identifiable Information (PII), both while it is being transmitted over the network and while it is at rest. Universal Health has completed a data audit and has determined that 12 fields on the contact record can contain PII, including the contact name and several other standard fields. Universal Health would like the fields to remain accessible in Salesforce. Which two options does Universal Health have to maintain compliance?

Choose 2 answers.

- A. Implement a custom Apex trigger to automatically encrypt the PII data using the Apex Crypto Class.
- B. Update the field type of each of the 12 fields to "Text (Encrypted)" so that they are encrypted at rest.
- C. Enable Salesforce Platform Encryption and select the 12 contact fields to be encrypted.
- D. Use an external, third party encryption service to encrypt PII before it enters Salesforce.

**Answer:** BC

#### NEW QUESTION 184

Universal Containers would like to customize the security and sharing features of Salesforce Account Teams. They have decided to implement a Custom Account Team object. They would like the new enhancement to include all of the features of the existing account team, but also utilize Apex and Visualforce on the custom Account Team object.

Which two different approaches should the Architect consider when designing this enhancement? Choose 2 answers

- A. The need to synchronize the AccountTeamMember object with the Custom Account Team object data.
- B. The need to maintain the Account\_share object based upon the Custom Account Team object data.
- C. The need to dynamically create Criteria-Based Sharing rules with Custom Account Team object data.
- D. The need to customize Account screens in Visualforce, as the Account\_share object cannot be maintained programmatically.

**Answer:** AB

#### NEW QUESTION 188

Universal Containers created a custom object called Defect and would like to enable the Sharing button on the Defect page layout to share the records manually to other users in the organization. In which scenario will the Sharing button appear?

- A. The Sharing model is either Private or Public Read only.
- B. The Sharing button always appears.
- C. The Sharing model is Public Read/Write.
- D. The Sharing model is Public Read/Write/Transfer.

**Answer:** A

#### NEW QUESTION 193

Which features does Salesforce provide for restricting login access to the application? Choose 2 answers.

- A. Profile-based login hour restrictions
- B. Role-based IP restrictions
- C. Organization-wide login hour restrictions
- D. Profile-based IP restrictions

**Answer:** AD

#### NEW QUESTION 198

Universal Containers has a customer that meets criteria for two Enterprise territory Management territories (Portugal and Southern Europe).

What is necessary to assign opportunities to a territory for this account?

- A. Create a criteria-based sharing rule on the Opportunity to assign It to a territory.
- B. Create a Process Builder Process that updates the Territory field on the Opportunity
- C. The territory with the highest Territory Type Priority is automatically assigned to the Opportunity
- D. Create an Apex class that implemen
- E. Filter-Based Opportunity Territory Assignment

**Answer:** D

#### NEW QUESTION 201

Which users have access to Opportunity records owned by an external user, assuming no other changes to the sharing model have been implemented?

- A. The record owner and any user above the external user in the role hierarchy.
- B. The record owner only.
- C. The record owner and any user below the external user in the role hierarchy.
- D. The record owner and all internal users.

**Answer:** A

**NEW QUESTION 205**

Universal Container (UC) is in a legal dispute regarding several orders. UC has found out these records VP of Sales has asked to ensure this cannot happen in the future.

What approach would meet this requirement?

- A. Remove Order delete Permission from Profiles and Permission Sets
- B. Implement a Sharing Rule that changes access for order to Read.
- C. Remove the Delete button from the Order Page Layout.
- D. Change the Record Type/Page Layout assignment for orders to be Read Only.

**Answer:** AD

**NEW QUESTION 206**

Universal Containers has the following requirements: A custom Loan object requires Org-Wide Defaults set to Private. The owner of the Loan record will be the Loan Origination Officer. The Loan record must be shared with a specific Underwriter on a loan-by-loan basis. The Underwriters should only see the Loan records for which they are assigned. What should the Architect recommend to meet these requirements?

- A. Use criteria-based sharing rules to share the Loan object with the Underwriter based upon the criteria defined in the criteria-based sharing
- B. Create a lookup relationship from the Loan object to the User object
- C. Use a trigger on the Loan object to create the corresponding record in the Loan share object
- D. Create a master-detail relationship from the Loan to the User object
- E. Loan records will be automatically shared with the Underwriter
- F. Create an Apex Sharing Reason on the Loan object that shares the Loan with the Underwriter based upon the criteria defined in the Sharing Reason

**Answer:** B

**NEW QUESTION 211**

.....



## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your Sharing-and-Visibility-Designer Exam with Our Prep Materials Via below:**

<https://www.certleader.com/Sharing-and-Visibility-Designer-dumps.html>