

Exam Questions MS-600

Building Applications and Solutions with Microsoft 365 Core Services

<https://www.2passeasy.com/dumps/MS-600/>



NEW QUESTION 1

- (Exam Topic 1)

You need to implement the role functionality for the backend web service calls.

Which three actions should you perform in sequence? To answer, move the actions from the list of actions to the answer area and arrange them in the correct order.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 2

- (Exam Topic 1)

How can you validate that the JSON notification message is sent from the Microsoft Graph service?

- A. The ClientState must match the value provided when subscribing.
- B. The user_guid must map to a user ID in the Azure AD tenant of the customer.
- C. The tenant ID must match the tenant ID of the customer's Office 365 tenant.
- D. The subscription ID must match the Azure subscription used by ADatum.

Answer: A

Explanation:

clientState specifies the value of the clientState property sent by the service in each notification. The maximum length is 128 characters. The client can check that the notification came from the service by comparing the value of the clientState property sent with the subscription with the value of the clientState property received with each notification.

Note: A subscription allows a client app to receive notifications about changes to data in Microsoft Graph. Reference: <https://docs.microsoft.com/en-us/graph/api/resources/subscription>

NEW QUESTION 3

- (Exam Topic 2)

You are developing a server-based web app that will use OAuth2 on behalf of the user and will be registered with the Microsoft identity platform.

Which two types of token will the app retrieve as part of the authorization flow? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. context token
- B. Kerberos token
- C. refresh token
- D. SAML token
- E. access token

Answer: BD

NEW QUESTION 4

- (Exam Topic 2)

What is the default permission scope when you request an access token by using MSGraphClient?

- A. User.Read
- B. People.Read.All
- C. People.Read
- D. User.Read.All

Answer: D

Explanation:

By default, the service principal has no explicit permissions granted to access the Microsoft Graph. However, if you request an access token for the Microsoft Graph, you get a token with the user_impersonation permission

scope that can be used for reading information about the users (that is, User.Read.All). Reference: <https://docs.microsoft.com/en-us/sharepoint/dev/spfx/use-msgraph>

NEW QUESTION 5

- (Exam Topic 2)

You need to develop a client-side web app that will be registered with the Microsoft identity platform. Which type of authorization flow should you use?

- A. authorization code grant
- B. device code grant
- C. implicit grant
- D. client credentials grant

Answer: A

NEW QUESTION 6

- (Exam Topic 2)

You have an application that uses the Microsoft graph API.

When users open the application during peak hours, they occasionally receive an HTTP 429 Too Many requests response status code.

What should you do to mitigate the errors?

- A. Adjust the request rate based on the Rate-Limit-Reset Header.
- B. Wait 100 milliseconds between requests.
- C. Adjust the request rate based on the Retry-After header.

Answer: C

NEW QUESTION 7

- (Exam Topic 2)

You are building an application that will help Azure Active Directory (Azure AD) administrators manage Microsoft 365 groups.

You are building a details page that will display information about the groups.

You need to display the groups of which the current group is member. The results must contain the nested groups.

Which URI should you use?

<https://graph.microsoft.com/v1.0/groups/{id}/transitiveMembers>

<https://graph.microsoft.com/v1.0/groups/{id}/owners>

<https://graph.microsoft.com/v1.0/groups/{id}/memberOf>

<https://graph.microsoft.com/v1.0/groups/{id}/members>

<https://graph.microsoft.com/v1.0/groups/{id}/transitiveMemberOf>

- A. Option A
- B. Option B
- C. Option C

- D. Option D
- E. Option E

Answer: D

NEW QUESTION 8

- (Exam Topic 2)

You company has a third-party invoicing web app. You need to display the app within Microsoft Teams for one user only. The app will not require conversational interactions. How should you display the app by using the minimum amount of effort?

- A. Instruct the user to add a website tab
- B. Instruct the user to add an App Studio app
- C. Create a SharePoint Framework (SPFx) web part
- D. Create a search-based messaging extension

Answer: A

Explanation:

There are currently three methods of app integration in Teams: Connectors, Bots, and Tabs. Tabs offer more extensive integration by allowing you to view entire third-party services within Microsoft Teams. Reference: <https://www.sherweb.com/blog/office-365/o365-microsoft-teams-apps/>

NEW QUESTION 9

- (Exam Topic 2)

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
You can use the JavaScript API for Microsoft Office to create a tab in Microsoft Teams.	<input type="radio"/>	<input type="radio"/>
You can use the JavaScript API for Microsoft Office to create a content add-in in Microsoft Excel.	<input type="radio"/>	<input type="radio"/>
You can use the JavaScript API for Microsoft Office to create a task pane add-in in Microsoft PowerPoint.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

As part of your app you can add custom tabs to embed your own web content in Teams, and using the Teams JavaScript client SDK, add Teams-specific functionality to your web content.

Box 2: Yes

You can use the Office JavaScript API to create task pane or content add-ins for Office 2013 host applications. Box 3: Yes

You can use the Office JavaScript API to create task pane or content add-ins for Office 2013 host applications. Reference: <https://docs.microsoft.com/en-us/microsoftteams/platform/tabs/what-are-tabs> <https://docs.microsoft.com/en-us/office/dev/add-ins/develop/support-for-task-pane-and-content-add-ins>

NEW QUESTION 10

- (Exam Topic 2)

You are developing an Azure web app that will enable users to view a consolidated view of multiple users' tasks based on data in Microsoft Planner and Outlook. The app will use the Microsoft identity platform and a certificate to establish an authorization flow between the app and Microsoft 365.

You obtain a certificate and you create an Azure Active Directory (Azure AD) application. You need to set up authorization for the application.

Which three actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point. A. Add the application permissions to the Azure AD application.

- A. Create a secret in the Azure AD application.
- B. Add the required delegated permissions to the Azure AD application.
- C. Modify the code of the Azure web app to use the certificate to obtain an access token for Microsoft Graph.
- D. From the Azure portal, configure a certificate public key for the Azure AD application.

Answer: ACD

NEW QUESTION 10

- (Exam Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are developing a new application named App1 that uses the Microsoft identity platform to authenticate to Azure Active Directory (Azure AD). Currently, App1 can read user profile information. You need to allow App1 to read the user's calendar.
Solution: In the code of App1, dynamically request the Calendar.Read permission from the Microsoft Graph API.
Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

For your app to access data in Microsoft Graph, the user or administrator must grant it the correct permissions via a consent process.

Application permissions can only be consented by an administrator.

References: <https://docs.microsoft.com/en-us/azure/active-directory/develop/v2-permissions-and-consent> <https://docs.microsoft.com/en-us/graph/permissions-reference>

NEW QUESTION 13

- (Exam Topic 2)

This question requires that you evaluate the bold text to determine if it is correct.

You can use a Command Set extension to develop a breadcrumb element that will appear on every Microsoft SharePoint page.

Instructions: Review the underlined text. If it makes the statement correct, select "No change is needed". If the statement is incorrect, select the answer choice that makes the statement correct.

- A. No change is needed
- B. an Application Customizer
- C. a Field Customizer
- D. a web part

Answer: B

Explanation:

Application Customizers provide access to well-known locations on SharePoint pages that you can modify based on your business and functional requirements. For example, you can create dynamic header and footer experiences that render across all the pages in SharePoint Online.

Reference:

<https://docs.microsoft.com/en-us/sharepoint/dev/spfx/extensions/get-started/using-page-placeholder-with-extens>

NEW QUESTION 15

- (Exam Topic 2)

You have a line-of-business API that is secured by using Azure Active Directory (Azure AD). You deploy a solution to the app catalog. The solution requests permission to the API.

What should you do in the SharePoint admin center to ensure that the solution can access the API?

- A. Create a SharePoint security group and add the solution
- B. Create an access policy
- C. Enable sandbox solutions
- D. Approve a pending permission request

Answer: D

Explanation:

Developers building a SharePoint Framework solution that requires access to specific resources secured with Azure AD list these resources along with the required permission scopes in the solution manifest. When deploying the solution package to the app catalog, SharePoint creates permission requests and prompts the administrator to manage the requested permissions. For each requested permission, tenant administrators can decide whether they want to grant or deny the specific permission.

All permissions are granted to the whole tenant and not to a specific application that has requested them. When the tenant administrator grants a specific permission, it is added to the SharePoint Online Client Extensibility Azure AD application, which is provisioned by Microsoft in every Azure AD and which is used by the SharePoint Framework in the OAuth flow to provide solutions with valid access tokens.

NEW QUESTION 16

- (Exam Topic 2)

This question requires that you evaluate the underlined BOLD text to determine if it is correct.

You can use App Studio for Microsoft Teams to develop all the components of a bot application.

Instructions: Review the underlined text. If it makes the statement correct, select "No change is needed". If the statement is incorrect, select the answer choice that makes the statement correct.

- A. No change is needed
- B. configure a Teams tab in an application
- C. develop a SharePoint Framework (SPFx) web part
- D. provision a bot by using the Bot Framework

Answer: B

Explanation:

Tabs provide a place for you to display for rich interactive web content. You can define both personal and team tabs.

There can be only 1 team tab per app, but up to 16 personal tabs per app.

Reference: <https://blog.thoughtstuffs.co.uk/2019/04/what-is-app-studio-in-microsoft-teams-and-why-do-i-care/>

NEW QUESTION 21

- (Exam Topic 2)

You have a SharePoint Framework (SPFx) 1.5 solution.
You need to ensure that the solution can be used as a tab in Microsoft Teams. What should you do first?

- A. Convert the solution to use the Bot Framework
- B. Deploy the solution to a developer site collection
- C. Deploy the solution to the Microsoft AppSource store
- D. Upgrade the solution to the latest version of SPFx

Answer: D

Explanation:

Starting with the SharePoint Framework v1.8, you can implement your Microsoft Teams tabs using SharePoint Framework.

Reference:

<https://docs.microsoft.com/en-us/sharepoint/dev/spfx/web-parts/get-started/using-web-part-as-msteams-tab>

NEW QUESTION 26

- (Exam Topic 2)

Which tool can you use to generate a SharePoint Framework (SPFx) solution?

- A. Eclipse
- B. App Studio
- C. Yacc
- D. Yeoman

Answer: D

Explanation:

Yeoman helps you to kickstart new projects, prescribing best practices and tools to help you stay productive. Using the Yeoman SharePoint generator, developers are able to scaffold new client-side solution projects to build, package, and deploy SharePoint solutions. The generator provides common build tools, boilerplate code, and a common playground website to host web parts for testing. Reference:

<https://docs.microsoft.com/en-us/sharepoint/dev/spfx/toolchain/scaffolding-projects-using-yeomansharepoint-ge>

NEW QUESTION 27

- (Exam Topic 2)

You have a SharePoint Framework (SPFx) web part that displays the weather. Users can set the city within the web part. Which component is invoked to provide the users with the ability to configure the settings for the web part?

- A. a custom control
- B. the property pane
- C. the Application Customizer
- D. a library component

Answer: B

NEW QUESTION 30

- (Exam Topic 2)

You are developing a mobile application that will display the current signed-in user's display name and the application settings. The application settings are stored as Microsoft graph extension of the user profile.

Users of the application have intermittent network connectivity.

You need to retrieve the least amount of data by using a single REST request. The solution must minimize network traffic.

Which URI Should you use to retrieve the data?

[https://graph.microsoft.com/v1.0/me?\\$select=displayName,userType&\\$expand=extensions](https://graph.microsoft.com/v1.0/me?$select=displayName,userType&$expand=extensions)

[https://graph.microsoft.com/v1.0/me?\\$select=displayName,id&\\$expand=extensions](https://graph.microsoft.com/v1.0/me?$select=displayName,id&$expand=extensions)

<https://graph.microsoft.com/v1.0/me>

[https://graph.microsoft.com/v1.0/me?\\$expand=extensions](https://graph.microsoft.com/v1.0/me?$expand=extensions)

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: C

NEW QUESTION 32

- (Exam Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are developing a new application named App1 that uses the Microsoft identity platform to authenticate to Azure Active Directory (Azure AD). Currently, App1 can read user profile information. You need to allow App1 to read the user's calendar.
 Solution: From the Azure portal, add the Microsoft Graph API and the Calendar.Read permission by using the API permission list of App1. Grant tenant admin consent.
 Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Microsoft Graph Calendars.Read allows the app to read events in user calendars.
 For your app to access data in Microsoft Graph, the user or administrator must grant it the correct permissions via a consent process. Application permissions are used by apps that run without a signed-in user present; for example, apps that run as background services or daemons. Application permissions can only be consented by an administrator.
 References: <https://docs.microsoft.com/en-us/azure/active-directory/develop/v2-permissions-and-consent> <https://docs.microsoft.com/en-us/graph/permissions-reference>

NEW QUESTION 35

- (Exam Topic 2)

You plan to create a Microsoft Teams application that uses action-based messaging extensions. For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area	Statements	Yes	No
	A Teams application can have multiple action-based messaging extensions.	<input type="radio"/>	<input type="radio"/>
	Action-based messaging extensions can contain unlimited commands.	<input type="radio"/>	<input type="radio"/>
	Action-based messaging extensions can use the Bot Framework to collect information from users.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A


Explanation:

Answer Area	Statements	Yes	No
	A Teams application can have multiple action-based messaging extensions.	<input type="radio"/>	<input checked="" type="radio"/>
	Action-based messaging extensions can contain unlimited commands.	<input type="radio"/>	<input checked="" type="radio"/>
	Action-based messaging extensions can use the Bot Framework to collect information from users.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 39

- (Exam Topic 2)


You are developing an application that will upload files that are larger than 50 MB to Microsoft OneDrive. You need to recommend an upload solution to ensure that the file upload process can resume if a network error occurs during the upload. Which four actions should you perform in sequence? To answer, move the actions from the list of actions to the answer area and arrange them in the correct order.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 40

- (Exam Topic 2)

You are designing a custom SharePoint Framework (SPFx) web part that will be deployed to modern Microsoft SharePoint sites. You need to ensure that all the web part fields and controls adopt the theme of the site when you deploy the web part.

What should you use to develop the web part?

- A. Material-UI
- B. Office UI Fabric React
- C. HTML 5.0 and CSS
- D. Fluid Framework

Answer: B

Explanation:

Office UI Fabric is Microsoft's official front end framework for building User Interface experiences for Office and Office 365. In simple terms it gives you the look and feel for your component. Moreover, they are open source, mobile responsive and reusable, no need to create from scratch just refer them in your code and start utilizing them.

Microsoft modern SharePoint out of the box webparts are made up these Office UI Fabric framework, so to maintain consistency look and feel as like Office it's better to use these components in our custom SPFx webparts.

Reference:

<http://www.sharepointsamples.com/sharepoint-framework-webpart-with-office-ui-fabric-react-component/>

NEW QUESTION 43

- (Exam Topic 2)

You are developing a single-page application (SPA).

You plan to access user data from Microsoft Graph by using an AJAX call.

You need to obtain an access token by the Microsoft Authentication Library (MSAL). The solution must minimize authentication prompts.

How should you complete the code segment? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

```

var msalApp = new Msal.UserAgentApplication(msalConfig);
...
var loginRequest = {scopes: appConfig.scopes};
msalApp. loginPopup (loginRequest).then(function(loginResponse) {

var tokenRequest = {scopes: appConfig.scopes};
msalApp. acquireTokenSilent (tokenRequest).then(function(tokenResponse) {

updateApplicationUI(tokenResponse);
}).catch(function(error) {

msalApp. acquireTokenSilent (tokenRequest).then(function(tokenResponse) {

updateApplicationUI(tokenResponse);
});

```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: loginPopup

Box 2: acquireTokenSilent

The pattern for acquiring tokens for APIs with MSAL.js is to first attempt a silent token request by using the acquireTokenSilent method. When this method is called, the library first checks the cache in browser storage to see if a valid token exists and returns it. When no valid token is in the cache, it sends a silent token request to Azure Active Directory (Azure AD) from a hidden iframe. This method also allows the library to renew tokens.

Box 3: acquireTokenPopup

//AcquireToken Failure, send an interactive request. Example:

```
userAgentApplication.loginPopup(applicationConfig.graphScopes).then(function(idToken) {
```

//Login Success

```
userAgentApplication.acquireTokenSilent(applicationConfig.graphScopes).then(function(accessToken) {
```

```
//AcquireToken Success updateUI();
```

```
}, function(error) {
```

```
//AcquireToken Failure, send an interactive request. userAgentApplication.acquireTokenPopup(applicationConfig.graphScopes).then(function(accessToken) {
```

```
updateUI();
```

```
}, function(error) { console.log(error);
```

```
});
```

```
});
```

```
}, function(error) { console.log(error);
```

```
});
```

Reference: <https://github.com/AzureAD/microsoft-authentication-library-for-js/issues/339>

NEW QUESTION 47

- (Exam Topic 2)

This question requires that you evaluate the underlined text to determine if it is correct.

Microsoft Visual Studio Code contains samples that you can use to quickly prototype a Microsoft Office Web Add-in for Microsoft Word.

Instructions: Review the underlined text. If it makes the statement correct, select "No change is needed." If the statement is incorrect, select the answer choice that makes the statement correct.

- A. No change is needed.
- B. Microsoft AppSource
- C. The Office UI Fabric
- D. The Script Lab add-in

Answer: D

NEW QUESTION 49

- (Exam Topic 2)

You are developing an application that will track changes to the UserPrincipalName attribute of Microsoft 365 accounts. You need to use a REST request to retrieve the information by using Microsoft Graph. The solution must minimize the amount of data retrieved. What should you do?

- A. Use GET https://graph.microsoft.com/v1.0/users/delta for the first call
- B. Use the state token in subsequent calls.
- C. Use GET https://graph.microsoft.com/v1.0/users/delta?\$select=UserPrincipalName for the first call
- D. Use the state token in subsequent calls.
- E. Use GET https://graph.microsoft.com/v1.0/users\$select=UserPrincipalName for the calls and track the changes.
- F. Use GET https://graph.microsoft.com/v1.0/users for the calls and track the changes.

Answer: B

Explanation:

Use delta query to track changes in a resource collection

The typical call pattern is as follows: application begins by calling a GET request with the delta function on the desired resource.

> Microsoft

> The Graph sends a response containing the requested resource and a state token.

Example: Selecting three properties

The next example shows the initial request selecting three properties for change tracking, with default response behavior.

Note: Delta query enables applications to discover newly created, updated, or deleted entities without performing a full read of the target resource with every request.

Reference: <https://docs.microsoft.com/en-us/graph/api/user-delta>

NEW QUESTION 53

- (Exam Topic 2)

When developing a tab in Microsoft teams, personal, group, and shared tabs can all be implemented as configurable tabs.

Instructions: Review the underlined BOLD text, if it makes the statement correct, select " No change is needed if the statement is incorrect select the answer choice that makes the statement correct.

- A. No change is needed.
- B. Share the same code
- C. Be used in a conversation
- D. Have a configuration panel

Answer: A

NEW QUESTION 56

- (Exam Topic 2)

You are building a new tab as part of a new Microsoft Teams application. Users will experience the tab privately.

How should you complete the application manifest? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Object key to declare the tab: bots
configurableTabs
connectors
staticTabs

Scope of the tab: Groupchat
Personal
Team

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Object key to declare the tab: **bots**
configurableTabs
connectors
staticTabs

Scope of the tab: Groupchat
Personal
Team

NEW QUESTION 61

- (Exam Topic 2)

This question requires that you evaluate the underlined text to determine if it is correct.

Centralized deployments for Microsoft Office Add-ins require Office Online Server.

Instructions: Review the underlined text. If it makes the statement correct, select "No change is needed". If the statement is incorrect, select the answer choice that makes the statement correct.

- A. No change is needed
- B. Azure Active Directory (Azure AD)
- C. Azure AD Connect
- D. an Azure web app

Answer: A

Explanation:

Centralized deployment of add-ins requires that the users are using Office 365 ProPlus (and are signed into Office using their Organizational ID), and have Exchange Online and active Exchange Online mailboxes.

Reference: <https://docs.microsoft.com/en-us/office365/admin/manage/centralized-deployment-of-add-ins>

NEW QUESTION 63

- (Exam Topic 2)

You are developing a Microsoft Teams solution to host an existing webpage as a Teams tab. Which requirement must the page meet?

- A. The page must adhere to HTML 5.0 standards
- B. The page must adhere to WCAG 2.0 accessibility guidelines
- C. The page must be hosted on a domain that is on the validDomains list of the manifest
- D. The page must use CSS3 stylesheets

Answer: C

Explanation:

Make sure that all domains used in your tab pages are listed in the manifest.json validDomains array. Reference: <https://docs.microsoft.com/en-us/microsoftteams/platform/tabs/how-to/create-tab-pages/configuration-page>

NEW QUESTION 68

- (Exam Topic 2)

You are developing a Microsoft Team application. To host a webpage in a Teams tab, the manifest file must include the contentUrl property within the staticTabs property.

Instructions: Review the underline text. If the makes the statement correct, select " No change is needed. " If the statement is incorrect, select the answer choice that makes the statement correct.

- A. No change is needed.
- B. websiteUrl property within the configuragbleTabs property
- C. ValidDomain property within the configuragbleTabs property
- D. ValidDomain property within the statictabs property

Answer: B

NEW QUESTION 72

- (Exam Topic 2)

You are building a Microsoft Outlook add-in.

Which object should you use to save additional information in an email?

- A. CustomProperties
- B. CustomXMLParts
- C. RoamingSettings
- D. localStorage

Answer: B

NEW QUESTION 74

- (Exam Topic 2)

You plan to integrate a web-based support ticketing system and Microsoft Teams.

You need to recommend a solution that will prompt users for specific information before a ticket is created. The solution must minimize development effort.

What should you include in the recommendation?

- A. outgoing webhooks
- B. incoming webhooks
- C. a notification-only bot
- D. a conversational bot

Answer: A

Explanation:

Webhooks are a great way for Teams to integrate with external apps. A webhook is essentially a POST request sent to a callback URL. In Teams, outgoing webhooks provide a simple way to allow users to send messages to your web service without having to go through the full process of creating bots via the Microsoft Bot Framework. Outgoing webhooks post data from Teams to any chosen service capable of accepting a JSON payload. Once an outgoing webhook is added to a team, it acts like bot, listening in channels for messages using @mention, sending notifications to external web services, and responding with rich messages that can include cards and images.

Reference:

<https://docs.microsoft.com/en-us/microsoftteams/platform/webhooks-and-connectors/how-to/add-outgoing-web>

NEW QUESTION 79

- (Exam Topic 2)

You are evaluating the SharePoint Framework (SPFx) ListView Command Set extension. For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Statements	Yes	No
The ListView Command Set extension is a client-side component that runs inside the context of a Microsoft SharePoint page.	<input type="radio"/>	<input type="radio"/>
You can create custom toolbar buttons in lists and libraries by using the ListView Command Set extension.	<input type="radio"/>	<input type="radio"/>
You can create context menu items in lists and libraries by using the ListView Command Set extension.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

Extensions are client-side components that run inside the context of a SharePoint page. Box 2: Yes
 ClientSideExtension.ListViewCommandSet.CommandBar: The top command set menu in a list or library.

Box 3: Yes

ClientSideExtension.ListViewCommandSet.ContextMenu: The context menu of the item(s). Reference:
<https://docs.microsoft.com/en-us/sharepoint/dev/spfx/extensions/get-started/building-simple-cmdset-with-dialog>

NEW QUESTION 80

- (Exam Topic 2)

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Statements	Yes	No
A Microsoft Teams bot receives a notification when a user clicks a conversation to which the bot is deployed.	<input type="radio"/>	<input type="radio"/>
A Microsoft Teams bot receives a notification when the team membership changes for a team of which the bot is a member.	<input type="radio"/>	<input type="radio"/>
A Microsoft Teams bot receives a notification when a user likes a message of the boot.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: No

Box 2: Yes

Partial table lists the events that your bot can receive and take action on.

Type	Payload object	Teams eventType	Description
conversationUpdate	membersAdded	teamMemberAdded	Member added to team
conversationUpdate	membersRemoved	teamMemberRemoved	Member was removed from team

Box 3: Yes

The messageReaction event is sent when a user adds or removes his or her reaction to a message which was originally sent by your bot.

Reference: <https://docs.microsoft.com/en-us/microsoftteams/platform/resources/bot-v3/bots-notifications>

NEW QUESTION 85

- (Exam Topic 2)

You need to retrieve a list of the last 10 files that the current user opened from Microsoft OneDrive. The response must contain only the file ID and the file name. Which URI should you use to retrieve the results? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

<https://graph.microsoft.com/v1.0/me/drive/> ? &\$top=10

children	\$expand=id,name
files	\$select=id,name
recent	\$filter=id,name
root	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

"graph.microsoft.com" "drive" onedrive Box 1: root /root - The root folder for the drive. Box 2: \$select=id,name

To specify a different set of properties to return than the default set provided by the Graph, use the \$select query option. The \$select option allows for choosing a subset or superset of the default set returned. For example, when retrieving your messages, you might want to select that only the from and subject properties of messages are returned.

References: <https://docs.microsoft.com/en-us/onedrive/developer/rest-api/concepts/addressing-driveitems> https://developer.microsoft.com/en-us/graph/docs/overview/query_parameters

NEW QUESTION 89

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual MS-600 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the MS-600 Product From:

<https://www.2passeasy.com/dumps/MS-600/>

Money Back Guarantee

MS-600 Practice Exam Features:

- * MS-600 Questions and Answers Updated Frequently
- * MS-600 Practice Questions Verified by Expert Senior Certified Staff
- * MS-600 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * MS-600 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year