



HP

Exam Questions HPE2-T37

Using HPE OneView

About ExamBible

Your Partner of IT Exam

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

Which statement about M-LAG setup is true?

- A. When combined with IRF, M-LAG will allow you to aggregate ports coming from clustered HPE Synergy Virtual Connect modules.
- B. M-LAG for HPE Synergy can be either single-homed or multi-homed, while for HPE BladeSystem only single-homed.
- C. sFLOW cannot be enabled if M-LAG is configured between HPE Synergy Virtual Connect modules in the same frame.
- D. M-LAG has to be defined manually for HPE BladeSystem, but it is automatically configured for HPE Synergy.

Answer: A

NEW QUESTION 2

Which statement about logical JBODs configured using KPE OneView and D3940 Storage Modules is true?

- A. A logical JBOD lifecycle can be associated with a server profile lifecycle and drives can be securely erased.
- B. A logical JBOD cannot be created during server profile creation and must be prepared in advance
- C. Different types of the drives can be used within a logical JBOD as long as they have the same capacity
- D. Logical JBOD functionality must be enabled on the Enclosure Group level by a storage administrator

Answer: B

NEW QUESTION 3


You try to add a new connection within a server profile, but an operation fails when you try to commit the changes. What is a possible reason?

- A. You tried to add additional connection above the limit
- B. The server is powered on
- C. The server does not have an HPE OneView license applied
- D. The server is powered off

Answer: B

NEW QUESTION 4

Refer to the exhibit.



A customer complains that firmware compliance is empty. The customer confirmed that Synergy Service Pack is uploaded to the HPE OneView repository. How should you respond?

- A. The refresh procedure must be performed on each logical enclosure to refresh firmware.
- B. All of the components are up to date and compliant with firmware baseline.
- C. The firmware repository service must be restarted using maintenance connection.
- D. The firmware repository is not defined within firmware compliance report.

Answer: C

NEW QUESTION 5

Which statement about a Logical Enclosure for HPE BladeSystem is true?

- A. A logical enclosure can have between 1 to 5 HPE BladeSystem c7000 enclosures.
- B. A logical enclosure must be created only for monitored HPE BladeSystem C7000 enclosures.
- C. A logical enclosure is created automatically, and it is always based on a single enclosure.
- D. A logical enclosure can contain a mix of HPE BladeSystem c7000 and C3000 enclosures.

Answer: C

NEW QUESTION 6

For HPE Primera, match each task with the management tool that can be used to perform it.

The screenshot shows the HPE OneView interface. On the left, there are two tabs: 'HPE OneView' and 'HPE StoreServ Management Console'. The main area is divided into three columns: 'Answer Area', 'Tool', and 'Task'. The 'Tool' column contains four empty rectangular boxes. The 'Task' column lists four tasks: 'Replication configuration', 'Volume to host presentation', 'Automated zoning with SAN Manager', and 'Adding new storage pool'.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, application Description automatically generated

NEW QUESTION 7

A customer has to deploy 21 HPE Synergy Compute Modules in a boot from SAN setup. How this task can be simplified while keeping the profile consistent?

- A. Boot volumes can be created on demand and defined in the server profile template.
- B. Boot volumes can be prepared in advance and later presented as shared volumes to the Compute Modules.
- C. An existing volume can be replicated automatically when creating a server profile.
- D. single SAN volume can be created and utilized by all HPE Synergy Compute Modules.

Answer: A

NEW QUESTION 8

Within HPE OneView you can configure SNMPv1 read community string. What is the purpose of this feature?

- A. This is an SNMP community string that will be used when traps are forwarded to a WBEM Provider
- B. This is an SNMP community string that will be used when traps are forwarded to other SNMP applications
- C. This is an SNMP community string that will be used to receive a trap's SNMP Agent
- D. This is an SNMP community string that will be used to receive traps from HPE Onboard Administrators

Answer: C

NEW QUESTION 9

You want a server profile to be automatically applied when an HPE Synergy Compute Module is replaced. Click the appropriate configuration option.

The screenshot shows the 'General' configuration page for a server profile. The 'Name' field is 'ESXi-ClusterNode1'. The 'Description' field is empty. The 'Server profile template' is set to 'None'. The 'Server hardware' is 'CZ204400XB, bay 1'. There is a checkbox for 'Show empty bays' which is unchecked. Below it, a note says 'Server hardware power is on. Some server profile updates require the server to be powered off. Power off the server. Learn more.' The 'Server hardware type' is 'SY 480 Gen10 1' with a 'Change' link. The 'Enclosure group' is 'EG' with a 'Change' link. The 'Affinity' is set to 'Device bay + server hardware'.

OS Deployment

To define OS deployment settings, add a OneView Deployment Manager type OS deployment server. [Add OS deployment server](#)

Firmware

The screenshot shows the 'Connections' configuration page. The 'Firmware baseline' is set to 'managed manually'. Below is a table of connections:

ID	Name	Network	Port	Boot
1	#1	Eth_1 Untagged	Mezzanine 3:1-a	Not bootable
	Type	Ethernet		
	MAC address	94:40:C9:6C:24:24 (ii)		
	Requested virtual functions	None		
	Requested bandwidth	2.5 Gb/s		
	Link Aggregation group	None		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 10

What is the best practice when deploying an HPE OneView appliance?

- A. Enable VMware Fault Tolerance if the appliance is deployed to a VMware hypervisor.
- B. deploy the appliance in a hypervisor cluster that is not managed by OneView.
- C. Use thin-provisioning for the HPE OneView appliance to save storage capacity.
- D. Deploy two HPE OneView appliances and configure them in HA mode.

Answer: B

NEW QUESTION 10

Which statement about RoCE network restrictions is true?

- A. RoCE networks require Virtual Connect SE 32Gb FC Modules.
- B. RoCE networks cannot be configured when Virtual Connect modules are used.
- C. RoCE networks are supported only when PVLANs are enabled.
- D. RoCE networks are not supported with HPE BladeSystem

Answer: D

NEW QUESTION 11

Your customer is considering HPE Synergy as a hardware platform for visualization workload. The customer environment is very dynamic, and they often have to modify hypervisor networking.

Which resource provided by HPE should you discuss with this customer?

- A. HPE OneView Global Dashboard allows server profile replication and change management.
- B. PowerShell Library for HPE OneView allows scripted environment modification.
- C. HPE OneView for VMware vCenter Server will enable host profile functionality and simplify changes.
- D. HPE Image Streamer provides templates which can be updated to map the hypervisor requirements

Answer: C

NEW QUESTION 12

Your customer asks you if it is possible to perform HPE Synergy initial setup remotely. How should you respond?

- A. Remote HPE Synergy setup is possible if HPE Composer 2 is used and a DHCP server is available in the management network.
- B. Remote HPE Synergy Installation can be done only if an additional set of the services was purchased together with hardware platform.
- C. HPE Synergy cannot be deployed remotely, as Initial setup must be performed using a local console connection.
- D. HPE Synergy can be configured remotely through a secure connection to the FLM if this option was enabled in the factory.

Answer: D

Explanation:

HPE Synergy 4-port Frame Link Modules have SFP+ ports which enable connections to distant frames and remote subnets.

NEW QUESTION 15

Your customer wants to manage their HPE Superdome Flex using HPE OneView. Which component must be added to HPE OneView to accomplish this task?

- A. Baseboard Management Controller (BMC)
- B. Rack Management Controller (RMC)
- C. all nPARs created within the complex
- D. only the base chassis from the complex

Answer: A

NEW QUESTION 20

A customer wants to estimate the cost of the licenses required to manage HPE Synergy and some external components. When component includes an HPE OneView license for management?

- A. Compute Module
- B. Storage Array
- C. Master Module
- D. Logical Enclosure

Answer: A

NEW QUESTION 21

Which types of support dump can be created using HPE OneView? (Select two.)

- A. Enclosure group support dump
- B. Appliance support dump
- C. Firmware deployment support dump
- D. Logical enclosure support dump

E. Maintenance console support dump

Answer: BD

NEW QUESTION 22

You are deploying HPE OneView to manage a customer's HPE ProLiant servers. Is this statement about appliance availability true?

- A. HA features for HPE OneView are enabled only if the appliance is deployed on an HPE SimpliVity cluster
- B. HPE OneView has a built-in HA feature that can be activated with an additional license
- C. HPE OneView availability relies on HA features provided by the hypervisor
- D. During hpe oneView deployment customer may select configure proprietary HA mode.

Answer: C

NEW QUESTION 24


Your customer built a server profile for HPE Synergy Gen 10 server and configured boot mode to Legacy BIOS. Which feature is not available for this Compute Module?

- A. BIOS management
- B. Workload profile
- C. Boot from SAN
- D. Secure boot

Answer: C

NEW QUESTION 29

Refer to the exhibit.




Your customer wants to define a Logical Interconnect Group (UG) and set the redundancy of the master modules to highly available, but this option is not available. What is a possible reason?

- A. There are not sufficient frames for highly available setup.
- B. Some master modules only support a redundant setup.
- C. Firmware on the master modules is too low to support highly available setup.
- D. A dedicated license must be added to HPE OneView to enable this feature.

Answer: B

NEW QUESTION 30

Which statement about the volume template is true?



- A. Users will be able to change sharing type and volume capacity
- B. A volume created using this template will not support deduplication
- C. A volume created using this template will not support snapshots
- D. Users will be able to select storage pool during volume creation

Answer: A

NEW QUESTION 33

Which statement about access to HPE Onboard Administrator is true when an HPE BladeSystem enclosure is added to HPE OneView?

- A. It is blocked when an HPE BladeSystem enclosure is managed using HPE OneView.
- B. It is enabled only when an HPE BladeSystem enclosure is monitored using HPE OneView.
- C. It is enabled when an HPE BladeSystem is either managed or monitored using HPE OneView.
- D. It is blocked when HPE BladeSystem enclosure is monitored using HPE OneView.

Answer: B

NEW QUESTION 35

You plan to update HPE OneView to the latest version. What should you do before starting HPE OneView update?

- A. Disable HPE Remote Support at the HPE OneView appliance level
- B. Put all servers managed through HPE OneView to maintenance state
- C. Run the Update Readiness checker tool to evaluate HPE OneView health status
- D. Create a support dump for the appliance and for all managed logical interconnects

Answer: C

NEW QUESTION 36


You have created volumes using array management tools and imported the volumes to HPE OneView. Which statement about these volumes is true?

- A. Imported volumes are treated as private volumes and can be only used as boot volumes
- B. Volumes imported to HPE OneView is managed just like a volume created using HPE OneView
- C. Volumes imported to HPE OneView cannot be removed using the HPE OneView interface
- D. A snapshot for imported volumes can be created only by using array management tools

Answer: A

NEW QUESTION 40

Click the option that will prevent the appliance from sending any email notifications or forwarding any SNMP traps that are related to the server hardware.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, application Description automatically generated

NEW QUESTION 44

What step must be taken to add an HPE SuperDome Flex to an existing OneView environment

- A. A Rack Management Controller must be added to HPE OneView.
- B. HPE Superdome Flex can be added to HPE OneView after at least one nPAR is created.
- C. Each HPE Superdome Flex chassis must be added Individually using BMC IP.
- D. HPE Superdome Flex complex can be added by adding base chassis of this complex.

Answer: A

NEW QUESTION 48

You configured downlink aggregation for one of the HPE Synergy Compute Modules in an environment by placing two connections in the same Link Aggregation Group. After you made the changes to the server profile, its status changed to critical. What can be done to fix this issue?

- A. The teaming or bonding driver in the server OS must be configured to enable the LACP and to form the LAG correctly.
- B. The server profile for a given HPE Synergy compute module should be reapplied, then the Compute Module should be rebooted.
- C. Link Aggregation Group functionality should be enabled in advanced properties of the Logical Interconnect.
- D. Ensure that the Link Aggregation Group time-out value matches the server set values.

Answer: C

NEW QUESTION 49

Which operation can be performed using HPE OneView for VMware vCenter Server?

- A. Remove a new node from an existing cluster
- B. Create a new VMware cluster within vCenter Server
- C. Configure VMware cluster properties for HA and DRS
- D. Create a new distributed switch for cluster connectivity

Answer: A

NEW QUESTION 50

Which statement about server hardware types is true?

- A. Once selected in the server profile, the server hardware type cannot be changed, and a server profile can be moved only between the same type of servers
- B. Server hardware type can be defined only for HPE Synergy and HPE BladeSystem, but it cannot be defined for HPE ProLiant or Apollo systems
- C. Administrator has to manually define the server hardware type for any unique server architecture and mezzanine card combination
- D. The server hardware type is automatically created when a server with unique architecture and mezzanine card configuration is added to HPE OneView

Answer: A

NEW QUESTION 55

Your customer has an environment with five HPE Synergy Composers and 15 HPE OneView appliances managing servers that run VMware. The customer is having a hard time managing their servers.

What can the customer do to simplify management of this complex environment?

- A. deploy HPE OneView for VMware vCenter Server
- B. deploy HPE OneView Global Dashboard
- C. use an Ansible playbook
- D. integrate all HPE OneView appliances and HPE Composers with Active Directory

Answer: A

NEW QUESTION 57

.....

Relate Links

100% Pass Your HPE2-T37 Exam with ExamBible Prep Materials

<https://www.exambible.com/HPE2-T37-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>