

Salesforce

Exam Questions Identity-and-Access-Management-Designer

Salesforce Certified Identity and Access Management Designer (SP19)



NEW QUESTION 1

Universal Containers (UC) is both a Salesforce and Google Apps customer. The UC IT team would like to manage the users for both systems in a single place to reduce administrative burden. Which two optimal ways can the IT team provision users and allow Single Sign-on between Salesforce and Google Apps ? Choose 2 answers

- A. Build a custom app running on Heroku as the Identity Provider that can sync user information between Salesforce and Google Apps.
- B. Use a third-party product as the Identity Provider for both Salesforce and Google Apps and manage the provisioning from there.
- C. Use Identity Connect as the Identity Provider for both Salesforce and Google Apps and manage the provisioning from there.
- D. Use Salesforce as the Identity Provider and Google Apps as a Service Provider and configure User Provisioning for Connected Apps.

Answer: BD

NEW QUESTION 2

Universal containers wants salesforce inbound Oauth-enabled integration clients to use SAML-BASED single Sign-on for authentication. What Oauth flow would be recommended in this scenario?

- A. User-Agent Oauth flow
- B. SAML assertion Oauth flow
- C. User-Token Oauth flow
- D. Web server Oauth flow

Answer: B

NEW QUESTION 3

Universal Containers (UC) has a desktop application to collect leads for marketing campaigns. UC wants to extend this application to integrate with Salesforce to create leads. Integration between the desktop application and Salesforce should be seamless. What Authorization flow should the Architect recommend?

- A. JWT Bearer Token Flow
- B. Web Server Authentication Flow
- C. User Agent Flow
- D. Username and Password Flow

Answer: C

NEW QUESTION 4

Universal Containers (UC) wants to build a few applications that leverage the Salesforce REST API. UC has asked its Architect to describe how the API calls will be authenticated to a specific user. Which two mechanisms can the Architect provide? Choose 2 Answers

- A. Authentication Token
- B. Session ID
- C. Refresh Token
- D. Access Token

Answer: CD

NEW QUESTION 5

A leading fitness tracker company is getting ready to launch a customer community. The company wants its customers to login to the community and connect their fitness device to their profile. Customers should be able to obtain exercise details and fitness recommendation In the community. Which should be used to satisfy this requirement?

- A. Named Credentials
- B. Login Flows
- C. OAuth Device Plow
- D. Single Sign-On Settings

Answer: C

NEW QUESTION 6

Universal containers (UC) wants to implement Delegated Authentication for a certain subset of Salesforce users. Which three items should UC take into consideration while building the Web service to handle the Delegated Authentication request? Choose 3 answers

- A. The web service needs to include Source IP as a method parameter.
- B. UC should whitelist all salesforce ip ranges on their corporate firewall.
- C. The web service can be written using either the soap or rest protocol.
- D. Delegated Authentication is enabled for the system administrator profile.
- E. The return type of the Web service method should be a Boolean value

Answer: ABE

NEW QUESTION 7

Universal Containers (UC) wants its users to access Salesforce and other SSO-enabled applications from a custom web page that UC magnets. UC wants its users to use the same set of credentials to access each of the applications. what SAML SSO flow should an Architect recommend for UC?

- A. SP-Initiated with Deep Linking
- B. SP-Initiated

- C. IdP-Initiated
- D. User-Agent

Answer: C

NEW QUESTION 8

Northern Trail Outfitters is implementing a business-to-business (B2B) collaboration site using Salesforce Experience Cloud. The partners will authenticate with an existing identity provider and the solution will utilize Security Assertion Markup Language (SAML) to provide single sign-on to Salesforce. Delegated administration will be used in the Experience Cloud site to allow the partners to administer their users' access.

How should a partner identity be provisioned in Salesforce for this solution?

- A. Create only a contact.
- B. Create a contactless user.
- C. Create a user and a related contact.
- D. Create a person account.

Answer: C

NEW QUESTION 9

An architect needs to advise the team that manages the identity provider how to differentiate Salesforce from other service providers. What SAML SSO setting in Salesforce provides this capability?

- A. Entity ID
- B. Issuer
- C. Identity provider login URL
- D. SAML identity location

Answer: A

NEW QUESTION 10

Universal Containers (UC) wants to integrate a third-party Reward Calculation system with Salesforce to calculate Rewards. Rewards will be calculated on a schedule basis and update back into Salesforce. The integration between Salesforce and the Reward Calculation System needs to be secure. Which are two recommended practices for using OAuth flow in this scenario. Choose 2 answers

- A. OAuth Refresh Token Flow
- B. OAuth Username-Password Flow
- C. OAuth SAML Bearer Assertion Flow
- D. OAuth JWT Bearer Token Flow

Answer: CD

NEW QUESTION 10

Universal Containers (UC) would like to enable self-registration for their Salesforce partner community users. UC wants to capture some custom data elements from the partner user, and based on these data elements, wants to assign the appropriate profile and account values. Which two actions should the architect recommend to UC? Choose 2 answers

- A. Modify the communitiesSelfRegController to assign the profile and account.
- B. Modify the selfRegistration trigger to assign profile and account.
- C. Configure registration for communities to use a custom Visualforce page.
- D. Configure registration for communities to use a custom Apex controller.

Answer: AC

NEW QUESTION 13

Universal Containers (UC) implemented SSO to a third-party system for their Salesforce users to access the App Launcher. UC enabled "User Provisioning" on the Connected App so that changes to user accounts can be synced between Salesforce and the third-party system. However, UC quickly notices that changes to user roles in Salesforce are not getting synced to the third-party system. What is the most likely reason for this behaviour?

- A. User Provisioning for Connected Apps does not support role sync.
- B. Required operation(s) was not mapped in User Provisioning Settings.
- C. The Approval queue for User Provisioning Requests is unmonitored.
- D. Salesforce roles have more than three levels in the role hierarchy.

Answer: A

NEW QUESTION 15

Universal Containers (UC) is building a mobile application that will make calls to the Salesforce REST API. Additionally UC would like to provide the optimal experience for its mobile users. Which two OAuth scopes should UC configure in the connected App? Choose 2 answers

- A. Refresh token
- B. API
- C. full
- D. Web

Answer: AB

NEW QUESTION 20

Ttie executive sponsor for an organization has asked if Salesforce supports the ability to embed a login widget into its service providers in order to create a more seamless user experience.

What should be used and considered before recommending it as a solution on the Salesforce Platform?

- A. OpenID Connect Web Server Flo
- B. Determine if the service provider is secure enough to store the client secret on.
- C. Embedded Logi
- D. Identify what level of UI customization will be required to make it match the service providers look and feel.
- E. Salesforce REST api
- F. Ensure that Secure Sockets Layer (SSL) connection for the integration is used.
- G. Embedded Logi
- H. Consider whether or not it relies on third party cookies which can cause browser compatibility issues.

Answer: C

NEW QUESTION 24

Universal containers wants to set up SSO for a selected group of users to access external applications from salesforce through App launcher. Which three steps must be completed in salesforce to accomplish the goal?

- A. Associate user profiles with the connected Apps.
- B. Complete my domain and Identity provider setup.
- C. Create connected apps for the external applications.
- D. Complete single Sign-on settings in security controls.
- E. Create named credentials for each external system.

Answer: ABC

NEW QUESTION 26

In a typical SSL setup involving a trusted party and trusting party, what consideration should an Architect take into account when using digital certificates?

- A. Use of self-signed certificate leads to lower maintenance for trusted party because multiple self-signed certs need to be maintained.
- B. Use of self-signed certificate leads to higher maintenance for trusted party because they have to act as the trusted CA
- C. Use of self-signed certificate leads to lower maintenance for trusting party because there is no trusted CA cert to maintain.
- D. Use of self-signed certificate leads to higher maintenance for trusting party because the cert needs to be added to their truststore.

Answer: C

NEW QUESTION 29

A group of users try to access one of universal containers connected apps and receive the following error message : "Failed : Not approved for access". what is most likely to cause of the issue?

- A. The use of high assurance sections are required for the connected App.
- B. The users do not have the correct permission set assigned to them.
- C. The connected App setting "All users may self-authorize" is enabled.
- D. The salesforce administrators gave revoked the Oauth authorization.

Answer: B

NEW QUESTION 31

Which three types of attacks would a 2-Factor Authentication solution help garden against?

- A. Key logging attacks
- B. Network perimeter attacks
- C. Phishing attacks
- D. Dictionary attacks
- E. Man-in-the-middle attacks

Answer: ABD

NEW QUESTION 32

Universal Containers (UC) has decided to use Salesforce as an Identity Provider for multiple external applications. UC wants to use the salesforce App Launcher to control the Apps that are available to individual users. Which three steps are required to make this happen?

- A. Add each connected App to the App Launcher with a Start URL.
- B. Set up an Auth Provider for each External Application.
- C. Set up Salesforce as a SAML Idp with My Domain.
- D. Set up Identity Connect to Synchronize user data.
- E. Create a Connected App for each external application.

Answer: ACE

NEW QUESTION 35

What item should an Architect consider when designing a Delegated Authentication implementation?

- A. The Web service should be secured with TLS using Salesforce trusted certificates.
- B. The Web service should be able to accept one to four input method parameters.

- C. The web service should use the Salesforce Federation ID to identify the user.
- D. The Web service should implement a custom password decryption method.

Answer: A

NEW QUESTION 37


Universal containers (UC) is setting up their customer Community self-registration process. They are uncomfortable with the idea of assigning new users to a default account record. What will happen when customers self-register in the community?

- A. The self-registration process will produce an error to the user.
- B. The self-registration page will ask user to select an account.
- C. The self-registration process will create a person Account record.
- D. The self-registration page will create a new account record.

Answer: A

NEW QUESTION 39

A multinational company is looking to rollout Salesforce globally. The company has a Microsoft Active Directory Federation Services (ADFS) implementation for the Americas, Europe and APAC. The company plans to have a single org and they would like to have all of its users access Salesforce using the ADFS . The company would like to limit its investments and prefer not to procure additional applications to satisfy the requirements.



What is recommended to ensure these requirements are met ?

- A. Use connected apps for each ADFS implementation and implement Salesforce site to authenticate users across the ADFS system applicable to their geo.
- B. Implement Identity Connect to provide single sign-on to Salesforce and federated across multiple ADFS systems.
- C. Add a central identity system that federates between the ADFS systems and integrate with Salesforce for single sign-on.
- D. Configure Each ADFS system under single sign-on settings and allow users to choose the system to authenticate during sign on to Salesforce

Answer: B

NEW QUESTION 44

Under which scenario Web Server flow will be used?

- A. Used for web applications when server-side code needs to interact with APIS.
- B. Used for server-side components when page needs to be rendered.
- C. Used for mobile applications and testing legacy Integrations.
- D. Used for verifying Access protected resources.

Answer: A

NEW QUESTION 49

Universal Containers (UC) is implementing Salesforce and would like to establish SAML SSO for its users to log in. UC stores its corporate user identities in a Custom Database. The UC IT Manager has heard good things about Salesforce Identity Connect as an Idp, and would like to understand what limitations they may face if they decided to use Identity Connect in their current environment. What limitation Should an Architect inform the IT Manager about?

- A. Identity Connect will not support user provisioning in UC's current environment.
- B. Identity Connect will only support Idp-initiated SAML flows in UC's current environment.
- C. Identity Connect will only support SP-initiated SAML flows in UC's current environment.
- D. Identity connect is not compatible with UC's current identity environment.

Answer: A

NEW QUESTION 52

Universal Containers (UC) is building a customer community and will allow customers to authenticate using Facebook credentials. The first time the user authenticates using Facebook, UC would like a customer account created automatically in their Accounting system. The accounting system has a web service accessible to Salesforce for the creation of accounts. How can the Architect meet these requirements?

- A. Create a custom application on Heroku that manages the sign-on process from Facebook.
- B. Use JIT Provisioning to automatically create the account in the accounting system.
- C. Add an Apex callout in the registration handler of the authorization provider.
- D. Use OAuth JWT flow to pass the data from Salesforce to the Accounting System.

Answer: C

NEW QUESTION 56

In an SP-Initiated SAML SSO setup where the user tries to access a resource on the Service Provider, What HTTP param should be used when submitting a SAML Request to the IdP to ensure the user is returned to the intended resource after authentication?

- A. RedirectURL
- B. RelayState
- C. DisplayState
- D. StartURL

Answer: B

NEW QUESTION 60

Universal Containers (UC) has implemented SSO according to the diagram below. uses SAML while Salesforce Org 1 uses OAuth 2.0. Users usually start their day by first attempting to log into Salesforce Org 2 and then later in the day, they will log into either the Financial System or CPQ system depending upon their job position. Which two systems are acting as Identity Providers?

- A. Financial System
- B. Pingfederate
- C. Salesforce Org 2
- D. Salesforce Org 1

Answer: BD

NEW QUESTION 62

Universal Containers wants to allow its customers to log in to its Experience Cloud via a third party authentication provider that supports only the OAuth protocol. What should an identity architect do to fulfill this requirement?

- A. Contact Salesforce Support and enable delegate single sign-on.
- B. Create a custom external authentication provider.
- C. Use certificate-based authentication.
- D. Configure OpenID Connect authentication provider.

Answer: B

NEW QUESTION 67

Universal Containers (UC) has a mobile application that it wants to deploy to all of its Salesforce users, including customer Community users. UC would like to minimize the administration overhead, which two items should an architect recommend? Choose 2 answers

- A. Enable the "Refresh Tokens is valid until revoked" setting in the Connected App.
- B. Enable the "Enforce IP restrictions" settings in the connected App.
- C. Enable the "All users may self-authorize" setting in the Connected App.
- D. Enable the "High Assurance session required" setting in the Connected App.

Answer: AC

NEW QUESTION 70

A large consumer company is planning to create a community and will require login through the customer's social identity. The following requirements must be met:

- * 1. The customer should be able to login with any of their social identities, however Salesforce should only have one user per customer.
- * 2. Once the customer has been identified with a social identity, they should not be required to authorize Salesforce.
- * 3. The customer's personal details from the social sign-on need to be captured when the customer logs into Salesforce using their social identity.
- * 3. If the customer modifies their personal details in the social site, the changes should be updated in Salesforce.

Which two options allow the Identity Architect to fulfill the requirements? Choose 2 answers

- A. Use Login Flows to call an authentication registration handler to provision the user before logging the user into the community.
- B. Use authentication providers for social sign-on and use the custom registration handler to insert or update personal details.
- C. Redirect the user to a custom page that allows the user to select an existing social identity for login.
- D. Use the custom registration handler to link social identities to Salesforce identities.

Answer: BD

NEW QUESTION 75

Universal Containers (UC) wants to build a custom mobile app for their field reps to create orders in Salesforce. After the first time the users log in, they must be able to access Salesforce upon opening the mobile app without being prompted to log in again. What OAuth flows should be considered to support this requirement?

- A. Web Server flow with a Refresh Token.
- B. Mobile Agent flow with a Bearer Token.
- C. User Agent flow with a Refresh Token.
- D. SAML Assertion flow with a Bearer Token.

Answer: C

NEW QUESTION 78

Universal Containers (UC) has a Customer Community that uses Facebook for of authentication. UC would like to ensure that changes in the Facebook profile are reflected on the appropriate Customer Community user. How can this requirement be met?

- A. Use SAML Just-In-Time Provisioning between Facebook and Salesforce.
- B. Use information in the Signed Request that is received from Facebook.
- C. Develop a scheduled job that calls out to Facebook on a nightly basis.
- D. Use the updateUser() method on the Registration Handler class.

Answer: D

NEW QUESTION 81

Containers (UC) uses an internal system for recruiting and would like to have the candidates' info available in the Salesforce automatically when they are selected. UC decides to use OAuth to connect to Salesforce from the recruiting system and would like to do the authentication using digital certificates. Which two OAuth flows should be considered to meet the requirement? Choose 2 answers

- A. JWT Bearer Token flow
- B. Refresh Token flow
- C. SAML Bearer Assertion flow
- D. Web Service flow

Answer: AC

NEW QUESTION 85

The security team at Universal containers(UC) has identified exporting reports as a high-risk action and would like to require users to be logged into salesforce with their active directory (AD) credentials when doing so. For all other uses of Salesforce, Users should be allowed to use AD credentials or salesforce credentials. What solution should be recommended to prevent exporting reports except when logged in using AD credentials while maintaining the ability to view reports when logged in with salesforce credentials?

- A. Use SAML Federated Authentication and Custom SAML jit provisioning to dynamically add or remove a permission set that grants the Export Reports permission.
- B. Use SAML Federated Authentication, treat SAML sessions as high assurance, and raise the session level required for exporting reports.
- C. Use SAML Federated Authentication and block access to reports when accesses through a standard assurance session.
- D. Use SAML Federated Authentication with a login flow to dynamically add or remove a permission set that grants the export reports permission.

Answer: C

NEW QUESTION 86

Universal Containers has multiple Salesforce instances where users receive emails from different instances. Users should be logged into the correct Salesforce instance authenticated by their IdP when clicking on an email link to a Salesforce record. What should be enabled in Salesforce as a prerequisite?

- A. My Domain
- B. External Identity
- C. Identity Provider
- D. Multi-Factor Authentication

Answer: A

NEW QUESTION 91

Universal containers (UC) is concerned that having a self-registration page will provide a means for "bots" or unintended audiences to create user records, thereby consuming licences and adding dirty data. Which two actions should UC take to prevent unauthorised form submissions during the self-registration process? Choose 2 answers

- A. Use open-ended security questions and complex password requirements
- B. Primarily use lookup and picklist fields on the self registration page.
- C. Require a captcha at the end of the self-registration process.
- D. Use hidden fields populated via java script events in the self-registration page.

Answer: CD

NEW QUESTION 95

A division of a Northern Trail Outfitters (NTO) purchased Salesforce. NTO uses a third party identity provider (IdP) to validate user credentials against Its corporate Lightweight Directory Access Protocol (LDAP) directory. NTO wants to help employees remember as passwords as possible. What should an identity architect recommend?

- A. Setup Salesforce as a Service Provider to the existing IdP.
- B. Setup Salesforce as an IdP to authenticate against the LDAP directory.
- C. Use Salesforce connect to synchronize LDAP passwords to Salesforce.
- D. Setup Salesforce as an Authentication Provider to the existing IdP.

Answer: A

NEW QUESTION 98

Universal Containers (UC) has a classified information system that its call center team uses only when they are working on a case with a record type "Classified". They are only allowed to access the system when they own an open "Classified" case, and their access to the system is removed at all other times. They would like to implement SAML SSO with Salesforce as the IdP, and automatically allow or deny the staff's access to the classified information system based on whether they currently own an open "Classified" case record when they try to access the system using SSO. What is the recommended solution for automatically allowing or denying the access to the classified information system based on the open "classified" case record criteria?

- A. Use Salesforce reports to identify users that currently owns open "Classified" cases and should be granted access to the Classified information system.
- B. Use Apex trigger on case to dynamically assign permission Sets that Grant access when an user is assigned with an open "Classified" case, and remove it when the case is closed.
- C. Use Custom SAML JIT Provisioning to dynamically query the user's open "Classified" cases when attempting to access the classified information system.
- D. Use a Common Connected App Handler using Apex to dynamically allow access to the system based on whether the staff owns any open "Classified" Cases.

Answer: D

NEW QUESTION 103

Universal Containers (UC) wants its closed Won opportunities to be synced to a Data Warehouse in near real time. UC has implemented Outbound Message to enable near real-time data sync. UC wants to ensure that communication between Salesforce and Target System is Secure. What Certificate is sent along with the Outbound Message?

- A. The CA-Signed Certificate from the Certificate and Key Management menu.
- B. The default Client Certificate from the Develop--> API Menu.
- C. The default Client Certificate or a Certificate from Certificate and Key Management menu.
- D. The Self-Signed Certificates from the Certificate & Key Management menu.

Answer: B

NEW QUESTION 108

Universal Containers (UC) wants to use Salesforce for sales orders and a legacy of system for order fulfillment. The legacy system must update the status of orders in 65* Salesforce in real time as they are fulfilled. UC decides to use OAuth for connecting the legacy system to Salesforce. What OAuth flow should be considered that doesn't require storing credentials, client secret or refresh tokens?

- A. Web Server flow
- B. JWT Bearer Token flow
- C. Username-Password flow
- D. User Agent flow

Answer: B

NEW QUESTION 112

Universal Containers (UC) has an existing Salesforce org configured for SP-Initiated SAML SSO with their IdP. A second Salesforce org is being introduced into the environment and the IT team would like to ensure they can use the same IdP for new org. What action should the IT team take while implementing the second org?

- A. Use the same SAML Identity location as the first org.
- B. Use a different Entity ID than the first org.
- C. Use the same request bindings as the first org.
- D. Use the Salesforce Username as the SAML Identity Type.

Answer: B

NEW QUESTION 115

How should an Architect automatically redirect users to the login page of the external Identity provider when using an SP-Initiated SAML flow with Salesforce as a Service Provider?

- A. Use visualforce as the landing page for My Domain to redirect users to the Identity Provider login Page.
- B. Enable the Redirect to the Identity Provider setting under Authentication Services on the My domain Configuration.
- C. Remove the Login page from the list of Authentication Services on the My Domain configuration.
- D. Set the Identity Provider as default and enable the Redirect to the Identity Provider setting on the SAML Configuration.

Answer: C

NEW QUESTION 120

A web service is developed that allows secure access to customer order status on the Salesforce Platform, The service connects to Salesforce through a connected app with the web server flow. The following are the required actions for the authorization flow:

- * 1. User Authenticates and Authorizes Access
 - * 2. Request an Access Token
 - * 3. Salesforce Grants an Access Token
 - * 4. Request an Authorization Code
 - * 5. Salesforce Grants Authorization Code
- What is the correct sequence for the authorization flow?

- A. 1, 4, 5, 2, 3
- B. 4, 1, 5, 2, 3
- C. 2, 1, 3, 4, 5

D. 4,5,2, 3, 1

Answer: D

NEW QUESTION 121

Which two considerations should be made when implementing Delegated Authentication? Choose 2 answers

- A. The authentication web service can include custom attributes.
- B. It can be used to authenticate API clients and mobile apps.
- C. It requires trusted IP ranges at the User Profile level.
- D. Salesforce servers receive but do not validate a user's credentials.
- E. Just-in-time Provisioning can be configured for new users.

Answer: BE

NEW QUESTION 125

architect is troubleshooting some SAML-based SSO errors during testing. The Architect confirmed that all of the Salesforce SSO settings are correct. Which two issues outside of the Salesforce SSO settings are most likely contributing to the SSO errors the Architect is encountering? Choose 2 Answers

- A. The Identity Provider is also used to SSO into five other applications.
- B. The clock on the Identity Provider server is twenty minutes behind Salesforce.
- C. The Issuer Certificate from the Identity Provider expired two weeks ago.
- D. The default language for the Identity Provider and Salesforce are Different.

Answer: BC

NEW QUESTION 130

Universal Containers (UC) wants to integrate a Web application with salesforce. The UC team has implemented the Oauth web-server Authentication flow for authentication process. Which two considerations should an architect point out to UC? Choose 2 answers

- A. The web application should be hosted on a secure server.
- B. The web server must be able to protect consumer privacy
- C. The flow involves passing the user credentials back and forth.
- D. The flow will not provide an Oauth refresh token back to the server.

Answer: AB

NEW QUESTION 134

Universal Containers (UC) has five Salesforce orgs (UC1, UC2, UC3, UC4, UC5). of Every user that is in UC2, UC3, UC4, and UC5 is also in UC1, however not all users 65* have access to every org. Universal Containers would like to simplify the authentication process such that all Salesforce users need to remember one set of credentials. UC would like to achieve this with the least impact to cost and maintenance. What approach should an Architect recommend to UC?

- A. Purchase a third-party Identity Provider for all five Salesforce orgs to use and set up JIT user provisioning on all other orgs.
- B. Purchase a third-party Identity Provider for all five Salesforce orgs to use, but don't set up JIT user provisioning for other orgs.
- C. Configure UC1 as the Identity Provider to the other four Salesforce orgs and set up JIT user provisioning on all other orgs.
- D. Configure UC1 as the Identity Provider to the other four Salesforce orgs, but don't set up JIT user provisioning for other orgs.

Answer: B

NEW QUESTION 136

Universal Containers (UC) wants its closed Won opportunities to be synced to a Data warehouse in near real time. UC has implemented Outbound Message to enable near real-time data sync. UC wants to ensure that communication between Salesforce and Target System is secure. What certificate is sent along with the Outbound Message?

- A. The Self-signed Certificates from the Certificate & Key Management menu.
- B. The default client Certificate from the Develop--> API menu.
- C. The default client Certificate or the Certificate and Key Management menu.
- D. The CA-signed Certificate from the Certificate and Key Management Menu.

Answer: B

NEW QUESTION 141

Universal Containers (UC) employees have Salesforce access from restricted IP ranges only, to protect against unauthorised access. UC wants to roll out the Salesforce1 mobile app and make it accessible from any location. Which two options should an Architect recommend? Choose 2 answers

- A. Relax the IP restriction with a second factor in the Connect App settings for Salesforce1 mobile app.
- B. Remove existing restrictions on IP ranges for all types of user access.
- C. Relax the IP restrictions in the Connect App settings for the Salesforce1 mobile app.
- D. Use Login Flow to bypass IP range restriction for the mobile app.

Answer: AC

NEW QUESTION 144

A company's external application is protected by Salesforce through OAuth. The identity architect for the project needs to limit the level of access to the data of the protected resource in a flexible way.

What should be done to improve security?

- A. Select "Admin approved users are pre-authorized" and assign specific profiles.
- B. Create custom scopes and assign to the connected app.
- C. Define a permission set that grants access to the app and assign to authorized users.
- D. Leverage external objects and data classification policies.

Answer: B

NEW QUESTION 149

A manufacturer wants to provide registration for an Internet of Things (IoT) device with limited display input or capabilities. Which Salesforce OAuth authorization flow should be used?

- A. OAuth 2.0 JWT Bearer How
- B. OAuth 2.0 Device Flow
- C. OAuth 2.0 User-Agent Flow
- D. OAuth 2.0 Asset Token Flow

Answer: B

NEW QUESTION 152

Containers (UC) has an existing Customer Community. UC wants to expand the self-registration capabilities such that customers receive a different community experience based on the data they provide during the registration process. What is the recommended approach an Architect Should recommend to UC?

- A. Create an After Insert Apex trigger on the user object to assign specific custom permissions.
- B. Create separate login flows corresponding to the different community user personas.
- C. Modify the Community pages to utilize specific fields on the User and Contact records.
- D. Modify the existing Communities registration controller to assign different profiles.

Answer: C

NEW QUESTION 153

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

Identity-and-Access-Management-Designer Practice Exam Features:

- * Identity-and-Access-Management-Designer Questions and Answers Updated Frequently
- * Identity-and-Access-Management-Designer Practice Questions Verified by Expert Senior Certified Staff
- * Identity-and-Access-Management-Designer Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * Identity-and-Access-Management-Designer Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The Identity-and-Access-Management-Designer Practice Test Here](#)